

DAFTAR PUSTAKA

1. Kasper D, Fauci A, Hauser S, Longo D, Jameson J, Loscalzo J. Harrison's principles of internal medicine. 19th ed. United States: McGraw-Hill Education; 2015.
2. Depression and Other Common Mental Disorders [Internet]. Switzerland: World Health Organization; 2017 [cited 1 September 2019]. Available from: <https://apps.who.int/iris/bitstream/handle/10665/254610/WHO-MSD-MER-2017.2-eng.pdf>
3. Tasci G, Baykara S, Gurok G, Atmaca M. Effect of exercise on therapeutic response in depression treatment. Psychiatry and Clinical Psychopharmacology. 2018 Jan;29(2):137-143
4. Marcus M, Yasamy M, van Ommeren M, Chisholm D, Saxen S. Depression A Global Public Health Concern [Internet]. World Health Organization; 2012 [cited 1 September 2019]. Available from: https://www.who.int/mental_health/management/depression/who_paper_depression_wfmh_2012.pdf
5. Hasil Utama Riskesdas 2018 [Internet]. Kementerian Kesehatan Republik Indonesia; 2018 [cited 1 September 2019]. Available from: http://www.depkes.go.id/resources/download/info-terkini/materi_rakorpop_2018/Hasil%20Riskeidas%202018.pdf
6. Tyson P, Wilson K, Crone D, Brailsford R, Laws K. Physical activity and mental health in a student population. Journal of Mental Health. 2010;19(6):492-499.
7. Khanzada FJ, Soomro N, Khan SZ. Association of physical exercise on anxiety and depression amongst adults. Jurnal of the College of Physicians and Surgeons Pakistan. 2015;25(7):546–548.
8. Feng Q, Zhang Q, Du Y, Ye Y, He Q. Associations of Physical Activity, Screen Time with Depression, Anxiety and Sleep Quality among Chinese College Freshmen. PLoS ONE. 2014;9(6):e100914.
9. González K, Fuentes J, Márquez J. Physical Inactivity, Sedentary Behavior and Chronic Diseases. Korean Journal of Family Medicine. 2017;38(3):111.
10. Physical activity [Internet]. Who.int. 2018 [cited 1 September 2019]. Available from: <https://www.who.int/news-room/fact-sheets/detail/physical-activity>
11. Dumith S, Hallal P, Reis R, Kohl H. Worldwide prevalence of physical inactivity and its association with human development index in 76 countries. Preventive Medicine. 2011;53(1-2):24-28.
12. Maulina B, Sari D. Derajat Stres Mahasiswa Baru Fakultas Kedokteran Ditinjau Dari Tingkat Penyesuaian Diri Terhadap Tuntutan Akademik. Jurnal Psikologi Pendidikan dan Konseling: Jurnal Kajian Psikologi Pendidikan dan Bimbingan Konseling. 2018;4(1):1.
13. PH L, Susanti Y, Arisanti D. Penurunan Tingkat Ansietas Mahasiswa Dalam Menyusun Skripsi Melalui Terapi Generalis Ansietas. Jurnal Ilmu Keperawatan Jiwa. 2018;1(2):76.

- 
14. Takagi D, Nishida Y, Fujita D. Age-associated changes in the level of physical activity in elderly adults. *J Phys Ther Sci.* 2015 Dec;27(12):3685–3687.
 15. The Lancet Public Health. Time to tackle the physical activity gender gap. *The Lancet Public Health.* 2019;4(8):e360.
 16. Maddison R, Hoorn S, Jiang Y, Mhurchu C, Exeter D, Dorey E et al. The environment and physical activity: The influence of psychosocial, perceived and built environmental factors. *Int J Behav Nutr Phys Act.* 2009;6(1):19.
 17. Kuh D, Cooper R, Hardy R, Richard M, Ben-Shlomo Y. A Life Course Approach to Healthy Ageing. Oxford: Oxford University Press; 2014.
 18. Bahadoran P, Tirkesh F, Oreizi H. Association between physical activity 3–12 months after delivery and postpartum well-being. *Iran J Nurs Midwifery Res.* 2014;19(1):82-87.
 19. Fell D, Joseph K, Arsmson B, Dodds L. The Impact of Pregnancy on Physical Activity Level. *Maternal and Child Health Journal.* 2009;13(5):597-603.
 20. Wu S, Fisher-Hoch S, Reininger B, McCormick J. Recommended Levels of Physical Activity Are Associated with Reduced Risk of the Metabolic Syndrome in Mexican-Americans. *PLoS ONE.* 2016;11(4):e0152896.
 21. Piepoli M, Hoes A, Agewall S, Albus C, Brotons C, Catapano A et al. 2016 European Guidelines on cardiovascular disease prevention in clinical practice. *European Heart Journal.* 2016;37(29):2315-2381.
 22. Bauman A, Bull F, Chey T, Craig C, Ainsworth B, Sallis J et al. The International Prevalence Study on Physical Activity: results from 20 countries. *International Journal of Behavioral Nutrition and Physical Activity.* 2009;6(1):21.
 23. Cleland C, Ferguson S, Ellis G, Hunter R. Validity of the International Physical Activity Questionnaire (IPAQ) for assessing moderate-to-vigorous physical activity and sedentary behaviour of older adults in the United Kingdom. *BMC Medical Research Methodology.* 2018;18(1):176
 24. Shenoy S, Chawla J, Sandhu J. Validation of short international physical activity questionnaire Punjabi version in India. *Saudi Journal of Sports Medicine.* 2014;14(2):77.
 25. Craig C, Marshall A, Sjostrom M, Bauman A, Booth M, Ainsworth B et al. International Physical Activity Questionnaire: 12-Country Reliability and Validity. *Medicine & Science in Sports & Exercise.* 2003;35(8):1381-1395
 26. Sadock B, Ruiz P, Sadock V. Kaplan et Sadock's synopsis of psychiatry. 11th ed. Philadelphia: Wolters Kluwer; 2015.
 27. Sadock BJ, Sadock VA. Kaplan & Sadock Buku Ajar Psikiatri Klinis. 2nd ed. Jakarta: EGC; 2010.
 28. Lister J, Barnes C. Neurobiological Changes in the Hippocampus During Normative Aging. *Archives of Neurology.* 2009;66(7):829-33.
 29. Setiawan E. Arti kata jeniskelamin - Kamus Besar Bahasa Indonesia (KBBI) Online [Internet]. Kbbi.web.id. [cited 7 September 2019]. Available from: <https://kbbi.web.id/jeniskelamin.html>
 30. Bahrami F, Yousefi N. Females Are More Anxious Than Males: a Metacognitive Perspective. *Iran J Psychiatry Behav Sci.* 2011;5(2):83-90.

31. Elvira SD, Hadisukanto G. Buku Ajar PSIKIATRI. 3rd ed. Jakarta: Badan Penerbit Fakultas Kedokteran Universitas Indonesia; 2017.
32. Mental Health and Chronic Disease [Internet]. Centers for Disease Control and Prevention; 2012 [cited 7 September 2019]. Available from: <https://www.cdc.gov/workplacehealthpromotion/tools-resources/pdfs/issue-brief-no-2-mental-health-and-chronic-disease.pdf>
33. Clarke D, Currie K. Depression, anxiety and their relationship with chronic diseases: a review of the epidemiology, risk and treatment evidence. Medical Journal of Australia. 2009;190(7 Suppl):S54-S60.
34. Uhlenbusch N, Löwe B, Härter M, Schramm C, Weiler-Normann C, Depping M. Depression and anxiety in patients with different rare chronic diseases: A cross-sectional study. PLoS One. 2019;14(2):e0211343.
35. Chen J, Marsh L. Anxiety in Parkinson's disease: identification and management. Therapeutic Advances in Neurological Disorders. 2013;7(1):52-59.
36. Watson DG. Pharmaceutical Chemistry International Edition E-Book. London: Churchill Livingstone Elsevier; 2011.
37. Feelders R, Sharma S, Nieman L. Cushing's syndrome: epidemiology and developments in disease management. Clin Epidemiol. 2015;7:281.
38. De Leo S, Lee S, Braverman L. Hyperthyroidism. The Lancet. 2016;388(10047):906-918.
39. Kuswanti, I. Asuhan Kehamilan. Yogyakarta: Pustaka Pelajar; 2014.
40. R. Wolfson A, E. Montgomery-Downs H. The Oxford Handbook of Infant, Child, and Adolescent Sleep and Behavior. New York: Oxford University Press; 2013.
41. Introduction | Antenatal and postnatal mental health: clinical management and service guidance | Guidance | NICE [Internet]. Nice.org.uk. 2018 [cited 7 September 2019]. Available from: <https://www.nice.org.uk/guidance/cg192/chapter/Introduction>
42. Videbeck S. Psychiatric-Mental Health Nursing. 6th ed. Philadelphia: Wolters Kluwer/Lippincott Williams & Wilkins; 2014.
43. Muntingh A, van der Feltz-Cornelis C, van Marwijk H, Spinhoven P, Penninx B, van Balkom A. Is the beck anxiety inventory a good tool to assess the severity of anxiety? A primary care study in The Netherlands study of depression and anxiety (NESDA). BMC Family Practice. 2011;12(1):66.
44. Carney C, Moss T, Harris A, Edinger J, Krystal A. Should we be anxious when assessing anxiety using the Beck Anxiety Inventory in clinical insomnia patients?. Journal of Psychiatric Research. 2011;45(9):1243-1249.
45. Beck A, Epstein N, Brown G, Steer R. An inventory for measuring clinical anxiety: Psychometric properties. Journal of Consulting and Clinical Psychology. 1988;56(6):893-897.
46. Khan S, Khan R. Annals of Psychiatry and Mental Health. Chronic Stress Leads to Anxiety and Depression. 2017;5(1):1091.
47. Ng Y, Voo P, Maakip I. Psychosocial factors, depression, and musculoskeletal disorders among teachers. BMC Public Health. 2019;19(1):234.

48. Bathla M, Singh M, Relan P. Prevalence of anxiety and depressive symptoms among patients with hypothyroidism. Indian Journal of Endocrinology and Metabolism. 2016;20(4):468.
49. Alhusen J, Alvarez C. Perinatal depression. The Nurse Practitioner. 2016;41(5):50-55.
50. Maslim R. Buku Saku Diagnosis Gangguan Jiwa Rujukan Ringkas dari PPDGJ-III dan DSM-5. Jakarta: PT Nuh Jaya; 2013.
51. Smarr K, Keefer A. Measures of depression and depressive symptoms: Beck Depression Inventory-II (BDI-II), Center for Epidemiologic Studies Depression Scale (CES-D), Geriatric Depression Scale (GDS), Hospital Anxiety and Depression Scale (HADS), and Patient Health Questionnaire. Arthritis Care & Research. 2011;63(S11):S454-S466.
52. Jackson-Koku G. Beck Depression Inventory. Occupational Medicine. 2016;66(2):174-175.
53. Stulz N, Crits-Christoph P. Distinguishing anxiety and depression in self-report: purification of the beck anxiety inventory and beck depression inventory-II. Journal of Clinical Psychology. 2010;66(9):927-40.
54. Lee B, Kim Y. The Roles of BDNF in the Pathophysiology of Major Depression and in Antidepressant Treatment. Psychiatry Investigation. 2010;7(4):231.
55. Molteni R, Cattaneo A, Calabrese F, Macchi F, Olivier J, Racagni G et al. Reduced function of the serotonin transporter is associated with decreased expression of BDNF in rodents as well as in humans. Neurobiology of Disease. 2010;37(3):747-755.
56. Zaw Y, Taneepanichskul N. Blood heavy metals and brain-derived neurotrophic factor in the first trimester of pregnancy among migrant workers. PLOS ONE. 2019;14(6):e0218409.
57. Erickson K, Prakash R, Voss M, Chaddock L, Heo S, McLaren M et al. Brain-Derived Neurotrophic Factor Is Associated with Age-Related Decline in Hippocampal Volume. Journal of Neuroscience. 2010;30(15):5368-5375.
58. Fung J, Gelaye B, Zhong Q, Rondon M, Sanchez S, Barrios Y et al. Association of decreased serum brain-derived neurotrophic factor (BDNF) concentrations in early pregnancy with antepartum depression. BMC Psychiatry. 2015;15(1):43.
59. Anderson E, Shivakumar G. Effects of Exercise and Physical Activity on Anxiety. Frontiers in Psychiatry. 2013;4(27):10-3.
60. Duthie L, Reynolds R. Changes in the Maternal Hypothalamic-Pituitary-Adrenal Axis in Pregnancy and Postpartum: Influences on Maternal and Fetal Outcomes. Neuroendocrinology. 2013;98(2):106-115.
61. Ouanes S, Popp J. High Cortisol and the Risk of Dementia and Alzheimer's Disease: A Review of the Literature. Frontiers in Aging Neuroscience. 2019;11:43.
62. Woods N, Mitchell E, Smith-DiJulio K. Cortisol levels during the menopausal transition and early postmenopause. Menopause. 2009;16(4):708-718.

63. Hage M, Azar S. The Link between Thyroid Function and Depression. *J Thyroid Res.* 2012;2012:590648.
64. Lonser R, Nieman L, Oldfield E. Cushing's disease: pathobiology, diagnosis, and management. *Journal of Neurosurgery.* 2017;126(2):404-417.
65. Yim I, Glynn L, Schetter C, Hobel C, Chicz-DeMet A, Sandman C. Prenatal β -endorphin as an early predictor of postpartum depressive symptoms in euthymic women. *Journal of Affective Disorders.* 2010;125(1-3):128-133.
66. Macieira-Coelho A. Molecular Basis of Aging. 1st ed. Boca Raton: CRC Press; 2017.
67. Lin T, Kuo Y. Exercise Benefits Brain Function: The Monoamine Connection. *Brain Sciences.* 2013;3(4):39-53.
68. Backström T, Winberg S. Serotonin Coordinates Responses to Social Stress—What We Can Learn from Fish. *Frontiers in Neuroscience.* 2017;11:595.
69. Karrer T, McLaughlin C, Guaglianone C, Samanez-Larkin G. Reduced serotonin receptors and transporters in normal aging adults: a meta-analysis of PET and SPECT imaging studies. *Neurobiol Aging.* 2019;80:1-10.
70. Gupta D, Kanade P, Radhakrishnan M, Prabhakar V. Diabetes-associated depression: The serotonergic system as a novel multifunctional target. *Indian Journal of Pharmacology.* 2015;47(1):4.
71. Belujon P, Grace A. Dopamine System Dysregulation in Major Depressive Disorders. *International Journal of Neuropsychopharmacology.* 2017;20(12):1036-1046.
72. Rieckmann A, Johnson K, Sperling R, Buckner R, Hedden T. Dedifferentiation of caudate functional connectivity and striatal dopamine transporter density predict memory change in normal aging. *Proceedings of the National Academy of Sciences.* 2018;115(40):10160-10165.
73. Arya A, et al. Understanding the Pathophysiology and Management of the Anxiety Disorders. *IJPPR Human Journals.* 2015;4(3):251-278.
74. Häammerer D, Callaghan M, Hopkins A, Kosciessa J, Betts M, Cardenas-Blanco A et al. Locus coeruleus integrity in old age is selectively related to memories linked with salient negative events. *Proceedings of the National Academy of Sciences.* 2018;115(9):2228-2233.
75. Dwivedi Y. The neurobiological basis of suicide. Boca Raton: CRC Press; 2012.
76. Gao F, Edden R, Li M, Puts N, Wang G, Liu C et al. Edited magnetic resonance spectroscopy detects an age-related decline in brain GABA levels. *NeuroImage.* 2013;78:75-82.
77. Basso J, Suzuki W. The Effects of Acute Exercise on Mood, Cognition, Neurophysiology, and Neurochemical Pathways: A Review. *Brain Plasticity.* 2017;2(2):127-152.
78. Bélair M, Kohen D, Kingsbury M, Colman I. Relationship between leisure time physical activity, sedentary behaviour and symptoms of depression and anxiety: evidence from a population-based sample of Canadian adolescents. *BMJ Open.* 2018;8(10):e021119.

79. Gan G, Hue Y. Anxiety, depression and quality of life of medical students in Malaysia. *Med J Malaysia*. 2019;74(1):57-61
80. R. Abdallah, A. and M. Gabr, H., 2014. Depression, anxiety and stress among first year medical students in an Egyptian public university. *International Research Journal of Medicine and Medical Sciences*, 2(1), pp.11-19.
81. Global Physical Activity Questionnaire (GPAQ) Analysis Guide [Internet]. 2nd version. Switzerland: World Health Organization; [cited 11 September 2019]. Available from: https://www.who.int/ncds/surveillance/steps/resources/GPAQ_Analysis_Guide.pdf
82. Florindo A, Latorre M. Validation and reliability of the Baecke questionnaire for the evaluation of habitual physical activity in adult men. *Revista Brasileira de Medicina do Esporte*. 2003;9(3):129-135.
83. Hamilton Anxiety Rating Scale (HAM-A) [Internet]. Florida: University of Florida; 2011 [cited 11 September 2019]. Available from: <https://dcf.psychiatry.ufl.edu/files/2011/05/HAMILTON-ANXIETY.pdf>
84. Dunstan D, Scott N, Todd A. Screening for anxiety and depression: reassessing the utility of the Zung scales. *BMC Psychiatry*. 2017;17(1).
85. Zimmerman M, Martinez J, Young D, Chelminski I, Dalrymple K. Severity classification on the Hamilton depression rating scale. *Journal of Affective Disorders*. 2013;150(2):384-388.
86. Dunstan D, Scott N. Assigning Clinical Significance and Symptom Severity Using the Zung Scales: Levels of Misclassification Arising from Confusion between Index and Raw Scores. *Depression Research and Treatment*. 2018;2018:1-13.
87. Ahmad A, Edwards K. A cross-sectional study analysing the association between habitual physical activity levels and quality of life in adults with asthma. *Baltic Journal of Health and Physical Activity*. 2015;7(1):29-41.
88. Kim G. Psychosocial adjustment and quality of life of adolescents and adults with congenital heart disease. *Korean J Pediatr*. 2014;57(6):257-263.
89. Freedland A. The Mediating Effects of Problematic Internet Usage on Social Phobia and Psychosocial Well-Being [Undergraduate]. University of Florida; 2012.
90. Susilowati TG. Pengaruh Terapi Menulis Pengalaman Emosional Terhadap Penurunan Depresi pada Mahasiswa Tahun Pertama. *Jurnal Psikologi*. 2011;38(1):92-107.