### **ACKNOWLEDGEMENTS**

Praise the Lord Almighty for His blessings unto the author during the completion of this final project report. The final project entitled "CHARACTERIZATION OF PROTEASES PRODUCED FROM INDONESIAN *Bacillus licheniformis* MUTANTS F11.1 AND F11.4" was conducted in order to fulfil requirement for obtaining the bachelor degree in Food Technology Universitas Pelita Harapan.

The author realizes that the final project and the report could not be completed without helps, prayers, supports, and guidances from many parties. In this opportunity, author feels that it is necessary to deliver gratitudes to those parties who give their supports, either directly or indirectly, during final project and the completion of this report; including:

- Prof. Maggy T. Suhartono, Ph.D. as the advisor who warmly delivered ideas, guidance, help, evaluation, and care to the author.
- 2) Mr. Jeremia Manuel, MP as the co-advisor who delivered brilliant opinions, advices, and evaluations to the author.
- 3) Ms. Julia Ratna Wijaya, MAppSc. as the Deputy of Food Technology

  Department and as academic advisor who watched over the author during study period; for her helps, guidance, care, and ideas.
- 4) Mrs. Nuri Arum Anugrahati, MP. as the Head of Food Technology Department.
- 5) Ir. W. Donald R. Pokatong, Msc., Ph.D. and Ms. Mery Tambaria Damanik Ambarita, S.Pi, M.Si. for the advices, evaluations and life values given.

- 6) Dr. Adolf Parhusip, as the Head of Microbiology Laboratorium in which the author conducted the final project research.
- Mr. Yos, Mr. Rudy, Mr. Ade, Mr. Ace, and Mrs. Ika for the helps and kindness during final project research in laboratory.
- 8) All lecturers and staffs who delivered lectures and administration helps to the author during 3.5 years of study period of author.
- 9) Santoso Bunawan (Father), Mega Desrani (Mother), Justin Bunawan, and Jonas (Brothers) for the prayers, supports, loves, and cares. This final project is especially dedicated to you and our big family.
- 10) Amalia Cherisa, for the prayers, supports, cares, motivations, and helps to author.
- 11) Michael Wijaya and Joan Adera as trustworthy comrades of similar topic, for the helps, supports, cares, and opinions during final project experiment; as well as Charissa Lungkat, Novel Sari, and Alwi Koeswono Ely as fellow colleagues under same advisor.
- 12) Daffodilo Octo, Jayanto, Sandro Sugito, Tommy, Ibnu Hartono, Jeffri Junaidi, Erwin Santoso, Santoso, Daniel Kurniawan, and Rudy Martin for being best friends and giving their best supports to the author.
- 13) Mikhael Dominico, Purnamasari Antono, Adeline Kartika Putri, Jenifer Susilo, Diana Hartono, Cindy Novita, De'fanny Endy, Yuliana Suhalim, Shella Dharmawan, Liony Wihardja, Ricky Winata, Andre Danu Prasetyo, Yessica Oktaviani, Merica, Jessica Mulyadi, Dyana, Stephen Dewangga, Angelica Nathania, Lidwina Natalia Goenadi, Agustinus Adrian Arinta, Angelin Agustina, Wira Cahyadi, Ian Danarko, Dharmawan Laksana,

Veronica Ekajayanti Gunawan, Winna Carmelita, Jeffrey Soegianto, Malvin Agatho, and all ex of C class members of Food Technology Department year 2007 Universitas Pelita Harapan for the whole fun experiences, acceptance, and inspirations during study in Food Technology Department UPH.

- 14) Bernadette Putri Azalia, Winsia Julia Purnama, Anita Gozali, Veronica Jenny Tanzil, Valencia Claresta Kusumasari, Tobias, William, Jevica, Sesaria, Vienna Gozal, Andreas Tjoa, Febiana Tedja, Andrew Tandra, Steffi Agustine, Laura Herbani, and Victoria Budiman for becoming friends and inspirations during study in Food Technology Department Universitas Pelita Harapan.
- 15) All friends and close relatives who are not mentioned yet but have also supported the author during final project and completion of the report.

The author realizes that this report is not perfect, and the author might have done unexpected things during the final project and the completion of this report. The author would like to appreciate the readers for the concerns and suggestions given to this report. Finally, the author hopes that this report will be useful for the readers, especially for those conducting researches with similar topic.

Karawaci, February 2011

Author

# TABLE OF CONTENTS

COVER PAGE	page
STATEMENT OF THESIS AUTHENTICITY	
APPROVAL BY THESIS SUPERVISORS	
APPROVAL BY THESIS EXAMINATION COMMITTEE	
ABSTRACT	vi
ACKNOWLEDGEMENTS	
TABLE OF CONTENTS	
LIST OF TABLES	xiii
LIST OF FIGURES	xiv
LIST OF APPENDICES	xvi
CHAPTER I INTRODUCTION	
1.1 Background	1
1.2 Research Problems	
1.3 Objectives	
1.3.1 General objective	
1.3.2 Specific objectives	
CHAPTER II LITERATURE REVIEW	
2.1 Protease	5
2.1.1 Definition and Classification	5
2.1.1.1 Exoprotease	7
2.1.1.2 Endoprotease	7
2.1.2 Roles of Protease in Food Industry	10
2.2 Production of Microbial Protease	
2.3 Factors Affecting Enzyme Activity	
2.3.1 Temperature	15

2.3.2 pH
2.3.3 Substrates and Enzyme Concentration
2.3.4 Substrate Specificity of Enzyme
2.3.5 Inhibitors
2.3.6 Cofactors
2.4 Bacillus licheniformis and Its Potency as a Protease Producer
2.5 Characteristics of Proteases Derived from <i>Bacillus</i> sp
CHAPTER III RESEARCH METHODOLOGY
3.1 Materials and Equipments
3.1.1 Materials
3.1.2 Equipments
3.2 Research Procedure
3.2.1 Production of Crude Protease
3.2.2 Characterization of Crude Protease
3.2.2.1 Optimum pH determination of crude protease40
3.2.2.2 Optimum temperature determination of crude protease 40
3.2.2.3 The effect of addition of several substances to crude
protease activity40
3.2.2.3.1 The effect of metals addition on crude protease
activity40
3.2.2.3.2 The effect of inhibitors addition on crude protease
activity41
3.2.2.3.3 The effect of solvents with different polarity
addition on crude protease activity41
3.2.2.4 The food product specificity of crude protease
3.2.2.5 The effect of pH on crude protease stability
3.2.2.6 The effect of temperature on crude protease stability
3.3 Analyses of Crude Protease 44
3.3.1 Protein Quantification
3.3.2 Protease Activity Assay
3.3.3 Gram Staining Method
3.3.4 Schaeffer-Fulton Method on Spore-forming Assay

3.4 Experimental Design
CHAPTER IV RESULTS AND DISCUSSION
4.1 Production of Crude Protease Derived from B.licheniformis mutants
F11.1 and F11.450
4.2 Characterization of Crude Protease Derived from B. licheniformis
mutants F11.1 and F.11.455
4.2.1 Optimum pH Determination of Crude Protease Derived from
B. licheniformis mutants F11.1 and F11.455
4.2.2 Optimum Temperature Determination of Crude Protease Derived
from B. licheniformis mutants F11.1 and F11.458
4.2.3 Effect of Addition of Several Substances to Activity of Crude
Proteases Derived from B. licheniformis mutants F11.1 and F11.4 62
4.2.3.1 Effect of Metal Addition to Activity of Crude Proteases
Derived from B. licheniformis mutants F11.1 and F11.4 62
4.2.3.2 Effect of Inhibitor Addition to Activity of Crude Protease
Derived from B. licheniformis mutants F11.1 and F11.4 67
4.2.3.3 Effect of Solvent Addition to Activity of Crude Protease
Derived from B. licheniformis mutants F11.1 and F11.471
4.2.4 Food Product Specificity of Crude Protease Derived from
B. licheniformis mutants F11.1 and F11.475
4.2.5 The Effect of pH to Stability of Crude Protease Derived from
Bacillus licheniformis mutants F11.1 and F11.479
4.2.6 Effect of Temperature to Stability of Crude Protease Derived from
Bacillus licheniformis mutants F11.1 and F11.483
CHAPTER V CONCLUSION AND SUGGESTION
5.1 Conclusion
5.2 Suggestion
BIBLIOGRAPHY90
APPENDICES

## LIST OF TABLES

pa	ıge
Table 2.1 Proteases and their mechanisms of action	6
Table 2.2 The differences between submerged fermentation (SmF) and solid-state fermentation (SSF)	13
Table 2.3 Phenotype and biochemical characteristics of Bacillus licheniformis	25
Table 3.1 Composition of solutions for analysis (ml)	45
Table 3.2 Composition of solutions for standard curve (ml)	45
Table 4.1 Specific activity of crude protease of <i>B. licheniformis</i> mutant F11.1 during incubation period	3
Table 4.2 Specific activity of crude protease of <i>B. licheniformis</i> mutant F11.4 during incubation period	3
Table A.1 Addition of B solution in formula for buffer with certain pHA-1	
Table D.1 Absorbance of albumin in certain concentration (595 nm)D-1	
Table E.1 Absorbance of tyrosine in certain concentration (660 nm)	

## LIST OF FIGURES

page
Figure 2.1 Layout of enzyme production and purification
Figure 2.2 Effect of temperature to enzymatic reaction rate
Figure 2.3 Effect of pH to enzyme activity
Figure 2.4 Effect of substrate concentration to enzyme activity
Figure 2.5 Effect of enzyme concentration to enzyme activity
Figure 2.6 Example of proper and improper binding of enzyme-substrate interaction
Figure 2.7 Systematics of cofactor-containing enzymes
Figure 4.1 Effect of pH to crude protease produced from  **B. licheniformis* mutant F11.1
Figure 4.2 Effect of pH to crude protease produced from  B. licheniformis mutant F11.4
Figure 4.3 Effect of temperature to crude protease produced from  B. licheniformis mutant F11.1
Figure 4.4 Effect of temperature to crude protease produced from  B. licheniformis mutant F11.4
Figure 4.5 Effect of metal addition to crude protease produced from  B. licheniformis mutant F11.1
Figure 4.6 Effect of metal addition to crude protease produced from  B. licheniformis mutant F11.4
Figure 4.7 Effect of inhibitor addition to crude protease produced from  B. licheniformis mutant F11.1
Figure 4.8 Effect of inhibitor addition to crude protease produced from  B. licheniformis mutant F11.4

Figure 4.9 Effect of solvent addition to crude protease produced from	
Bacillus licheniformis mutant F11.1	7
Figure 4.10 Effect of solvent addition to crude protease produced from Bacillus licheniformis mutant F11.4	72
Figure 4.11 Substrate specificity of crude protease produced from B. licheniformis mutant F11.1	76
Figure 4.12 Substrate specificity of crude protease produced from B. licheniformis mutant F11.4	76
Figure 4.13 pH stability of crude protease derived from  Bacillus licheniformis mutant F11.1	80
Figure 4.14 pH stability of crude protease derived from  Bacillus licheniformis mutant F11.4	30
Figure 4.15 Temperature stability of crude protease derived from  Bacillus licheniformis mutant F11.1	34
Figure 4.16 Temperature stability of crude protease derived from  Bacillus licheniformis mutant F11.4	34
Figure C.1 Results on spore-forming assay of <i>B. licheniformis</i> mutant F11.1	-1
Figure C.2 Results on spore-forming assay of <i>B. licheniformis</i> mutant F11.4	1
Figure C.3 Results on Gram staining of B. licheniformis mutant F11.1	1
Figure C.4 Results on Gram staining of B. licheniformis mutant F11.4	1

## LIST OF APPENDICES

	page
Appendix A	. Results on spore-forming assay and Gram staining
Appendix B	B-1
Appendix C	. Universal buffer formula
Appendix D	Protein standard curve
Appendix E	. Standard curve for crude protease activity E-1
Appendix F	Data for reconfirmation of incubation time determination of crude protease derived from <i>B. licheniformis</i> mutant F11.1F-1
Appendix G	Data for reconfirmation of incubation time determination of crude protease derived from <i>B. licheniformis</i> mutant F11.4 G-1
Appendix H	Data and statistical analysis for optimum pH determination of crude protease derived from <i>B. licheniformis</i> mutant F11.1 at 60°C
Appendix I.	Data and statistical analysis for optimum pH determination of crude protease derived from <i>B. licheniformis</i> mutant F11.4 at 60°C
Appendix J.	Data and statistical analysis for optimum temperature determination of crude protease derived from <i>B. licheniformis</i> mutant F11.4 at pH 10.0
Appendix K.	Data and statistical analysis for optimum temperature determination of crude protease derived from <i>B. licheniformis</i> mutant F11.4 at pH 10.0
Appendix L.	Data and statistical analysis for effect of metal addition to activity of crude protease derived from <i>B. licheniformis</i> F11.1 (60°C, pH 10.0)

xvi

	Data and statistical analysis for effect of metal addition to activity of crude protease derived from <i>B. licheniformis</i> F11.4 (60°C, pH 10.0)
	Data and statistical analysis for effect of inhibitor addition to activity of crude protease derived from <i>B. licheniformis</i> F11.1 (60°C, pH 10.0)
	Data and statistical analysis for effect of inhibitor addition to activity of crude protease derived from <i>B. licheniformis</i> F11.4 (60°C, pH 10.0)
	Data and statistical analysis for effect of solvent addition to activity of crude protease derived from <i>B. licheniformis</i> F11.1 (60°C, pH 10.0)
a a	Data and statistical analysis for effect of solvent addition to activity of crude protease derived from <i>B. licheniformis</i> F11.4 (60°C, pH 10.0)
8	Data and statistical analysis for food product specificity to activity of crude protease derived from <i>B. licheniformis</i> F11.1 (60°C, pH 10.0)
а	Data and statistical analysis for food product specificity to activity of crude protease derived from <i>B. licheniformis</i> F11.4 (60°C, pH 10.0)S-1
Appendix T. I	Data and statistical analysis for effect of pH to stability of crude protease derived from <i>B. licheniformis</i> F11.1 (60°C, pH 10.0) T-1
Appendix U. I	Data and statistical analysis for effect of pH to stability of crude protease derived from <i>B. licheniformis</i> F11.4 (60°C, pH 10.0) U-1
0	Data and statistical analysis for effect of temperature to stability of crude protease derived from <i>B. licheniformis</i> F11.1 60°C, pH 10.0)
o	Data and statistical analysis for effect of temperature to stability f crude protease derived from <i>B. licheniformis</i> F11.4 60°C, pH 10.0)

xvii