

DAFTAR PUSTAKA

- Alberoni, D., Gaggia, F., Baffoni, L., Modesto, M., Biavati, B., & Di Gioia, D. (2019). *Bifidobacterium xylocopae* sp. nov. and *Bifidobacterium aemilianum* sp. nov., from the carpenter bee (*Xylocopa violacea*) digestive tract. *Systematic And Applied Microbiology*, 42(2), 205-216.
- Allen, T. (2020). *Serial Dilution Problem Help*. Retrieved from University of Vermont: <https://www.uvm.edu/~btessman/calc/serhelp.html> (22 Agustus 2020).
- Aly, E., Darwish, A. A., Lopez-Nicolas, R., Frontela-Saseta, C., & Ros-Berruezo, G. (2018). Chapter 2 – Bioactive Components of Human Milk: Similarities and Differences between Human Milk and Infant Formula. In Barria, R. M. 2018. *Selected Topics in Breastfeeding*. London: IntechOpen, pp. 11-26.
- Awasti, N., Tomar, S. K., Pophaly, S. D., Lule, V. K., Singh, T. P., & Anand, S. (2015). Probiotic and functional characterization of bifidobacteria of Indian human origin. *Journal Of Applied Microbiology*, 120(4), 1021-1032.
- Ayechu-Muruzabal, V., van Stigt, A. H., Mank, M., Willemsen, L. E. M., Stahl, B., Garssen, J., & van't Land, B. (2018). Diversity of human milk oligosaccharides and effects on early life immune development. *Frontiers in Pediatrics*, 6(239): 1-9.
- Biavati, B., & Mattarelli, P. (2015). *Bifidobacterium*. In Goodfellow, Kämpfer, P., Busse, H. J., Martha E. T., Suzuki, K., Ludwig W., & Whitman, W. B. (2012). *Bergey's Manual® of Systematic Bacteriology Second Edition – Volume Five The Actinobacteria, Part A and B*. New York: Springer Science+Business Media, pp. 171-206.
- Binns, C., Lee, M., & Low, W. (2016). The long-term public health benefits of breastfeeding. *Asia Pacific Journal of Public Health*, 28(1), 7-14.
- Chen, X., Zhiguo, E., Gu, D., Lv, L., & Lia, Y. (2015). Complete genome sequence of *Bifidobacterium actinocoloniiforme* type strain DSM 22766, isolated from bumblebee digestive tracts. *Genome Announcements – Journals American Society for Microbiology*, 3(5), 1-3.
- Collado, M. C., Laitinen, K., Salminen, S., & Isolauri, E. (2012). Maternal weight and excessive weight gain during pregnancy modify the immunomodulatory potential of breast milk. *Pediatric Research*, 72(1), 77-85.
- Cook, G. M., Berney, M., Gebhard, S., Heinemann, M., Cox, R. A., Danilchanka, O., & Niederweis, M. (2009). Physiology of mycobacteria. *Advances In Microbial Physiology*, 55, 81-319.
- Crociani, F., Biavati, B., Alessandrini, A., Chiarini, C., & Scardovi, V. (1996). *Bifidobacterium inopinatum* sp. Nov. And *bifidobacterium denticolens* sp.

- Nov., two new species isolated from human dental caries. *International Journal of Systematic Bacteriology*, 46(2), 564-571.
- Demmelmair, H., Jiménez, E., Collado, M., Salminen, S., & McGuire, M. (2020). Maternal and perinatal factors associated with the human milk microbiome. *Current Developments In Nutrition*, 4(4): 1-4.
- Dewanto, N. E. F., Firmansyah, A., Sungkar, A., Dharmasetiwani, N., Sastroasmoro, S., Kresno, S. B., Suradi, R., Bardosono, S., & Prasetyo, D. (2017). The effect of *Bifidobacterium animalis lactis* HNO19 supplementation among pregnant and lactating women on interleukin-8 level in breast milk and infant's gut mucosal integrity. *Medical Journal of Indonesia*, 26: 204-11.
- Dhanashree, Rajashekharan, S., Krishnaswamy, B., & Kammara, R. (2017). Bifid shape is intrinsic to *bifidobacterium adolescentis*. *Frontiers in Microbiology*, 8, 1-12.
- Doherty, A. M., Lodge, C. J., Dharmage, S. C., Dai, X., Bode, L., & Lowe, A J. (2018). Human milk oligosaccharides and associations with immune-mediated disease and infection in childhood: a systematic review. *Frontiers in Pediatrics*, 6, 1-8.
- Doi, K., Fujino, Y., Nagayoshi, Y., Ohshima, T., & Ogata, S. (2016). Complete Genome Sequence of Thiostrepton-Producing *Streptomyces laurentii* ATCC 31255. *Genome Announcements – Journals American Society for Microbiology*, 4(3), 1-3.
- Duranti, S., Lugli, G. A., Mancabelli, L., Turroni, F., Milani, C., Mangifesta, M., Ferrario, C., Anzalone, R., Viappiani, A., van Sinderen, D., & Ventura, M. (2017). Prevalence of antibiotic resistance genes among human gut-derived bifidobacteria. *Applied and Environmental Microbiology*, 83(3), 1-14.
- Egan, M., O'Connell Motherway, M., Ventura, M., & van Sinderen, D. (2014). Metabolism of sialic acid by *bifidobacterium breve* UCC2003. *Applied And Environmental Microbiology*, 80(14), 4414-4426.
- Eglash, A., Simon, L., Brodribb, W., Reece-Stremtan, S., Noble, L., & Brent, N (2017). ABM Clinical protocol #8: human milk storage information for home use for full-term infants, revised 2017. *Breastfeeding Medicine*, 12(7), 390-395.
- Fernández, L., Langa, S., Martín, V., Maldonado, A., Jiménez, E., Martín, R., & Rodríguez, J. M. (2013). The human milk microbiota: origin and potential roles in health and disease. *Pharmacological Research*, 69, 1-10.
- Furlanetti, A. M., & Prata, L. F. (2003). Free and total gmp (glycomacropeptide) contents of milk during bovine lactation. *Food Science and Technology*, 23, 121-125.
- Goldman, E., & Green, L. H. (2009). *Practical Handbook of Microbiology – Second Edition*. Florida: CRC Press Taylor & Francis Group, pp. 18.

- Grönlund, M. M., Gueimonde, M., Laitinen, K., Kociubinski, G., Grönroos, T., Salminen, S., & Isolauri, E. (2007). Maternal breast-milk and intestinal bifidobacteria guide the compositional development of the *Bifidobacterium* microbiota in infants at risk of allergic disease. *Clinical & Experimental Allergy*, 37(12), 1764-1772.
- Gueimonde, M., Laitinen, K., Salminen, S., & Isolauri, E. (2007). Breast milk: a source of bifidobacteria for infant gut development and maturation?. *Neonatology*, 92(1), 64-66.
- Gueimonde, M., Sánchez, B., G. de los Reyes-Gavilán, C. G., & Margolles, A. (2013). Antibiotic resistance in probiotic bacteria. *Frontiers In Microbiology*, 4(202), 1-6.
- Hadadjii, M., Benama, R., Saidi, N., Henni, D. E., & Kihal, M. (2005). Identification of cultivable *bifidobacterium* species isolated from breast-fed infants feces in west-algeria. *African Journal of Biotechnology*, 4(5), 422-430.
- Hanidah, I. I., Erlangga, D., Sumanti, D. M., Wardani, W. K., Grachia, S., & Setiasih, I. S. (2017). Identifikasi lactobacillus gasseri dari asi: karakterisasi dan pengujian biokimia. *Agricore – Jurnal Agribisnis dan Sosial Ekonomi Pertanian*, 2(2): 291-357.
- Hanidah, I. I., Putri, I. L. K., Putranto, W. S., Nurhadi, B., & Sumanti, D. M. (2019). Characterization of probiotic bacterial candidates from jatinangor-indonesia breast milk. *International Journal on Advance Science Engineering Information Techology*, 9(5), 1649-1655.
- Hermansson, H., Kumar, H., Collado, M. C., Salminen, S., Isolauri, E., & Rautava, S. (2019). Breast milk microbiota is shaped by mode of delivery and intrapartum antibiotic exposure. *Frontiers In Nutrition*, 6(4), 1-8.
- Huidrom S., & Sharma N. (2018). Isolation and Screening of Novel Isolates of Bifidobacteria from Human Milk as Potential Probiotic with Antidiarrheal Activity. *Annals of Applied Microbiology & Biotechnology Journal*. 2(1), 1-8.
- Imhof, A., & Heinzer, I. (1996). Continuous monitoring of oxygen concentrations in several systems for cultivation of anaerobic bacteria. *Journal of Clinical Microbiology*, 34(7), 1646-1648.
- Khonsari, S., Suganthy, M., Burczynska, B., Dang, V., Choudhury, M., & Pachenari, A. (2015). A comparative study of bifidobacteria in human babies and adults. *Bioscience of Microbiota, Food and Health*, 35 (2), 97–103.
- Killer, J., Kopečný, J., Mrázek, J., Koppová, I., Havlík, J., Benada, O., & Kott, T. (2011). *Bifidobacterium actinocoloniiforme* sp. nov. and *Bifidobacterium boemicum* sp. nov., from the bumblebee digestive tract. *International Journal Of Systematic And Evolutionary Microbiology*, 61(6), 1315-1321.

- Kok, R. G., de Waal, A., Schut, F., Welling, G. W., Weenk, G., & Hellingwerf, K. J. (1996). Specific detection and analysis of a probiotic *Bifidobacterium* strain in infant feces. *Applied And Environmental Microbiology*, 62(10), 3668-3672.
- Koziolek, M., Grimm, M., Becker, D., Iordanov, V., Zou, H., Shimizu, J., Wanke, C., Garbacz, G., & Weitschies, W. (2014). Investigation of ph and Temperature Profiles in the GI Tract of Fasted Human Subjects Using the Intellicap® System. *Journal Of Pharmaceutical Sciences*, 104(9), 2855-2863.
- Kristoffersen, S. M., Ravnum, S., Tourasse, N. J., Økstad, O. A., Kolstø, A. B., & Davies, W. (2007). Low concentrations of bile salts induce stress responses and reduce motility in *bacillus cereus* ATCC 14570. *Journal Of Bacteriology*, 189(14), 5302-5313.
- Langendijk, E. S., Schut, F., Jansen, G. J., Raangs, G. C., Kamphuis, G. R., Wilkinson, M. H. F., & Welling, G. W. (1995). Quantitative fluorescence in situ hybridization of *bifidobacterium* spp. with genus-specific 16s rrna-targeted probes and its application in fecal samples. *Applied and Environmental Microbiology*, 61(8), 3069-3075.
- Lee, H., Park, H., Ha, E., Hong, Y. C., Ha, M., & Park, H., Kim, B. N., Lee, B., Lee, S. J., Lee, K. Y., Kim, J. H., Jeong, K. S., & Kim, Y. (2020). Effect of breastfeeding duration on cognitive development in infants: 3-year follow-up study. *Journal of Korean Medical Science*, 31: 579-584.
- Lee, J. H., & O'Sullivan, D. J. (2010). Genomic insights into bifidobacteria. *Microbiology and Molecular Biology Reviews*, 74(3), 378-416.
- Li, S., Watanabe, K., Hsu, C., Chao, S., Yang, Z., Lin, Y., Chen, C., Cao, Y., Huang, H., Chang, C., & Tsai, Y. (2017). Bacterial composition and diversity in breast milk samples from mothers living in taiwan and mainland china. *Frontiers In Microbiology*, 8(965), 1-15.
- Linares, D., Gómez, C., Renes, E., Fresno, J., Tornadijo, M., Ross, R., & Stanton, C. (2017). Lactic Acid Bacteria and Bifidobacteria with Potential to Design Natural Biofunctional Health-Promoting Dairy Foods. *Frontiers in Microbiology*, 8, 1-11.
- Martín, R., Jimenez, E., Heilig, H., Fernandez, L., Marin, M. L., Zoetendal, E. G., & Rodriguez, J. M. (2009). Isolation of bifidobacteria from breast milk and assessment of the bifidobacterial population by pcr-denaturing gradient gel electrophoresis and quantitative real-time PCR. *Applied and Environmental Microbiology*, 75(4), 965-969.
- Masco, L., Hoorde, V. K., Brandt, E. D., Swings, J., & Huys, G. (2006). Antimicrobial susceptibility of *Bifidobacterium* strains from humans, animals and probiotic products. *Journal Of Antimicrobial Chemotherapy*, 58(1), 85-94.

- Mattarelli, P., & Biavati, B. (2014). The genera *Bifidobacterium*, *Parascardovia* and *Scardovia*. In Holzapfel, W. H., & Wood, B. J. B. 2014. *Lactic Acid Bacteria: Biodiversity and Taxonomy*. West Sussex: John Wiley & Sons, Ltd, pp. 509-541.
- Mättö, J., Suihko, M. L., & Saarela, M. (2006). Comparison of three test media for antimicrobial susceptibility testing of bifidobacteria using the Etest method. *International Journal Of Antimicrobial Agents*, 28(1), 42-48.
- Mikami, K., Kimura, M., & Takahashi, H. (2012). Influence of maternal bifidobacteria on the development of gut bifidobacteria in infants. *Pharmaceuticals*, 5(6), 629-642.
- Miller, P. H., Wiggs, L. S., & Miller, J. M. (1995). Evaluation of anaerogen system for growth of anaerobic bacteria. *Journal of Clinical Microbiology*, 33(9), 2388-2391.
- Modesto, M. (2018). Chapter 4 – Isolation, Cultivation, and Storage of Bifidobacteria. In Paola, M., Biavati, B., Holzapfel, W. H., & Wood, B. J. B. 2018. *The Bifidobacteria and Related Organism – Biology, Taxonomy, Applications*. London: Elsevier Inc. – Academic Press, pp. 67-90.
- Modesto, M., Michelini, S., Stefanini, I., Ferrara, A., Tacconi, S., Biavati, B., & Mattarelli, P. (2014). *Bifidobacterium aesculapii* sp. nov., from the faeces of the baby common marmoset (*Callithrix jacchus*). *International Journal Of Systematic And Evolutionary Microbiology*, 64(8), 2819-2827.
- Moossavi, S., & Azad, M. B. (2019). Origins of human milk microbiota: new evidence and arising questions. *Gut Microbes – Taylor & Francis Group*, 25(2), 324-335.
- Moossavi, S., Miliku, K., Sepehri, S., Khafipour, E., & Azad, M. (2018). The Prebiotic and Probiotic Properties of Human Milk: Implications for Infant Immune Development and Pediatric Asthma. *Frontiers in Pediatrics*, 6, 1-7.
- Moriya, J., Fachin, L., Gândar, A. L. N., & Viotto, W. H. (2006). Evaluation of culture media for counts of *bifidobacterium animalis* in the presence of yoghurt bacteria. *Brazilian Journal of Microbiology*, 37, 516-520.
- Moubareck, C., Gavini, F., Vaugien, L., Butel, M. J., & Doucet-Populaire, F. (2005). Antimicrobial susceptibility of bifidobacteria. *Journal Of Antimicrobial Chemotherapy*, 55(1), 38-44.
- Murphy, K., Curley, D., O'Callaghan, T., O'Shea, C., Dempsey, E., O'Toole, P., Ross, R., Ryan, C., & Stanton, C. (2017). The Composition of Human Milk and Infant Faecal Microbiota Over the First Three Months of Life: A Pilot Study. *Scientific Reports*, 7(1), 1-10.
- Nakai, R., Baba, T., Niki, H., Nishijima, M., & Naganuma, T. (2015). *Aurantimicrobium minutum* gen. nov., sp. nov., a novel ultramicrobacterium of the family Microbacteriaceae, isolated from river

- water. International Journal Of Systematic And Evolutionary Microbiology, 65(11), 4072-4079.
- O'Callaghan, A., & van Sinderen, D. (2016). Bifidobacteria and Their Role as Members of the Human Gut Microbiota. *Frontiers in Microbiology*, 7, 1-23.
- O'Riordan, N., O'Callaghan, J., Buttò, L., Kilcoyne, M., Joshi, L., & Hickey, R. M. (2018). Bovine glycomacropeptide promotes the growth of *Bifidobacterium longum* ssp. *infantis* and modulates its gene expression. *Journal Of Dairy Science*, 101(8), 6730-6741.
- Ogundele, M. (2000). Techniques for the storage of human breast milk: implications for anti-microbial functions and safety of stored milk. *European Journal Of Pediatrics*, 159(11), 793-797.
- Ojo-Okunola, A., Nicol, M., & du Toit, E. (2018). Human breast milk bacteriome in health and disease. *Nutrients*, 10(11), 1-13.
- Oliveira, N., Cavalcanti, E., Laport, M., Bastos, M., & Giambiagi-deMarval, M. (2009). Constitutive expression of the *ileS-2* gene responsible for high-level mupirocin resistance in *Staphylococcus aureus*. *Journal Of Medical Microbiology*, 58(12), 1582-1584.
- Payne, J. F., Morris, A. E. J., & Beers, P. (1999). Note: evaluation of selective media for the enumeration of *bifidobacterium* sp. in milk. *Journal of Applied Microbiology*, 86, 353–358.
- Pereira, G. V. M., de Oliveira Coelho, B., Júnior, A. I. M., Thomaz-Soccol, V., & Soccol, C. R. (2018). How to select a probiotic? A review and update of methods and criteria. *Biotechnology Advances*, 36(8), 2060-2076.
- Putri, A. M., & Kurnia, P. (2018). Identifikasi keberadaan bakteri coliform dan total mikroba dalam es dung-dung di sekitar kampus universitas muhammadiyah surakarta. *Media Gizi Indonesia*, 13(1), 41–48.
- Pyar, A. H. H., & Peh, K. K. (2016). Investigation of cryoprotection on the viability of freeze dried probiotics. *Malaysian Journal of Microbiology*, 12(5), 353-358.
- Rada, V., & Petr, J. (2000). A new selective medium for the isolation of glucose non- fermenting bifidobacteria from hen caeca. *Journal of Microbiological Methods*, 43, 127–132.
- Radulović, Z., Petrović, T., & Bulajić, S. (2012). Chapter 26 – Antibiotic Susceptibility of Probiotic Bacteria. In Pana, M. (20120). *Antibiotic Resistant Bacteria - A Continuous Challenge in the New Millennium*. Croatia: IntechOpen, pp. 566.
- Rahman, D. H., Tanziha, I., & Usmiati, S. (2012). Formulasi produk susu fermentasi kering dengan penambahan bakteri probiotik *lactobacillus casei* dan *bifidobacterium longum*. *Jurnal Gizi dan Pangan*, 7(1): 49-56.

- Rozman, V., Lorbeg, P. M., Accetto, T., & Matijašić, B. B. (2020). Characterization of antimicrobial resistance in lactobacilli and bifidobacteria used as probiotics or starter cultures based on integration of phenotypic and in silico data. *International Journal Of Food Microbiology*, 314, 1-11.
- Ruiz, L., Margolles, A., & Sánchez, B. (2013). Bile resistance mechanisms in Lactobacillus and Bifidobacterium. *Frontiers In Microbiology*, 4, 1-8.
- Rymovicz, A. U. M., Souza, R. D., Gursky, L. C., Rosa, R. T., Trevilatto, P. C., Groppo, F. C., & Rosa, E. A. R. (2011). Screening of reducing agents for anaerobic growth of *Candida albicans* SC5314. *Journal Of Microbiological Methods*, 84(3), 461-466.
- Sagheddu, V., Guidesi, E., Galletti, S., & Elli, M. (2019). Selection and characterization criteria of probiotics intended for human use from the past to the future. *Food Science And Nutrition Studies*, 3(2), 73-83.
- Sallam, M. K., Wali, I. E., Attia, A. E. F. M. H. Lofty, W. M. N., Mehanna, N. S., & El-Taweel, A. (2015). Isolation of lactobacilli and bifidobacteria species from human breast milk. *The Egyptian Journal of Medical Microbiology*, 24(3), 69-73.
- Sánchez, B., Champomier-Vergès, M., Collado, M. C., Anglade, P., Baraige, F., Sanz, Y., Reyes-Gavilán, C. G., Margolles, A., & Zagorec, M. (2007). Low-pH adaptation and the acid tolerance response of *bifidobacterium longum* biotype longum. *Applied And Environmental Microbiology*, 73(20), 6450-6459.
- Satokari, R. M., Vaughan, E. E., Akkermans, A. D. L., Saarela, M., & de Vos, W. M. (2001). Bifidobacterial diversity in human feces detected by genus-specific pcr and denaturing gradient gel electrophoresis. *Applied And Environmental Microbiology*, 67(2), 504-513.
- Serafini, F., Bottacini, F., Viappiani, A., Baruffini, E., Turroni, F., & Foroni, E., Lodi, T., Sinderen, D. V., & Ventura, M. (2011). Insights into physiological and genetic mupirocin susceptibility in bifidobacteria. *Applied And Environmental Microbiology*, 77(9), 3141-3146.
- Shori, A. B., & Baba, A. S. (2015). Survival of *bifidobacterium bifidum* in cow- and camel-milk yogurts enriched with cinnamomum verum and allium sativum. *Journal of the Association of Arab Universities for Basic and Applied Sciences*, 18(1), 7-11.
- Simpson, P. J., Ross, R. P., Fitzgerald, G. F., & Stanton, C. (2004). *Bifidobacterium psychraerophilum* sp. nov. and *Aeriscardovia aeriphila* gen. nov., sp. nov., isolated from a porcine caecum. *International Journal Of Systematic And Evolutionary Microbiology*, 54(2), 401-406.
- Smilowitz, J. T., Lebrilla, C. B., Mills, D. A., German, J. B., & Freeman, S. L. (2014). Breast Milk Oligosaccharides: Structure-Function Relationships in the Neonate. *Annual Review Of Nutrition*, 34(1), 143-169.

- Soto, A., Martín, V., Jiménez, E., Mader, I., Rodríguez, J. M., & Fernández, L. (2014). Lactobacilli and bifidobacteria in human breast milk. *Journal Of Pediatric Gastroenterology And Nutrition*, 59(1), 78-88.
- Stackebrandt, E., & Goebel, B. (1994). Taxonomic note: a place for dna-dna reassociation and 16S-rRNA sequence analysis in the present species definition in bacteriology. *International Journal Of Systematic And Evolutionary Microbiology*, 44(4), 846-849.
- Süle, J., Körösi, T., Hücker, A., & Varga, L. (2014). Evaluation of culture media for selective enumeration of bifidobacteria and lactic acid bacteria. *Brazilian Journal of Microbiology*, 45(3), 1023-1030.
- Taher, M. A., Raihan, M. M., Ahmed, M. F., Kabir, M. H., Das, A. K., & Khalil, M. M. R. (2015). Detection and characterization of bifidobacteria from indigenous poultry and their in vitro evaluation as probiotic. *International Journal of Applied Research*, 1(12), 71-78.
- Turroni, F., Duranti, S., Bottacini, F., Guglielmetti, S., van Sinderen, D., & Ventura, M. (2014). Bifidobacterium bifidum as an example of a specialized human gut commensal. *Frontiers In Microbiology*, 5(437), 1-9.
- Turroni, F., Foroni, E., Pizzetti, P., Giubellini, V., Ribbera, A., Merusi, P., Cagnasso, P., Bizzarri, B., de'Angelis, G. L., Shanahan, F., Sinderen D. V., & Ventura, M. (2009). Exploring the diversity of the bifidobacterial population in the human intestinal tract. *Applied And Environmental Microbiology*, 75(6), 1534-1545.
- Turroni, F., Foroni, E., Serafini, F., Viappiani, A., Montanini, B., Bottacini, F., Ferrarini, A., Bacchini, P. L., Rota, C., Delledonne, M., Ottonello, S., Sinderen, D. V., & Ventura, M. (2011). Ability of bifidobacterium breve to grow on different types of milk: exploring the metabolism of milk through genome analysis. *Applied And Environmental Microbiology*, 77(20), 7408-7417.
- Urdaneta, V., & Casadesús, J. (2017). Interactions between Bacteria and Bile Salts in the gastrointestinal and hepatobiliary tracts. *Frontiers In Medicine*, 4(163), 1-13.
- Waddington, L., Cyr, T., Hefford, M., Hansen, L. T., & Kalmokoff, M. (2010). Understanding the acid tolerance response of bifidobacteria. *Journal of applied microbiology*, 108(4), 1408-1420.
- Walker, A. W., Martin, J. C., Scott, P., Parkhill, J., Flint, H. J., & Scott, K. P. (2015). 16S rRNA gene-based profiling of the human infant gut microbiota is strongly influenced by sample processing and PCR primer choice. *Microbiome*, 3(1), 1-11.
- Yazid, A.M., Ali, A.M., Shuhaimi, M., Kalaivaani, V., Rokiah, M.Y., & Reezal, A. (2000). Antimicrobial susceptibility of bifidobacterial. *Letters in Applied Microbiology*, 31, 57-62.