

DAFTAR PUSTAKA

- Ammor, M. S., Florez, A. B. & Mayo, B. 2007. Antibiotic resistance in non-enterococcal lactic acid bacteria and bifidobacteria. *Food Microbiology*, 24:559-570.
- Arena, M. P., Silvain, A., Normanno, G., Grieco, F., Drider, D., Spano, G. & Fiocco, D. 2016. Use of *Lactobacillus plantarum* strains as a bio-control strategy against food-borne pathogenic microorganisms. *Frontiers in Microbiology*, 7: 464.
- Asahara, T., Nomoto, K., Watanuki, M. & Yokokura, T. 2001. Antimicrobial activity of intraurethrally administered probiotic *Lactobacillus casei* in a murine model of *Escherichia coli* urinary tract infection. *Antimicrobial Agents and Chemotherapy*, 45(6): 1751-1760.
- Atanasova, J., Moncheva, P. & Ivanova, I. 2014. Proteolytic and antimicrobial activity of lactic acid bacteria grown in goat milk. *Biotechnology, Biotechnological Equipment*, 28(6): 1073-1078.
- Borchers, A. T., Selmi, C., Meyers, F. J., Keen, C. L. & Gershwin, M. E. 2009. Probiotics and immunity. *Journal of Gastroenterology*, 44(1): 26-46.
- Bouchard, D. S., Seridan, B., Saraoui, T., Rault, L., Germon, P., Gonzales-Moreno, C., Nader-Macias, F. M. E., Baud, D., Francois, P., Chuat, V., Chain, F., Langella, P., Nicoli, J., Loir, Y. L. & Even, S. 2015. Lactic acid bacteria isolated from bovine mammary microbiota: potential allies against bovine mastitis. *PloS ONE*, 10 (12): e0144831.
- Camilleri, M., Colemont L. J., Phillips, S. F., Brown, M. L., Thomforde, G. M., Chapman, N. & Zinsmeister, A. R. 1989. Human gastric emptying and colonic filling of solids characterized by a new method. *American Journal of Physiology-Gastrointestinal and Liver Physiology*, 257: 284.
- Cataloluk, O. & Gogebakan, B. 2004. Presence of drug resistance in intestinal lactobacilli of dairy and human origin in Turkey. *FEMS Microbiol Letters*, 236:7-12.
- Centers for Disease Control and Prevention. 2014. *E. coli (Escherichia coli)*. Retrieved from Centers for Disease Control and Prevention: <https://www.cdc.gov/ecoli/general/index.html> (19 Mei 2018).
- Chandan, R. C., White, C. H., Kilara, A. & Hui, Y. H. 2006. *Manufacturing Yogurt and Fermented Milks*. Carlton: Blackwell Publishing.
- Chikthimmah, N., Anantheswaran, R. C., Roberts, R. F., Mills, E. W. & Knabel, S. J. 2001. Influence of sodium chloride on growth of lactic acid bacteria and subsequent destruction of *Escherichia coli* O157:H7 during processing of Lebanon bologna. *Journal of Food Protection*, 64(8):1145-1150.
- CLSI. 2016. *Methods for antimicrobial dilution and disk susceptibility testing of infrequently isolated or fastidious bacteria; 3rd Edition*. Clinical and Laboratory Standards Institute, Wayne, PA., USA.

- Collado, M. C., Meriluoto, J., & Salminen, S. 2008. Adhesion and aggregation properties of probiotic and pathogen strains. *European Food Research and Technology*, 226(5), 1065-1073.
- Coppola, R., Succi, M., Tremonte, P., Reale, A., Salzano, G. & Sorrentino, E. 2005. Antibiotic susceptibility of *Lactobacillus rhamnosus* strains isolated from Parmigiano Reggiano cheese. *Lait, INRA Editions*, 85:193-204.
- Corcoran, B. M., Stanton, C., Fitzgerald, G. F. & Ross, R. P. 2005. Survival of probiotic Lactobacilli in acidic environments is enhanced in the presence of metabolizable sugars. *Applied and Environmental Microbiology*, 71(6): 3060 – 3067.
- Cotter, P. & Hill, C. 2003. Surviving the acid test: responses of gram-positive bacteria to Low pH. *Microbiology and Molecular Biology Reviews*, 67(3): 429-453.
- D'Aimmo, M. R., Modesto, M. & Biavati, B. 2007. Antibiotic resistance of lactic acid bacteria and *Bifidobacterium* spp. isolated from dairy and pharmaceutical products. *International Journal of Food Microbiology*, 115:35-42.
- Danielsen, M. 2002. Characterization of the tetracycline resistance plasmid pMD5057 from *Lactobacillus plantarum* 5057 reveals a composite structure. *Plasmid*, 48:98-103.
- De Boever, P., Wouters, R., Verschaeve, L., Berckmans, P., Schoeters, G., and Verstraete, W. 2000. Protective effect of the bile salt hydrolase-active *Lactobacillus reuteri* against bile salt cytotoxicity. *Applied Microbiology and Biotechnology*, 53, 709–714.
- De Vrese, M. & Schrezenmeir J. 2008. Probiotics, prebiotics, and synbiotics. *Advances in Biochemical Engineering/Biotechnology*, 111:1-66.
- European Commission. 2003. *Opinion of the Scientific Committee on Animal Nutrition on the Criteria for Assessing the Safety of Micro-organisms Resistant to Antibiotics of Human Clinical and Veterinary Importance*. European Commission Health & Consumer Protection Directorate-General.
- European Food Safety Authority¹. 2007. Introduction of a qualified presumption of safety (QPS) approach for assessment of selected microorganisms referred to EFSA. *The EFSA Journal*, 587:1-16.
- European Food Safety Authority². 2012. Scientific opinion on the maintenance of the list of QPS biological intentionally added to food and feed (2012 update). *The EFSA Journal*, 10(12):3020.
- European Food Safety Authority³. 2008. Update of the criteria used in the assessment of bacterial resistance to antibiotics of human or veterinary importance. *The EFSA Journal*, 732: 1-15.

- Flórez, A. B., Ladero, V., Alvarez-Martín, P., Ammor, M. S., Alvarez, M. A., & Mayo, B. 2007. Acquired macrolide resistance in the human intestinal strain *Lactobacillus rhamnosus* E41 associated with a transition mutation in 23S rRNA genes. *International Journal of Antimicrobial Agents*, 30: 341–344.
- Food and Agriculture Organization of the United Nations & World Health Organization¹. 2001. *Health and Nutritional Properties of Probiotics in Food Including Powder Milk with Live Lactic Acid Bacteria*. Retrieved from Food and Agricultural Organization: <http://www.fao.org/3/a-a0512e.pdf> (17 Mei 2018).
- Food and Agriculture Organization of The United Nations². 2013. *Milk and Dairy Products in Human Nutrition*. Roma: Food and Agriculture Organization of The United Nations.
- Fukuda, S., Toh, H., Hase, K., Oshima, K., Nakanishi, Y., Yoshimura, K., Tobe, T., Clarke, J. M., Topping, D. L., Suzuki, T., Taylor, T. D., Itoh, K., Kikuchi, J., Morita, H., Hattori, M. & Ohno, H. 2011. Bifidobacteria can protect from enteropathogenic infection through production of acetate. *Nature*, 469:543–547.
- Fuller, R. 1989. Probiotics in man and animals. *The Journal of Applied Bacteriology*, 66:365–78.
- Georgieva, R., Yocheva, L., Tserovska, L., Zhelezova, G., Stefanova, N., Atanasova, A., Danguleva, A., Ivanova, G., Karapetkov, N., Rumyan, N. & Karaivanova, E. 2014. Antimicrobial activity and antibiotic susceptibility of *Lactobacillus* and *Bifidobacterium* spp. intended for use as starter and probiotic cultures. *Biotechnology, Biotechnological Equipment*, 29(1): 84-91.
- Gevers, D., Danielsen, M., Huys, G., Swings, J. 2003. Molecular characterization of tet(M) genes in *Lactobacillus* isolates from different types of fermented dry sausage. *Applied and Environmental Microbiology*, 69:1270-1275.
- Guarner, F., Khan, A. G., Garisch, J., Eliakim, R., Gangl, A., Thomson, A., Krabshuis, J. & Le Mair, T. 2008. *Probiotics and Prebiotics*. World Gastroenterology Organisation Practice Guideline.
- Guimonde, M., Sanchez, B., de los Reyes-Gavilan, C. G. & Margolles, A. 2013. Antibiotic resistance in probiotic bacteria. *Frontiers in Microbiology*, 4: 202.
- Hazan, R., Que, Y. & Rahme, L. G. 2012. A method for high throughput determination of viable bacteria cell counts in 96-well plates. *BioMed Central Microbiology*, 12:259.
- Hubbard, J., LeBlanc, S., Duffield, T., Bagg, R. & Dubuc, J. 2010. The effect of storage temperature on the accuracy of a cow-side test for ketosis. *Canadian Veterinary Journal*: 51(5): 525-526.

- Hummel, A. S., Hertel, C., Holzapfel, W. H., Franz, C. M. 2007. Antibiotic resistances of starter and probiotic strains of lactic acid bacteria. *Applied and Environmental Microbiology*, 73:730-739.
- Islam, K. B., Fukiya, S., Hagio, M., Fujii, N., Ishizuka, S., Ooka, T., Ogura, Y., Hayashi, T. & Yokota A. 2011. Bile acid is a host factor that regulates the composition of the cecal microbiota in rats. *Gastroenterology*, 141(5): 1773–1781.
- Jankovic, T., Frece, J., Abram, M. & Gobin, I. 2012. Aggregation ability of potential probiotic *Lactobacillus plantarum* strains. *International Journal of Sanitary Engineering Research*, 6(1): 19-24.
- Jara, S., Sanchez, M., Vera, R., Cofre, J. & Castro E. 2011. The inhibitory activity of *Lactobacillus* spp. isolated from breast milk on gastrointestinal pathogenic bacteria of nosocomial origin. *Anaerobe*, 17:474-477.
- Joint Food and Agriculture Organization of the United Nations/World Health Organization Working Group Report. 2002. *Guidelines for the Evaluation of Probiotics in Food*. Retrieved from World Health Organization: http://www.who.int/foodsafety/fs_management/en/probiotic_guidelines.pdf (28 April 2018).
- Klare, I., Konstabel, C., Werner, G., Huys, G., Vankerckhoven, V., Kahlmeter, G., Hildebrandt, B., Muller-Bertling, S., Witte, W. & Goossens H. 2007. Antimicrobial susceptibilities of *Lactobacillus*, *Pediococcus* and *Lactococcus* human isolates and cultures intended for probiotic or nutritional use. *Journal of Antimicrobial Chemotherapy*, 59:900-912.
- Korhonen, J. M., Danielsen, M., Mayo, B., Egervärn, M., Axelsson, L., Huys, G. & von Wright, A. 2008. Antimicrobial susceptibility and proposed microbiological cut-off values of lactobacilli by phenotypic determination. *International Journal of Probiotics and Prebiotics*, 3:257-268.
- Lebeer, S., Vanderleyden, J. & De Keersmaecker, S. C. J. 2008 Genes and Molecules of Lactobacilli Supporting Probiotic Action. *Microbiology and Molecular Biology Reviews*, 72(4): 728-764.
- Lee, Y. K. & Salminen, S. 2009. *Handbook of Probiotics and Prebiotics*. Hoboken: John Wiley & Sons, Inc.
- Levin-Sparenberg, E., Shin, J. M., Hastings, E. M., Freeland, M., Segaloff, H., Rickard, A. H. & Foxman, B. 2016. High-throughput quantitative method for assessing coaggregation among oral bacterial species. *Letters in Applied Microbiology*, 63: 274-281.
- Lilly D. M. & Stillwell, R. H. 1965. Probiotics: Growth-promoting factors produced by microorganisms. *Science*, 147(3659):747–748.
- Manafi, M. 2003. De man, rogosa, and sharpe (MRS) agar. *Progress in Industrial Microbiology*, 27:511-513.

- Melo, T. A., dos Santos, T. F., Pereira, L. R., Passos, H. M., Rezende, R. P. & Romano, C. C. 2017. Functional profile evaluation of *Lactobacillus fermentum* TCUESC01: a new potential probiotic strain isolated during cocoa fermentation. *Biomed Research International*, 2017:5165916.
- Metchnikoff, E. 1907. *The prolongation of life: Optimistic studies*. W. Heinemann, London: 161-183.
- Michaylova, M., Minkova, S., Kimura, K., Sasaki, T. & Isawa, K. 2007. Isolation and characterization of *Lactobacillus delbrueckii* ssp. *bulgaricus* and *Streptococcus thermophilus* from plants in Bulgaria. *FEMS Microbiology Letters*, 269(1); 160-169.
- Mikelsaar, M., Zilmer, M., Kullisaaar, T., Annuk, H. & Songisepp, E. *Strain of micro-organism Lactobacillus fermentum ME-3 as novel anti-microbiol and anti-oxidative probiotic*. US 7.244.424 B2.
- Nawaz, M., Wang, J., Zhou, A., Ma, C., Wu, X., Moore, J. E., Millar, B. C. & Xu, J. 2011. Characterization and transfer of antibiotic resistance in lactic acid bacteria from fermented food products. *Current Microbiology*, 62(3): 1081-1089.
- Neal-McKinney, J., Lu, X., Duong, T., Larson, C. L., Call, D. R., Shah, D. H. & Konkel, M. E. 2012. Production of organic acids by probiotic *Lactobacilli* can be used to reduce pathogen load in poultry. *PloS One*, 7(9): e43928.
- Oikonomou, G., Bicalho, M. L., Meira, E., Rossi, R. E., Foditsch, C., Machado, V. S. Teixeira, A. G. V., Santisteban, C., Schukken, Y. H. Bicalho, R. C. 2014. Microbiota of Cow's Milk; Distinguishing Healthy, Sub-Clinically and Clinically Diseased Quarters. *PloS One*, 9(1): 285904.
- Oldak, A., Zielinska, D., Rzepkowska, A. & Drajewska, D. K. 2017. Comparison of antibacterial activity of *Lactobacillus plantarum* strains isolated from two different kinds of regional cheeses from Poland: oscypek and korycinski cheese. *Biomed Research International*, 2017: 6820369.
- Ouoba, L. I., Lei, V. & Jensen, L. B. 2008. Resistance of potential probiotic lactic acid bacteria and bifidobacteria of African and European origin to antimicrobials: determination and transferability of the resistance genes to other bacteria. *International Journal of Food Microbiology*, 121:217-224.
- Parker, R. B. 1974. Probiotics, the other half of the antibiotic story. *Animal Nutrition Health*, 29:4-8.
- Pascual, L. M., Daniele, M. B., Ruiz, F., Giordano, W., Pajaro, C. & Barberis, L. 2008. *Lactobacillus rhamnosus* L60, a potential probiotic isolated from the human vagina. *The Journal of General and Applied Microbiology*, 54: 141-148.
- Patterson, J. W. & Cassells, J. A. 1963. *The Journal of Applied Bacteriology*, 26:493.

- Quigley, L., O'Sullivan, O., Stanton, C., Beresford, T. P., Ross, R. P., Fitzgerald, G. F. & Cotter, P. D. 2013. The complex microbiota of raw milk. *Federation of European Microbiological Societies Reviews*, 27(5): 664-698.
- Reque, E. F., Pandey, A., Franco, S. G. & Soccol, C. R. 2000. Isolation, identification and physiological study of *Lactobacillus fermentum* LPB for use as probiotic in chickens. *Brazilian Journal of Microbiology*, 31: 303-307.
- Rimiaux, T., Riviere, A., Illegheems, K., Weckx, S., De Vuyst, L. & Leroy, F. 2012. Expression of the arginine deiminase pathway genes in *Lactobacillus sakei* is strain dependent and is affected by the environmental pH. *Applied and Environmental Microbiology*, 78(14): 4874-4883.
- Roberts, M. C. 2005. Update on acquired tetracycline resistance genes. *FEMS Microbiol Letters*, 245:195-203.
- Ruiz, L., Margolles, A. & Sanchez, B. 2013. Bile resistance mechanisms in *Lactobacillus* and *Bifidobacterium*. *Frontiers in Microbiology*, 4:396.
- Saadatzadeh, A., Fazeli, M. R., Jamalifar, H. & Dinarvand, R. 2013. Probiotic properties of lyophilized cell free extract of *Lactobacillus casei*. *Jundishapur Journal of Natural Pharmaceutical Products*, 8(3): 131-137.
- Schrezenmeir, J. & de Vrese, M. 2001. Probiotics, prebiotics, and synbiotics. *The American Journal of Clinical Nutrition*, 73(suppl): 361S-4S.
- Schroeder, G. N. & Hilbi, H. 2008. Molecular pathogenesis of *Shigella* spp.: Controlling host cell signaling, invasion, and death by type III secretion. *Clinical Microbiology Reviews*, 21(1):134-156.
- Sherman, J. M. & Hodge, H. M. 1940. The value of certain tests in the differentiation of *Lactobacillus bulgaricus* from *Lactobacillus acidophilus*. *Journal of Bacteriology*, 40(1): 11-22.
- Shi, T., Nishiyama, K., Nakamata, K., Aryantini, N. P. D., Mikumo, D., Oda, Y., Yamamoto, Y., Mukai, T., Sujaya, I. N., Urashima, T. & Fukuda, K. 2014. Isolation of potential probiotic *Lactobacillus rhamnosus* strains from traditional fermented mare milk produced in Sumbawa island of Indonesia. *Bioscience, Biotechnology, and Biochemistry*, 76(10): 1897-1903.
- Straker, R. P. & Stokes, J. L. 1957. Rapid destruction of bacteria in commonly used diluents and its elimination. *Applied Microbiology*, 5:21-25.
- Tharmaraj, N. & Shah, N. P. 2003. Selective enumeration of *Lactobacillus delbrueckii* ssp. *bulgaricus*, *Streptococcus thermophilus*, *Lactobacillus acidophilus*, *bifidobacteria*, *Lactobacillus casei*, *Lactobacillus rhamnosus*, and *probiobacteria*. *Journal of Dairy Science*, 86(7): 2288-96.

- Tissier, H. 1906. Traitement des infections intestinales par la méthode de la flore bactérienne de l'intestin. *Comptes Rendus Des Seances De La Societe De Biologie Et De Ses Filiales*, 60: 359-361.
- Wassie, M. & Wassie, T. 2016. Isolation and identification of lactic acid bacteria from raw cow milk. *International Journal of Advanced Research in Biological Sciences*, 3(8): 44-49.
- Whitman, W. B. 2009. *Bergey's Manual of Systematic Bacteriology Second Edition, Volume 3: The Firmicutes*. New York: Springer Science & Business Media.
- World Health Organization. 2011. *Critically Important Antimicrobials for Human Medicine (3rd Revision)*. Geneva: WHO Press.
- Zhou, J. S., Pillidge, C. J., Gopal, P. K., Gill, H. S. 2005. Antibiotic susceptibility profiles of new probiotic *Lactobacillus* and *Bifidobacterium* strains. *International Journal of Food Microbiology*, 98:211-217.

