

BIBLIOGRAPHY

- Avila-Gaxiola, E., Avila-Gaxiola, J., Velarde-Escobar, O., Ramos-Brito, F., Atondo-Rubio, G., & Yee-Rendon, C. (2016). Effect of Drying Temperature on Agave tequilana Leaves: A Pretreatment for Releasing Reducing Sugars for Biofuel Production. *Journal of Food Process Engineering*, 40(3). doi:10.1111/jfpe.12455
- Adesanoye, O.A.; Farombi, E.O. Hepatoprotective effects of Vernonia amygdalina (astereaceae) in rats treated with carbon tetrachloride. *Exp. Toxicol. Pathol.* 2010, 62, 197-206.
- Ayoola GA, Coker HAB, Adesegun SA, Adepoju-Bello AA, Obaweva K, Ezennia EC, Atangbayila TO (2008). Phytochemical screening and antioxidant activities of some selected medicinal plants used for malaria therapy in Southwestern Nigeria. *Trop. J. Pharm. Res.*, 7: 1019-1024.
- Bae, I. K., Ham, H. M., Jeong, M. H., Kim, D. H., & Kim, H. J. (2015). Simultaneous determination of 15 phenolic compounds and caffeine in teas and mate using RP-HPLC/UV detection: Method development and optimization of extraction process. *Food Chemistry*, 172, 469-475. doi:10.1016/j.foodchem.2014.09.050
- Banjarnahor, S., D.S, & Artanti, N. (2014). Antioxidant Properties of Flavonoids. 23(4), 239-244. Retrieved June 19, 2017.
- Brewer, M.S. (2011). Natural Antioxidants: Sources, Compounds, Mechanisms of Action, and Potential Applications. *Comprehensive Reviews in Food Science and Food Safety*, 10, 221-247. Retrieved June 18, 2017.
- Butnariu, M. (2012). Antioxidant (Antiradical) Compounds. *Journal of Bioequivalence & Bioavailability*, 4(6). doi:10.4172/jbb.10000e18
- Caballero, B., Allen, L., & Prentice, A. (2005). Encyclopedia of Human Nutrition. San Diego: Academic Press.
- Coe, S., Fraser, A., & Ryan, L. (2013). Polyphenol Bioaccessibility and Sugar Reducing Capacity of Black, Green, and White Teas. *International Journal of Food Science*, 2013, 1-6. doi:10.1155/2013/238216
- Castiglioni, S., Damiani, E., Astolfi, P., & Carloni, P. (2015). Influence of steeping conditions (time, temperature, and particle size) on antioxidant properties and sensory attributes of some white and green teas. *International Journal of Food Sciences and Nutrition*, 66(5), 491-497. doi:10.3109/09637486.2015.1042842

- Erasto, P., Grierson, D., & Afolayan, A. (2007). Antioxidant Constituents in Vernonia amygdalina. Leaves. *Pharmaceutical Biology*, 45(3), 195-199. doi:10.1080/13880200701213070
- Farombi, E. O., & Owoeye, O. (2011). Antioxidative and Chemopreventive Properties of Vernonia amygdalina and Garcinia biflavonoid. *International Journal of Environmental Research and Public Health*, 8(6), 2533-2555. doi:10.3390/ijerph8062533
- Fernando, C. D., & Soysa, P. (2015). Extraction Kinetics of phytochemicals and antioxidant activity during black tea (*Camellia sinensis* L.) brewing. *Nutrition Journal*, 14(1). doi:10.1186/s12937-015-0060-x
- Formagio, A., Volobuff, C., Santiago, M., Cardoso, C., Vieira, M., & Pereira, Z. V. (2014). Evaluation of Antioxidant Activity, Total Flavonoids, Tannins and Phenolic Compounds in Psychotria Leaf Extracts. *Antioxidants*, 3(4), 745-757. doi:10.3390/antiox3040745
- Githiori, J., & Gathumbi, P. (2010). Ethnoveterinary Plants Used in East Africa. *Ethnoveterinary Botanical Medicine*, 289-302. doi:10.1201/ebk1420045604-c12
- H., Halim, Y., & Wijoyo, S. V. (2015). In Vitro Antidiabetic Activity of "Green Tea" Soursop Leaves Brew Through α -Glucosidase Inhibition. *International Journal of PharmTech Research*, 8(1), 30-37.
- H., Putri, T. S., & E. (2015). In vitro anti-gout activity and phenolic content of "black tea" Soursop *Annona muricate* L. Leaves Brew. *Journal of Chemical and Pharmaceutical Research*, 7(11).
- Hamzah, R., Jigam, A., Makun, H., & Egwim, E. (2013). Antioxidant Properties of Selected African Vegetables, Fruits and Mushrooms: A Review. *Mycotoxin and Food Safety in Developing Countries*. doi:10.5772/52771
- Ho, C., Lin, J., & Shahidi, F. (2009). *Tea and Tea Products: Chemistry and Health-Promoting Properties*. Boca Raton: CRC Press.
- Igile GO, Oleszek W, Jurzysta M, Burda S, Fanfunso M, Fasanmade AA (1994). Flavonoids from *Vernonia amygdalina* and their antioxidant activities. *J. Agric. Food Chem.*, 42: 2445-2448.
- Ijeh, I., I. , & Ejike, C., E.C.C. (2011). Current perspectives on the medicinal potentials of Vernonia amygdalina Del. *Journal of Medicinal Plants Research*, 5(7), 1052-1061.
- Ito N, Fukushima S, Fukushima H (1985). Carcinogenicity and modification of the carcinogenicity response by BHA and BHT and other antioxidants. *CRC Crit. Rev. Food Technol.*, 15: 109-125.
- Jeon, I., Kim, H., Kang, H., Lee, H., Jeong, S., Kim, S., & Jang, S. (2014). Anti-Inflammatory and Antipruritic Effects of Luteolin from Perilla (*P. frutescens* L.) Leaves. *Molecules*, 19(6), 6941-6951. doi:10.3390/molecules19066941

- Jiang, D., Li, D., & Wu, W. (2013). Inhibitory Effects and Mechanisms of Luteolin on Proliferation and Migration of Vascular Smooth Muscle Cells. *Nutrients*, 5(5), 1648-1659. doi:10.3390/nu5051648
- Johnson, M., Kolawole, O. S., & Olufunmilayo, L. D. (2015). Phytochemical analysis, in vitro evaluation of antioxidant and antimicrobial activity of methanolic leaf extract of Vernonia amygdalina (bitter leaf) against *Staphylococcus aureus* and *Pseudomonas aeruginosa*. *International Journal of Current Microbiology and Applied Science*, 4(5), 411-426.
- Karamian, R. dan Ghasemlou, F. 2013. Screening of total phenol and flavonoid content, antioxidant and antibacterial activities of the methanolic extracts of three silene species from iran. *International Journal of Agriculture and Crop Sciences* 5(3):305-312.
- Kaur, L., Jayasekera, S., & Moughan, P. J. (2014). Antioxidant Quality of Tea (*Camellia sinensis*) as Affected by Environmental Factors. *Processing and Impact on Antioxidants in Beverages*, 121-129. doi:10.1016/b978-0-12-404738-9.00013-1
- Kedare, S. B., & Singh, R. P. (2011). Genesis and development of DPPH method of antioxidant assay. *Journal of Food Science and Technology*, 48(4), 412-422. doi:10.1007/s13197-011-0251-1
- Kosińska, A., & Andlauer, W. (2014). Antioxidant Capacity of Tea. *Processing and Impact on Antioxidants in Beverages*, 109-120. doi:10.1016/b978-0-12-404738-9.00012-x
- Kumar, S., & Pandey, A. K. (2013). Chemistry and Biological Activities of Flavonoids: An Overview. *The Scientific World Journal*, 2013, 1-16. doi:10.1155/2013/162750
- Labbé D. Tremblay A, Bazinet L. 2005. Effect of brewing temperature and duration on green tea catechin solubilization: Basis for production of EGC and EGCG-enriched fractions. *Separation and Purification Technology* (49) 1-9.
- León, K., Mery, D., Pedreschi, F., & León, J. (2006). Color measurement in L*a*b* units from RGB digital images. *Food Research International*, 39(10), 1084-1091. doi:10.1016/j.foodres.2006.03.006
- Lin, Y., Shi, R., Wang, X., & Shen, H. (2008). Luteolin, a Flavonoid with Potential for Cancer Prevention and Therapy. *Current Cancer Drug Targets*, 8(7), 634-646. doi:10.2174/156800908786241050
- Lobo, V., Patil, A., Phatak, A., & Chandra, N. (2010). Free radicals, antioxidants and functional foods: Impact on human health. *Pharmacognosy Reviews*, 4(8), 118–126. <http://doi.org/10.4103/0973-7847.70902>

- Lu, J. M., Lin, P.H., Yao, Q., Chen, C. 2010. Chemical and molecular mechanisms of antioxidants: experimental approaches and model systems. *J. Cell. Mol. Med.* 14 (4): 840-860
- Lopez-Lazaro, M. (2009). *Distribution and Biological Activities of the Flavonoid Luteolin*. Mini-Reviews in Medicinal Chemistry, 9(1), 31-59. doi:10.2174/138955709787001712
- Mamta, S. dan Jyoti, S. 2012. *Phytochemical screening of Acorus calamus and Lantana camara*. International Research Journal of Pharmacy 3(5): 324–326.
- Mierziak, J., Kostyn, K., & Kulma, A. (2014). *Flavonoids as Important Molecules of Plant Interactions with the Environment*. *Molecules*, 19(10), 16240-16265. doi:10.3390/molecules191016240
- Meunier-Goddik, L. (2004). Fromage Frais. *Handbook of Food and Beverage Fermentation Technology*. doi:10.1201/9780203913550.ch10
- Nielsen, S. S., & Nielsen, S. S. (2010). Food Analysis Laboratory Manual. New York: Springer.
- Nwanjo HU (2005). *Efficacy of aqueous leaf extract of Vernoniaamygdalina on plasma lipoprotein and oxidative status in diabetic rat models*. Nig. J. Physiol. Sci., 20: 39-42.
- Oboh, F., O.J, & Masodje, H., I. (2009). *Nutritional and Antimicrobial Properties of Vernonia amygdalina Leaves*. International Journal of Biomedical and Health Sciences, 5, 2nd ser., 51-56. Retrieved June 17, 2017.
- Opara, A., Egbuobi, R., Ndudim, J., Onywuchi, C., & Nnodim, J. (2014). *Antibacterial Activity of Ocimum gratissimum (Nchu-Anwu) and Vernonia amygdalina (Bitter-Leaf) Antibacterial Activity of Ocimum gratissimum (Nchu-Anwu) and Vernonia amygdalina (Bitter-Leaf)*. British Biotechnology Journal, 4(10), 1115-1122. doi:10.9734/bbj/2014/11995
- Panda, H. (2011). *The complete book on cultivation and manufacture of tea*. Delhi, India: Asia Pacific Business Press Inc.
- PINELO, M., RUBILAR, M., SINEIRO, J. and NUNEZ, M.J. 2005. A thermal treatment to increase the antioxidant capacity of natural phenols: Catechin, resveratrol and grape extract case. *Eur. Food Res. Technol.* 221, 284–290.
- Preedy, V. R. (2013). *Tea in health and disease prevention*. London: Elsevier.
- Preedy, V. R (2017). *Processing and Impact on Antioxidants in Beverage*. S.1: Elsevier Academic Press.
- Primanita, A.Y. 2010. *Laporan Magang di Unit Perkebunan Teh Tambi di PT Perkebunan Teh Tambi Wonosobo (Proses Produksi Teh Hitam)*. Laporan Magang, Universitas Sebelas Maret, Surakarta
- Rao LJM, Ramalakshmi K, Borse BB, Raghavan B (2007). *Antioxidant and radical-scavenging carbazole alkaloids from the oleoresin of curry leaf (Murraya koenigii Spreng.)*. *Food Chem.* 100: 742-747.

- Reygaert, W. (2017). *An Update on the Health Benefits of Green Tea*. Beverages, 3(1), 6. doi:10.3390/beverages3010006
- Roshanak, S., Rahimmalek, M., & Goli, S. A. (2015). Evaluation of seven different drying treatments in respect to total flavonoid, phenolic, vitamin C content, chlorophyll, antioxidant activity and color of green tea (*Camellia sinensis* or *C. assamica*) leaves. *Journal of Food Science and Technology*, 53(1), 721-729. doi:10.1007/s13197-015-2030-x
- Rusak G, Komes D, Likic S, Hor ' zi' c D, Kova ' c M. 2008. Phenolic content and antioxidative capacity of green and white tea extracts depending on extraction conditions and the solvent used. *Food Chem* 110:852–8. doi: 10.1016/j.foodchem.2008.02.072.
- Samy RP, Gopalakrishnakone P, Ignacimuthu S. *Anti-tumor promoting potential of luteolin against 7,12-dimethylbenz(a) anthracene-induced mammary tumors in rats*. *Chem Biol Interact*. 2006;164(1-2):1-14.
- Sen, S., & Chakraborty, R. (2011). *The Role of Antioxidants in Human Health. ACS Symposium Series Oxidative Stress: Diagnostics, Prevention, and Therapy*, 1-37. doi:10.1021/bk-2011-1083.ch001
- Senanayake, S.P.J.N. 2013. Green tea extract: Chemistry, Antioxidant Properties and Food Applications – A review, *Journal of Functional Foods* pp: 1529-1541
- Sujayanto, G. (2008). *Khasiat Teh Untuk Kesehatan dan Kecantikan*. Flona Serial. Jakarta: ITB., 34-38
- Su, X., Duan, J., Jiang, Y., Duan, X., & Chen, F. (2007). Polyphenolic Profile and Antioxidant Activities of Oolong Tea Infusion under Various Steeping Conditions. *International Journal of Molecular Sciences*, 8(12), 1196-1205. doi:10.3390/i8121196
- Thasleema, S. A. (2013). *Green Tea as an Antioxidant- A Short Review*. *Journal of Pharmaceutical Sciences and Research*, 5(9), 171-173. Retrieved June 18, 2017.
- Theppakorn, T. (2015). *Stability and chemical changes of phenolic compounds during Oolong tea processing*. *International Food Research Journal*, 23(2), 564-574.
- Walter, J. M., Beathard, K., & Brown, A. C. (2011). *Lab Manual for Understanding Food: Principles and Preparation 4th Edition*. Australia: Wadsworth, Cengage Learning.
- Yamada, H. (2006). Protective effects of tea against lung/pulmonary ailments. *Protective effects of tea on human health*, 149-157. doi:10.1079/9781845931124.0149
- Yeap, S. K., Ho, W. Y., Beh, B. K., Liang, W. S., Ky, H., Yousr, A. H., Noaman, & Alitheen, N. B. (2010). *Vernonia amygdalina, an ethnoveterinary and*

- ethnomedical used green vegetable with multiple bio- activities.* Journal of Medicinal Plants Research, 4.
- Yildirim, R. M., Ozulku, G., Toker, O. S., Baslar, M., Durak, M. Z., & Sagdic, O. (2016). Modeling of Bioactive Compound Content of Different Tea Bags: Effect of Steeping Temperature and Time. *Journal of Food Processing and Preservation*, 41(1). doi:10.1111/jfpp.12773
- Yong-su, Z., Zong-mao, C., Cheng, S., Miao-lan, C., & Hardman, R. (2002). *Tea: Bioactivity and therapeutic potential*. London: Taylor & Francis.
- Zhen, Yong-su. *Tea: bioactivity and therapeutic potential*. London: Taylor & Francis, 2002.

