

DAFTAR PUSTAKA

1. World Health Organization. Proportional mortality (% of total deaths, all ages). World Heal Organ [Internet]. 2016;1. Available from: https://www.who.int/diabetes/country-profiles/bra_en.pdf
2. Nam Han Cho (chair) dkk. Eighth edition 2017. IDF Diabetes Atlas, 8th edition. 2017. 1–150 p.
3. Care D, Suppl SS. Classification and diagnosis of diabetes: Standards of medical care in Diabetesd2018. *Diabetes Care*. 2018;41(January):S13–27.
4. Stumvoll M, Goldstein BJ, van Haeften TW. Type 2 diabetes: pathogenesis and treatment. *Lancet*. 2008;371(9631):2153–6.
5. Levy NK, Orzeck-Byrnes NA, Aidasani SR, Moloney DN, Nguyen LH, Park A, et al. Transition of a text-based insulin titration program from a randomized controlled trial into real-world settings: Implementation study. *J Med Internet Res*. 2018;20(3).
6. Zimmet P, Alberti KGMM, Shaw J. Global and societal implications of the diabetes epidemic. *Nature* [Internet]. 2001;414(6865):782–7. Available from: <https://doi.org/10.1038/414782a>
7. Cataloguing WL. Global Report on Diabetes. Isbn [Internet]. 2016;978:6–86. Available from: <http://www.who.int/about/licensing/>
8. Ahmad NS, Islahudin F, Paraidathathu T. Factors associated with good glycemic control among patients with type 2 diabetes mellitus. *J Diabetes Investig*. 2014;5(5):563–9.
9. Al-Qazaz HK, Sulaiman SA, Hassali MA, Shafie AA, Sundram S, Al-Nuri R, et al. Diabetes knowledge, medication adherence and glycemic control among patients with type 2 diabetes. *Int J Clin Pharm*. 2011;33(6):1028–35.
10. Bukhsh A, Khan TM, Sarfraz Nawaz M, Sajjad Ahmed H, Chan KG, Goh B-H. <p>Association of diabetes knowledge with glycemic control and

- self-care practices among Pakistani people with type 2 diabetes mellitus</p>. Diabetes, Metab Syndr Obes Targets Ther. 2019;Volume 12:1409–17.
11. AlShareef SM, AlWabel AA, AlKhathlan MA, AlKhazi AA, AlMaarik AK, AlGarni AM, et al. Glycemic Control in Diabetic Patients in Saudi Arabia: The Role of Knowledge and Self-Management - A Cross-Sectional Study. Glob J Health Sci. 2017;9(12):25.
 12. Poulimeneas D, Grammatikopoulou M, Bougioukli V, Iosifidou P, Vasiloglou M, Gerama M, et al. Endocrinología y Nutrición Diabetes knowledge among Greek Type 2 Diabetes Mellitus patients PALABRAS CLAVE. Endocrinol y Nutr [Internet]. 2016;63(7):320–6. Available from: www.elsevier.es/endohttp://dx.doi.org/10.1016/j.endonu.2016.04.0081575-0922/
 13. WHO. World Hearth Organization [Internet]. Epidemiological situation. 2015. p. 2. Available from: <https://www.who.int/leishmaniasis/burden/en/>
 14. Zimmet PZ. Diabetes and its drivers: the largest epidemic in human history? Clin Diabetes Endocrinol [Internet]. 2017;3(1):1. Available from: <https://doi.org/10.1186/s40842-016-0039-3>
 15. Beagley J, Guariguata L, Weil C, Motala AA. Global estimates of undiagnosed diabetes in adults. Diabetes Res Clin Pract [Internet]. 2014;103(2):150–60. Available from: <http://dx.doi.org/10.1016/j.diabres.2013.11.001>
 16. Zheng Y, Ley SH, Hu FB. Global aetiology and epidemiology of type 2 diabetes mellitus and its complications. Nat Rev Endocrinol [Internet]. 2018;14(2):88–98. Available from: <http://dx.doi.org/10.1038/nrendo.2017.151>
 17. Whiting DR, Guariguata L, Weil C, Shaw J. IDF Diabetes Atlas: Global estimates of the prevalence of diabetes for 2011 and 2030. Diabetes Res Clin Pract [Internet]. 2011;94(3):311–21. Available from:

- <http://dx.doi.org/10.1016/j.diabres.2011.10.029>
18. Guariguata L, Whiting DR, Hambleton I, Beagley J, Linnenkamp U, Shaw JE. Global estimates of diabetes prevalence for 2013 and projections for 2035. *Diabetes Res Clin Pract* [Internet]. 2014;103(2):137–49. Available from: <http://dx.doi.org/10.1016/j.diabres.2013.11.002>
 19. Nishida C, Ko GT, Kumanyika S. Body fat distribution and noncommunicable diseases in populations: Overview of the 2008 WHO Expert Consultation on Waist Circumference and Waist-Hip Ratio. *Eur J Clin Nutr*. 2010;64(1):2–5.
 20. Ahmad N, Adam S, Nawi A, Hassan M, Ghazi H. Abdominal obesity indicators: Waist circumference or waist-to-hip ratio in Malaysian adults population. *Int J Prev Med* [Internet]. 2016 Jan 1;7(1):82. Available from: <http://www.ijpvmjournal.net/article.asp?issn=2008-7802>
 21. Seppälä-Lindroos A, Vehkavaara S, Häkkinen AM, Goto T, Westerbacka J, Sovijärvi A, et al. Fat accumulation in the liver is associated with defects in insulin suppression of glucose production and serum free fatty acids independent of obesity in normal men. *J Clin Endocrinol Metab*. 2002;87(7):3023–8.
 22. McTernan CL, McTernan PG, Harte AL, Levick PL, Barnett AH, Kumar S. Resistin, central obesity, and type 2 diabetes. *Lancet*. 2002;359(9300):46–7.
 23. Freemantle N, Holmes J, Hockey A, Kumar S. How strong is the association between abdominal obesity and the incidence of type 2 diabetes? *Int J Clin Pract*. 2008;62(9):1391–6.
 24. Emdin CA, Anderson SG, Woodward M, Rahimi K. Usual Blood Pressure and Risk of New-Onset Diabetes Evidence from 4.1 Million Adults and a Meta-Analysis of Prospective Studies. *J Am Coll Cardiol*. 2015;66(14):1552–62.
 25. Bellamy L, Casas JP, Hingorani AD, Williams D. Type 2 diabetes mellitus

- after gestational diabetes: a systematic review and meta-analysis. *Lancet* [Internet]. 2009;373(9677):1773–9. Available from: [http://dx.doi.org/10.1016/S0140-6736\(09\)60731-5](http://dx.doi.org/10.1016/S0140-6736(09)60731-5)
26. Aune D, Norat T, Leitzmann M, Tonstad S, Vatten LJ. Physical activity and the risk of type 2 diabetes: A systematic review and dose-response meta-analysis. *Eur J Epidemiol.* 2015;30(7):529–42.
27. Biswas A, Oh PI, Faulkner GE, Bajaj RR, Silver MA, Mitchell MS, et al. Sedentary time and its association with risk for disease incidence, mortality, and hospitalization in adults a systematic review and meta-analysis. *Ann Intern Med.* 2015;162(2):123–32.
28. Al L et. Harrison's Principles of Internal Medicine, 19th. Harrison's Principles of Internal Medicine. 2015. p. 857–61.
29. Cho KW, Lumeng CN. Imaging White Adipose Tissue with Confocal Microscopy. *2014;537:17–30.*
30. Martinez-Santibañez G, Nien-Kai Lumeng C. Macrophages and the Regulation of Adipose Tissue Remodeling. *Annu Rev Nutr.* 2014;34(1):57–76.
31. Arner P, Langin D. Lipolysis in lipid turnover, cancer cachexia, and obesity-induced insulin resistance. *Trends Endocrinol Metab* [Internet]. 2014;25(5):255–62. Available from: <http://dx.doi.org/10.1016/j.tem.2014.03.002>
32. Nielsen TS, Jessen N, Jørgensen JOL, Møller N, Lund S. Dissecting adipose tissue lipolysis: Molecular regulation and implications for metabolic disease. *J Mol Endocrinol.* 2014;52(3).
33. Langin D, Lafontan M. Lipolysis and lipid mobilization in human adipose tissue. *Handb Obes Etiol Pathophysiol Second Ed* [Internet]. 2003;48(5):515–32. Available from: <http://dx.doi.org/10.1016/j.plipres.2009.05.001>

34. Boden G, Chen X, Rosner J, Barton M. Effects of a 48-h fat infusion on insulin secretion and glucose utilization. *Diabetes*. 1995;44(10):1239–42.
35. Mayerson AB, Hundal RS, Dufour S, Lebon V, Befroy D, Cline GW, et al. The effects of rosiglitazone on insulin sensitivity, lipolysis, and hepatic and skeletal muscle triglyceride content in patients with type 2 diabetes. *Diabetes*. 2002;51(3):797–802.
36. Kashyap SR, Belfort R, Berria R, Suraamornkul S, Pratipranawatr T, Finlayson J, et al. Discordant effects of a chronic physiological increase in plasma FFA on insulin signaling in healthy subjects with or without a family history of type 2 diabetes. *Am J Physiol - Endocrinol Metab*. 2004;287(3 50-3).
37. Adiels M, Westerbacka J, Soro-Paavonen A, Häkkinen AM, Vehkavaara S, Caslake MJ, et al. Acute suppression of VLDL1 secretion rate by insulin is associated with hepatic fat content and insulin resistance. *Diabetologia*. 2007;50(11):2356–65.
38. Wallia A, Molitch ME. Insulin therapy for type 2 diabetes mellitus. *JAMA - J Am Med Assoc*. 2014;311(22):2315–25.
39. Dizdar OS, Gul OO, Baspınar O, Cander S, Sisman P, Eker B, et al. Assessment of Factors Related to the Understanding of Education and Knowledge of Self-Care among Patients with Diabetes Mellitus: A Cross-Sectional Prospective Study. *Adv Ther*. 2016;33(9):1565–78.
40. Chrvala CA, Sherr D, Lipman RD. Diabetes self-management education for adults with type 2 diabetes mellitus: A systematic review of the effect on glycemic control. *Patient Educ Couns [Internet]*. 2016;99(6):926–43. Available from: <http://dx.doi.org/10.1016/j.pec.2015.11.003>
41. Didarloo A, Shojaeizadeh D, Alizadeh M. Impact of educational intervention based on interactive approaches on beliefs, behavior, hemoglobin a1c, and quality of life in diabetic women. *Int J Prev Med*. 2016;2016(FEBRUARY).

42. DCCT research trial. *N Engl J Med.* 1993;329(14).
43. Williams GC, McGregor HA, Zeldman A, Freedman ZR, Deci EL. Testing a Self-Determination Theory Process Model for Promoting Glycemic Control Through Diabetes Self-Management. *Heal Psychol.* 2004;23(1):58–66.
44. Sweileh WM, Zyoud SH, Abu Nab'A RJ, Deleq MI, Enaia MI, Nassar SM, et al. Influence of patients' disease knowledge and beliefs about medicines on medication adherence: Findings from a cross-sectional survey among patients with type 2 diabetes mellitus in Palestine. *BMC Public Health.* 2014;14(1):1–8.
45. Santos FRM, Bernardo V, Gabbay MAL, Dib SA, Sigulem D. The impact of knowledge about diabetes, resilience and depression on glycemic control: A cross-sectional study among adolescents and young adults with type 1 diabetes. *Diabetol Metab Syndr.* 2013;5(1):1–5.
46. Denisco S. Exploring the relationship between resilience and diabetes outcomes in African Americans. *J Am Acad Nurse Pract.* 2011;23(11):602–10.
47. Mj Z, Aghasadeghi K, Bagheri F, Khalesi E, Zamirian M, Moaref A, et al. The Effect of Educational Interventions on Glycemic Control in Patients with Type 2 Diabetes Mellitus. *Int Cardiovasc Res J.* 2015 Mar 1;9:17–21.
48. Asmelash D, Abdu N, Tefera S, Baynes HW, Derbew C. Knowledge, Attitude, and Practice towards Glycemic Control and Its Associated Factors among Diabetes Mellitus Patients. *J Diabetes Res.* 2019;2019.
49. Osborn CY, Bains SS, Egede LE. Health literacy, diabetes self-care, and glycemic control in adults with type 2 diabetes. *Diabetes Technol Ther.* 2010;12(11):913–9.
50. Samancioglu RN, PhD S, Surucu RN, PhD HA, Donmez RN, PhD RO, Cevik RN, PhD AB. Factors Affecting Glycemic Control in Type 2 Diabetics and Diabetics' Attitude towards the Disease. *Int J Caring Sci*

- [Internet]. 2017;10(2):889–96. Available from:
<https://search.proquest.com/docview/1933265624?accountid=25704>
51. Perkeni. Kriteria Diagnostik DM Tipe 2. Konsensus Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia. 2015. 11–14 p.
 52. Fitzgerald JT, Funnell MM, Anderson RM, Nwankwo R, Stansfield RB, Piatt GA. Validation of the Revised Brief Diabetes Knowledge Test (DKT2). *Diabetes Educ*. 2016;42(2):178–87.
 53. Dedefo MG, Abate SK, Ejeta BM, Korsa AT. Predictors of poor glycemic control and level of glycemic control among diabetic patients in west Ethiopia. *Ann Med Surg [Internet]*. 2020;55(January):238–43. Available from: <https://doi.org/10.1016/j.amsu.2020.04.034>
 54. Yu P, Xiao X, Wang L, Wang L. Correlation between self-management behaviors and blood glucose control in patients with type 2 diabetes mellitus in community. *J Cent South Univ (Medical Sci)*. 2013;38(4):425–31.