

BAB VII

DAFTAR PUSTAKA

1. Sleisenger, M. (2010). *Sleisenger and Fordtran's gastrointestinal and liver disease: Pathophysiology, diagnosis, management.* Philadelphia: Saunders/Elsevier. p. 128-131.
2. McNamara, D Nonulcer dyspepsia. Current concepts and management. *Gastroenterol Clin North Am.* 2000;29(4):807–818.
3. Tack, Jan. (2012). Dyspepsia Organic Versus Functional. *Journal of clinical gastroenterology.* 46. 175-90.
4. Riset Kesehatan Dasar. (2010). Jakarta: Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan RI.
5. Lombard, M., (2010). *Mosby's Crash Course: Gastroenterology.* Spain: Elsevier. p. 3-6.
6. Shetty AJ, Balaraju G, Shetty S, Pai CG. Quality of life in dyspepsia and its subgroups using EQ-5D (EuroQol) questionnaire. *Saudi J Gastroenterol.* 2017;23(2):112–116.
7. Bonner GF. Upper gastrointestinal evaluation related to the pelvic floor. In:Davila GW, Ghoniem GM,Wexner SD, editors. *Pelvin Floor Dysfunction.* 1st ed. Springer-verlag London Limited;2006. p. 67-8.
8. Chiba N. (1998). Definitions of dyspepsia: time for a reappraisal. *European Journal of Surgery Supplement.* 583 14-23.
9. El-Serag HB, Talley NJ. Systematic review: Health-related quality of life in functional dyspepsia. *Aliment Pharmacol Ther.* 2003;18(4):387–93.
10. Kusters JG, Vliet AHM, Kuipers EJ. Pathogenesis of Helicobacter pylori infection. *Clin Microbiol Rev.* 2006;19(3):449–90.
11. Perkumpulan Gastroenterologi Indonesia (PGI) dan Kelompok Studi Helicobacter pylori Indonesia (KSHPI). Konsensus nasional penatalaksanaan dispepsia dan infeksi Helicobacter pylori. KM Simadibrata, MsKmun D,

- Abdullah M, Syam AF, Fauzi A, Renaldi K, Maulahela H, Utari AP, editor. Jakarta: PGI KSHPI; 2014.
12. Bytzer P, Talley NJ. Dyspepsia. Ann Intern Med. 2001 May 1;134(9 Pt 2):815-22.
 13. Mahadeva S, Goh KL. Epidemiology of functional dyspepsia: global perspective. *World J Gastroenterol*. 2006;12(17):2661–2666.
 14. Haycox A, Einarson T, Eggleston A. The health economic impact of upper gastrointestinal symptoms in the general population: results from the Domestic/International Gastroenterology Surveillance Study (DIGEST) Scand J Gastroenterol. 1999;231 Suppl:38–47.
 15. Mc Namara DA, Buckley M, O'Morain CA. Nonulcer dyspepsia. Current concepts and management. *Gastroenterol Clin North Am*.2000;29:807-18.
 16. Keohane J, Quigley EM. Functional dyspepsia: the role of visceral hypersensitivity in its pathogenesis. *World J Gastroenterol*. 2006 May 7; 12(17):2672-2.
 17. Guyton, A.C. and Hall, J.E.,2007, Fisiologi Gastrointestinal, Buku Ajar Fisiologi Kedoketran, Ed 11, EGC, Jakarta, p. 813-814.
 18. Wilson, L.M dan Lindseth,G.M,2005, Pathophysiology: Konsep Klinis Prosesproses Penyakit, Volome 1 Edisi 6, Silvia Anderson dan Lorain Carty Wilson (ed.), diterjemahkan oleh Peter Anugrah, EGC, Jakarta.
 19. McGuigan JE. Ulkus Peptikum dan Gastritis, Dalam Isselbacher KJ, Braunwald E, Wilson JD, Martin JB, Fauci AS, Kasper DL. Prinsip Ilmu Penyakit Dalam, (Edisi kedua). Jakarta: EGC;2000.
 20. Peek RM, Blaser MJ. Pathophysiology of Helicobacter pylori-induced gastritis and peptic ulcer disease. Am JMed 1997;102:200-7.
 21. Gormally SM, Praskah N, Durmin MT, et al. Association of symptoms with Helicobacter pylori infection in children. J Pediatr 1995;126:753-6.
 22. Drumm B, Koletzko S, Oderda G. Helicobacter pyloriinfection in children: a consensus statement. J PediatrGastroenterol Nutr 1999;28:296-300.
 23. Singh G (2000) Gastrointestinal complications of prescription and over-the-counter nonsteroidal anti-inflammatory drugs: a view from the ARAMIS

- database. Arthritis, Rheumatism, and Aging Medical Information System. Am J Ther 7 (2), 115–21.
24. Larkai EN, Smith JL, Lidsky MD, Sessoms SL, Graham DY (1989) Dyspepsia in NSAID users: the size of the problem. J Clin Gastroenterol 11 (2), 158–62.
 25. Scheiman JM. Nonsteroidal antiinflammatory drug (nsaid)-induced gastropathy. Dalam: Kim K, editor. Acute gastrointestinal bleeding; diagnosis and treatment. New Jersey: Humana; 2006.
 26. Becker JC, Domschke W, Pohie T. Current approaches to prevent nsaid-induced gastropathy – cox selectivity and beyond. New York: McGraw-Hill; 2004.
 27. Simadibrata MK. Diagnosis of nsaid gastropathy and its complications. Dalam: Simadibrata MK, Abdullah M, Syam AF, editor. Jakarta: Pusat Penerbitan Departemen IPD FK UI; 2008.
 28. Bertouch J, Stiel D. Non-steroidal antiinflammatory drugs. Dalam: Yeomans N, editor. NSAIDs and the gastrointestinal track. Edisi Ke-2. Sydney: Sydney NSW 2008.hlm. 6-17.
 29. Risser A, Donovan D, Heintzman J, Page T. Nsaid prescribing precautions. Am Fam Physician. 2009;80(12):1371-8.
 30. Brun R, Kuo B (2010). Review: Functional dyspepsia. Therapeutic Advances in Gastroenterology 3, 145-164.
 31. Sarnelli G, Caenepeel P, Geypens B, Janssens J and Track J (2003), Symptoms associated with impaired gastric emptying of solids and liquids in functional dyspepsia, *Am J Gastroenterology*, 98, 784-788
 32. Thumsirn M. Pathophysiology of functional dyspepsia. Gut 2002;51(Suppl.1):i63-6.
 33. Camilleri M. Functional dyspepsia: mechanisms of symptoms generation and appropriate management of patients. Gastroenterol Clin North Am 2007;36:649 -64.
 34. Miwa H, Watari J, Fukui H, Oshima T, Tomita T, Sakurai J, et al. Current understanding of pathogenesis of functional dyspepsia. J Gastroenterol Hepatol 2011;26:53-60.

35. Djojodiningrat D. Dispepsia fungsional. In: Sudoyo AW, Setyohadi B, Alwi I, Simadibrata M, Setiati S, editor. Buku ajar ilmu penyakit dalam. Edisi ke-4. Jakarta: Pusat Penerbitan Departemen Ilmu Penyakit Dalam Fakultas Kedokteran Universita Indonesia; 2006. P. 354-6.
36. Miwa H, Watari J, Fukui H, Oshima T, Tomita T, Sakurai J, et al. Current understanding of pathogenesis of functional dyspepsia. *J Gastroenterol Hepatol* 2011;26:53-60.
37. Sanger GJ, Lee K. Hormones of the gut–brain axis as targets for the treatment of upper gastrointestinal disorders. *Nature Rev Drug Discov* 2008;7:241–54.
38. Khoo J, Rayner CK, Bisset CF, Jones KL, Horowitz M. Gastrointestinal hormonal dysfunction in gastroparesis and functional dyspepsia. *Neurogastroenterol Motil* 2010;22:1270-8.
39. He RM, Song YG, Zhi FC. Gastrointestinal hormone abnormalities, G and D cells in functional dyspepsia patients with gastric dysmotility. *World J Gastroenterol* 2005;11:443-6.
40. Liddle RA. Gastrointestinal hormones and neurotransmitter. In: Goldman L, Schafer AI, eds. *Goldman's Cecil Medicine*. 24th ed. Philadelphia: Elsevier Saunders 2008.p.3-18.
41. Riezzoa G, Chiloiroa M, Russob F, Clementeb C, Matteoc GD, et al. Gastric electrical activity and gastrointestinal hormones in dyspeptic patients. *Digestion* 2001;63:20-29.
42. Carabotti M, Scirocco A, Maselli MA, Severi C. The gut-brain axis: interactions between enteric microbiota, central and enteric nervous systems. *Ann Gastroenterol*. 2015;28(2):203–209.
43. Annotated Bibliography of the WHO Quality of Life, Assessment Instrument – WHOQOL, Department of Mental Healt. 1999;(October).
44. Diener, Ed & Suh, Eunkook & Lucas, Richard & Smith, Heidi. (1999). Subjective Well-Being: Three Decades of Progress. *Psychological Bulletin*. 125. 276-302. 10.1037/0033-2909.125.2.276.

45. Ryff, D. Carol, "Happiness is Everything, or is it? Exploration on the Meaning of Psychological Well-Being". *Journal of Personality Social Psychology*, 1999, h. 56.
46. Podgorelec, Sonja. (2003). Mark Rapley, Quality of Life Research – a Critical Introduction. Vol.19 No.4. 19.
47. Introduction , administration , scoring and generic version of the assessment Field Trial Version December 1996 Programme on mental health WHO. 1996;(December).
48. Hagiwara S ichiro, Kaushal E, Paruthiyil S, Pasricha PJ, Hasdemir B, Bhargava A. Gastric corticotropin-releasing factor influences mast cell infiltration in a rat model of functional dyspepsia. *PLoS One*. 2018;13(9):1–21.
49. Carabotti M, Scirocco A, Maselli MA, Severi C. The gut-brain axis: interactions between enteric microbiota, central and enteric nervous systems. *Ann Gastroenterol*. 2015;28(2):203–209.
50. Ayala EE, Winseman JS, Johnsen RD, Mason HRC. U.S. medical students who engage in self-care report less stress and higher quality of life. *BMC Med Educ*. 2018;18(1):1–10.
51. Ang D, Talley NJ, Simren M, Janssen P, Boeckxstaens G, Tack J. Endpoints used in functional dyspepsia. *Aliment Pharm Therap* 2011;33:1-61.
52. Smeets FGM, Mascllee AAM, Conchillo JM, Keszhelyi D. Systematic review: Disease-specific instruments to assess gastrointestinal symptoms in functional dyspepsia. *Neurogastroenterol Motil*. 2018;30(8):1–11.
53. Sander GB, Mazzoleni LE, Francesconi CF, Wortmann AC. Development and validation of a cross-cultural questionnaire to evaluate nonulcer dyspepsia: the Porto Alerge Dyspeptic Symptoms Questionnaire (PADYQ). *Universidade Federal do Rio Grande do Sul* 200;12:1822-9.
54. Streiner DL, Norman GR: *Health Measurement Scales*, 2nd ed. Oxford Medical,199.
55. Talley NJ, Haque M, Wyeth JW, et al. Development of a new dyspepsia impact scale: The Nepean Dyspepsia Index (NDI). *Aliment Pharmacol Ther* 1998;12:1067-78.

56. Talley NJ, Verlinden M, Jones M. Quality of life in functional dyspepsia: Responsiveness of the Nepean Dyspepsia Index and development of a new 10-item short form. *Aliment Pharmacol Ther* 2001;15:207-16.
57. Anyfanti P, Tryantafyllou A, Panagopoulos P, Triantafyllou G, Pyrpasopoulou A, Chatzimichailidou S, et al. Predictors of impaired of life in patients with rheumatic disease. *Clin Rheumatol*. 2016;35(7):1705-11.
58. Siregar, Gontar Alamsyah, et al. "Dyspepsia and Depression, Anxiety, Stress Scales (DASS) Score" *Indonesian Journal of Gastroenterology, Hepatology, and Digestive Endoscopy*, 2016, doi:10.24871/171201628-31.
59. Silva PA, Soares SM, Santos JF, Silva LB. Cut-off point for WHOQOL-bref as a measure of quality of life of older adults. *Rev Saude Publica*. 2014;48(3):390-397. doi:10.1590/s0034-8910.2014048004912