

DAFTAR PUSTAKA

- Ageng, P., Fauziati, Adiningsih, Y. 2017. Ekstraksi karotenoid dari minyak sawit mentah (CPO) dengan pelarut dietil eter dan acetone. *Jurnal Riset Teknologi Industri.* 11(2): 91-99.
- Alfian, R. dan Susanti, H. 2012. Penetapan kadar fenolik total ekstrak metanol kelopak bunga rosella merah (*Hibiscus sabdariffa* Linn) dengan variasi tempat tumbuh secara spektofotometri. *Jurnal Ilmiah Kefarmasian.* 2(1): 73-80.
- Al-Ismail, K.M., Mehyar, G., Al-Khatib, H.S., dan Al-Dabbas, M. 2015. Effect of microencapsulation of cardamom's essential oil in gum arabic and whey protein isolate using spray drying on its stability during storage. *Quality Assurance and Safety Crops & Foods.* 7(5): 613-620.
- Al-Khalid, T. dan El-Naas.M.H. 2012. Aerobic biodegradation of phenols: a comprehensive review. *Critical Reviews in Environmental Science and Technology.* 42:1631- 1690.
- Alves, S. F., Borges, L. L., dos Santos, T. O., de Paula, J. R., Conceição, E. C., dan Bara, M. T. F. 2014. Microencapsulation of essential oil from fruits of *pterodon emarginatus* using gum arabic and maltodextrin as wall materials: composition and stability. *Drying Technology.* 32(1): 96–105.
- Amic, D., Davidovic-Amic, D., Beslo, D., dan Trinajstic, N. 2003. Structure-radical scavenging activity relationship of flavonoids. *Croatia Chemica Acta.* 76 (1): 55-61.
- Amin, I. dan Lee, W.Y. 2005. Effect of different blanching times on antioxidant properties in selected cruciferous vegetables. *Journal of The Science of Food and Agriculture.* 85: 2314-2320.
- Andarwulan, N. dan RH Fitri Faradilla. 2012. Pewarna Alami untuk Pangan. SEAFAST Center, Institut Pertanian Bogor.
- Arriaga, T.V. 2011. Controlled and tailored denaturation and aggregation of whey protein. Instituto Superior Técnico, Universidade Técnica de Lisboa.
- AOAC. 2005. “Official Method of Analysis.” 18th Edition, Association of Officiating Analytical Chemists, Washington.
- Bae, E.K., dan Lee, S.J. 2008. Microencapsulation of avocado oil by spray drying using whey protein and maltodextrin. *Journal of Microencapsulation.* 25(8): 549-560.
- Barua, C.C., Haloi, P., dan Barua, I.C. 2015. *Gnetum gnemon* Linn: A comprehensive review on its Biological, pharmacological, and pharmacognostical potentials. *International Journal of Pharmacognosy and Phytochemical Research.* 7(3): 531-539.

- Bechtold T., Mahmud-Ali, A., dan Mussak,R. 2006. Natural dyes for textile. A comparison of methods to assess the quality of Golden rod plant material. *Dyes and Pigment.* 70: 1-7.
- Botrel, D.A., Fernandes, R.V.B., Borges, S.V., dan Yoshida, M.I. 2014. Influence of wall matrix systems on the properties of spray-dried microparticles containing fish oil. *Food Research International.* 62: 344-352.
- Bustos-Garza, C., Yáñez-Fernández, J., dan Barragán-Huerta, B. E. 2013. Thermal and pH stability of spray-dried encapsulated astaxanthin oleoresin from *Haematococcus pluvialis* using several encapsulation wall materials. *Food Research International.* 54(1): 641–649.
- Byng, J.W. 2015. “The Gymnosperms Handbook: A practical guide to extant families and genera of the world”. Hertford: Plant Gateway Ltd.
- Castellani, O., Guibert, D., Al-Assaf, S., Axelos, M., Phillips, G.O., dan Anton, M. 2010. Hydrocolloids with emulsifying capacity. Part 1—emulsifying properties and interfacial characteristics of conventional (*Acacia senegal* (L.) Willd. var. *senegal*) and matured (*Acacia (sen) SUPER GUM™*) *Acacia senegal*. *Food Hydrocoll.* 24:193–199.
- Carvalho, L.M.J., Gomes, P.B., Godoy, R.L., Sidney Pacheco , Monte, P.H.F, Carvalho, J.L.V., Nutti, M.R, Neves, A.C.L., Vieira, A.C.R., dan Ramos, S.R.R. 2012. Total carotenoid content, α-carotene and β-carotene, of landrace pumpkins (*Cucurbita moschata Duch*): A preliminary study. *Food Research International.* 47: 337-340.
- Chranioti, C., Nikoloudaki, A., dan Tzia, C. 2015. Saffron and beetroot extracts encapsulated in maltodextrin, gum arabic, modified starch and chitosan: Incorporation in a chewing gum system. *Carbohydrate Polymers.* 127: 252–263.
- Cisilya, T., Lestario, L.N., dan Cahyanti, M.N. 2017. Kinetika degradasi serbuk antosianin daun Miana (*Coleous scutellarioides* L. Benth) Var. Crispa hasil mikroenkapsulasi. *Chimica et Natura Acta.* 5(3): 146-152.
- Cornelia,M., Siregar, T.M., Ermiziar, dan Raskita. 2009. Studi kandungan karotenoid, vitamin C, dan aktivitas antioksidan kulit melinjo (*Gnetum gnemon* L.). Seminar Nasional PATPI 2009.
- Devina, N., 2011. Optimasi proses ekstraksi kulit melinjo merah (*Gnetum gnemon* L.) dan pengaruh pH dan cahaya terhadap aktivitas antioksidan. Fakultas Teknologi Industri, Universitas Pelita Harapan Kawaraci.
- Djafaar, T.F., Santoso, U., dan Ariestyanta, A. 2017. Pengaruh penambahan maltodekstrin dan suhu inlet spray dryer terhadap karakteristik fisiko-kimia bubuk sari kerandang (*Canavalia virosa*). *Agritech.* 37(3): 334-342.
- Elevitch, C.R (ed). 2006. “Traditional Trees of Pacific Island: Their Culture, Environment, and Use”. Hawaii: Permanent Agriculture Resources.

- El-Hamzy, E.M.A., dan El-Kholany, E.A. 2014. Effects of spray drying conditions on the physicochemical and antioxidant properties of the licorice (*Glycyrrhizaglabara*) powder and evaluation of their antimicrobial activity. *Journal of Applied Sciences Research.* 10(13): 72-86.
- Frascareli, E.C., Silva, V.M., Tonon, R.V., dan Hubinger, M. D. 2012. Effect of process conditions on the microencapsulation of coffee oil by spray drying. *Food and Bioproducts Processing.* 90: 413-424.
- Gardjito,M., Murdiati, A., dan Aini, N. 2006. Mikroenkapsulasi β -karoten buah labu kuning dengan enkapsulan whey dan karbohidrat. *Jurnal Teknologi Pertanian.* 2(1): 13-18.
- Georgetti, S.R., Casagrande, R., Souza, C.R.F., Oliveira, W.P., dan Foncesa, J.V. 2008. Spray drying of the soybean extract: effects on chemical properties and antioxidant activity. *Food Science and Technology:* 1521-1527.
- Gharsallaoui, A., Roudaut, G., Chambin, O., Voiley, A., dan Saurel, R. 2007. Applications of spray-drying in microencapsulation of food ingredients: An overview. *Food Research International.* 40: 1107-1121.
- Ginting, E. 2013. Carotenoid extraction of orange-fleshed sweet potato and its application as natural food colorant. *J. Teknol. dan Industri Pangan.* 24.
- Hasrini, R.F., Zakaria, F.R., Adawiyah, D.R., dan Suparto, I.H. 2017. Mikroenkapsulasi minyak sawit mentah dengan penyalut maltodekstrin dan isolat protein kedelai. *J. Teknol. dan Industri Pangan.* 28(1): 10-19.
- Helal, A., Desobry, S., Banon, S., dan Shamsia, S. M. 2016. Antioxidant activity and bioaccessibility of phenols-enriched edible casein / caseinate coatings during in vitro digestion. *Journal of Daily Research.* 82: 56–63.
- Imelda, E. 2007. Karakterisasi fisik dan uji pH larutan rendaman kulit melinjo dan kekerasan kulit melinjo. Skripsi, Institut Pertanian Bogor.
- Intergrated Taxonomic Information System. ITIS Standart Report Page : Gnetum gnemon L.* <http://www.itis.gov> (diakses Juli 2018).
- Jafari, S.M., Assadpoor, E., He, Y., dan Bhandari, B. 2008. Encapsulation efficiency of foof flavors and oils during spray drying. *Drying Technology.* 26: 816-835.
- Janiszewka, E. dan Włodarczyk, J. 2013. Influence of spray drying conditions on beetroot pigments retention after microencapsulation process. *Acta Agrophysica.* 20(2): 343-356.
- Jia, Z., Dumont, M., dan Orsat, M. 2016. Encapsulation of phenolic compounds present in plant using protein matrices. *Food Bioscience.*
- Kanpairo,K., Usawakesmanee, W., Sirivongpaisal,P, dan Siripongyutikorn,S. 2012. The compositions and propertiers of spray dried tuna flavor powder produced from tuna precooking juice. *International Food Research Journal.* 19(3): 893-899.

- Karadeniz, F., Burdurlu, H. S., Koca, N. and Soyer, Y. 2005. Antioxidant activity of selected fruits and vegetable grown in turkey. Turkey Journal of Agricultural. 29: 297-303.
- Kandansamy, K., dan Somasundaram, P. D. 2012. Microencapsulation of colors by spray drying - a review. International Journal of Food Engineering. 8(2): 1556-3738.
- Kennedy, J.F., Philips, G.O., dan Williams, P.A. 2012. "Arabic Gum". Royal Society of Chemistry.
- Kha, T.C., Nguyen, M.H., Roach, P.D., dan Stathopoulos, C.E. 2014. Microencapsulation of gac oil: optimisation of spray drying conditions using response surface methodology. Powder Technology.
- Khasanah, L.U., Anandhito, B.K., Rachmawaty, T., Utami, R., dan Manuhara, G.J. 2015. Pengaruh rasio bahan penyalut maktodekstrin, gum arab, dan susu skim terhadap karakteristik fisik dan kimia mikrokapsul oleoresin daun kayu manis (*Cinnamomum burmannii*). Agritech. 35(4): 414-421.
- Kilara, A. dan Vaghela, M.N. 2018. Whey proteins. Proteins in Food Processing. 93-126.
- Krasaekoopt, W., Bhandari, B., dan Deeth, H. 2003. Evaluation of encapsulation techniques of probiotics for yoghurt. Int. Dairy J. 13(1): 3-13.
- Krishnan, S., Bhosale, R., dan Singhal, R.S. 2005. Microencapsulation of cardamon oleoresin: evaluation of blends of gum arabic, maltodextrin, and modified starch as wall materials. Carbohydrate Polymers. 61: 95-102.
- Kristanti, C. 2018. Mikroenkapsulasi senyawa fenolik ekstrak daun kenikir (*Cosmos caudatus* K.). Skripsi, Universitas Pelita Harapan, Tangerang.
- Le, T.H., Tran, T.M.V., Ton, N.M.N., Tran, T.T.T., Huynh, T.V., Nguyen, T.N., Quang, S.P., dan Le, V.V.M. 2017. Combination of whey protein and carbohydrate for microencapsulation of pumpkin (*Cucurbita* spp.) seed oil by spray-drying. International Food Research Journal. 24(3): 1227-1232.
- Leon-Martinez, F. M., Mendez-Lagunas, L. L., dan Rodriguez-Ramirez, J. 2010. Spray drying of nopal mucilage (*Opuntia ficus-indica*): effects on powder properties and characterization. Carbohydr. Polym. 81(4): 864-870.
- Lila, M. A. 2004. Plant pigments and human health. In: Davies K (ed). Plant Pigments and Their Manipulation. 248-274
- Mahdavi, S.A., Jafari, S.M., Assadpoor, E., dan Denhad, D. 2016. Microencapsulation optimazion of natural antocyanins with maltodekstrin, gum arabic and gelatin. International Journal of Biological Macromolecules.
- Maleta, H.S., Indrawati, R., Brotosudarmon, T.H.P dan Limantra, L. 2018. Ragam metode ekstraksi karotenoid dari sumber tumbuhan dalam dekade terakhir (Telaah litelatur). Jurnal Rekaya Kimia dan Lingkungan. 13(1):40-50.

- Martín,A., F. Mattea, L. Gutierrez, F. Miguel dan M.J. Cocero. 2007. Co-precipitation of carotenoids and biopolymers with the supercritical anti-solvent process. *J. Supercrit. Fluids.* 41: 138-147.
- McClatchey, K.D. 2002. "Clinical Laboratory Medicine" 2nd ed. Philadelphia: Lippincott Williams & Wilkins.
- Monotengro, M.A., Boiero, M.L., Valle, L., dan Borsarelli, C.D. 2012. Gum arabic : more than an edible emulsifier. *Products and Applications of Biopolymers.*
- Movahhed, M.K., dan Mohebbi, M. 2016. Spray drying and process optimization of carrot-celery juice. *Journal of Food Processing and Preservation.* 40: 212-225.
- Mulyadi, N.M., Widyaningsih, T.D., Wijayanti, N., Indrawati, R., Heriyanto, dan Limantara, L. 2017. Microencapsulation of kabocha pumpkin karotenoid. *International Journal of Chemical Engineering and Application.* 8(6): 381-386.
- Najafi, M.N., Kadkhodae. R. dan Mortazavi, S.A., 2011. Effect of drying process and wall material on the properties of encapsulated cardamom oil. *Food Biophysics* 6: 68-76.
- Nugraheni,A., Yunarto, N., dan Sulistyaningrum,N. 2015. Optimasi formula mikroenkapsulasi ekstrak rimpang temulawak (*Curcuma xanthorrhiza* Roxb.) dengan penyalut berbasis air. *Jurnal Kefarmasian Indonesia.* 5(2): 98-105.
- Nunes, I.L. dan Mercadante,A.Z. 2007. Encapsulation of lycopene using *spray drying* and molecular inclusion processes. *Brazilian Archives of Biology and Technology.* 5(5): 893-900.
- Osorio, C., Acevedo, B., Hillebrabd, S., Carriazo, J., Winterhalter. P., dan Morales, A.L. 2010. Microencapsulation by spray-drying of anthocyanin pigments from Corozo (*Bactris guineensis*) fruit. *Journal of Agricultural of Food Chemistry.* 58: 6977–6985
- Ötles, S. Dan Cagindi, O. 2008. Carotenoids as natural colorants. In: Socaciu C(ed). . Boca Raton: CRC Press.
- Parhusip, A.J.N., dan Sitanggang, A.B. 2011. Antimicrobial activity of melinjo seed and peel extract (*Gnetum gnemon*) againts selected pathogenic bacteria. *Microbiology Indonesia.* 5(3): 103-112.
- Pruthi, N., Chawla, G., dan Yadav, S. 2008. Dying of silk with barberry bark dye using mordant combination. *Natural Product Radiance.* 7(1): 40–44.
- Pujilestari, T. dan Salma, I.R. 2017. Pengaruh suhu ekstraksi warna alam kayu secang (*Caesalpinia sappan Linn*) dan gambir (*Uncaria gambir*) terhadap kualitas warna batik. *Dinamika Kerajinan dan Batik.* 34(1): 25-34.

- Purnomo, W., Khasanah, L.U. dan Anandito, R.B.K. 2014. Pengaruh ratio kombinasi maltodekstrin, karagenan dan whey terhadap karakteristik mikroenkapsulan pewarna alami daun jati (*Tectona grandis* L.f.). Jurnal Aplikasi Teknologi Pangan.3(3): 121-129.
- Qiu, D., Chen, Z., dan Li, H. 2009. Effect of heating on solid β -carotene. Food Chemistry. 112: 344-349.
- Rascón, M. P., Beristain, C. I., García, H. S., dan Salgado, M. A. 2011. Carotenoid retention and storage stability of spray-dried encapsulated paprika oleoresin using gum arabic and soy protein isolate as wall materials. LWT- Food Science and Technology. 44(2): 549–557.
- Reineccius, G.A. 2004. The spray drying of food flavours. Drying Technology. 22(6):1289-1324.
- Rufino, M. S. M, Alves, R. E., Brito, E. S., Perez-Jimenez, J., Saura-Calixto, F., dan Mancini-Filho, J. 2010. Bioactive compounds and antioxidant capacities of 18 non-traditional tropical fruits from Brazil. Food Chemistry. 121(4): 996-1002.
- Samin, A.H., Bialangi, N., dan Salimi, Y.K. 2008. Penentuan kandungan fenolik total dan aktivitas antioksidan dari rambut jagung (*Zea mays* L.) yang tumbuh di daerah gorontalo. Jurusan Pendidikan Kimia Fakultas Matematika dan IPA, Universitas Negeri Gorontalo.
- Santana, A.A., Cano-Higuita, D.M., de Oliveira, R.A., dan Telis, V.R.N. 2016. Influence of different combinations of wall materials on the microencapsulation of jussara pulp (*Euterpe edulis*) by spray drying. Food Chemistry.
- Santana, A.A., Kurozawa, L.E., de Oliveira, R.A., dan Park, K.J. 2013. Influence of process conditions on the physicochemical properties of pequi powder produced by spray drying. Drying Technology. 31: 825-836.
- Santhalakshmy, S., Bosco, S.J.D., Francis, S., dan Sabeena, M. 2015. Effect of inlet temperature on physicochemical properties of spray-dried jamun fruit juice powder. Powder Technology. 274: 37-43.
- Santos, D.T. dan Miereles, M.A.A. 2010. Carotenoids pigment encapsulation: fundamentals, technique, and recent trends. The Open Chemical Engineering Journal. 4:42-50.
- Sari, N.G.A.K.R.P, Wartini, N.M., dan Yoga, I.W.G.S. 2017. Pengaruh jenis pelarut terhadap rendemen dan karakteristik ekstrak pewarna dari buah pandan (*Pandanus tectorius*). Fakultas Teknologi Pertanian, Unud.
- Setiawan, M. 2015. Effects of different carrier agents and core to coating ratio towards the encapsulation of soursop leaves (*Annona muricata* Linn.) tea extract. Skripsi, Universitas Pelita Harapan, Tangerang.
- Shah N.P. 2000. Effects of milk-derived bioactives: an overview. British Journal of Nutrition. 84: 3-10

- Shaikh, J., Bhosale, R., dan Singhal, R. 2006. Microencapsulation of black pepper oleoresin. *Food Chemistry*. 94(1): 105-110.
- Shao, W., Pan, X., Liu, X., Teng, F., dan Yuan, S. 2018. Microencapsulation of alga oil using spray drying. *Food Technology and Biotechnology*. 56(1): 65-70.
- Shen, Y., L. Jin, P. Xiao, Y. Lu, dan J. Bao. 2008. Total phenolics, flavonoids, antioxidant capacity in rice grain and their relations to grain color, size, and weight. *Journal of Cercal Science*.
- Shevell, S. 2003. "The Science of Color" 2nd ed. Optical Society of America.
- Siregar, Y.D.I. dan Utami, P. 2014. Pemanfaatan ekstrak kulit melinjo merah (*gnetum gnemon*) sebagai pewarna alami pada pembuatan lipstik. *Jurnal Kimia Valensi*. 4(2) : 98-108.
- Sirwutubun, M., Ludong, M.M, dan Rawung, D. 2016. Pengaruh konsentrasi etanol terhadap karakteristik ekstrak pewarna alami buah merah (*Pandanus conoideus* Lamk.) dan aplikasinya dalam produk pangan. Jurusan Teknologi Pertanian, Fakultas Pertanian, Universitas Sam Ratulangi Manado.
- Smithers, G.W. 2008. Whey and whey proteins-from "gutter-to-gold". *International Dairy Journal*. 18:695-704.
- Subanna, J., Kongbangkerd, T., Rojsuntornkitti, K., Chaijamrus, S., dan Jittrepotch, N. 2016. Effect of sodium alginate and chitosan on physicochemical properties of encapsulated sweet vasil leaf extract. *Proceedings of The IRES 30th, Japan*.
- Supriyadi dan Rujita A.S. 2013. Karakteristik mikrokapsul minyak atsiri lengkuas dengan maltodekstrin sebagai enkapsulan. *J Teknol Industri Pangan* 24: 201-208.
- Tambun, R., Limbong, H.P., Pinem, C., dan Manurung, E. 2016. Pengaruh ukuran partikel, waktu, dan suhu pada ekstraksi fenol dari lengkuas merah. *Jurnal Teknik Kimia USU*. 5(4): 53-56.
- Tolun, A., Altintas, Z., dan Artik, N. 2016. Microencapsulation of grape polyphenols using maltodextrin and gum arabic as two alternative coating materials: development and characterization. *Journal of Biotechnology*.
- Tonon, R. V., Brabet, C., dan Hubinger, M. D., 2008. Influence of process conditions on the physicochemical properties of acai (*Euterpe oleracea Mart.*) powder produced by spray drying. *J. Food Eng.* 88: 411–418.
- Tonon, R.V., Brabet, C., dan Hubinger, M.D. 2010. Anthocyanin stability and antioxidant activity of spray-dried açai (*Euterpe oleracea* Mart.) juice produced with different carrier agents. *Food Research International*. 43: 907-914.

- Troya, D., Tupuna-Yerofi, D.S., dan Ruales, J., 2018. Effects of wall materials and operating parameters on physicochemical properties, process efficiency, and total carotenoid content of microencapsulated banana passionfruit pulp (*Passiflora tripartita var. mollissima*) by spray-drying. *Food and Bioprocess Technology*.
- Tupuna, D.S., Paese, K., Guterres, S.S., Jablonski, A., Flôres, S.H., dan Rios, A.O. 2018. Encapsulation efficiency and thermal stability of norbixin encapsulated by spray-drying using different combinations of wall material. *Industrial Crops & Products*. 111: 846-855.
- Turak, E.J.. 2017. Carotenoids microencapsulation by spray drying method and supercritical micronization. *Food Research International*. 99: 891-901.
- Usmiati S., Yuliani S., dan Noor, E. 2010. Aktivitas hambat bakteri patogen oleh serbuk bakteriosin asal *lactobacillus* sp. galur SCG 1223. *Jurnal Teknologi Industri Pertanian*. 21(4) : 102-112.
- Verbeken, D., Dierckx, S., dan Dewettinck, K. 2003. Exudate gums: occurrence, production, and applications. *Appl Microbiol Biotechnol*.63: 10-21.
- Vermerris, W dan Nicholson,R. 2006. "Phenolic Compound Biochemistry". Dordrecht : Springer.
- Vila, M.M., Chaud, M. V., dan Balcao, V.M. 2015. Microencapsulation of natural anti-oxidant pigments. In L. M. C. Sagis (Ed.), "Microencapsulation and microspheres for food applications" . Elsevier : 369-389.
- Wackerbarth, H., Stoll, H., Gebken, S., Pelters, C., dan Bindrich, U. 2009. Carotenoid-protein interactions as an approach for the formulation of functional food emulsions. *Food Research International*. 42: 1254-1258.
- Wahyuni, S., Rais, M. dan Fadilah, R. 2017. Fortifikasi tepung kulit melinjo sebagai pewarna alami pada pembuatan kerupuk singkong. *Jurnal Pendidikan Teknologi Pertanian*. 3: 212-222.
- Wandrey, C., Bartkowiak, A. dan Hardling, S.E. 2010. Materials for encapsulation. In: NJ. Zuidam dan V.A. Nedović (eds). "Encapsulation Technologies for Active Food Ingredients and Processing". Verlag New York: Springer.
- Williams, P. A. dan Phillips, G. O. 2000. "In Handbook of Hydrocolloids". CRC Press: Cambridge: 155-168.
- Xue, J., Tan, C., Zhang, X. M., Feng, B., dan Xia, S. Q. 2014. Fabrication of epigallocatechin-3-gallate nanocarrier based on glycosylated casein: stability and interaction mechanism. *Journal of Agricultural and Food Chemistry*. 62(20).
- Yanuwar, W., Widjanarko, S.B. dan Wahono, T. 2012. Karakteristik dan stabilitas antioksidan mikrokapsul minyak buah merah (*Pandanus conoideus Lam*) dengan bahan penyalut berbasis protein. *Jurnal Teknologi Pertanian* . 8(2): 127-135.

- Yuliani, S., Desmawarni, Harimurti, N. dan Yuliani, S.S. 2007. Pengaruh laju alir umpan dan suhu inlet spray drying pada karakteristik mikrokapsul oleoresin jahe. *Jurnal Pascapanen*. 4(1): 18-26.
- Zuidam, N.J. dan Shimoni, E. 2010. Overview of microencapsulates for use in food products or processes and methods to make them. In: NJ. Zuidam dan V.A. Nedović (eds). "Encapsulation Technologies for Active Food Ingredients and Processing". Verlag New York: Springer.
- Zou, T., Li, Z., Percival, S. S., Bonard, S., dan Gu, L. 2012. Fabrication, characterization, and cytotoxicity evaluation of cranberry procyandins-zein nanoparticles. *Food Hydrocolloids*. 27(2): 293-300.

