

- Agustina, Faridah, D.N., dan Jenie, B.S.L. 2016. Pengaruh retrogradasi dan perlakuan kelembaban terhadap kadar pati resisten tipe III daluga. Jurnal Teknologi dan Industri Pangan 27(1): 78-86.
- Ahmed, I., Qazi, I.M., Li, Z. dan Ullah, J. 2016. Rice noodles: materials, processing and quality evaluation. Proceedings of the Pakistan Academy of Sciences: B. Life and Environmental Sciences 53 (3): 215-238.
- Al-Subhi, F.M.M. dan Hejazi, M.A. 2013. Brown rice as a healthy food and lowering blood sugar in rats. Journal of American Science 9 (4): 21-28.
- Anugrahati, N.A., Pranoto, Y., dan Marseno, D.W. 2015. In vitro digestibility of indonesian cooked rice treated with cooling-reheating process and coconut milk addition. International Research Journal Biological Science 4 (12): 34-39.
- Anugrahati, N.A., Pranoto, Y., dan Marseno, D.W. 2017. Physicochemical properties of rice (*Oryza sativa* L.) flour and starch of two indonesian rice varieties differing in amylose content. International Food Research Journal 24 (1): 108-113.
- Apriyanto,A., Fardiaz, D., Niluh, P., Sedarnawati, dan Budiyanto, S. 1989. "Analisa Pangan". Penerbit IPB Press, Bogor.
- Association of Official Analysis Chemist (AOAC). 1970. "Official Methods of Analysis of the Association Analytical Chemists". AOAC International, United States.
- Association of Official Analysis Chemist (AOAC). 1995. "Official Methods of Analysis of the Association Analytical Chemists". AOAC International, Washington DC.
- Association of Official Analysis Chemist (AOAC). 2005. "Official Methods of Analysis of the Association Analytical Chemists". AOAC International, Washington DC.
- Ashwar, B.A, Gani, A., Shah, A., Wani, I.A., dan Masoodi, F.A. 2015. Production of resistant starch from rice by dual autoclaving-retrogradation treatment: invitro digestibility. Journal of Food Hydrocolloids 56: 108-117.
- Ashwar, B.A, Gani, A., Shah, A., Wani, I.A., dan Masoodi, F.A. 2016. Preparation, health benefits and applications of resistant starch- a review. Starch 68: 287-301.
- Babu, P. D., Subhasree, R.S., dan Bhakyaraj, R. 2009. Brown rice beyond the color reviving a lost health food – a review. American Eurasian Journal of Agronomy 2 (2): 67-72.
- Baby, L., Suman, K.T., Krishnan, S., dan Indira, V. 2016. Effect of autoclaving and cooling on resistant starch formation in rice starch. Asian Journal Dairy & Food Research 35 (2): 137-142.

- Badan Standarisasi Nasional (BSN). 2009. "Tepung Beras SNI 3549-2009". Badan Standarisasi Nasional, Jakarta.
- Basu, D. dan Sen, D.J. 2017. Brown rice natural phytonutrients are superior to white rice in holistic healthcare. European Journal of Pharmaceutical and Medical Research 4 (7): 686-697.
- Bertoft, E. 2017. Understanding starch structure : recent progress. Agronomy 7: 1-29.
- Bhanwar,S. dan Ganguli, A. 2014. α -amylase and β -galactosidase production on potato starch waste by *Lactococcus lactis* subsp *lactis* isolated from pickled yam. Journal of Scientific and Industrial Research 73: 324-330.
- Boers, H.M., Hoorn, J.S.T dan Mela, D.J. 2015. A systematic review of the influence of rice characteristics and processing methods on postprandial glycaemic and insulinaemic respons. British Journal of Nutrition 114: 1035-1045.
- Brown, A. 2015. "Understanding Food Principles and Preparations". 5th ed. Cengage Learning, United States of America.
- Cham, S. dan Suwannaporn, P. 2010. Effect of hydrothermal treatment of rice flour on various rice noodles quality. Journal of Cereal Science 51: 284-291.
- Chung, H.J., Lim, H.S., dan Lim, S.T. 2006. Effect of partial gelatinization and retrogradation on the enzymatic digestion of waxy rice starch. Journal of Cereal Science 43: 353-359.
- CODEX Alimentarius International Food Standards. 2006. "Standard for Instant Noodles CODEX STAN 249-2006". CODEX Alimentarius.
- Dachriyanus. 2004. "Analisis Struktur Senyawa Organik Secara Spektroskopi". Lembaga Pengembangan Teknologi Informasi dan Komunikasi (LPTIK) Universitas Andalas, Padang.
- Dessuara, C.F., Waluyo, S., dan Novita, D.D. 2015. Pengaruh tepung tapioka sebagai bahan substitusi tepung terigu terhadap sifat fisik mie herbal basah. Jurnal Teknik Pertanian Lampung 4 (2): 81-90.
- Dundar, A.N. dan Gocmen, D. 2013. Effects of autoclaving temperature and storing time on resistant starch formation and its functional and physicochemical properties. Carbohydrate Polymers 97: 764-771.
- Dupuis, J.H., Liu, Q., dan Yadav, R.Y. 2014. Methodologies of increasing the resistant starch content of food starches: Review. Comprehensive Reviews in Food Science and Food Safety 13 (6): 1219-1234.
- Ertas, N. Effect of wheat bran stabilization methods on nutritional physico-mechanical characteristics of cookies. Journal of Food Quality 38: 184-191.
- Falade, K.O., dan Christopher, A.S. 2015. Physical, functional, pasting and thermal properties of flours and starches of six nigerian rice cultivars. Food Hydrocolloids 44: 478-490.

- Faridah, D.N., Fardiaz, D., Andarwulan, N., dan Sunarti, T.C. 2010. Perubahan struktur pati garut (*Maranta arundinaceae*) sebagai akibat modifikasi hidrolisis asam, pemotongan titik percabangan dan siklus pemanasan-pendinginan. Jurnal Teknologi dan Industri Pangan 21 (2): 135-142.
- Faridah, D.N., Rahayu, W.P., dan Apriyadi, M.S. 2013. Modifikasi pati garut (*Marantha arundinaceae*) dengan perlakuan hidrolisis asam dan siklus pemanasan-pendinginan untuk menghasilkan pati resisten tipe 3. Jurnal Teknologi Industri Pertanian 23 (1): 61-69.
- Flores-Morales, A., Estrada, M.J., dan Escobedo, R.M. 2012. Determination of structural changes by FT-IR, Raman, and CP/MAS ^{13}C NMR Spectroscopy on retrograded starch of maize tortillas. Carbohydrate Polymers 87: 61-68.
- Fu, B.X. 2008. Asian noodles: History, classification, raw materials, and processing. Food Research International 41 (9): 888-902.
- Hardoko, Saputra, T.I., dan Anugrahati N.A. 2013. Karakteristik kweitiau yang ditambah tepung tapioka dan rumput laut *Gracilaria gigas* Harvey. Jurnal Perikanan dan Kelautan 18 (2): 1-11.
- Hasbullah, R., dan Dewi, A.R. 2009. Kajian pengaruh konfigurasi mesin penggilingan terhadap rendemen dan susut giling beberapa varietas padi. Jurnal Keteknikan Pertanian 23 (2): 119-124.
- Hernawan, E. dan Meylani, V. 2016. Analisis karakteristik fisikokimia beras putih, beras merah, dan beras hitam (*Oryza sativa L.*, *Oryza nivara* dan *Oryza sativa L. indica*). Jurnal Kesehatan Bakti Tunas Husada 15 (1): 79-91.
- Hoormdok, R. dan Noomhorm, A. 2007. Hydrothermal treatments of rice starch for improvement of rice noodle quality. Elsevier LWT 40: 1723-1731.
- Hou, G.G. 2011. "Asian Noodles: Science, Technology, and Processing". John Wiley and Sons, United States of America.
- Indrasari, S.D., Wibowo, P., dan Purwani, E.Y. 2010. Evaluasi mutu fisik, mutu giling, dan kandungan antosianin kultivar beras merah. Jurnal Penelitian Pertanian Tanaman Pangan 29 (1): 56-62.
- Indrianti, N., Kumalasari, R., Ekafitri, R., dan Darmajana, D.A. 2013. Pengaruh penggunaan pati ganyong, tapioka, dan MOCAF sebagai bahan substitusi terhadap sifat fisik mie jagung instan. AGRITECH 33 (4): 391-398.
- Interparas, P., Haryadi, Cahyanto, M.N. 2015. Pengaruh retrogradasi pada pembuatan sohun pati jagung terhadap karakteristik fisikokimia produk dan aktivitas prebiotiknya. AGRITECH 35 (2): 192-199.
- Jung, H., Lee, Y.J., dan Yoon, W.B. 2018. Effect of moisture content on the grinding process and powder properties in food : a review. Processs 6 (69): 1-16.
- Kasote, D.M., Oak, M.D., Nilegaonkar, S.S., dan Agte, V.V. 2018. Effect of soaking and autoclaving treatments on structure, properties and resistant

- starch (RS) content of edible tapioca pearls. International Research Journal 25 (1): 1-8.
- Kurniasari, E., Waluyo, S., dan Sugianti, C. 2015. Mempelajari laju pengeringan dan sifat fisik mie kering berbahan campuran tepung terigu dan tepung tapioka. Jurnal Teknik Pertanian Lampung 4 (1): 1-8.
- Kusnandar, F. 2010. "Kimia Pangan Komponen Makro". PT Dian Rakyat, Jakarta.
- Kusnandar, F., Hastuti, H.P. dan Syamsir, E. 2015. Pati resisten sagu hasil proses hidrolisis asam dan *autoclaving-cooling*. Jurnal Teknologi dan Industri Pangan 26 (1): 52-62.
- Lawless, H.T., dan Heymann, H. 2010. "Sensory Evaluation of Food: Principles and Practices". 2th ed. Springer, New York.
- Lee, Y.J., Lee, M.G., dan Yoon, W.B. 2013. Effect of seed moisture content on the grinding kinetics, yield and quality of soybean oil. Journal of Food Engineering 119: 758-764.
- Maulinda, R., dan Guntarti, A. 2015. Pengaruh ukuran partikel beras hitam (*Oryza sativa* L.) terhadap rendemen ekstrak dan kandungan total antosianin. Pharmaciana 5 (1): 9-16.
- Maylani, D. 2014. Kajian mutu mi instan yang terbuat dari tepung jagung lokal riau dan pati sagu. JOM Faperta 1 (2): 1-11.
- Monaco, R.D., Cavella, S., dan Masi, P. 2008. Predicting sensory cohesiveness, hardness, springiness of solid foods from instrumental measurements. Journal of Texture Studies 39 (2): 29-149.
- Moongngarm, A., Srijinda, P., Paseehohol, T., Samana,S., dan Martphutorn, N. 2015. Effect of heat moisture treatment using different solvents and incubation times on resistant starch formation of rice flour. American Journal of Applied Sciences 12 (8): 560-566.
- Moulay, S. 2013. Molecular iodine/ polymer complexes. J Polym Eng: 1-55.
- Murdiati, A., Anggrahini, S., dan Ayuk'Alim, S. 2015. Peningkatan kandungan protein mie basah dari tapioka dengan substitusi tepung koro pedang putih (*Canavalia ensiformis* L.). AGRITECH 35 (3): 251-260.
- Nazhrah, Julianti, E., dan Masniarny, L. 2014. Pengaruh proses modifikasi fisik terhadap karakteristik pati dan produksi pati resisten dari empat varietas ubi kayu (*Manihot esculenta*). Jurnal Rekayasa Pangan dan Pertanian 2 (2): 1-9.
- Nicanor, A.B., Garcia, G.A., Vera, N.G., Soto, J.L.M., Vera, M.A.V., dan Cruz, L.G., 2016. Fourier transform infrared and Raman spectroscopic study of the effect of the thermal treatment and extraction methods on the characteristics of ayocote bean starches. Journal of Food Sciences and Technology 54 (4) : 933-943.

- Nissar, J. Ahad, T., Naik, H.R., dan Hussain, SZ. 2017. Resistant starch – chemistry and nutritional properties. *Journal of Food Science and Nutrition* 2 (6): 95-108.
- Nugent, A.P. 2005. Health properties of resistant starch. *Nutr. Bulletin* 30: 27-54.
- Nuryani. 2013. Potensi substitusi beras putih dengan beras merah sebagai makanan pokok untuk perlindungan diabetes melitus. *Media Gizi Masyarakat Indonesia* 3 (3): 157-168.
- Prabowo, B. 2010. Kajian Sifat Fisikokimia Tepung Millet Kuning dan Tepung Millet Merah. S.T.P. Skripsi. Universitas Sebelas Maret, Surakarta.
- Pratiwi, M., Faridah, D.N., dan Lioe, H.N. 2017. Structural changes to starch after acid hydrolysis, debranching, autoclaving-cooling cycles, and heat moisture treatment (HMT): a review. *Starch-Starke* 70: 1-47.
- Qazi, I.M., Rakshit, S.K., Tran, T., Javidullah, dan Khan, M.Z. 2014. Effect of blending selected tropical starches with rice flour on the cooking quality and texture of rice based noodles. *Sarhad J.Agric.* 30 (2): 257-264.
- Rauf, R. dan Sarbini, D. 2015. Daya serap air sebagai acuan untuk menentukan volume air dalam pembuatan adonan roti dari campuran tepung terigu dan tepung singkong. *AGRITECH* 35 (3): 324-330.
- Riana, R. L. M., Aini, N. dan Dwiyanti, H. 2015. Formulasi dan optimasi *flakes* kaya serat berbasis pati garut resisten tipe III menggunakan *Response Surface Methodology*. *Jurnal Litbang* 13 (2): 193-202.
- Rosida, R., Harijono, Estiasih, T., dan Sriwahyuni,E. 2017. Functional and pasting characteristics of modified water yam flour (*Diocorea alata*). *International Food Research Journal* 24 (5): 1880-1888.
- Sankari, G., Krishnamoorthy, E., Jayakumaran, S., Gunasekaran, S., Priya, V.V., Subramaniam, S., dan Mohan, S. 2010. Analysis of serum immunoglobulins using Fourier transform infrared spectral measurements. *Biology and Medicine* 2 (3) : 42-48.
- Santika, A. dan Rozakurniati. 2010.- Teknik evaluasi mutu beras ketan dan beras merah pada beberapa galur padi gogo. *Buletin Teknik Pertanian* 15 (1): 1-5.
- Sajilata, M.G., Singhal, R.S., Kulkami, P.R. 2006. Resistant starch: a review. *Comprehensive Reviews in Food Science and Food Safety* 5 (1): 1-17.
- Sekar, A. dan Ayustaningwärno, F. 2013. Analisis kandungan zat gizi makro dan indeks glikemik snack bar beras warna sebagai makanan selingan penderita nefropati diabetik. *Journal of Nutrition College* 2 (4): 514-522.
- Setiarto, R.H.B., Jenie, B.S.L., Faridah, D.N., dan Saskiawan, I. 2015. Kajian peningkatan pati resisten yang terkandung dalam bahan pangan sebagai sumber prebiotik. *Jurnal Ilmu Pertanian Indonesia* 20 (3): 191-200.

- Shandu, K.S., Maninder, K., dan Mukesh. 2010. Studies on noodle of potato and rice starches and their blend in reaction to their physicochemical pasting, and gel properties. *Journal of Food Sciences and Technology* 43: 1289-1293.
- Shin, M., Woo, K. dan Seib, P. 2003. Hot water solubility and water absorption of resistant starches at 25°C. *Cereal Chem* 80: 564-566.
- Sonaye, S.Y. dan Baxi, R.N. 2012. Particle size measurement and analysis of flour. *International Journal of Engineering Research and Applications* 2 (3): 1839-1842.
- Srijinda, P. Moongngarm, A., dan Paseepholt, T. 2012. Comparison of six different techniques for producing resistant starch type III from high amylose rice. *International Conference on Life Science and Engineering* 45: 84-88.
- Sugiyono, Setiawan, E., Syamsir, E., dan Sumekar, H. 2011. Pengembangan produk mi kering dari tepung ubi jalar (*Ipomoea batatas*) dan penentuan umur simpannya dengan metode isoterm sorpsi. *Jurnal Teknologi dan Industri Pangan* 22 (2): 164-170.
- Syahariza, Z.A., Sar, S, Hasjim, J., Tizzotti, M.J., dan Gilbert, R.G. 2013. The importance of amylose and amylopectin fine structures for starch digestibility in cooked rice grains. *Food Chemistry* 136: 742-749.
- Thomas, R., Yeoh, T.K., Nadiah, W.A.W., dan Bhat, R. 2014. Quality evaluation of flat rice noodles (*kway teow*) prepared from bario and basmati rice. *Sains Malaysiana* 43 (3): 339-347.
- Tyanjani, E.F. dan Yunianta. 2015. Pembuatan dekstrin dari pati sagu (*Metroxylon sagus Rottb*) dengan enzim β – amilase terhadap sifat fisiko kimia. *Jurnal Pangan dan Agroindustri* 3 (3): 1119-1127.
- Ushakumari, S. 2009. Technological and physico-chemical characteristics of hydrothermally treated finger millet. M.Sc. Thesis, University of Mysore, Mysore.
- Villarreal, V.R., Saldivar, S.O.S., dan Lara, S.G. 2017. Effects of parboiling and other hydrothermal treatments on the physical, functional, and nutritional properties of rice and other cereals. *Cereal Chemistry* 95: 79-91.
- Wang, S., Li, C., Copeland, L., Niu, Q., dan Wang, S. 2015. Starch retrogradation : A comprehensive review. *Comprehensive Reviews in Food Science and Food Safety* 14: 568-585.
- Widowati, S., Herawati, H., Mulyani, E.S, Yuliwardi, F., dan Muhandri, T. 2014. Pengaruh perlakuan *heat moisture treatment* (HMT) terhadap sifat fisiko kimia dan fungsional tepung beras dan aplikasinya dalam pembuatan bihun berindeks glikemik rendah. *Jurnal Pascapanen* 11: 59-66.
- Winarti, S., Sarofa, U., dan Ardiansyah, M.I. 2015. Efek penambahan tepung tapioka dan $Ca(OH)_2$ terhadap sifat fisikokimia dan organoleptik emping garut simulasi (*Maranta arundinacea* L.). *Jurnal REKAPANGAN* 9 (1): 46-55.

- Wulan, S.T., Widyaningsih, T.D., dan Ekasari, D. 2007. Modifikasi pati alami dan pati hasil pemutusan rantai cabang dengan perlakuan fisik/ kimia untuk meningkatkan kadar pati resisten pada pati beras. Jurnal Teknologi Pertanian 8 (2): 80-87.
- Yadav, B.S., Sharma, A., dan Yadav, R.B. 2010. Effect of storage on resistant starch content and *in vitro* starch digestibility of some pressure-cooked cereals and legumes commonly used in India. International Journal of Food Science and Technology 45: 2449-2455.
- Yang, X., Darko, K.O., Huang, Y., He, C., Yang, H., He,S., Li,J., Hocber, B., dan Yin,Y. 2017. Resistant starch regulates gut microbiota: structure, biochemistry and cell signalling. Cellular Physiology and Biochemistry 42: 306-318.
- Yuliwardi, F., Syamsira, E., Hariyadi, P., dan Widowati, S. 2014. Pengaruh dua siklus *autoclaving-cooling* terhadap kadar pati resisten tepung beras dan bihun yang dihasilkannya. Pangan 23 (1): 43-52.
- Zabar, S., Shimoni, E., dan Peled, H.B. 2008. Development of nanostructure in resistant starch type III during thermal treatments and cycling. Macromolecular Bioscience 8:163-170.
- Zaragoza, E.F., Riquelme-Navarrete, M.J., Sanchez-Zapara, E., dan Perez-Alvarez, J.A. 2010. Resistant starch as functional ingredient: a review. Food Research International 43: 1-11.
- Zeng, J., Li, G.,Gao, H., Ru, Z. 2011. Comparison of a and b starch granules from three wheat varieties. Molecules 16: 10570-10591.
- Zhang, Y., Liu, W., Liu, C., Luo, S., Li, T., Liu, Y.,Wu, D., dan Zuo. Y. 2014. Retrogradation behaviour of high-amylase rice starch prepared by improved extrusion cooking technology. Food Chemistry 158: 255-261.