ACKNOWLEDGEMENTS

Greatest thanks to God that had always accompanied the writer with His blessing in accomplishing this thesis entitled "OPTIMUM CONDITON FOR N-ACETYL-GLUCOSAMINE PRODUCTION FROM TIGER SHRIMP (*Penaeus monodon*) SHELL USING EXTRACELLULAR CRUDE CHITINASE ENZYME FROM *Mucor circinelloides*" that is written as partial fulfilment of the academic requirements to obtain the degree of *Sarjana Teknologi Pertanian Strata Satu*, Universitas Pelita Harapan.

There are many supports, prayers, guidance, and help received for the author. In this chance, author would like to express gratitude and appreciation to those parties, including:

- 1. Mr. Eric Jobiliong, Ph.D. as Dean of Faculty of Science and Technology.
- Mrs. Dela Rosa M.M., M.Sc., Apt., as Vice Dean of Faculty of Science and Technology.
- Mr. Laurence, M.T. as Director of Finance and Student Affair of Faculty of Science and Technology.
- 4. Mr. Ir. W. Donald R. Pokatong, M.Sc., Ph.D as Head of Food Technology Study Program.
- 5. Mr. Dr. Adolf J. Parhusip, M.Si. and Mrs. Intan Cidarbulan Matita, Ph.D., as thesis examiners who gave advices for completion of the thesis.

- 6. Ms. Yuniwaty Halim, M.Sc. as the Head of Quality Control and Research Laboratory also as supervisor who had supervised, encouraged, and supported author through the whole process of this thesis.
- 7. Dr. Ir. Hardoko, MS. and Ms. Ratna Handayani, MP, as the lecturers of Food Technology Study Program who have given their counsel, guidance and insight regarding the research on glucosamine
- 8. Dr. Tagor M. Siregar, MS., Dr. Adolf Parhusip, and Dr. Nuri Arum Anugrahati as the Head of Chemistry, Microbiology, and Food Processing, who had given permission to the writer to conduct the research in the laboratories.
- 9. Virly, STP., Jessica Decyree, STP., Mr. Darius, Mr. Yosafat, Mr. Adi and Mr. Adzie for the guidance and support during the research in laboratory
- 10. All lecturers of Food Technology Department of Universitas Pelita Harapan for the knowledge given, which was very useful during the research and thesis report completion.
- 11. All staff of Faculty of Science and Technology for the help and support.
- 12. Parents and family for endless support during the internship and the making of the report.
- 13. Elisa Teja, Desy Puspasari, Gian Giovanni, Nicholas Candra, Gerardo Kevin Liguna and Felicia Yulianti Halim as partners during the thesis period.
- 14. Agustin Novita, Angela Maria Widjanarko, Aurelia Liuputri, Bryan Anders, Cecilia Josephine, Edison Sutiono, Mario Kusuma, Nancy Chandyra Putri, and Willy Williamdy for help and support during the thesis period.
- 15. Food Explore 10 committee for the support during the thesis period.

16. All people, who have been contributed in the writing of this report that cannot be mentioned one by one.

The writer realizes that this report is far from perfect. Thus, any comments and suggestions are welcomed. The writer hopes that this thesis report may provide useful and productive knowledge for people who read it




TABLE OF CONTENTS

page
COVER
STATEMENT OF THESIS AUNTHENTICITY
APPROVAL BY THESIS SUPERVISOR
APPROVAL BY THESIS EXAMINATION COMMITTEE
ABSTRACTv
ACKNOWLEDGEMENTSivi
TABLE OF CONTENTSix
LIST OF TABLESxiiiiii
LIST OF FIGURESxivv
LIST OF APPENDICES xvi
CHAPTER I INTRODUCTION
1.1 Background1
1.2 Research Problem
1.3 Objectives4
1.3.1 General Objective4
1.3.2 Specific Objectives4
CHAPTER II LITERATURE REVIEW
2.1 Tiger Shrimp5

2.2 Chitin	6
2.3 Degree of Deacetylation	8
2.3 Glucosamine	9
2.4 Chitinolytic Enzyme	10
2.5 Mucor circinelloides	13
CHAPTER III RESEARCH METHODOLOGY	
3.1 Materials and Equipment	15
3.2 Research Method	
3.2.1 Preliminary Research	16
3.2.1.1 Preparation of Isolated Chitin	16
3.2.1.2 Preparation of Colloidal Chitin	18
3.2.1.3 Media Preparation	18
3.2.1.4 Preparation of Stock and Starter Culture	19
3.2.1.5 Morphological Characterization of Culture	19
3.2.1.6 Spore Count	19
3.2.1.7 Extraction of Extracellular Enzyme of Mucor circinelloides	20
3.2.2 First Stage Research	20
3.2.2.1 Determination of Optimum pH of Extracellular Enzyme	20
3.2.2.2 Determination of Optimum Temperature of Extracellular	
Enzyme	21
3.2.3 Second Stage Research	23
3.2.3.1 Determination of Optimum Substrate Concentration and	

Fermentation Time	22
3.3 Experimental Design	24
3.4 Method of Analysis	25
3.4.1 Shrimp Powder Analysis	25
3.4.1.1 Moisture Content (AOAC, 2005)	25
3.4.1.2 Ash Content (AOAC, 2005)	25
3.4.1.3 Protein Content (Nielsen, 2009 with modifications)	26
3.4.2 Isolated Chitin Analysis	27
3.4.2.1 Degree of Deacetylation (Czechowska-Biskup, et al., 2012;	
Dong, et al., 2001)	26
3.4.3 Chitinolytic Activity Assay (Yen, et al., 2010)	28
3.4.4 Enzyme Analysis (Rahmansyah and Sudiana, 2003)	28
3.4.5 N-Acetyl-glucosamine Analysis	29
3.4.5.1 Preparation of N-Acetyl-glucosamine Standard Curve	
(Rahmansyah and Sudiana, 2003)	28
3.4.5.2 Quantification of N-Acetyl-glucosamine (Rahmansyah and	
Sudiana, 2003)	29
CHAPTER IV RESULTS AND DISCUSSION	
4.1. Shrimp Identification and Analysis of Shrimp Shell Powder	30
4.2. Analysis of Isolated Chitin Powder	32
4.3 Identification of <i>Mucor circinelloides</i>	35
4.3.1 Morphology of <i>Mucor circinelloides</i>	35

4.3.2 Spore Counting	37
4.3.3 Chitinolytic Index	37
4.4 First Stage Research	38
4.4.1 Effect of pH on Enzyme Activity	38
4.4.2 Effect of Temperature on Enzyme Activity	39
4.5 Second Stage Research	41
4.5.1 Effect of Fermentation Time and Substrate Concentration to N-Acety	/ l -
glucosamine Production	41
CHAPTER V CONCLUSION AND SUGGESTION	
5.1 Conclusion	42
5.2 Suggestions	42
国 强 3 1 3	
BIBLIOGRAPHY	45
APPENDICES	50

LIST OF TABLES

Table 3.1 Statistical design for second stage research	24
Table 4.1 Chemical composition of shrimp shell powder	30
Table 4.2 Chemical composition of isolated chitin powder	3



page

LIST OF FIGURES

	page
Figure 2.1 External anatomy of Penaeus monodon	5
Figure 2.2 Sturcture of chitin	7
Figure 2.3 Deacetylation process of chitin	8
Figure 2.3 Molecule structure of glucosamine.	9
Figure 2.4 Cleavage reaction by endochitinase	11
Figure 2.5 Mucor circinelloides microscopic morphology	13
Figure 2.6 Cell dry weight of <i>Mucor circinelloides</i>	14
Figure 3.1 Flow diagram of substrate preparation from <i>P. monodon shells</i>	17
Figure 3.2 Flow diagram of colloidal chitin preparation	18
Figure 3.3 Flow diagram of extracellular enzyme extraction	20
Figure 3.4 Flow diagram of determination of optimum pH for fermentation	21
Figure 3.5 Flow diagram of determination of optimum temperature for	
fermentation	22
Figure 3.6 Flow diagram of determination of optimum enzyme concentration	
and fermentation time	23
Figure 4.1 Deacetylation process of chitin	33
Figure 4.2 Microscopic observation of <i>Mucor circinelloides</i> (100x)	35
Figure 4.3 Microscopic observation of <i>Mucor circinelloides</i> using Nomarski	
Optic with Bar, 5 µm	35
Figure 4.4 Chitinolytic index of <i>Mucor circinelloides</i>	37

Figure 4.4 Effect of pH on enzyme activity	38
Figure 4.5 Effect of temperature on enzyme activity	39
Figure 4.6 Effect of fermentation time and substrate concentration to	
N-Acetyl-glucosamine production	41



LIST OF APPENDICES

	page
Appendix A	
Shrimp Identification	A-1
Appendix B	
Moisture Content Analysis	B-1
Appendix C	
Ash Content Analysis	C-1
Appendix D	
Yield Determination	D-1
Appendix E	
Degree of Deacetylation of Chitin Powder	E-1
Surat Pernyataan Hasil Analisis Degree of Deacetylation	E-3
Appendix F	
Hemocytometer Spore Counting	F-1
Appendix G	
Chitinolytic Index	G-1
Appendix H	
Protein Content of Shrimp Powder and Isolated Chitin Powder	H-1
Appendix I	
N-Acetyl-Glucosamine Standard Curve	I-1
Appendix J	
Effect of pH and Temperature on Chitinase Enzyme Activity	J-1

Append	ix K	
	Effect of Substrate Concentration and Fermentation Time toward	
	N-Acetyl-Glucosamine Production	K-1
Appendi	ix L	
	Statistical Analysis of Second Stage	L-1
Appendi	ix M	
	Statistical Interaction between Substrate Concentration and	
	Fermentation Time	Л-1
NERSIT		