ACKNOWLEDGEMENTS

Thanks to Jesus Christ for His blessings, since the author has been given a chance and strengths to complete this thesis entitled "STUDY OF MODIFIED LAWSONE EXTRACTED FROM HENNA LEAVES (*Lawsonia inermis* L.) TOWARD THE ANTIOXIDANT ACTIVITY OF CRUDE EXTRACT" that was written as partial fulfillment of the academic requirements to obtain the degree of *Sarjana Teknologi Pertanian Strata Satu*, Food Technology, Universitas Pelita Harapan.

The author has experienced various obstacles during the laboratory experiment and completion of the report, but the author was grateful because there were parties who has provide guidance, support, and prayer to her. Therefore, the author would like to express her gratitude to these parties, including:

- Mr. Eric Jobiliong, Ph.D. as Dean of Faculty of Science and Technology, Universitas Pelita Harapan.
- 2. Mrs. Dela Rosa, S.Si, M.M., M.Sc., Apt. as Vice Dean of Faculty of Science and Technology, Universitas Pelita Harapan.
- 3. Mr. Laurence, M.T. as Director of Administration and Student Affair, Faculty of Science and Technology, Universitas Pelita Harapan.
- 4. Mr. Ir. W. Donald R. Pokatong, M.Sc., Ph.D. as Head of Food Technology
 Study Program, Faculty of Science and Technology, Universitas Pelita
 Harapan.

- 5. Mr. Ir. A. Herry Cahyana, Ph.D. as thesis supervisor and thesis defense examiner for his guidance, advices, support during the laboratory experiment and completion of the thesis.
- 6. Mrs. Wenny S. L. Sinaga, M.Si. as thesis co-supervisor for her advices during the completion of the thesis.
- 7. Mr. Dr. Tagor M. Siregar, M.Si. and Ms. Lucia C. Soedirga, M. Sc. as the thesis defense examiners for their advices and guidance on the completion of the thesis.
- 8. Mr. Dr. Tagor M. Siregar, M.Si. as the Head of Chemistry Laboratory, Ms. Yuniwaty Halim, M.Sc., as the Head of Quality Control and Research, and Dr. Adolf J. N. Parhusip, M.Si. as the Head of Microbiology Laboratory, where the author conducted the final project.
- 9. Mr. Darius, Mr. Adi, and Mr. Yosafat as the laboratory assistants who gave guidance and supports during the research in the laboratories.
- 10. All lecturers and staffs of Food Technology Study Program who have taught the author during the study period at Universitas Pelita Harapan.
- 11. Mom (Mrs. Fong) and Dad (Mr. Jauw) as the author's parents who have financed and fulfilled all of author's need for the thesis, and has supported, helped, and sent prayers to the author.
- 12. Yana as the author's sister who has supported and gave advices to the author during the completion of thesis.
- 13. Marsela Elvina, Celine Angelia, Lydia Senjaya, Natasha Colhins, Fransiska who have given motivation, companion, comfort, and support to the author

during the study period at Universitas Pelita Harapan and completion of the thesis.

- 14. Theresa Angela, Stevanie Suryanto, Jonathan Christianto, Liana Oktavia, Teresa as thesis partners who have given help and support to the author while on the thesis process.
- All friends from C class of Food Technology 2015, Universitas Pelita Harapan.
- 16. All friends and close relatives who have loved and supported the author while on the thesis process.

Author realizes that this report still has any mistake and imperfection, therefore the author apologizes for those mistakes. Any input and criticism are opened to further improve this report. Lastly, author hopes that this report can be useful and informative to the readers. Thank you and God bless.

Tangerang, February 18th, 2019

Author

TABLE OF CONTENT

page
COVER PAGE
STATEMENT OF THESIS AUTHENTICITY
APPROVAL BY THESIS SUPERVISOR
APPROVAL BY THESIS EXAMINATION COMMITTEE
ABSTRACTiii
ABSTRAKiv
ACKNOWLEDGEMENTSv
TABLE OF CONTENT viii
LIST OF TABLES xii
LIST OF FIGURESxiii
LIST OF APPENDICESxv
CHAPTER I INTRODUCTION
1.1 Background 1
1.2 Research Problem2
1.2.2 General Objectives
1.2.3 Specific Objectives
CHAPTER II LITERATURE REVIEW4
2.1 Henna (Lawsonia inermis Linn.)

2.2	Naphthoquinone and Its Derivatives	5
2.3	Lawsone	8
2.4	Ethanolamine	9
2.5	Reaction between Lawsone and Ethanolamine	10
2.6	Free Radical and Antioxidant	10
2.7	Thin Layer Chromatography	
2.8	UV-Vis Spectroscopy	13
2. 9	Infrared Spectroscopy	14
2.10	Gas Chromatography – Mass Spectrometry (GC- MS)	15
СНАРТ	ER III RESEARCH METHODOLOGY	.17
3.1	Material and Equipment	. 17
3.2	Research Method	. 18
3.2.	.1 Research Stage I	18
3.2.		
3.3	Method of Analysis	. 25
3.3.	1 Yield Percentage	25
3.3.	2 Total Phenolic Content	25
3.3.	3 Antioxidant Activity	26
3.3.	4 Thin Layer Chromatography	27
3.3.	.5 UV-Vis Spectrophotometry	27
3.3.	6 Fourier-Transform Infrared Spectroscopy (FT-IR)	27
3.3.	.7 Gas Chromatography-Mass Spectroscopy (GC-MS)	28

CHAPTER	IV RESULT AND DISCUSSION29
4.1 Id	entification of Lawsone in Henna Leaves Crude Extracts
4.1.1	Yield Percentage of Henna Leaves Crude Extracts
4.1.2	Total Phenolic Content of Henna Leaves Crude Extracts
4.1.3	Antioxidant Activity of Henna Leaves Crude Extracts
4.1.4	TLC of Crude Extracts Compared to Lawsone Standard 34
4.1.5	Comparison of UV-Vis Spectrum of Crude Extracts and Lawsone
Standa	rd38
4.1.6	GC-MS of Crude Extract of Ethyl Acetate
4.2 M	odification of Lawsone Contained in The Crude Extract
4.2.1	Yield Percentage of Product
4.2.2	Antioxidant Activity of Product and Crude Extract
	Ethyl Acetate
4.2.3	Thin Layer Chromatography of Ethyl Acetate Fraction and
	Product
4.2.4	UV-Vis Spectrum of Product and Ethyl Acetate Fraction
4.2.5	Comparison of IR Spectrum of Ethyl Acetate Fraction
	and Product
4.2.6	Comparison of GC-MS Result of Ethyl Acetate Fraction
	and Product
CHAPTER	V CONCLUSIONS AND SUGGESTIONS54
5.1 Co	onclusions 54

5.2	Suggestions	55
BIBLI	OGRAPHY	56
APPEN	NDICES	61



LIST OF TABLES

	page
Table 3. 1 Treatment for research stage I	19
Table 3. 2 Treatment for research stage II	21
Table 4. 1 Rf values of crude extracts when compared to lawsone standard	34
Table 4. 2 Maximum wavelength of lawsone standard and crude extracts	39
Table 4. 4 Maximum wavelength of ethyl acetate fraction and product	48



LIST OF FIGURES

page	e
Figure 2. 1 Henna leaves	4
Figure 2. 2 Structure naphthalene (1) and 1,4-naphthoquinone (2)	5
Figure 2. 3 Redox properties of naphthoquinone ring.	6
Figure 2. 4 Naturally occurring hydroxy-1,4-napthoquinones	7
Figure 2. 5 The synthesis of alkyl/aryl amino naphthoquinone.	7
Figure 2. 6 Chemical structure of lawsone (C ₁₀ H ₆ O ₃)	8
Figure 2. 7 Lawsone as the starting material for various biologically active	
compounds9	9
Figure 2. 8 Structure of ethanolamine	0
Figure 2. 9 Reaction between lawsone and ethanolamine	0
Figure 2. 10 Thin Layer Chromatography	2
Figure 2. 11 Formula to calculate retention factor (R _f) of a component	3
Figure 2. 12 Schematic of UV-Vis Spectroscopy with single-beam	3
Figure 2. 13 Part of electromagnetic spectrum	4
Figure 2. 14 Schematic of a typical GC-MS	6
Figure 3. 1 Extraction process based on different polarity of solvent	0
Figure 3. 2 Flowchart for research stage II	2
Figure 4. 1 Yield percentage of crude extracts of Henna leaves	9
Figure 4. 2 Total phenolic content of crude extracts of Henna leaves	1
Figure 4. 3 IC ₅₀ of crude extracts of Henna leaves	3

Figure 4. 4 R _f values of lawsone standard compared to pigment spot	
of n-hexane fraction	. 35
Figure 4. 5 R _f values of lawsone standard compared to pigment spot	
of ethyl acetate fraction	. 36
Figure 4. 6 R _f values of lawsone standard compared to pigment spot	
of ethanol fraction	. 36
Figure 4. 7 UV-Vis spectum of lawsone standard and crude extracts	. 38
Figure 4. 8 Lawsone ($C_{10}H_6O_3$) (molecular weight or m / z = 174)	. 41
Figure 4. 9 Chromatogram of crude extract (ethyl acetate)	. 42
Figure 4. 10 Mass spectrum of lawsone (MW: 174) at RT 11,453 min	. 43
Figure 4. 11 Effect of different reaction time on yield percentage of product	. 44
Figure 4. 12 Effect of different solvents on yield percentage of product	45
Figure 4. 13 Effect of different solvents on IC ₅₀ value of product	
compared to ethyl acetate fraction	46
Figure 4. 14 Thin layer chromatography after modification	. 47
Figure 4. 15 UV-Vis absorbance of product and chosen crude extract	. 48
Figure 4. 16 IR spectrum of crude extract of ethyl acetate	. 50
Figure 4. 17 IR spectrum of modification result	. 50
Figure 4. 18 Structure of expected product (MW: 233)	. 51
Figure 4. 19 Chromatogram of product (ethyl acetate + ethanolamine)	. 52
Figure 4. 20 Chromatogram of ethyl acetate fraction	. 52
Figure 4. 21 Mass spectrum of expected product at RT 12,587 min.	
(MW: 233)	53

LIST OF APPENDICES

	page
Appendix A	
Verification of Henna Plant	A-1
Appendix B	
Yield Percentage of Crude Extracts	B-1
Statistical results for Yield Percentage of Crude Extracts	B-3
Appendix C	
Total Phenolic Content of n-Hexane Fraction	C-1
Total Phenolic Content of Ethyl Acetate Fraction	C-2
Total Phenolic Content of Ethanol Fraction	C-3
Statistical Results for Total Phenolic Content of Crude Extracts	C-4
Appendix D	
Antioxidant Activity of n-Hexane Fraction	D-1
Antioxidant Activity of Ethyl Acetate Fraction	D-3
Antioxidant Activity of Ethanol Fraction	D-5
Statistical Results for Antioxidant Activity Crude Extracts	D-7
Appendix E	
Thin Layer Chromatography for Crude Extracts	E-1
Appendix F	
UV-Vis Absorbance for Crude Extracts	F-1

Appendix G

GC-MS of Ethyl Acetate Fraction (Research Stage I)	G-1
Appendix H	
Yield Percentage of Product for Research Stage II	H-1
Statistical Results for Yield Percentage of Product	
(Research Stage II)	. Н-3
Appendix I	
Antioxidant Analysis for Crude Extract Ethyl Acetate	I-1
Antioxidant Analysis of Product After Modification	I-2
Statistical Results for Antioxidant Activity for Research Stage II	I-3
Appendix J	
Thin Layer Chromatography for Research Stage II	J-1
Appendix K	
UV-Vis Absorbance for Research Stage II	K-1
Appendix L	
FT-IR of Product and Ethyl Acetate Fraction	L-1
Appendix M	
GC-MS for Research Stage II	M-1