

BIBLIOGRAPHY

- Ayucitra, A., Indraswati, N., Mulyandasari, V., Dengi, Y.K., Fransisco, G., and Yudha, A. 2011. Potensi Senyawa Fenolik Bahan Alam Sebagai Antioksidan Alami Minyak Goreng Nabati. Widya Teknik. 10(1): 1-10.
- Badarinath A., Rao K., Chetty C.S., Ramkanth S., Rajan T., and Gnanaprakash, K. 2010. A Review on In-vitro Antioxidant Methods: Comparisons, Correlations, and Considerations. International Journal of PharmTech Research. 2(2): 1276-1285.
- Bazzaz, B.S.F., Khayat, M.H., Emami, S.A., Asili, J., Sahebkar, A. and Neishabory, E.J. 2011. Antioxidant and Antimicrobial Activity Of Metanol, Dichloromethane, and Ethyl Acetate Extracts of *Scutellaria litwinowii*. Science Asia. 37: 327–334.
- Chaudhary, G., Goyal, S. and Poonia, P. 2010. *Lawsonia inermis* Linnaeus: A Phytopharmacological Review. International Journal of Pharmaceutical Sciences and Drug Research. 2(2): 91-98.
- Chludil, H.D., Corbino, G.B. and Leicarh, S.R. 2008. Soil Quality Effects On *Chenopodium Album* Flavonoid Content and Antioxidant Potential. Journal of Agricultural and Food Chemistry. 56(13): 5050-6.
- Dachriyanus. 2004. “Analisis Struktur Senyawa Organik Secara Spektroskopi”. LPTIK Universitas Andalas, Padang.
- Dominici, L., Cerbone, B., Villarini, M. and Moretti, M. 2013. In Vitro Genotoxicity Testing of *Lawsonia Inermis* And Henna Extracts In Hepg2 Cells By The Comet Assay. International Journal of Natural Product Science. 3(2): 12-21.
- Elavarasan, S., Bhakiaraj, D., and Gopalakrishnan, M. 2013. Green Synthesis, Spectral Analysis of Some Novel Lawsone Derivatives and Its Anti-Mycobacterial Tuberculosis Activity. International Journal of Pharmaceutical Science and Health Care. 6(3).
- Engka, T., Runtuwene, M.R.J. and Abidjulu, J. 2017. Penentuan Kandungan Total Fenolik, Flavnoid, dan Aktivitas Antioksidan dari Kuso Mafola (*Drynaria quercifolia* L.). Jurnal Ilmiah Farmasi – UNSRAT. 6(1).
- EPA. 2017. Definition of Green Chemistry. Available from: <http://www.epa.gov/>. Accessed 2019 February 12.

- Frankel, E. N. 2014. "Lipid Oxidation". Woodhead, Cambridge.
- Frauenkron, M., Melder, J., Ruider, G., Rossbacher, R. and Hoke, H. 2012. Ethanolamines and Propalamines. Ullmanns Encyclopedia of Industrial Chemistry. 13: 406-431.
- Fried, B. 2017. "Practical Thin-Layer Chromatography: A Multidisciplinary Approach". CRC Press, Boca Raton.
- Garg, R.K., Tripathi, R., Batav, N. and Singh, R.K. 2017. Phytochemical High-Performance Thin Layer Chromatography based Estimation of Lawsone in *Lawsonia inermis* (Henna) obtained from Two Natural Habitats and Dye Products Collected from Local Market. Medicinal & Aromatic Plants. 6(3).
- Girard, J.E. 2009. "Principles of Environmental Chemistry". Jones and Bartlett Publishers, Ontario.
- Gordon, M.H.J., Pokorny, N., Yanishlieve, M. and Gordon. 2001. "Antioxidants in Food". CRC Press, New York.
- Guha, G., Rajkumar, V., Kumar, R.A. and Mathew, L. 2011. Antioxidant Activity of *Lawsonia inermis* Extracts Inhibits Chromium (VI)-Induced Cellular and DNA Toxicity. Evidence-Based Complementary and Alternative Medicine. 2011(576456): 1-9.
- Henrickson, C. 2013. "Cliffsstudysolver Chemistry". Wiley, Canada.
- Hisatomi, H., Nishimoto., Y., Kawasaki, H., Momose, H., Ute, K. and Arakawa, R. 2012. Correlations between Chemical Compositions and Retention Times of Methacrylate Random Copolymers Using LC-ESI-MS. 1(2): A0012.
- Husni, E., Suharti, N., and Atma, A.P.T. 2018. Karakterisasi Simplisia dan Ekstrak Daun Pacar Kuku (*Lawsonia inermis Linn*) serta Penentuan Kadar Fenolat Total dan Uji Aktivitas Antioksidan. Jurnal Sains Farmasi dan Klinis. 5(1): 12-16.
- Jallad, K.N. and Jallad, C.E. 2008. Lead exposure from the use of *Lawsonia inermis* (Henna) in temporary paint-on-tattooing and hair dying. Science of the Total Environment. 397: 244-250.
- Jordão, A.K., Vargas, M.D., Pinto, A.C., Da Silva, F.D.C. and Ferreira, V.F. 2015. Lawsone in Organic Synthesis. RSC Advances. 5: 67909.

- Khodaparast, M.H. and Dezashibi, Z. 2007. Phenolic Compounds and Antioxidant Activity of Henna Leaves Extracts (*Lawsonia Inermis*). World Journal of Dairy and Food Sciences. 2(1): 38-41.
- Kretovich, V.L. 2013. "Principles of Plant Biochemistry". Elsevier Science, Burlington.
- Kristanti, H. and Tunjung, W.A. 2015. Detection of Alkaloid, Flavonoid, and Terpenoid Compounds in Bread (*Artocarpus communis Forst.*) Leaves and Pulps. KnE Life Sciences. 2(1): 129.
- Kumar, S. 2006. "Spectroscopy of Organic Compound". Guru Nanak Dev University, Amritsar.
- Lancaster, M. 2010. "Green Chemistry: An Introductory Text". RSC Publishing, Cambridge.
- Leonard, J., Lygo, B. and Procter, G. 2013. Advanced practical organic chemistry. CRC Press, Boca Raton.
- Li, C.J. and Trost, B.M. 2008. Green Chemistry for Chemical Synthesis. Proceedings of the National Academy of Sciences of the United States of America. 105(36) 13197-202.
- López López, L.I., Nery Flores, S.D., Silva Belmares, S.Y. and Sáenz Galindo, A. 2014. Naphthoquinones: Biological Properties and Synthesis Of Lawsone And Derivatives - A Structured Review. Vitae. 21(3): 248-258.
- Marc, E.B., Nelly, A., Annick D.D. and Frederic D. 2008. Plants used as remedies antirheumatic and antineuronal in the traditional medicine of Lebanon. J Ethnopharmacol. 120(3): 315-334.
- Milenković, S.M., Zvezdanović, J.B., Andđelković, T.D., Marković, D.Z. 2012. The Identification of Chlorophyll and Its Derivatives In The Pigment Mixtures: Hplc-Chromatography, Visible and Mass Spectroscopy Studies. 1(1): 16-24.
- Nakahara, M. 2002. "The Science of Color". Baifukan, Tokyo.
- Nielsen, S.S. 2014. "Food Analysis". Springer, New York.
- Patel, S.S. and Vediya, S.D. 2013. Separation of Photosynthetic Pigments in Spirogyra Specis by Means of Thin Layer Chromatography from Sola Lake, Ahmedabad, Gujarat. Int. J. of Pharm. & Life Sci. 4(7).

- Patel, D. and Witt, S.N. 2017. Ethanolamine and Phosphatidylethanolamine: Partners in Health and Disease. *Oxidative Medicine and Cellular Longevity*. 2017 (4829180), 1-18.
- Permadi., A., Sutanto and Wardatun, S. 2018. Perbandingan Metode Ekstraksi Bertingkat Dan Tidak Bertingkat Terhadap Flavonoid Total Herba Ciplukan (*Physalis Angulata L.*) Secara Kolorimetri. Universitas Pakuan, Bogor.
- Reddy, B.A. 2010. Synthesis, Characterization and Biological Evaluation of 1, 2-Disubstituted Benzimidazole Derivatives using Mannich Bases. *E-Journal of Chemistry*. 7(1): 222-226.
- Royal Society of Chemistry. 2009. "Ultraviolet-Visible Spectroscopy".
- Rubyantyo, D. 2017. "Metode Kromatografi: Prinsip Dasar, Praktikum dan Pendekatan Pembelajaran Kromatografi". Deepublish, Yogyakarta.
- Ramos-Peralta, L., Lopez, L., Silva, Y., Zugasti-Cruz, A., Rodriguez, R. and Aguilar, C.N. 2015. Naphthoquinone: Bioactivity and Green Synthesis. Formatek Research Center. 1: 542-550
- Saeed, S.M.G., Sayeed, S.A., Ashraf, S., Naz, S., Siddiqi, R., Ali, R. and Mesaik, M.A. 2013. A New Method for The Isolation and Purification of Lawsone from *Lawsonia Inermis* and Its ROS Inhibitory Activity. *Pakistan Journal of Botany*. 45(4): 1431-1436.
- Sayuti, K. and Yenrina, R. 2015. "Antioksidan, Alami dan Sintetik". Andalas University Press, Padang.
- Sharma, R.K., Goel, A. and Bhatia, A. 2016. *Lawsonia Inermis* Linn: A Plant with Cosmetic and Medical Benefits. *International Journal of Applied Sciences and Biotechnology*. 4(1): 15-20.
- Sharma, R.K. and Goel, A. 2018. Identification of Phytoconstituents in *Lawsonia inermis* Linn. Leaves Extract by GC-MS and their Antibacterial Potential. *Pharmacogn J.* 10(6): 1101-1108.
- Smith, B.C. 2011. "Fundamentals of Fourier Transform Infrared Spectroscopy". Taylor and Francis Group, Boca Raton.
- Stuart, B.H. 2004. "Infrared Spectroscopy: Fundamentals and Applications". John Wiley & Sons, Chichester.
- Tandon, V.K., Maurya, H.K., Verma, M.K., Kumar, R. and Shukla, P.K. 2010. On Water' Assisted Synthesis and Biological Evaluation Of Nitrogen And

- Sulfur Containing Hetero-1,4-Naphthoquinones As Potent Antifungal And Antibacterial Agents. Eur J Med Chem. 45(6): 2418-26.
- Widyawati, P.S., Budianta, T.D.W., Kusuma, F.A. and Wijaya, E.L. 2014. Difference of Solvent Polarity to Phytochemical Content and Antioxidant Activity of *Pluchea indica* Less Leaves Extracts. International Journal of Pharmacognosy and Phytochemical Research. 6(4): 850-855.
- Wozniak, B. and Dera, J. 2007. "Light Absorption in Sea Water". Springer Science and Business Media, New York.
- Wijaya, Y.A., Widayadinata, D., Irawaty, W. and Ayucitra, A. 2017. Fractionation of Phenolic and Flavonoid Compound from Kaffir Lime (*Citrus hystrix*) Peel Extract and Evaluation of Antioxidant Activity. Reaktor. 17(3): 111-117.
- Winarsi, H. 2007. "Antioksidan Alami dan Radikal Bebas". Kanisius, Yogyakarta.
- Yang, L., Cai, T., Ding, D., Cai, T., Jiang, C., Li, H. and Chen, L. 2017. Biodegradation of 2-Hydroxyl-1,4 Naphthoquinone (Lawsonone) By *Pseudomonas Taiwanensis* LH-3 Isolated from Activated Sludge. Scientific Reports. 7(1): 6795.
- Zainab. 2013. Concentration Effect of Ethanol as A Solvent Extraction on Naphthoquinone Content in Henna Leaves Extract (*Lawsonia inermis* L.). Pharmaciana. 3(2): 63-68.
- Zhao, B. and Hall, C.A. 2008. Composition and Antioxidant Activity of Raisin Extracts Obtained from Various Solvents. Food Chemistry. 108(2): 511-518.
- Zhu, K.X., Lian, C.X., Guo, X.N., Peng, W. and Zhou, H.M. 2011. Antioxidant Activities and Total Phenolic Contents of Various Extracts from Defatted Wheat Germ. Food Chemistry. 126(3): 1122-1126.
- Zumruttal, E. and Ozaslan, M. 2012. A Miracle Plant for the Herbal Pharmacy; Henna (*Lawsonia inermis*). International Journal of Pharmacology. 8: 483-489.