

BIBLIOGRAPHY

- Acosta, J., Sevilla, I., and Salomon, S. 2016. Determination of Mangiferin Solubility in Solvents Used in the Biopharmaceutical Industry. *Journal of Pharmacy and Pharmacognosy Research*, 49-53.
- Ajila, C. M., and Rao, U. P. 2013. Mango peel dietary fibre: Composition and associated bound phenolics. *Journal of Functional Foods*, 444-450.
- Ajila, C. M., Naidu, K. A., Bhat, S. G., and Rao, U. J. 2007^a. Bioactive compounds and antioxidant potential of mango peel extract . *Food Chemistry*, 982-968.
- Ajila, C.M., Bhat, S. G., and Rao, U.J.S. 2007^b. Valuable components of raw and ripe peels from two Indian mango varieties. *Food Chemistry*, 1006-1011.
- Alara, O., Abdurahman, N., Mudalip, S., and Olalere, O. 2017. Characterization and effect of extraction solvents on the yield and total phenolic content from Vernonia amygdalina leaves. *Journal of Food Measurement and Characterization*.
- Alexander, L., Beer, D., Muller, M., van der Rijst, M., and Joubert, E. 2018. Bitter profiling of phenolic fractions of green Cyclopia genistoides herbal tea. *Food Chemistry*, 1-30.
- Aliani, M., and Eskin, M. 2017. *Bitterness: Perception, Chemistry and Food Processing*. New Jersey: John Wiley and Sons.
- AOAC. 2005. *Official Methods of Analysis of AOAC Internationa*, 18th ed. Washington: AOAC Inc.
- Bal, L. M., T, A., AK, S., and PS, P. 2014. Evaluation of Quality Attributes During Storage of Guava Nectar Cv. Lalit from Different Pulp and TSS Ratio. *Journal of Food Processing Technology*.
- Barimah, John., Yanney, P., Laryea, D., Quarcoo, C. 2017. Effect of drying methods on phytochemicals, antioxidant activity and total phenolic content of dandelion leaves. *American Journal of Food and Nutrition*. 136-141.
- Barrett, D. M., Somogyi, L., and Ramaswamy, H. S. 2005. *Processing Fruits: Science and Technology*, 2nd ed. Boca Raton: CRC Press.
- Barreto, J.C., Trevisan, M.T.S., Hull, W. 2008. Characterization and quantitation of polyphenolic compounds in bark, kernel, leaves and peel of mango

- (*Mangifera indica L.*) *Journal of Agricultural and Food Chemistry*. 5599-5610.
- Bart, H. J., and Pilz, S. 2011. *Industrial Scale Natural Products Extraction*. Weinheim: Wiley-VCH .
- Belitz, H. D., Grosch, W., and Schieberle, P. 2009. *Food Chemistry*. Heidelberg: Springer-Verlag.
- Carlos, H., Zavala, J., and Aguilar, G. 2010. The role of dietary fiber in the bioaccessability and bioavailability of fruit and vegetable antioxidants. *Journal of Food Science*, R6-R15.
- Chakrabarti, D. K. 2011. *Mango Malformation*. Dordrecht: Springer Science + Business Media.
- CODEX. 2005. *CODEX General Standard for Fruit Juices and Nectars (CODEX STAN 247-2005)*. Rome: Codex Alimentarius Comission.
- Dewandari, K. T., Mulyawanti, I., and Amiarsi, D. 2009. Pembekuan Cepat Puree Mangga Arumanis dan Karakteristiknya Selama Penyimpanan. *Journal Pascapanen*, 27-33.
- Do, Q. D., Angkawijaya, A. E., Nguyen, P. L., Huynh, L. H., Soetaredjo, F. E., Ismadji, S., and Ju, Y. H. 2014. Effect of extraction solvent on total phenol content, total flavonoid content and antioxidant activity of Limnophila aromatica. *Journal of Food and Drug Analysis*, 296-302.
- Eskilsson, C. S., and Bjorklund, E. 2000. Analytical-scale microwave-assisted extraction. *Journal of Chromatography*, 227-250.
- Farida, R., and Nisa, F. C. 2015. Ekstraksi Antosianin Limbah Kulit Manggis Metode Microwave Assisted Extraction. *Jurnal Pangan dan Agroindustri*, 362-373.
- Fidrianny, I., Rizkiya, A., and Ruslan, K. 2015. Antioxidant activities of various fruit extracts from three solanum sp. using DPPH and ABTS method and correlation with phenolic, flavonoid and carotenoid content. *Journal of Chemical and Pharmaceutical Research*, 666-672.
- Food and Agriculture Organization. 2018. *FAO STAT*. Retrieved from Food and Agriculture Organization of the United Nations: <http://www.fao.org/faostat/en/#data/QC>
- Garti, N. 2008. *Delivery and Controlled Release of Bioactives in Foods and Nutraceuticals*. Boca Raton: CRC Press.

- Harrington, R. J. 2008. *Food and Wine Pairing: A Sensory Experience*. New Jersey: John Wiley and Sons.
- Imran, Muhammad., Butt, M.S., Anjum, F., and Sultan, Javed. 2013. Chemical profiling of different mango peel varieties. *Pakistan Journal of Nutrition*, 934-942.
- Kardum, Nevena., and Glibetic, M. 2018. Polyphenols and their interactions with other dietary compounds: implications for human health. *Advances in Food and Nutriton Research*, 103-144.
- Kathasia. 2012. *Studi Daya Microwave dan Waktu Iradiasi pada Ekstraksi Antioksidan dari Buah Leunca (Solanum nigrum L.) serta Perbandingannya dengan Metode Maserasi*. Thesis, Universitas Pelita Harapan.
- Kaufmann, B., and Christen, P. 2002. Recent Extraction Techniques for Natural Products: Microwave-assisted Extraction and Pressurized Solvent Extraction. *Phytochemical Analysis*, 105-113.
- Kourouniotis, S., Keast, R. S., Riddell, L. J., Lacy, K., Thorpe, M. G., and Cicerale, S. 2016. The importance of taste on dietary choice, behaviour and intake in a group of young adults. *Appetite*, 1-7.
- Kullu, J., Dutta, A., Constales, D., Chaudhuri, S., and Dutta, D. 2014. Experimental and modeling studies on microwave-assisted extraction of mangiferin from Curcuma amada. *3 Biotech*, 107-120.
- Ladaniya, M. 2008. *Citrus Fruit: Biology, Technology and Evaluation*. London: Elsevier.
- Lalel, H., Singh, Z., and Tan, S. C. 2003. Distribution of aroma volatile compounds in different parts of mango fruit. *The Journal of Horticultural Science and Biotechnology*, 131-138.
- Lamien-Meda, A., Lamien, C., Compaore, M., Meda, R., Kiendrebeogo, M., Zeba, B., Nacoulma, O. 2008. Polyphenol content and antioxidant activity of fourteen wild edible fruits from Burkina Faso. *Molecules*, 581-594.
- Lawless, H. T., and Heymann, H. 2010. *Sensory Evaluation of Food: Principles and Practices 2nd ed.* New York: Springer.
- Litz, R. E. 2009. *The Mango: Botany, Production and Uses*. Oxfordshire: CABI International.
- Luo, F., Lv, Q., and Zhao, Y. 2012. Quantificaton and Purification of Mangiferin from Chinese Mango (*Mangifera indica L.*) Cultivars and Its Protective

- Effect on Human Umbilical Vein Endothelial Cells under H₂O₂-induced Stress. *International Journal of Molecular Sciences*, 11260-11274.
- Mandal, V., Mohan, Y., and Hemalatha, S. 2007. Microwave Assisted Extraction - An Innovative and Promising Extraction Tool for Medicinal Plant Research. *Pharmacognosy Reviews*, 7-18.
- Masibo, M., and He, Q. 2008. Major Mango Polyphenols and Their Potential Significance to Human Health. *Comprehensive Reviews in Food Science and Food Safety*, 309-319.
- Meireles, M. A. 2009. *Extracting Bioactive Compounds for Food Products: Theory and Applications*. CRC Press: Boca Raton.
- Mercado, A., Zavala, J., Valenzuela, M., Aguilar, G., Nazzaro, F., Fratianni, F., Espinoza, B. 2018. Using sensory evaluation to determine the highest acceptable concentration of mango seed extract as antibacterial and antioxidant agent in fresh-cut mango. *Foods*, 1-13.
- Mirondo, R., and Barringer, S. 2016. Effect of peels on quality attributes of mango puree held for different times. *Journal of Food Processing and Preservation*, 1-10.
- Molyneux, P. 2003. The use of the stable free radical diphenylpicryl-hydrazyl (DPPH) for estimating antioxidant activity. *J. Sci. Technol*, 211-219.
- Myers, R. H., Montgomery, D. C., and Cook, C. M. 2016. *Response Surface Methodology: Process and Product Optimization Using Designed Experiments 4th ed.* New Jersey: Wiley.
- Nath, A., Bidyut Deka., A. Jha., and D. Paul. 2013. Effect of slice thickness and blanching time on different quality attributes of instant ginger candy. *J Food Sci Technol*. 50: 197-202
- Ndiaye, C., Xu, S. Y., and Wang, Z. 2009. Steam Blanching Effect on Polyphenoloxidase, Peroxidase and Colour of Mango Slices. *Food Chemistry*, 92-95.
- Nielsen, S. 2017. *Food Analysis 5th ed.* West Lafayette: Springer.
- Nollet, L., and Gutierrez-Uribe, J. 2018. *Phenolic Compounds in Food: Characterization and Analysis*. Boca Raton: CRC Press.
- Nurmaya, U. M., Sunaryo, S., Irhamah, and Akbar, M. S. 2013. Optimasi Multirespon dengan Menggunakan Metode Hybrid Fuzzy Goal

- Programming dan Genetic Algorithm. *Prosiding Seminar Nasional Manajemen Teknologi XVIII*.
- Ottaway, P. B. 2008. *Food Fortification and Supplementation*. Boca Raton: CRC Press.
- Parlina, S., Pokatong, W. D., and Wijaya, J. R. 2012. *Study of Antioxidant Characteristics of Cider Prepared from Pomegranate (*Punica granatum L.*) Fruit Peels*. Thesis, Universitas Pelita Harapan.
- Perez, L., Suarez, F., and Acevedo, E. 2007. Mango Carbohydrates. *Global Science Books*, 36-40.
- Putri, I. 2009. *Studi Aktivitas Antioksidan Tiga Varietas Kulit Mangga pada Pembuatan Cider*. Thesis, Universitas Pelita Harapan.
- Radha, T., and Matthew, L. 2007. *Fruit Crops*. New Delhi: New India Publishing Agency.
- Ravani, A., and Joshi, D. C. 2013. Mango and its by product utilization - a review. *Trends in Post Harvest Technology*, Jakraya Publications, 1(1), 55-67.
- Roth, L. S. 2010. *Mosby's Handbook of Herbs and Natural Supplements*, 4th ed. Missouri: Mosby Elsevier.
- Saha, D., and Bhattacharya, S. 2010. Hydrocolloids as thickening and gelling agents in food: a critical review. *J Food Sci Technol*, 587-597.
- Sani, M. A., Abbas, H., Jaafar, M. N., and Ghaffar, M. 2018. Morphological Characterization of Harummanis Mango (*Mangifera indica Linn.*) in Malaysia. *International Journal of Environmental and Agricultural Research*, 36-42.
- Siddiq, M., Brecht, J. K., and Sidhu, J. S. 2017. *Handbook of Mango Fruit: Production, Post-harvest Science, Processing Technology and Nutrition*. West Sussex: John Wiley and Sons.
- Simmonds, M. S., and Preedy, V. R. 2016. *Nutritional Composition of Fruit Cultivars*. London: Elsevier.
- Sinha, N. K., Sidhu, J. S., Barta, J., Wu, J. S., and Cano, M. P. 2012. *Handbook of Fruits and Fruit Processing* 2nd ed. West Sussex: John Wiley and Sons.
- Smallwood, I. M. 2004. *Handbook of Organic Solvent Properties*. London: Haisted Press.

- Sonatha, Mei., Wijaya, H., and Natania. 2018. *Optimization of Antioxidant Activity and Sensory Acceptability of Java Tea-Based Functional Drink Enriched with Red Fruit Emulsion*. Thesis, Universitas Pelita Harapan
- Spence, Charles. 2015. On the psychological impact of food colour. *Flavour*: 1-16.
- Spiegel, M. R., and Stephen, L. J. 2007. *So Statistik*. Jakarta: Erlangga.
- Streit, N. M., Hecktheuer, L., Canto, M., Mallmann, C., Streck, L., Parodi, T., and Canterle, L. 2006. Relation among taste-related compounds (phenolics and caffeine) and sensory profile of erva-mate. *Food Chemistry*, 1-5.
- Supriyanti, F. M., Suanda, H., and Rosdiana, R. 2015. Pemanfaatan Ekstrak Kulit Pisang Kepok (*Musa bluggoe*) Sebagai Sumber Antioksidan Pada Produksi Tahu. *Kimia Fisik dan Organik*.
- Taufik, T., Prabasari, I., Rineksane, I., Yaya, R., Widowati, R., Rosyidi, S., Harsanto, P. 2017. Optimization of Breakfast Meals from Local Taro Using Response Surface Methodology. *ICoSI 2014: Proceedings of the 2nd International Conference on Sustainable Innovation* (p. 81). Singapore: Springer.
- Tiwari, B. K., Brunton, N. P., and Brennan, C. S. 2013. *Handbook of Plant Food Phytochemicals: Sources: Stability and Extraction*. West Sussex: John Wiley and Sons.
- Tunchaiyaphum, S., Estiaghi, M. N., and Yoswathana, N. 2013. Extraction of Bioactive Compounds from Mango Peels Using Green Technology. *International Journal of Chemical Engineering and Application*.
- Vermerris, W., and Nicholson, R. 2008. *Phenolic Compound Biochemistry*. Heidelberg: Springer.
- Verpoorte, R., and Alfermann, A. W. 2000. *Metabolic Engineering of Plant Secondary Metabolism*. Kluwer: Netherlands.
- Woodroof, J. 2012. *Commercial Fruit Processing*. Connecticut: AVI.
- Zhang, L., Liu, T., Xue, Y., Liu, C., Ru, H., Dong, M., and Yu, Z. 2015. Effects of drying methods on the aroma components and quality of Capsella Bursa-Pastoris L. *Journal of Food Process Engineering*, 39(2).