

ACKNOWLEDGEMENT

First of all, the writer would like to give the biggest thank and gratitude to Jesus Christ for His love, blessing, and guidance during the research and completion of this thesis. This thesis was written as one of the requirements to obtain the degree of *Sarjana Teknologi Pertanian Strata Satu* in Food Technology Department, Faculty of Industrial Technology, Universitas Pelita Harapan.

Writer realizes that this thesis could not be finished well and on time without the help, support, and guidance from many parties. Thus, in this opportunity writer would like to give thanks to:

1. Prof. Dr. L. Broto Sugeng Kardono, Apt., as the main supervisor for the guidance, time, and support during the research and completion of this thesis.
2. Ms. Julia Ratna Wijaya, MAppSc, as the co-supervisor for the guidance, suggestions, time, and support during the research until the thesis is completed.
3. Mrs. Nuri Anugrahati, MP, as the head of Food Technology Department for the chance given to conduct and finish the research and thesis.
4. Beloved father (Velinus Cahyadi), mother (Tammy Pratama), and brother (Josua Andrew Teofilus Cahyadi) for the constant prayer, support, and encouragement given during the research and completion of this thesis.
5. Dr. Adolf Parhusip, Ms. Ratna Handayani, Mr. Jeremia Manuel, Ms. Natania, and Mrs. Sisi Patricia as the heads of Food Technology Laboratories for the chance to conduct the research in the laboratories.
6. Mr. Rudi, Mr. Hendra, Mr. Donny, Mr. Yosafat, and Mr. Darius as the laboratory assistants for the time and help during the research period.

7. Joshua Andrew Mulia for the time, help, encouragement, and prayer during the research and completion of this thesis.
8. Isaura Petrina Tjahja, Eunike Reviane, Jessica Siswadi, Maria Clarisa, and Felicya as friends under the same supervisor for the help and support given during the research and completion of this thesis.
9. Mrs. Ratmi, Ms. Aufa, Ms. Diah, Ms. Christy, Mr. Johan for the help and time given during the research.
10. Jessica Ignacia, Nathasia Theno, and Maya Lestari for the help and support during the research.
11. All C class member of Food Technology 2008 UPH for the support and encouragement.
12. All people and relatives that contribute in the completion of this thesis, but cannot be mentioned one by one.

The writer realizes that this thesis is far from being perfect. The writer also wants to apologize if there were any mistakes during research period and in writing this thesis report. Hopefully this thesis will give useful information to those who read it. Finally, the writer would like to say thank you for the attention, suggestions, and critics given to this thesis report.

Karawaci, July 2012


Writer

TABLE OF CONTENTS

	Page
COVER	
STATEMENT OF THESIS AUTHENTICITY	
APPROVAL BY THESIS SUPERVISORS	
APPROVAL BY THESIS EXAMINATION COMMITTEE	
ABSTRACT	v
ACKNOWLEDGEMENT	vi
TABLE OF CONTENTS	viii
LIST OF TABLES	xi
LIST OF FIGURES	xii
LIST OF APPENDICES	xiii
CHAPTER I INTRODUCTION	1
1.1. Background	1
1.2. Research Problems	2
1.3. Objectives	2
1.3.1. General Objective	2
1.3.2. Specific Objectives	3
CHAPTER II LITERATURE REVIEW	4
2.1. <i>Cucurbitaceae</i> Family	4
2.1.1. Bottle Gourd	4
2.1.2. Chayote	6
2.1.3. Angled Luffa	7
2.2. Antioxidant	8
2.3. Phenolic Compound	9
2.4. Extraction	12


CHAPTER III RESEARCH METHODS.....	15
3.1. Materials and Equipments.....	15
3.2. Research Procedures	16
3.2.1. Preliminary Research Procedure.....	16
3.2.2. Main Research Procedure	17
3.3. Experimental Design.....	18
3.3.1. Preliminary Research	18
3.3.2. Main Research	19
3.4. Analysis Procedures	20
3.4.1. Proximate Analysis	20
3.4.1.1 Moisture Content Analysis with Oven Method.....	20
3.4.1.2 Ash Content Analysis	21
3.4.1.3 Protein Content Analysis with Kjeldahl Method.....	21
3.4.1.4 Fat Content Analysis with Soxhlet Method.....	22
3.4.1.5 Carbohydrate Content Analysis with By Difference Method.....	22
3.4.2 Calculation of Extract Yield	23
3.4.3 Total Phenolic Content Analysis with Folin Ciocalteu Method ...	23
3.4.4 Total Flavonoid Content Analysis with Aluminium Calorimetric Method.....	23
3.4.5. Antioxidant Activity Analysis with DPPH Radical Scavenging Assay	24
3.4.6. GC-MS	24
CHAPTER IV RESULTS AND DISCUSSIONS	25
4.1. Preliminary Research	25
4.1.1. Proximate Analysis	26
4.1.2. Yield of Extraction.....	26
4.1.3. Antioxidant Activity	27
4.1.4. Total Phenolic Content	29
4.1.5. Total Flavonoid Content	30
4.2. Main Research	31
4.2.1. Yield of Extraction.....	31

4.2.2. Antioxidant Activity	33
4.2.3. Total Phenolic Content	35
4.2.4. Total Flavonoid Content	37
4.2.5. GC-MS Analysis	39
CHAPTER V CONCLUSION AND SUGGESTIONS.....	43
5.1. Conclusion	43
5.2. Suggestions	44
BIBLIOGRAPHY	45
APPENDICES	49



LIST OF TABLES

	Page
Table 3.1 Experimental design of preliminary research	18
Table 3.2 Experimental design stage two	19
Table 4.1 Proximate analysis of gourds from <i>Cucurbitaceae</i> family	26
Table 4.2 Extraction yield of gourds from <i>Cucurbitaceae</i> family in three types of solvent	26
Table 4.3 IC ₅₀ value of gourd extracts from <i>Cucurbitaceae</i> family in three types of solvent.....	28
Table 4.4 Total phenolic content of gourd extracts from <i>Cucurbitaceae</i> family in three types of solvent.....	29
Table 4.5 Total flavonoid content of extracts from <i>Cucurbitaceae</i> family in three types of solvent.....	30
Table 4.6 Identification of active compounds by using GC-MS in unpeeled bottle gourd extracts with uncooked and fully cooked treatments	40



LIST OF FIGURES

	Page
Figure 2.1 <i>Lagenaria siceraria</i> (Molina) Standl. fruit.....	5
Figure 2.2 <i>Sechium edule</i> (Jacq.) Sw. fruit	6
Figure 2.3 <i>Luffa acutangula</i> (L.) Roxb. fruit	7
Figure 2.4 Phenol structure	9
Figure 2.5 Structure of benzoic acid and cinnamic acid	10
Figure 2.6 Basic structure of flavones, flavonols, flavanones, and flavanols.....	11
Figure 3.1 Extraction procedure.....	16
Figure 3.2 Main research procedure.....	17
Figure 4.1 Extraction yields of bottle gourd with different preparation.. ..	32
Figure 4.2 Extraction yields of bottle gourd with different cooking levels	32
Figure 4.3 IC ₅₀ value of bottle gourd with different preparation	33
Figure 4.4 IC ₅₀ value of bottle gourd with different cooking levels	34
Figure 4.5 Total phenolic content of bottle gourd extracts with different preparation.....	36
Figure 4.6 Total phenolic content of bottle gourd extracts with different cooking levels.....	37
Figure 4.7 Total flavonoid content of bottle gourd extracts with different preparation.....	38
Figure 4.8 Total flavonoid content of bottle gourd extracts with different cooking levels.....	38

LIST OF APPENDICES

	Page
Appendix 1. Taxonomical identification of bottle gourd, chayote, and angled luffa.....	50
Appendix 2. Moisture content of fresh gourds from <i>Cucurbitaceae</i> family.....	51
Appendix 3. Ash content of fresh gourds from <i>Cucurbitaceae</i> family.....	52
Appendix 4. Protein content of fresh gourds from <i>Cucurbitaceae</i> family.....	53
Appendix 5. Fat content of fresh gourds from <i>Cucurbitaceae</i> family.....	54
Appendix 6. Carbohydrate content of fresh gourds from <i>Cucurbitaceae</i> family.....	55
Appendix 7. Moisture content of gourd extracts from <i>Cucurbitaceae</i> family in three types of solvent.....	56
Appendix 8. Extraction yield of gourds from <i>Cucurbitaceae</i> family in three types of solvent.....	57
Appendix 9. Radical scavenging activity and IC ₅₀ value of gourd extracts from <i>Cucurbitaceae</i> family in three types of solvent.....	58
Appendix 10. Radical scavenging activity and IC ₅₀ value of vitamin C as positive control.....	61
Appendix 11. Gallic acid standard curve.....	62
Appendix 12. Total phenolic content of gourd extracts from <i>Cucurbitaceae</i> family in three types of solvent.....	63
Appendix 13. Quercetin standard curve.....	64
Appendix 14. Total flavonoid content of gourd extracts from <i>Cucurbitaceae</i> family in three types of solvent.....	65
Appendix 15. Moisture content of bottle gourd extracts with different preparation and cooking level.....	66
Appendix 16. Extraction yield of bottle gourd extracts with different preparation and cooking level.....	67
Appendix 17. Statistical analysis of extraction yield of bottle gourd extracts with different preparation and cooking level.....	68
Appendix 18. Radical scavenging activity and IC ₅₀ value of bottle gourd extracts with different preparation and cooking level.....	70
Appendix 19. Statistical analysis of antioxidant activity of bottle gourd extracts with different preparation and cooking level.....	72
Appendix 20. Total phenolic content of bottle gourd extracts with different preparation and cooking level.....	74

Appendix 21. Statistical analysis of total phenolic content of bottle gourd extracts with different preparation and cooking level	75
Appendix 22. Total flavonoid content of bottle gourd extracts with different preparation and cooking level	77
Appendix 23. Statistical analysis of total flavonoid content of bottle gourd extracts with different preparation and cooking level	78
Appendix 24. GC-MS analysis results of uncooked and fully cooked bottle gourd extracts.....	80
Appendix 25. Quantity of the active compounds of uncooked and fully cooked bottle gourd extracts based on GC-MS analysis.....	90

