

BAB VII

DAFTAR PUSTAKA

1. Metidieri MM, Santos Rodrigues HF, De Oliveira Filho FJMB, Ferraz DP, De Almeida Neto AF, Torres S. Noise-Induced Hearing Loss (NIHL): Literature review with a focus on occupational medicine. *Int Arch Otorhinolaryngol.* 2013;17(2):208–12.
2. Bellah JR. Anatomy of the Ear. *Small Anim Soft Tissue Surg.* 2013;34:83–92.
3. Carlo P. Honrado MD, Dewayne T. Bradley MD and Wayne F. Larrabee MD. Embryology of the External Ear. Babk Azizzadeh MD, Mark Murphy MD, and Calvin Johnson MD. *Master Techniques in Facial Rejuvenation.* Saunders; 2007. 17-32.
4. Sninger YS. An Introduction to the Physiology of Hearing, Third Edition. *Ear Hear.* 2009;30(3):386–7.
5. Pickles JO, Press A, Yost W, Press A, Kryter K, Press A, et al. 2 . FUNDAMENTALS OF HEARING. :1–15.
6. Article O, Fernanda M, Garcia C, Feniman MR. Unilateral hearing loss : benefit of amplification in sound localization , temporal ordering and resolution Perda auditiva unilateral : benefício da. 2020;1782(1):1–8.
7. Smagowska B, Pawlaczyk-Łuszczyska M. Effects of ultrasonic noise on the human body—a bibliographic review. *Int J Occup Saf Ergon.* 2013;19(2):195–202.
8. Alexander TH, Harris JP. Incidence of Sudden Sensorineural Hearing Loss.

- 2013;(6):1586–9.
9. Weber Test - StatPearls - NCBI Bookshelf [Internet]. [cited 2019 Nov 15]. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK526135/>
 10. Rehti A, Westerhrg BD, Zhang H, Riding KH, Ludemann JP, Kozak FK. Accuracy of the Weber and Rinne Tuning Fork Tests in Evaluation of Children with Otitis Media with Effusion. 2007;36(4):197–202.
 11. Tajnin R, Chaklader MA, Yasmin N, Hossain MD, Ahmad SA, Faruquee MH. Status of Hearing Impairment among Handloom Workers in Tangail District of Bangladesh. *Mymensingh Med J*. 2018 Jul;27(3):573-577.
 12. Weichenberger M, Bauer M, Kuhler R, Hensel J, Garcia Forlim C, Ihlenfeld A, et al. Altered cortical and subcortical connectivity due to infrasound administered near the hearing threshold-Evidence from fMRI. *PLoS One*. 2017;12(4):1–19.
 13. Kim J, Han J, Sunwoo W, Koo J, Oh S, Park M et al. Sudden sensorineural hearing loss in children and adolescents: Clinical characteristics and age-related prognosis. *Auris Nasus Larynx*. 2018;45(3):447-455.
 14. Wahidah N. weber test. 2019th ed. 1 Southend University Hospital NHS Trust 2 Guthrie/RPH Family Residency Program;
 15. MacKechnie C, Greenberg J, Gerkin R, McCall A, Hirsch B, Durrant J et al. Rinne Revisited. *Otolaryngology–Head and Neck Surgery*. 2013;149(6):907-913.
 16. Nava A, Lasrado S. Physiology, Ear [Internet]. Ncbi.nlm.nih.gov. 2020 [cited 22 August 2020]. Available from:

<https://www.ncbi.nlm.nih.gov/books/NBK540992/>

17. Liberman MC, Epstein MJ, Cleveland SS, Wang H, Maison SF. Toward a differential diagnosis of hidden hearing loss in humans. *PLoS One.* 2016;11(9):1–15.
18. Noise and Military Service: Implications for Hearing Loss and Tinnitus | The National Academies Press [Internet]. [cited 2019 Nov 18]. Available from: <https://www.nap.edu/catalog/11443/noise-and-military-service-implications-for-hearing-loss-and-tinnitus>
19. Kim DK, Park Y, Back SA, Kim H, Park H, Park KH, et al. Protective effect of unilateral and bilateral ear plugs on noise-induced hearing loss: Functional and morphological evaluation in animal model. *Noise Heal.* 2014;16(70):149–56.
20. Kujawa SG, Liberman MC. Adding insult to injury: Cochlear nerve degeneration after “temporary” noise-induced hearing loss. *J Neurosci.* 2009;29(45):14077–85.
21. Shi L, Chang Y, Li X, Aiken S, Liu L, Wang J. Cochlear Synaptopathy and Noise-Induced Hidden Hearing Loss. Vol. 2016, Neural Plasticity. Hindawi Limited; 2016.
22. Canlon B, Meltser I, Johansson P, Tahera Y. Glucocorticoid receptors modulate auditory sensitivity to acoustic trauma. *Hear Res.* 2007 Apr;226(1–2):61–9.
23. Hayward T, Young A, Jiang A, Crespi EJ, Coffin AB. Glucocorticoid receptor activation exacerbates aminoglycoside-induced damage to the

- zebrafish lateral line. *Hear Res.* 2019 Jun 1;377:12–23.
24. Cederroth CR, Park J, Basinou V, Weger BD, Tserga E, Sarlus H, et al. Circadian Regulation of Cochlear Sensitivity to Noise by Circulating Glucocorticoids. *Curr Biol.* 2019 Aug;29(15):2477-2487.e6.
25. Cunningham L. Hearing Loss in Adults | NEJM [Internet]. New England Journal of Medicine. 2020 [cited 22 August 2020]. Available from: <https://dx.doi.org/10.1056%2FNEJMra1616601>
26. Carlo P. Honrado MD, Dewayne T. Bradley MD and Wayne F. Larrabee MD. Embryology of the External Ear. Babk Azizzadeh MD, Mark Murphy MD, and Calvin Johnson MD. *Master Techniques in Facial Rejuvenation*. Saunders; 2007. 17-32
27. Widen, S., Båsjö, S., Möller, C. and Kähäri, K., 2017. Headphone listening habits and hearing thresholds in swedish adolescents. *Noise and Health*, 19(88), p.125.
28. Bhat K., V. and Naseeruddin, K., 2004. Combined Tuning Fork Tests in Hearing Loss: Explorative Clinical Study of the Patterns. *The Journal of Otolaryngology*, 33(04), p.227.
29. Gonçalves, C. and Dias, F., 2014. Achados audiológicos em jovens usuários de fones de ouvido. *Revista CEFAC*, 16(4), pp.1097-1108.
30. Vogel, I., Brug, J., Hosli, E., van der Ploeg, C. and Raat, H., 2008. MP3 Players and Hearing Loss: Adolescents' Perceptions of Loud Music and Hearing Conservation. *The Journal of Pediatrics*, 152(3), pp.400-404.e1.

31. Kim, M., Hong, S., Shim, H., Kim, Y., Cha, C. and Yeo, S., 2009. Hearing Threshold of Korean Adolescents Associated with the Use of Personal Music Players. *Yonsei Medical Journal*, 50(6), p.771.
32. Daniel, E., 2007. Noise and Hearing Loss: A Review. *Journal of School Health*, 77(5), pp.225-231.
33. Bronzaft A. The increase in noise pollution: what are the health effects? *Nutr Health Rev*. 1996;78:2–7
34. Henderson E, Testa M, Hartnick C. Prevalence of Noise-Induced Hearing-Threshold Shifts and Hearing Loss Among US Youths. *PEDIATRICS*. 2010;127(1):e39-e46.
35. Kähäri K, Åslund T, Olsson J. Preferred sound levels of portable music players and listening habits among adults: A field study. *Noise and Health*. 2011;13(50):