

BIBLIOGRAPHY

- Abd-Aziz, Suraini, Teoh Lay Sin, Noorjahan Alitheen, Neelam Shabab, and Kamarulzaman Kamaruddin. 2008. Microbial Degradation of Chitin Materials by *Trichoderma virens* UKM1. Journal of Biological Sciences 8(1): 52-29.
- Acton, Q. Ashton, Ph.D. 2012. "Penaeus—Advances in Research and Application: 2012 Edition: ScholarlyPaper". ScholarlyEditions.
- Agrawal, Toshi and Anil S. Kotasthane. 2012. Chitinolytic assay of indigenous *Trichoderma* isolates collected from different geographical locations of Chhattisgarh in Central India. SpringerPlus 1(73): 1-10.
- Arbia, Wassila, Leila Arbia, Lydia Adour, and Abdeltif Amrane. 2013. Chitin Recovery Using Biological Methods. Food Technol. 51(1): 12–25.
- Arif, Abdur Rahman, Ischaidar, Hasnah Natsir, and Seniwati Dali. 2013. Isolasi Kitin dari Limbah Udang Putih (*Penaeus merguiensis*) Secara Enzimatis. Seminar Nasional Kimia: 10-16.
- Azhar, Minda, Jon Effendi, Erda Syofyeni, Rahmi Marfa Lesi, and Sri Novallina. 2010. Pengaruh Konsentrasi NaOH dan KOH terhadap Derajat Deasitilasi Kitin dari Limbah Kulit Udang. EKSAKTA 1: 1-8.
- Benavente, Martha, Selene Arias, Luis Moreno, and Joaquin Martinez. 2015. Production of Glucosamine Hydrochloride from Crustacean Shell. Journal of Pharmacy and Pharmacology 3: 20-26.
- Bernard, Edah and Adeyemi Yewande Bolatito. 2016. Comparative study on the nutritional composition of the pink shrimp (*Penaeus notialis*) and tiger shrimp (*Penaeus monodon*) from Lagos lagoon, Southwest Nigeria. Cogent Food and Agriculture 2: 1-7.
- Braak, K. van de, and Catharina Berdina Theodora Braak. 2002. "Haemocytic Defence in Black Tiger Shrimp (*Penaeus Monodon*)". Wageningen Universiteit.
- Chandrasekaran, M. and P. S. Beena. 2013. Tannase: source, biocatalytic characteristics and bioprocesses for production. Chpt. 11 in "Marine Enzymes for Biocatalyst," ed. Antonio Trincone, pp. 259-293. Elsevier.
- Chen, Jean-Kuan, Chia-Rui Shen, and Chao-Lin Liu. 2010. N-acetylglucosamine: Production and Application. Mar Drugs 8(9): 2493-2516

- Choi, In-Young, Seung-Beom Hong, and Mahesh C. Yadav. 2003. Molecular and Morphological Characterization of Green Mold, *Trichoderma* spp. isolated from Oyster Mushrooms. *Mycobiology* 31(2): 74-80.
- Coates, Paul M., M. Coates Paul, Marc Blackman, Marc R. Blackman, Gordon M. Cragg, Mark Levine, Jeffrey D. White, Joel Moss, and Mark A. Levine. 2004. "Encyclopedia of Dietary Supplements". CRC Press.
- Contreras-Cornejo, H. A., L. Macias-Rodriguez, C. Cortes-Penagos, and J. Lopez-Bucio. 2009. *Trichoderma virens*, a Plant Beneficial Fungus, Enhances Biomass Production and Promotes Lateral Root Growth through an Auxin-Dependent Mechanism in *Arabidopsis*. *Plant Physiology* 149, no. 3: 1579-592. doi:10.1104/pp.108.130369.
- Cross, D. and C. M. Kenerley. 2004. Modelling the growth of *Trichoderma virens* with limited sampling of digital images. *Journal of Appl. Microb.* 97: 486-494.
- Czechowska-Biskup, Renata, Diana Jarosińska, Bożena Rokita, Piotr Ułański, and 2012. Janusz M. Rosiak. Determination of Degree of Deacetylation of Chitosan – Comparison of Methods. *Progress on Chemistry and Applications of Chitin and its Derivatives* 17: 5-20.
- Dompeipen, Edward J., Marni Kaimudin, and Riardi P. Dewa. 2016. Isolasi Kitin dan Kitosan dari Limbah Kulit Udang. *Majalah Biam* 12 (1): 132-38.
- Dutta, Pradip Kumar. 2015. "Chitin and Chitosan for Regenerative Medicine". Springer, India.
- FAO. 2006. "State of World Aquaculture 2006". Rome: Food and Agriculture Org.
- Fuller, Pam L., David M. Knott, Peter R. Kingsley-Smith, James A. Morris, Christine A. Buckel, Margaret E. Hunter, and Leslie D. Hartman. 2014. Invasion of Asian tiger shrimp, *Penaeus monodon* Fabricius, 1798, in the western north Atlantic and Gulf of Mexico. *Aquatic Invasions* 9(1): 59-70. doi: <http://dx.doi.org/10.3391/ai.2014.9.1.05>
- Gahlawat, Suresh Kumar, Raj Kumar Salar, Priyanka Siwach, Joginder Singh Duhan, Suresh Kumar, and Pawan Kaur. 2017. "Plant Biotechnology: Recent Advancements and Developments". Springer.
- Goyal, Megh R. and Murlidhar Meghwal. 2017. "Developing Technologies in Food Science: Status, Applications, and Challenges. CRC Press.

- Guarro, Josep, María Isabel Antolín-Ayala, Josepa Gené, Jesús Gutiérrez-Calzada, Carlos Nieves-Díez, and Montserrat Ortoneda. 1999. Fatal Case of *Trichoderma harzianum* Infection in a Renal Transplant Recipient. *J Clin Microbiol.* 37(11): 3751-3755.
- Hossain, M. S. and A. Iqbal. 2014. Production and characterization of chitosan from shrimp waste. *J. Bangladesh Agril. Univ.* 12(1): 153–160.
- Insan, Irsyaphiani, Endhay Kusnendar Kontara, and Raden Roro Sri Pudji Sinarni Dewi. 2015. Improved Production of Tiger Shrimp (*Penaeus monodon*) through Probiotics Application. *Indonesian Aquaculture Journal* 10(2): 131-132.
- Isa, Muhammed Tijani, Alewo Opuada Ameh, Joseph Owoicho Gabriel, and Kenneth Kennedy Adama. 2012. Extraction and Characterization of Chitin from Nigerian Sources. *Leonardo Electronic Journal of Practices and Technologies* 21:73-81.
- Islam, S. Z., M. Khan, and A. K. M. Noswad Alam. 2016. Production of chitin and chitosan from shrimp shell wastes. *J. Bangladesh Agril. Univ.* 14(2): 253-259.
- Jenifer, Dr. S., J. Jeyasree, D. Kezia Laveena, and K. Manikandan. 2014. Purification and Characterization of Chitinase from *Trichoderma Viride* N9 and its Antifungal Activity against Phytopathogenic Fungi. *World Journal of Pharmacy and Pharmaceutical Sciences* 3(2): 1604-16011.
- Kablan, Tano, Yué bi Yao Clément, Kouamé Akissi Françoise, and Oulé Kégnon Mathias. 2008. Determination and Modelling of Moisture Sorption Isotherms of Chitosan and Chitin. *Acta Chim. Slov.* 55: 677-682.
- Kandra, Prameela, Murali Mohan Challa, and Hemalatha Kalangi Padma Jyothi. 2011. Efficient use of shrimp waste: present and future trends. *Applied Microbiology and Biotechnology* 93(1): 17-29. doi:10.1007/s00253-011-3651-2.
- Karthik, Narayanan, Karthik Akanksha, Parameswaran Binod, and Ashok Pandey. 2014. Production, purification and properties of fungal chitinases. *Indian Journal of Experimental Biology* 52: 1025-1035.
- Kenway, M. and M.R Hall. 2002. “The supply of black tiger prawn broodstock for aquaculture”. Australian Institute of Marine Science.
- Kim, Se-Kwon. 2013^a. “Chitin and Chitosan Derivatives: Advances in Drug Discovery and Developments”. CRC Press.

- Kim, Se-Kwon. 2013^b. "Marine Nutraceuticals: Prospects and Perspectives. CRC Press.
- Li, Y. L., Wu S. T., Yu S.T., and Too J. R. 2005. Screening of a microbe to degrade chitin. Taiwan J Agric Chem Food Sci 43:410-418.
- Liu, Dongyou. 2011. "Molecular Detection of Fungal Pathogens". Boca Raton, CRC Press.
- Liu, Long, Yanfeng Liu, Hyun-dong Shin, Rachel Chen, Jianghua Li, Guocheng Du, and Jian Chen. 2013. Microbial production of glucosamine and N-acetylglucosamine: advances and perspectives. Appl. Microbiol Biotechnol 97:6149–6158. DOI 10.1007/s00253-013-4995-6.
- Martino, A.D., Sittinger, M., and Risbud, M.V. 2005. Chitosan: A versatile biopolymer for orthopaedic tissue-engineering. Biomaterials: 5983-5990.
- Murthy, N. and B. Bleakley. 2012. Simplified Method of Preparing Colloidal Chitin Used for Screening of Chitinase- Producing Microorganisms. The Internet Journal of Microbiology 10(2): 1-5.
- Nagalakshmi, G. and S. Jyothi. 2017. A Comparative Study of Indian Penaeid Prawn Species. IJITER 2(11): 19-24.
- Nielsen, Suzanne. 2009. "Food Analysis". USA, Springer.
- Omann, Markus and Susanne Zeilinger. 2010. How a Mycoparasite Employs G-Protein Signaling: Using the Example of Trichoderma. Journal of Signal Transduction: 1-8.
- Pandey, Sonika, Mukesh Srivastava, Mohammad Shahid, Vipul Kumar, Anuradha Singh, Shubha Trivedi, and Y.K. Srivastav. 2015. Trichoderma species Cellulases Produced by Solid State Fermentation. J. Data Mining Genomics Proteomics 6(2): 1-4.
- Paul, Tanamy, Suman K. Halder, Arpan Das, Kuntal Ghosh, Arpita Mandal, Pijush Payra, Prasenjit Barman, Pradeep K. Das Mohapatra, Bikas Ranjan Pati, and Keshab C. Mondal. 2015. Production of chitin and bioactive materials from Black tiger shrimp (*Penaeus monodon*) shell waste by the treatment of bacterial protease cocktail. 3 Biotech 5: 483-493.
- Pratiwi, Rachmawati Sandra, Tius Enggarsari Susanto, Yaninda Alpha Kusuma Wardani, and Aji Sutrisno. 2015. Chitinase and the Application in Indurty. Jurnal Pangan dan Agroindustri 3(3): 878-887.

- Purwatiningsih, S., Wukirsari, T. Sjahriza, A., and Wahyono, D. 2009. "Kitosan Sumber Biomaterial Masa Depan". IPB Press. Bogor
- Puspawati, N. M. and I. N. Simpen. 2010. Optimasi Deasetilasi Khitin Dari Kulit Udang dan Cangkang Kepiting Limbah Restoran Seafood menjadi Khitosan melalui Variasi Konsentrasi NaOH. Jurnal Kimia 4(1): 79-90.
- Rachmawaty and Madidah. 2013. Potensi Perlakuan Awal Limbah Kulit Udang Untuk Produksi Enzim Kitinase Oleh *Trichoderma virens* pada Fermentasi Substrat Padat. Jurnal Bionature 14(1): 33-37.
- Rachmawaty and Madidah. 2016. Characterization of crude chitinase produced by *Trichoderma virens* in solid state fermentation. Proceedings of ICMSTEA 2016: 347-354.
- Rosana, Yeva, Tetsuhiro Matsuzawa, Tohru Gono, and Anis Karuniawati. 2014. Modified Slide Culture Method for Faster and Easier Identification of Dermatophytes. Microbiology Indonesia 8(3): 135-139.
- Sanusi, Mustari. 2004. Transformasi Kitin dari Hasil Iolsai Limbah Industri Udang beku menjadi Kitosan. Mar. Chim Acta 5(2): 28-32.
- Sashiwa H, S. Fugishima, N. Yamano, A. Nakayama, E. Muraki, K. Hiraga, K. Oda, and S. Aiba. 2002. Production of Nacetyl-D-glucosamine from a-chitin by crude enzymes from *Aeromonas hydrophyla* H-2330. Carbohydr Research 337: 761-763.
- Saskiawan, Iwan and Rini Handayani. 2011. Production of N-acetyl-D-glucosamine by Submerged Fermentation from Chitin. Berita Biologi 10(6).
- Savitha, M. J. and S. Sriram. 2015. Morphological and molecular identification of *Trichoderma* isolates with biocontrol potential against Phytophthora blight in red pepper. Pest Management in Horticultural Ecosystems 21 (2):194-202
- Saxena, J., M. Baunthiyal, and I. Ravi. 2015. "Laboratory Manual of Microbiology, Biochemistry and Molecular Biology". Scientific Publishers.
- Setia, I. N and Suharjono. 2015^a. Chinolytic Assay and Identification of Bacteria Isolated from Shrimp Waste Based on 16S rDNA Sequences. *Advances in Microbiology* 5: 541-548.
- Setia, Imanda Nurul and Suharjono. 2015^b. Diversitas dan Uji Potensi Bakteri Kitinolitik dari Limbah Udang. Jurnal Biotropika 3(2): 95-98.

- Shahidi, Fereidoon, Janak Kadil Virdana Arachchi, and You-Jin Jeon. 1999. Food Applications of Chitin and Chitosan. Trends in Food Science and Technology 10: 37-51.
- Sharma, R., H.S. Oberoi, and G. S. Dhillon. 2016. Fruit and Vegetable Processing Waste: Renewable Feed Stocks for Enzyme Production. Chpt. 2 in "Agro-Industrial Wastes as Feedstock for Enzyme Production: Apply and Exploit the Emerging and Valuable Use Options of Waste Biomass," ed. Gurpreet Singh Dhillon and Surinder Kaur, pp. 23-59. Academic Press.
- Sillanpaa, Mika and Chaker Ncibbi. 2017. "A Sustainable Bioeconomy: The Green Industrial Revolution". Cham: Springer International Publishing.
- Singh, Anuradha, Mohammad Shahid, Mukesh Srivastava, Sonika Pandey, Antima Sharma, and Vipul Kumar. 2014. Optimal Physical Parameters for Growth of *Trichoderma* Species at Varying pH, Temperature and Agitation. Virol Mycol 3(1):1-7. doi:10.4172/2161-0517.1000127
- Sucharita, V. and S. Jyothi. 2013. An Identification of Penaeid Prawn Species Based on Histogram Values. IJARCSSE 3(7): 807-811.
- Suryadi, Yadi, Tri P. Priyatno, I. Made Samudra, Dwi N. Susilowati, Nuni Lawati, and Eman Kustaman. 2013. Pemurnian Parsial dan Karakterisasi Kitinase Asal Jamur Entomopatogen Beauveria bassiana Isolat BB200109. Jurnal AgroBiogen 9(2): 77-84.
- Tanasale, Matheis F.J.D.P, Amos Killay, and Meny Saily. 2006. Kitosan dari Limbah Udang Windu (*Penaeus monodon*) sebagai Adsorben Fenol. J. Alchemy 5(1): 23-30.
- Tanasale, Matheis F.J.D.P., Ivonne Telussa, Serly J. Sekewael, and Loberth Kakerissa. 2016. Extraction and Characterization of Chitosan from Windu Shrimp Shell (*Penaeus monodon*) and Depolymerization Chitosan Process with Hydrogen Peroxide Based on Heating Temperature Variations. Ind. J. Chem. Res. 3(2): 308-316.
- Vinale, F., Sivasithamparan, E.L. Gisalberti, R. Marra, S.L. Wao and M. Lorito. 2008. Trichoderma–plant–pathogen interactions. Soil Biology and Biochemistry 40: 1 – 10.
- Wang, Liping and Shang-Tian Yang. 2007. Solid State Fermentation and its Application. Chpt. 18 in "Bioprocessing for Value-Added Products from Renewable Resources," ed. Shang-Tian Yang, pp. 465-489. Elsevier.

- Wang, San-Lang, Wei-Jen Hsiao, and Wen-Teish Chang. 2002. Purification and Characterization of an Antimicrobial Chitinase Extracellularly Produced by *Monascus purpureus* CCRC31499 in a Shrimp and Crab Shell Powder Medium. *J. Agric Food Chem* 50: 2249-2255.
- Wasli, Azaliza Safarida, Madihah Md Salleh, and Rosli Md Illias. 2006. Production and Characterization of crude chitinase from *Trichoderma virens*. *Petroleum and Natural Resources Process*: 625-630.
- Wirawan, Adi and Nuniek Herdyastuti. 2013. Determination of Incubation Time on Formation of N-acetylglucosamine by Enzymatic Degradation from Chitin. *UNESA Journal of Chemistry* 2(3): 11-13.
- Wulandari, Fitri. 2009. Optimasi Produksi N-asetilglukosamina dari Kitin melalui Fermentasi oleh *Aspergillus rugulosus* 501. Thesis, Institut Pertanian Bogor, Bogor.
- Younes, Islem and Marguerite Rinaudo. 2015. Chitin and Chitosan Preparation from Marine Sources. Structure, Properties and Applications. *Mar Drugs*. 13(3): 1133-1174.