

BAB VII

DAFTAR PUSTAKA

1. Baghianimoghadam MH, Baghianimoghadam B, Ardian N, Alizadeh E. Risk factors of low birth weight and effect of them on growth pattern of children up to sixth months of life. *J Educ Health Promot.* 2015;4:40.
2. Cunningham FG, Williams JW, Leveno KJ, Bloom SL, Hauth JC, Gilstrap LC, et al. Williams Obstetrics. In: Twickler DM, Wendel GD, editors. 25th ed. Maternal and fetal anatomy and physiology. Estados Unidos: McGraw-Hill Medical; 2010. p. 14–136.
3. Susanti IY. Hubungan kejadian anemia pada ibu hamil dengan berat badan lahir rendah di RSUD RA Basoeni Mojokerto. *J Ilm Kesehat Politek Kesehat Majapahit Mojokerto.* 2016;8:76–85.
4. Sutarjo U, Primadi O, Budijanto D, Hardhana B, Soenardi T. Profil kesehatan Indonesia tahun 2014. 1st ed. Sitohang V, Budijanto D, Titi Aryati Soenardi, editors. Kesehatan keluarga. Jakarta: Kementerian kesehatan RI; 2015.
5. Sugihantono A. Buku profil kesehatan Provinsi Jawa Tengah Indonesia 2012. [cited 2019 Oktober 20] [Internet]. 1st ed. Gambaran dan profil umum penduduk. Semarang: Dinas Kesehatan Provinsi Jawa Tengah.; 2012. 5–20 p. Available from: www.dinkesjatengprov.go.id
6. Pramono JS, Imelda F, Susanti S. Berat badan bayi baru lahir di Rumah Sakit Islam Samarinda Tahun 2011. *J Husada Mahakam.* 2011;2:45–55.
7. Byrnes JR, Wolberg AS. Blood spotlight red blood cells in thrombosis. *Am Soc Hematol.* 2017;130:1795–9.

8. Bringas M, Petruk AA, Estrin DA, Capece L, Martí MA. Tertiary and quaternary structural basis of oxygen affinity in human hemoglobin as revealed by multiscale simulations. *Sci Rep*. 2017;7:1–10.
9. Nandakumar SK, Ulirsch JC, Sankaran VG. Advances in understanding erythropoiesis: evolving perspectives. *Br J Haematol*. 2016;173:206–18.
10. Hall JE, Guyton AC. Guyton and Hall textbook of medical physiology. In: Schmitt W, editor. 12th ed. Blood cells, immunity, and blood coagulation. Philadelphia: Elsevier; 2011. p. 413–21.
11. Sherwood L. Human Physiology : from cells to system. In: Finch M, editor. 9th ed. The blood. Belmont: Cengage Learning; 2016. p. 384–400.
12. Suryanty R, Rosdiana N, Lubis B. Peran eritropoietin pada anemia akibat keganasan pada anak. *Sari Pediatr*. 2016;7:34–7.
13. Singh VK, Saini A, Chandra R. Role of erythropoietin and other growth factors in ex vivo erythropoiesis. *Adv Regen Med*. 2014;20:1–8.
14. Zivot A, Lipton JM, Narla A, Blanc L. Erythropoiesis: Insights into pathophysiology and treatments in 2017. *Mol Med*. 2018;24:2–15.
15. Litchman MA, Kaushansky K, Prchal JT. Williams Hematology. In: Levi M, editor. 9th ed. The erythrocyte. Estados Unidos: McGraw-Hill Medical; 2016. p. 461–563.
16. McKie AT, Barrow D, Latunde-Dada GO, Rolfs A, Sager G, Mudaly E, et al. An iron-regulated ferric reductase associated with the absorption of dietary iron. *Sci AAAS*. 2001;21:1755–9.
17. Drakesmith H, Nemeth E, Ganz T. Ironing out Ferroportin. *Cell Metab*. 2015;22:777–87.

18. Wood JC. Guidelines for quantifying iron overload. *Hematology*. 2014;1:210–5.
19. Nemeth E, Rivera S, Gabayan V, Keller C, Taudorf S, Pedersen BK, et al. IL-6 mediates hypoferremia of inflammation by inducing the synthesis of the iron regulatory hormone hepcidin. *J Clin Invest*. 2004;113:1271–6.
20. Centers for Disease Control and Prevention. Recommendations to prevent and control iron deficiency in the United States. *MMWR Recomm Rep* [Internet]. 1998 [cited 2019 Nov 10];47:1–29. Available from: <https://www.cdc.gov/mmwr/preview/mmwrhtml/00051880.htm>
21. Stephen G, Mgongo M, Hussein Hashim T, Katanga J, Stray-Pedersen B, Msuya SE. Anaemia in pregnancy: prevalence, risk factors, and adverse perinatal outcomes in Northern tanzania. *Anemia*. 2018;2:9–12.
22. Wirahartari LM, Herawati S, Wande IN. Gambaran indeks eritrosit anemia pada ibu hamil di RSUP SANGLAH Denpasar tahun 2016. 2019;8:7–10.
23. Chulilla JAM, Colás MSR, Martín MG. Classification of anemia for gastroenterologists. *World J Gastroenterol*. 2009;15:4627–37.
24. Maner BS, Moosavi L. Mean Corpuscular Volume (MCV). *StatPearls*. 2019;2:100–10.
25. Lanzkowsky P. Classification and diagnosis of anemia in children. *Lanzkowsky's Man Pediatr Hematol Oncol*. 2016;93:50–24.
26. Huang TC, Wu YY, Chen YG, Lai SW, Wu SC, Ye RH, et al. Discrimination index of microcytic anemia in young soldiers: A single institutional analysis. *PLoS One*. 2015;10:1–10.
27. Kristiana R, Widyastiti N, Setiawan E. Uji sensitivitas Dan spesifisitas mentzer index,

- red distribution width index dan green and king index terhadap diagnosis talasemia beta minor dan anemia defisiensi besi. *J Kedokt Diponegoro*. 2018;7:787–800.
28. Bose S, Maimoon S. Is mentzer index a reliable diagnostic screening tool For beta thalassemia trait. *IOSR J Dent Med Sci e-ISSN*. 2018;17:7–11.
29. WHO. Serum ferritin concentrations for assessment of iron status and iron deficiency in populations. In: *Vitamin and Mineral Nutrition Information System* [Internet]. 1st ed. Geneva: World Helath Organization; 2011 [cited 2019 Nov 10]. p. 10–20.
Available from: http://www.who.int/vmnis/indicators/serum_ferritin.pdf
30. Cappellini MD, Comin-Colet J, de Francisco A, Dignass A, Doehner W, S. P. Lam C, et al. Iron deficiency across chronic inflammatory conditions: International expert opinion on definition, diagnosis, and management. *Am J Hematol*. 2017;92:68–78.
31. Pavord S, Myers B, Robinson S, Allard S, Strong J, Oppenheimer C. UK guidelines on the management of iron deficiency in pregnancy. *Br J Haematol*. 2012;156:588–600.
32. DeLoughery TG. Microcytic Anemia. *N Engl J Med*. 2014;371:1324–31.
33. Fibach E, Rachmilewitz EA. Pathophysiology and treatment of patients with beta-thalassemia - an update. *F1000research*. 2017;6:1–12.
34. Inusa BP., Hsu LL, Kohli N, Patel A, Ominu-Evbota K, Anie K., et al. Sickle cell disease—genetics, pathophysiology, clinical presentation and treatment. *Int J Neonatal Screen*. 2019;5:20–2.
35. Weiss G, Goodnough LT. Anemia of chronic disease. *N Engl J Med*. 2005;352:1011–23.
36. Cullis J. Anaemia of chronic disease. *Clin Med (Northfield Il)*. 2013;13:193–6.

37. Poggiali E, Migone De Amicis M, Motta I. Anemia of chronic disease: A unique defect of iron recycling for many different chronic diseases. *Eur J Intern Med.* 2014;25:12–7.
38. Spivak JL. Iron and the anemia of chronic disease. *Med Oncol.* 2002;16:25–33.
39. Ganz T, Nemeth E. Hepcidin and iron homeostasis. *Biochim Biophys Acta - Mol Cell Res.* 2012;18:1434–43.
40. Tefferi A. Anemia in adults: A contemporary approach to diagnosis. *Mayo Clin Proc.* 2003;7:1274–80.
41. Barcellini W, Fattizzo B. Clinical applications of hemolytic markers in the differential diagnosis and management of hemolytic anemia. *Dis Markers.* 2015;20:10–7.
42. Lankhorst CE, Wish JB. Anemia in renal disease: diagnosis and management. *Blood Rev.* 2010;24:39–47.
43. Paige NM, Nagami GT. The top 10 things nephrologists wish every primary care physician knew. *Mayo Clin Proc.* 2009;84:180–6.
44. Nagao T, Hirokawa M. Diagnosis and treatment of macrocytic anemias in adults. *J Gen Fam Med.* 2017;18:200–4.
45. WHO, Save the Children, March of dimes, PMNCH. Born too soon : The global action report on preterm birth born too soon. In: CP, editor. 1st ed. *Preterm Birth.* Geneva: World Health Organization; 2012. p. 20–5.
46. Sharma SR, Giri S, Timalina U, Bhandari SS, Basyal B, Wagle K, et al. Low birth weight at term and its determinants in a tertiary hospital of Nepal: A case-control study. *PLoS One.* 2015;10:1–10.
47. Peleg D, Colleen M, Hunter SK. Intrauterine growth restriction: identification and

- management. *Am Fam Physician*. 1998;1:453–60.
48. Momeni M, Danaei M, Nejad Kermani AJ, Bakhshandeh M, Foroodnia S, Mahmoudabadi Z, et al. Prevalence and risk factors of low birth weight in the southeast of Iran. *Int J Prev Med*. 2017;8:130–40.
49. Lahir B, Djamil RM. Penelitian faktor risiko yang berpengaruh terhadap kejadian berat badan lahir rendah di RSUP Dr.M.Djamil Padang. *J Kesehat Andalas*. 2015;4:664–73.
50. Setiati AR, Rahayu S. Faktor yang mempengaruhi kejadian BBLR (Berat Badan Lahir Rendah) di ruang perawatan intensif neonatus RSUD Dr Moewardi Surakarta. *J Keperawatan Glob*. 2016;2:9–20.
51. Ramakrishnan U. Nutrition and low birth weight: From research to practice. *Am J Clin Nutr*. 2004;79:17–21.
52. M. Dixit Devkota, A. Uprety NS. Identification of gaps and priority interventions for maternal nutrition in Nepal: A Review. In: Paudel R, editor. 1st ed. *Maternal nutrition status*. Kathmandu: Ministry of Health and Population and World Health Organization; 2012. p. 30–40.
53. Mecacci F, Biagioni S, Ottanelli S, Mello G, Fanos Cagliari V, Mussap Genoa M, et al. Nutrition in pregnancy and lactation: how a healthy infant is born. *J Pediatr Neonatal Individ Med*. 2015;4:20–32.
54. Fawzi WW, Msamanga GI, Spiegelman D, Urassa EJ, McGrath N, Mwakagile D, et al. Randomised trial of effects of vitamin supplements on pregnancy outcomes and T cell counts in HIV-1-infected women in Tanzania. *Lancet*. 1998;35:1477–82.
55. Marangoni F, Cetin I, Verduci E, Canzone G, Giovannini M, Scollo P, et al. Maternal

- diet and nutrient requirements in pregnancy and breastfeeding. An Italian consensus document. *Nutrients*. 2016;8:1–17.
56. Azizah A, Adriani M. Tingkat kecukupan energi protein pada ibu hamil trimester pertama dan kejadian kekurangan energi kronis. *Media Gizi Indones*. 2018;12:21–30.
57. Jaya AI, Sahari A. Optimalisasi kebutuhan gizi pada menu makanan ibu hamil anemia menggunakan metode brach and bound (Studi Kasus di Kecamatan Ampana Tete Kabupaten Tojo Una-Una Provinsi Sulawesi Tengah). *J Ilm Mat dan Terap*. 2018;15:209–19.
58. Backes CH, Markham K, Moorehead P, Cordero L, Nankervis CA, Giannone PJ. Maternal preeclampsia and neonatal outcomes. *J Pregnancy*. 2011;11:1–7.
59. Monset CM, Bethman O D, Kastler B. Mid- and longterm outcome of 166 premature infants weighing less than 1,000 g at birth, all small for gestational age. *Biol Neonate*. 2002;81:244–50.
60. Negrato, Gomes. Low birth weight: causes and consequences. *Diabetol Metab Syndr*. 2013;5:49–58.
61. Allen LH. Biological mechanisms that might underlie iron's effects on fetal growth and preterm birth. *J Nutr*. 2001;13:581–9.
62. Williams D, Davison J. Pregnancy plus: Chronic kidney disease in pregnancy. *Br Med J*. 2008;36:211–5.
63. Salawati L. Hubungan usia, paritas, dan pekerjaan ibu hamil dengan bayi berat lahir rendah. *J Kedokt Syiah Kuala*. 2012;12:3–6.
64. Primasari SI. Analisis hubungan anemia pada kehamilan dengan kejadian berat badan lahir rendah di rsud jenderal ahmad yani. *J Kesehat Akbid Wira Buana*. 2017;1:23–

- 35.
65. S Aisyiah N. Hubungan anemia pada ibu hamil dan BBLR. *J Siliwangi*. 2016;4:1–3.
66. Giovanni M, Prabowo GI, Fatmaningrum W. Infant birth weight in mothers with maternal anemia at Dupak Public Health Center Surabaya Working Area in 2017. 2019;2:53–6.
67. Fatima J, Dharmayana Y, Aruben R. Faktor-Faktor yang berhubungan dengan kejadian berat badan lahir rendah di wilayah kerja Puskesmas Bangetayu Kota Semarang tahun 2016. *J Kesehat Masy FKM Undip*. 2017;5:82–92.
68. Bater J, Lauer JM, Ghosh S, Webb P, Agaba E, Bashaasha B, et al. Predictors of low birth weight and preterm birth in rural Uganda: Findings from a birth cohort study. Wilunda C, editor. *PLoS One*. 2020;15:20–4.
69. WHO. WHO recommendations on antenatal care for a positive pregnancy experience [Internet]. 1st ed. Ghlobzouri K, Lazdane G, Nagai M, editors. Geneva: World Health Organization [cited 2020 August 20]; 2016. Available from: http://www.who.int/maternal_child_adolescent