

## ACKNOWLEDGEMENT

First of all, the writer would like to express her deepest gratitude and praises to the Almighty God for His neverending blessings and love to the writer during the research and completion of the thesis so therefore this thesis entitled “THE EFFECT OF FLAXSEED (*Linum usitatissimum L.*) FLOUR CONCENTRATION ON PHYSICOCHEMICAL PROPERTIES AND CONSUMER PREFERENCE OF NOODLE” could be finished on time, as one of the requirements to obtain the degree in *Sarjana Strata Satu Teknologi Pertanian* from Food Technology Department, Universitas Pelita Harapan, Tangerang.

In the accomplishment of this thesis, the writer realized that without the support, prayer and help from many parties, this thesis would not be completed well. Therefore, in this opportunity, the writer would like to give the deepest thanks and gratitudes to:

- 1) Dr. Ir. Raffi Paramawati, M.Si as thesis supervisor for the time, help, support and guidance given to the writer since the very beginning until the completion of this thesis.
- 2) Mrs. Sisi Patricia L.A. Gultom, M.Eng as thesis co-supervisor who had given her time, support, help, guidance and many advices to the writer during the research process until the writing of the thesis.
- 3) Mrs. Julia Ratna Wijaya, MAppSc as the Head of Food Technology Department, Universitas Pelita Harapan who had given the chance for the writer to do this research.

- 4) All the Head of Laboratory for Food Technology in UPH : Mrs. Natania, Mr. Jeremia M. Halim, Ms. Ratna Handayani, Mrs. Melanie and Mr. Adolf for the opportunities given to the writer to conduct the research in the laboratories.
- 5) Mr. Hendra, Mr. Aji, Ms. Merry, Ms. Rachel and Mr. Darius for the time given to help and guide the writer during the completion of the research in laboratory.
- 6) The writer's parents, sister and all family members who had always given their time, neverending support and greatest help for the writer.
- 7) All the lecturers in Food Technology Department Universitas Pelita Harapan.
- 8) Nadia Riani and Christiana for being the greatest friends and for all the accompaniments, helps and togetherness during these 4 years.
- 9) Iwa, Felicia Putri, Veliana Lim and Chiara Wijaya for being the best companions during research process and the supports given to each other.
- 10) Satria Surya, Ellyn, Pieter A.S., Tiffany T.D., Zefanya, Cavin C.S., and all of writer's friends in Food Technology Department, especially to all members of C class batch 2010 for the help and companionship along these 4 years.
- 11) All the people who can not be mentioned one by one, who had given the contribution in order for the writer to finish this thesis well.

The writer realizes that this thesis is far from perfection and therefore, the writer would like to sincerely apologize for any mistakes or weaknesses contained in this thesis. The writer will appreciate all the critics, comments and suggestions given from the readers. Finally, the writer hopes that this thesis can provide useful information and will be beneficial to all the readers.

Tangerang, August 29<sup>th</sup> 2014

Writer

# TABLE OF CONTENTS

page

## COVER

## STATEMENT OF THESIS AUTHENTICITY

## APPROVAL BY THESIS SUPERVISORS

## APPROVAL BY THESIS EXAMINATION COMMITTEE

ABSTRACT .....	v
ACKNOWLEDGEMENTS .....	vi
TABLE OF CONTENTS .....	viii
LIST OF TABLES .....	xii
LIST OF FIGURES .....	xiv
LIST OF APPENDICES .....	xvii

## CHAPTER I INTRODUCTION

1.1 Background.....	1
1.2 Research Problem .....	3
1.3 Objectives.....	3
1.3.1 General Objective.....	3
1.3.2 Specific Objective .....	3

## CHAPTER II LITERATURE REVIEW

2.1 Flaxseed ( <i>Linum usitatissimum L.</i> ).....	4
2.1.1 Physical Characteristics.....	4
2.1.2 Cultivation of Flaxseed.....	5
2.1.3 Nutrition Composition.....	7
2.2 Noodles.....	10
2.2.1 Types of Noodles.....	11
2.2.1.1 Based on Raw Material.....	11
2.2.1.2 Based on Salt Utilisation.....	13
2.2.1.3 Based on Types of Manufacturing Method.....	14

2.2.1.4 Based on Form in Market.....	14
2.2.1.5 Based on Size of Noodle Strands.....	15
2.2.2 Ingredients of Noodles.....	16
2.2.2.1 Wheat Flour.....	16
2.2.2.2 Water.....	17
2.2.2.3 Salt.....	18
2.2.2.4 Hydrocolloids.....	19
2.2.3 Processing Steps of Fresh Noodles.....	20
2.3 Unsaturated Fatty Acids.....	22
2.4 Dietary Fiber.....	24
2.5 Protein.....	25

### **CHAPTER III RESEARCH METHODOLOGY**

3.1 Materials and Equipments.....	27
3.2 Research Stages.....	28
3.2.1 Preliminary Research.....	28
3.2.2 Main Research.....	30
3.2.2.1 Research Stage I.....	30
3.2.2.2 Research Stage II.....	30
3.3. Experimental Design.....	31
3.3.1 Preliminary Stage Experimental Design.....	31
3.3.2 Research Stage I Experimental Design.....	31
3.3.3 Research Stage II Experimental Design.....	32
3.4. Analysis Procedure.....	34
3.4.1 Moisture Content Analysis.....	34
3.4.2 Cooking Loss Analysis.....	35
3.4.3 Water Absorption Analysis.....	35
3.4.4 Color Analysis.....	36
3.4.5 Texture Analysis.....	36
3.4.6 Protein Content Analysis.....	37
3.4.7 Fat Content Analysis.....	37
3.4.8 Ash Content Analysis.....	38

3.4.9 Carbohydrate Content Analysis.....	38
3.4.10 Omega- 3,6,9 Content Analysis.....	39
3.4.11 Dietary Fiber Analysis.....	39
3.4.12 Hedonic Test.....	40
3.4.13 Scoring Test.....	40

## **CHAPTER IV RESULT AND DISCUSSION**

4.1 Physical Characteristic and Nutrition Composition of Flaxseed Flour.....	42
4.2 Determination of Proper Cooking Method for Noodle.....	43
4.3 Chemical Characteristics of Noodles with Different Ratio of Wheat and Flaxseed Flour.....	46
4.3.1 Moisture Content.....	46
4.3.2 Water Absorption.....	47
4.3.3 Cooking Loss.....	49
4.4 Physical Characteristics of Noodles with Different Ratio of Wheat and Flaxseed Flour.....	50
4.4.1 Texture.....	50
4.4.2 Color.....	53
4.5 Determination of the Most Preferred Noodle with Different Wheat and Flaxseed Flour Ratio Based on Sensory Evaluation .....	55
4.5.1 Color Preference of Noodle with Different Wheat and Flaxseed Flour Ratio.....	56
4.5.2 Aroma Preference of Noodle with Different Wheat and Flaxseed Flour Ratio.....	58
4.5.3 Taste Preference of Noodle with Different Wheat and Flaxseed Flour Ratio.....	59
4.5.4 Texture Preference of Noodle with Different Wheat and Flaxseed Flour Ratio.....	62
4.5.5 Aftertaste Preference of Noodle with Different Wheat and Flaxseed Flour Ratio.....	64
4.5.6 Overall Preference of Noodle with Different Wheat and Flaxseed Flour Ratio.....	65

4.5.7 Selection of the Most Preferred Formulation of Noodle with Different Wheat and Flaxseed Flour Ratio.....	66
4.6 Determination of Proper Hydrocolloid Type and Concentration.....	66
4.6.1 Chemical Characteristics of Noodle with Different Hydrocolloid Type and Concentration.....	67
4.6.1.1 Moisture Content.....	67
4.6.1.2 Water Absorption.....	68
4.6.1.3 Cooking Loss.....	70
4.6.2 Physical Characteristics of Noodles with Different Hydrocolloid Type and Concentration.....	72
4.6.2.1 Texture.....	72
4.6.2.2 Color.....	74
4.6.3 Determination of the Most Preferred Noodles with Different Hydrocolloid Type and Concentration Based on Sensory Evaluation.....	76
4.6.3.1 Color Preference of Noodle with Different Hydrocolloid Type and Concentration.....	77
4.6.3.2 Aroma Preference of Noodle with Different Hydrocolloid Type and Concentration.....	79
4.6.3.3 Taste Preference of Noodle with Different Hydrocolloid Type and Concentration.....	81
4.6.3.4 Texture Preference of Noodle with Different Hydrocolloid Type and Concentration.....	84
4.6.3.5 Aftertaste Preference of Noodle with Different Hydrocolloid Type and Concentration.....	86
4.6.3.6 Overall Preference of Noodle with Different Hydrocolloid Type and Concentration.....	87
4.6.3.7 Selection of the Best Formulation of Noodle Added with Different Type and Concentration of Hydrocolloid Based on Panelist Preference and Health Consideration.....	88
4.6.4 Nutritional Composition of Best Noodle Formula.....	89

**CHAPTER V CONCLUSION AND SUGGESTIONS**

5.1 Conclusion.....92

5.2 Suggestions.....93

**BIBLIOGRAPHY.....94**

**APPENDICES.....102**




## LIST OF TABLES

	page
Table 2.1 Proximate analysis of flaxseed.....	8
Table 2.2 Fat content of flaxseed.....	8
Table 2.3 Fatty acids composition of flaxseed oil.....	8
Table 2.4 Amino acid composition of flaxseed meal compared with soy meal.....	9
Table 2.5 Nutrition fact of fresh noodles.....	20
Table 3.1 Formulation of raw noodle production.....	29
Table 3.2 °Hue range with the color description.....	36
Table 4.1 Color analysis of flaxseed flour.....	42
Table 4.2 Nutrition content of flaxseed flour.....	43
Table 4.3 Effect of cooking method towards chewiness of noodle with flaxseed flour substitution.....	45
Table 4.4 Moisture content analysis of noodles with different type of hydrocolloid.....	67
Table 4.5 Moisture content analysis of noodles with different hydrocolloid concentration.....	67
Table 4.6 Cooking loss analysis of noodles with different type of hydrocolloid.....	70
Table 4.7 Cooking loss analysis of noodles with different hydrocolloid concentration.....	70
Table 4.8 Texture analysis of noodles with different type of hydrocolloid.....	72
Table 4.9 Texture analysis of noodles with different hydrocolloid concentration.....	72
Table 4.10 Preference of color of noodles with different type of hydrocolloid.....	76
Table 4.11 Preference of color of noodle with different hydrocolloid concentration.....	77
Table 4.12 Preference of aroma of noodles with different type of hydrocolloid.....	79



Table 4.13 Preference of aroma of noodle with different hydrocolloid concentration.....	79
Table 4.14 Aroma scoring of noodles with different type of hydrocolloid.....	80
Table 4.15 Aroma scoring of noodle with different hydrocolloid concentration.....	80
Table 4.16 Treatments with highest score (on the rightmost subset) in all parameters assessed on hedonic test.....	89
Table 4.17 Nutrition composition comparison between best noodle and commercial fresh wet noodle.....	90



## LIST OF FIGURES

	page
Figure 2.1 Flaxseed.....	5
Figure 3.1 Overall research procedures.....	29
Figure 4.1 Performance of noodle with different cooking methods.....	45
Figure 4.2 Moisture content of noodle with different ratio of wheat and flaxseed flour concentration.....	46
Figure 4.3 Water absorption of noodle with different ratio of wheat and flaxseed flour concentration.....	48
Figure 4.4 Cooking loss of noodle with different ratio of wheat and flaxseed flour concentration.....	48
Figure 4.5 Hardness of noodle with different ratio of wheat: flaxseed flour concentration.....	51
Figure 4.6 Springiness of noodle with different ratio of wheat: flaxseed flour concentration.....	51
Figure 4.7 Chewiness of noodle with different ratio of wheat: flaxseed flour concentration.....	52
Figure 4.8 L value of noodle with different ratio of wheat: flaxseed flour concentration.....	54
Figure 4.9 °Hue of noodle with different ratio of wheat: flaxseed flour concentration.....	54
Figure 4.10 Raw noodles with different ratio of wheat and flaxseed flour concentration.....	55
Figure 4.11 Preference of color of noodle with different ratio of wheat and flaxseed flour concentration.....	56
Figure 4.12 Color scoring of noodle with different ratio of wheat and flaxseed flour concentration.....	56
Figure 4.13 Preference of aroma of noodle with different ratio of wheat and flaxseed flour concentration.....	58
Figure 4.14 Aroma scoring of noodle with different ratio of wheat and flaxseed flour concentration.....	59

Figure 4.15 Preference of taste of noodle with different ratio of wheat and flaxseed flour concentration.....	60
Figure 4.16 Taste scoring of noodle with different ratio of wheat and flaxseed flour concentration.....	60
Figure 4.17 Preference of texture of noodle with different ratio of wheat and flaxseed flour concentration.....	62
Figure 4.18 Texture scoring of noodle with different ratio of wheat and flaxseed flour concentration.....	63
Figure 4.19 Preference of aftertaste of noodle with different ratio of wheat and flaxseed flour concentration.....	64
Figure 4.20 Aftertaste scoring of noodle with different ratio of wheat and flaxseed flour concentration.....	65
Figure 4.21 Overall preference of noodle with different ratio of wheat and flaxseed flour concentration.....	66
Figure 4.22 Water absorption of noodle with different type and concentration of hydrocolloid.....	69
Figure 4.23 L value of noodle with different type and concentration of hydrocolloid.....	75
Figure 4.24 °Hue value of noodle with different type and concentration of hydrocolloid.....	75
Figure 4.25 Color scoring of noodle with different type and concentration of hydrocolloid.....	78
Figure 4.26 Preference of taste of noodle with different type and concentration of hydrocolloid.....	82
Figure 4.27 Taste scoring of noodle with different type and concentration of hydrocolloid.....	82
Figure 4.28 Preference of texture of noodle with different type and concentration of hydrocolloid.....	84
Figure 4.29 Texture scoring of noodle with different type and concentration of hydrocolloid.....	85
Figure 4.30 Preference of aftertaste of noodle with different type and concentration of hydrocolloid.....	86
Figure 4.31 Aftertaste scoring of noodle with different type and concentration of hydrocolloid.....	87

Figure 4.32 Preference of overall of noodle with different type and concentration of hydrocolloid.....88



## LIST OF APPENDICES

	page
Appendix A. Flowchart of Flaxseed Flour Processing Method.....	A-1
Appendix B. Identification Letter of Flaxseed.....	B-1
Appendix C. Physical Characteristic of Flaxseed Flour.....	C-1
Appendix D. Nutritional Composition of Flaxseed Flour.....	D-1
Appendix E. Omega-3 Analysis of Flaxseed Flour.....	E-1
Appendix F. Dietary Fiber of Flaxseed Flour.....	F-1
Appendix G. Texture Data and Statistical Analysis of Noodle with Different Cooking Method.....	G-1
Appendix H. Chemical Characteristics Analysis of Noodle with Different Ratio of Wheat and Flaxseed Flour Concentration.....	H-1
Appendix I. Physical Characteristics Analysis of Noodle with Different Ratio of Wheat and Flaxseed Flour Concentration.....	I-1
Appendix J. Hedonic Test Result of Noodle with Different Ratio of Wheat and Flaxseed Flour Concentration.....	J-1
Appendix K. Scoring Test Result of Noodle with Different Ratio of Wheat and Flaxseed Flour Concentration.....	K-1
Appendix L. Chemical Characteristics of Noodles with Different Hydrocolloid Type and Concentration.....	L-1
Appendix M. Physical Characteristics of Noodles with Different Hydrocolloid Type and Concentration.....	M-1
Appendix N. Hedonic Test Result of Noodles with Different Hydrocolloid Type and Concentration.....	N-1
Appendix O. Scoring Test Result of Noodles with Different Hydrocolloid Type and Concentration.....	O-1
Appendix P. Nutritional Composition of The Best Noodle Formula.....	P-1
Appendix Q. Omega-3 Analysis of The Best Noodle Formula.....	Q-1
Appendix R. Dietary Fiber Analysis of The Best Noodle Formula.....	R-1