

## DAFTAR PUSTAKA

- Aboofazeli, R. 2010. Nanometric-scaled emulsions (nanoemulsions). *Iran J. Pharm. Res.* 9(4): 325-326.
- Achouri, A., Zamani, Y., dan Boye, J.I. 2012. Stability and physical properties of emulsions prepared with and without soy proteins. *J. Food Res.* 1(1): 254-267.
- Aggarwal, B.B. dan Kunnumakkara, A.B. 2009. "Molecular Targets and Therapeutic Uses of Spices: Modern Uses for Ancient Medicine". World Scientific Publishing Co. Pte. Ltd., Massachusetts.
- Ali, M.S., Alam, M.S., Alam, N., dan Siddiqui, M.R. 2014. Preparation, characterization and stability study of dutasteride loaded nanoemulsion for treatment of benign prostatic hypertrophy. *Iran J. Pharm. Res.* 13(4): 1125-1140,
- Alrawaiq, N.S. dan Abdullah, A. 2014 A review of antioxidant polyphenol curcumin and its role in detoxification. *Int. J. PharmTech. Res.* 6(1): 280-289.
- Anderson, C.W. 2005. Turbidity. Chpt. 6.7 in "Handbooks for Water-Resources Investigation" USGS, pp. TBY-3-55. USGS, Colorado.
- Anisa, A.N.I., dan Nour, A.H. 2010. Affect of viscosity and droplet diameter on water-in-oil (w/o) emulsions: an experimental study. *Int. J. Chem. Mol. Nucl. Mater. Metall. Eng.* 4(2): 213-216.
- Anuchapreeda, S., Fukumori, Y., Okonogi, S., dan Ichikawa, H. 2012. Preparation of lipid nanoemulsions incorporating curcumin for cancer therapy. *J. Nanotech.* 2012: 1-11.
- Ariviani, S., Raharjo, S., Anggrahini, S., dan Naruki, S. 2015. Formulasi dan stabilitas mikroemulsi O/W dengan metode emulsifikasi spontan menggunakan VCO dan minyak sawit sebagai fase minyak: Pengaruh rasio surfaktan-minyak. *Agritech* 35(1): 27-34.
- Association of Official Analytical Chemist (AOAC). 2005. "Official Methods of Analysis" 18<sup>th</sup> Ed. AOAC Inc., Washington.
- Badan Pusat Statistik. 2015. Produksi Tanaman Biofarmaka (Obat). Available from: <https://www.bps.go.id/Subjek/view/id/55#subjekViewTab3|accordion-daftar-subjek3>. Diakses 2016 April 9.
- Bele, A.A. dan Khale, A. 2011. An overview on thin layer chromatography. *Int. J. Pharm. Sci. Res.* 2(2): 256-267.
- Binks, B.P., Murakami, R., Armes, S.P., dan Fujii, S. 2006. Effects of pH and salt concentration on oil-in-water emulsions stabilized solely by nanocomposite microgel particles. *Langmuir* 22(5): 2050-2057.
- Çıkrıkçı, S., Mozioglu, E., dan Yılmaz, H. 2008. Biological activity of curcuminoids isolated from *Curcuma longa*. *Rec Nat Prod.* 2(1): 19-24.

- Corcoran, T. 2002. Surface Activity and Micelle Formation. Available from: [http://www.cpp.edu/~sjanz/physical\\_chemistry/chm\\_352\\_labs/cmc.pdf](http://www.cpp.edu/~sjanz/physical_chemistry/chm_352_labs/cmc.pdf). Diakses 2017 Januari 7.
- Embuscado, M.E. 2015. Spices and herbs: Natural sources of antioxidants – a mini review. *J. Funct. Foods* 18(B): 811-819.
- Erez, Y., Simkovitch, R., Shomer, S., Gepshtein, R., dan Huppert, D. 2014. Effect of acid on the ultraviolet-visible absorption and emission properties of curcumin. *J. Phys. Chem. A*. 118(5): 872-884.
- Fernandes, C.P., Mascarenhas, M.P., Zibetti, F.M., Lima, B.G., Oliveira, R.P.R.F., Rocha, L., dan Falcão, D.Q. 2012. HLB value, an important parameter for the development of essential oil phtopharmaceuticals. *Braz. J. Pharmacog.* 23(1): 108-114.
- Fiala, M. 2015. Curcumin and omega-3 fatty acids enhance NK cell-induced apoptosis of pancreatic cancer cells but curcumin inhibits interferon- $\gamma$  production: Benefits of omega-3 with curcumin against cancer. *Molecules* 20(2): 3020-3026.
- Gani, S.S.A. dan Adisah, S.Z. 2015. Phase behavior study of swiftlet nest using virgin coconut oil with non-ionic surfactants. *Malays. J. Anal. Sci.* 19(1): 184-193.
- Ghosh, V., Mukherjee, A., dan Chandrasekaran, N. 2013. Formulation and characterization of plant essential oil based nanoemulsion: Evaluation of its larvicidal activity against *Aedes aegypti*. *Asian J. Chem.* 25: S321-S323.
- Gilda, S., Kanitkar, M., Bhonde, R., dan Paradkar, A. 2010. Acitivity of water-soluble turmeric extract using hydrophilic excipients. *LWT-Food Sci. Technol.* 43(1): 59-66.
- Gupta, A., Eral, H.B., Hatton, A., dan Doyle, P.S. 2016. Nanoemulsions: formation, properties and application. *Soft Matter* 12(11): 2826-2841.
- Holkar, V.V., Nirmal, D.R., dan Mistry, S.K. 2015. Development and validation of UV spectrophotometric method for the estimation of curcumin in bulk and pharmaceutical formulation. *World J. Pharm. Sci.* 4(5): 1456-1463.
- Ibrahim, N., Raman, I. A., dan Yusop, M.R. 2015. Effects of functional group of non-ionic surfactants on the stability of emulsion. *Malay. J. Anal. Sci.* 19(1): 261-267.
- Integrated Taxonomic Information System (ITIS). 2016. IT IS Report: *Curcuma longa* L. Taxonomic Serial No.: 42394. Available from [http://www.itis.gov/servlet/SingleRpt/SingleRpt?search\\_topic=TSN&search\\_value=42394](http://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=42394). Diakses 2016 April 16.
- Iyer, V., Cayatte, C., Guzman, B., Schneider-Ohrum, K., Matuszak, R., Snell, A., Rajani, G.M., McCarthy M.P., dan Muralidhara, B. 2015. Impact of formulation and particle size on stability and immunogenicity of oil-in-water emulsion adjuvants. *Hum. Vaccin. Immunother.* 11(7): 1853-1864.

- Jaiswal, M., Dudhe, R., dan Sharma, P.K. 2015. Nanoemulsion: An advanced mode of drug delivery system. *3 Biotech.* 5(2): 123-127.
- Jansirani, D., Saradha, R., Salomideborani, N., dan Selvapriyadharshini, J. 2014. Comparative evaluation of various extraction methods of curcuminoids from *Curcuma longa*. *J. Chem. Pharm. Sci.* 4: 286-288.
- Jantarat, C. 2012. Bioavailability enhancement techniques of herbal medicine: A case example of curcumin. *Int. J. Pharm. Pharm. Sci.* 5(1): 493-500.
- Ketapalli, H. 2014. Formation and stability of emulsions: effect of surfactant-particle interactions and particle shape. Chemical engineering dissertations, Univ. of Rhode Island, Kingston.
- Komaiko, J., Sastrosubroto, A., dan McClements, D.J. 2015. Formation of oil-in-water emulsions from natural emulsifiers using spontaneous emulsification: Sunflower phospholipids. *J. Agric. Food Chem.* 63(45): 10078-10088.
- , 2016. Formation of food-grade nanoemulsions using low-energy preparation methods: A review of available methods. *Compr. Rev. Food Sci. Food Saf.* 15: 331-352.
- Kulkarni, S.J., Maske, K.N., Budre, M.P., dan Mahajan, R.P. 2012. Extraction and purification of curcuminoids from turmeric (*Curcuma longa* L.). *Int. J. Pharm. Pharm. Technol.* 1(2): 81-84.
- Kurien, B.T., Singh, A., Matsumoto, H., dan Scofield, R.H. 2007. Improving the solubility and pharmacological efficacy of curcumin by heat treatment. *Assay Drug Dev. Technol.* 5(4): 567-576.
- Kwon, G. S. 2009. "Nanotechnology in Drug Delivery". Springer Science + Business Media, LLC., New York.
- Leal-Calderon, F., Schmitt, V., dan Bibette, J. 2007. "Emulsion Science: Basic Principles" 2<sup>nd</sup> Ed. Springer Science+Business Media LLC, New York.
- Liu, R. 2008. "Water-Insoluble Drug Formulation" 2<sup>nd</sup> Ed. CRC Press, Florida.
- Lü, J.M., Lin, P.H., Yao, Q., Chen, C. 2010. Chemical and molecular mechanisms of antioxidants: Experimental approaches and model systems. *J. Cell. Mol. Med.* 14(4): 840-860,
- McClements, D.J. 2016. "Food Emulsions: Principles, Practices, and Techniques" 3<sup>rd</sup> Ed. Taylor & Francis Group LLC, Florida.
- Mishra, P.C., Mukherjee, S., Nayak, S.K., dan Panda, A. 2014. A brief review on viscosity of nanofluids. *Int. Nano Lett.* 4(4): 109-120.
- Mouslmani, M., Rosenholm, J.M., Prabhakar, N., Peurla, M., Baydoun, E., dan Patra, D. 2015. Curcumin associated poly(allylamine hydrochloride)-phosphate self-assembled hierarchically ordered nanocapsules: Size dependent investigation on release and DPPH scavenging activity of curcumin. *RSC Adv.* 5(24): 18740-18750.
- Nagpal, M. dan Sood, S. 2013. Role of curcumin in systemic and oral health: An overview. *J. Nat. Sci. Biol. Med.* 4(1): 3-7.

- Nair, K.P.P. 2013. "The Agronomy and Economy of Turmeric and Ginger". Elsevier Inc., Massachusetts.
- Naama, J.H., Al-Temimi, A.A., dan Al-Amiery, A.A.H. 2010. Study of the anticancer activities of ethanolic curcumin extract. *Afr. J. Pure Appl. Chem.* 4(5): 68-73.
- Nantarat, T., Chansakaow, S., dan Leelapornpisid, P. 2015. Optimization, characterization and stability of essential oils blend loaded nanoemulsions by PIC technique for anti-tyrosinase activity. *Int. J. Pharm. Pharm. Sci.* 7(3): 308-312.
- Odrizola-Serrano, I., Oms-Oliu, G., dan Martin-Belloso, O. 2014. Nanoemulsion-based delivery systems to improve functionality of lipophilic components. *Front Nutr.* 1(24): 1-4.
- Ozturk, B., Argin, S., Ozilgen, M., dan McClements, D.J. 2014. Formation and stabilization of nanoemulsion-based vitamin E delivery systems using natural surfactants: Quillaja saponin and lecithin. *J. Food Eng.* 142: 57-63.
- Pan, H., Yu, L., Xu, J., dan Sun, D. 2014. Preparation of highly stable concentrated W/O nanoemulsions by PIC method at elevated temperature. *Colloids Surf. A. Physicochem. Eng. Asp.* 447: 97-102.
- Patel, V., Kukadiya, H., Mashru, R., Surti, N., dan Mandal, S. 2010. Development of microemulsion for solubility enhancement of clopidogrel. *Iran J. Pharm. Res.* 9(4): 327-334.
- Pawar, H., Karde, M., Mundle, N., Jadhav, P., dan Mehra, K. 2014. Phytochemical evaluation of curcumin content determination of turmeric rhizomes collected from Bhandara district of Maharashtra (India). *Med. Chem.* 4(8): 588-591.
- Peter, K.V. 2001. "Handbook of Herbs and Spices". Woodhead Publishing Limited, Cambridge.
- Priyadarsini, K.I. 2014. The chemistry of curcumin: From extraction to therapeutic agent. *Molecules* 19: 20091-20112.
- Pusat Data dan Sistem Informasi Pertanian. 2013. Informasi komoditas hortikultura: Kunyit. Kementerian Pertanian, No. 04/04/I.
- Pyrzyska, K. dan Pękal, A. 2013. Application of free radical diphenylpicrylhydrazyl (DPPH) to estimate the antioxidant capacity of food samples. *Anal. Methods* 5: 4288-4295.
- Quintão, F.J.O., Tavares, R.S.N., Vieira-Filho, S.A., Souza, G.H.B., dan Santos, O.D.H. 2013. Hydroalcoholic extracts of *Vellozia squamata*: Study of its nanoemulsion for pharmaceutical or cosmetic applications. *Rev. Bras. Farmacogen.* 23(1): 101-107.
- Qusti, S.Y., Abo-khatwa, A.N., dan Lahwa, M.A.B. 2010. Screening of antioxidant activity and phenolic content of selected food items cited in the Holy Quran. *European J. Bio. Sci.* 2(1): 40-51.
- Ravindran, P.N., Babu, K.N., dan Sivaraman, K. 2007. "Turmeric: The Genus *Curcuma*". CRC Press, Florida.

- Revathy, S., Elumalai, S., Benny, M., dan Antony, B. 2011. Isolation, purification and identification of curcuminoids from turmeric (*Curcuma longa* L.) by column chromatography. *J. Exp. Sci.* 2(7): 21-25.
- Rosen M.J. dan Kunjappu, J.T. 2012. "Surfactants and Interfacial Phenomena" 4<sup>th</sup> Ed. John Wiley & Sons, Inc., New Jersey.
- Sanchavat, H., Kothari, S., Sharma, D., Jain, N.K., dan Sharma, G.P. 2012. Performance and economic evaluation of biomass and solar energy system for turmeric processing. *Indian J. Hill Fmg.* 25(2): 1-5.
- Sari, T.P., Mann, B., Sharma, R., Kumar, R., Vikrant dan Minaxi. 2013. Process optimization for the production of nanoencapsulated curcumin and analysis for physicochemical characteristics and antioxidant mechanism. *Int. J. Biotechnol. Bioeng.* 4(6): 581-586.
- Sessa, M., Balestrieri, M.L., Ferrari, G., Servillo, L., Castaldo, D., D'Onofrio, N., Donsi, F., dan Tsao, R. 2014. Bioavailability of encapsulated resveratrol into nanoemulsion-based delivery systems. *Food Chem.* 147: 42-50,
- Shahidi, F. dan Ambigaipalan, P. 2015. Phenolics and polyphenolics in foods, beverages and spices: Antioxidant activity and health effects – A review. *J. Funct. Foods* 18(B): 820-897.
- Sharma, N., Bansai M., Visht, S., Sharma, P.K., dan Kulkarni, G.T. 2010. Nanoemulsion: A new concept of delivery system. *Chron. Young Sci.* 1: 2-6.
- Shekhar, T.C. dan Anju, G. 2014. Antioxidant activity by DPPH radical scavenging method of *Agerantum conyzoides* Linn. leaves. *Am. J. Ethnomed.* 1(4): 244-249.
- Shigemoto, N., Al-Maamari, R.S., Jibril, B.Y., Hirayama, A., dan Sueyoshi M. 2007. Effect of water content and surfactant type on viscosity and stability of emulsified heavy mukhaizna crude oil. *Energy & Fuels* 21: 1014-1018.
- Solè, I., Maestro, A., Gonzáles, C., Solans, C., dan Gutiérrez, J.M. 2006. Optimization of nano-emulsion preparation by low-energy methods in an ionic surfactant system. *Langmuir* 22 (20): 8326-8332.
- Soon, S.K., Bong, J.K., Wan, G.C., dan Soo, N.P. 2015. Formation of stable hydrocarbon oil-in-water nanoemulsions by phase inversion composition method at elevated temperature. *Korean J. Chem. Eng.* 32(3): 540-546.
- Suzuki, Y. 2013. Reaction principle of turbidity generation of serum albumin by aromatic organic acid salt. *Int. J. Anal. Bio-Sci.* 1(1): 27-37.
- Syed, H.K. dan Peh, K.K. 2014. Identification of phases of various oil, surfactant/co-surfactants and water system by ternary phase diagram. *Acta Pol. Pharm.* 71(2): 301-309.
- Tadros, T.F. 2013. "Emulsion Formation and Stability" 1<sup>st</sup> Ed. Wiley-VCH Verlag GmbH & Co. KGaA, Weinheim.

- Traynor, M.P., Burke, R., Frías, J.M., Gaston, E., dan Barry-Ryan, C. 2013. Formation and stability of an oil in water emulsion containing lecithin, xanthan gum, and sunflower oil. *Int. Food Res. J.* 20(5): 2173-2181.
- United States Geological Survey (USGS). 2016. PH – Water Properties. Available from: <http://water.usgs.gov/edu/ph.html>. Diakses 2016 November 14
- Waghmare, P., Patingrao, D., dan Kadu, P. 2015. Extraction, isolation, purification and identification of curcumin: A review article. *European J. Biomed. Pharm. Sci.* 2(3): 108-123.
- Ward, O., Singh, A., dan Van Hamme, J. 2003. Accelerated biodegradation of petroleum hydrocarbon waste. *J. Ind. Microbiol. Biotechnol.* 30(5): 260-270.
- Zaman, S.U., dan Akhtar, N. 2013. Effect of turmeric (*Curcuma longa* Zingiberaceae) extract cream on human skin sebum secretion. *Trop. J. Pharm. Res.* 12(5): 665-669.
- Zorzi, G.K., Carvalho, E.L.S., von Poser, G.L., dan Teixeira, H.F. 2015. On the use of nanotechnology-based strategies for association of complex matrices from plant extracts. *Braz. J. Pharmacog.* 25: 426-436.
- Zou, L., Zheng, B., Zhang, R., Zhang, Z., Liu, W., Liu, C., Zhang, G., Xiao, H., dan McClements, D.J. 2016. Influence of lipid phase composition of excipient emulsions on curcumin solubility, stability, and bioaccessibility. *Food Biophys.* 11(3): 213-225.

