

DAFTAR PUSTAKA

- Abidin, A. Z., Devi, C., dan Adeline. 2013. Development of wet noodles based on cassava flour. *Journal Engineering Technology Science*, 45(1): 97-111.
- Afifah, N. dan Ratnawati, L. 2017. Quality assessment of dry noodles made from blend of mocaflour, rice flour, and corn flour. *IOP Conference Series: Earth and Environmental Science*, 101: 1-9.
- Association of Analytical Chemist (AOAC). 2005. "Official Methods Of Analysis 18th ed." AOAC Inc, Washington.
- Badan Standardisasi Nasional. SNI 8217:2015. Mi kering. Jakarta: Badan Standardisasi Nasional.
- Badan Standardisasi Nasional. SNI 4447:2020. Tepung beras ketan. Jakarta: Badan Standardisasi Nasional.
- Bilgicli, N., Demir, M. K., Ertas, N., dan Herken, E. N. 2011. Effects of gluten and emulsifier on some properties of noodle prepared with legume flours. *International Journal of Food Science and Nutrition*, 62(1): 63-70.
- Biyumna, U. L., Windrati, W. S., dan Diniyah, N. 2017. Karakteristik mie kering terbuat dari tepung sukun (*Artocarpus altilis*) dan penambahan telur. *Jurnal Agroteknologi*, 11(1): 23-34
- Bustos, M. C., Perez, G. T., dan Leon, A. E. 2011. Effect of four types of dietary fiber on the technological quality of pasta. *Food Science and Technology International*, 17(3): 213-219.
- Cai, J., Chiang, J. H., Tan, M. Y. P., Saw, L. K., Xu, Y., dan Ngan-Loong, M. N. 2016. Physicochemical properties of hydrothermally treated glutinous rice flour and xanthan gum mixture and its application in gluten-free noodles. *Journal of Food Engineering*, 186: 1-9.
- Cham, S. dan Suwannaporn, P. 2010. Effect of hydrothermal treatment of rice on various rice noodles quality. *Journal of Cereal Science*, 51: 248-291.
- Charutigon, C., Jitpupakdree, J., Namsree, P., dan Rungsardthong, V. 2008. Effects of processing conditions and the use of modified starch and monoglyceride on some properties of extruded rice vermicelli. *LWT-Food Science and Technology*, 41: 642-651.

- Choy, A. L., Hughes, J. G., dan Small, D. M. 2010. The effects of microbial transglutaminase, sodium stearoyl lactylate and water on the quality of instant fried noodles. *Food Chemistry*, 122: 957-964.
- Choy, A. L., May, B. K., dan Small, D. M. 2012. Effects of acetylated potato starch and sodium carboxymethyl cellulose on the quality of instant fried noodles. *Food Hydrocolloids*, 26: 2-8.
- Dib, A., Wojtowicz, A., Benatallah, L., Zidoune, M. N., Mitrus, M., dan Sujak, A. 2018. Optimization of rice-field bean gluten-free pasta improved by the addition of hydrothermally treated rice flour. *Italian Journal of Food Science*, 30(2): 226-248.
- Diniyah, N., Setiawati, D., Windrati, W. S., dan Subagio, A. 2017. Karakterisasi mi mojang (mocaf-jagung) dengan perbedaan jenis dan konsentrasi bahan pengikat. *Jurnal Penelitian Pascapanen Pertanian*, 14(2): 98-107.
- Finnie, S. dan Atwell, W. A. 2016. *Wheat Flour Second Edition*. AACC International, Inc., USA.
- Fu, B. X. 2008. Asian noodle: history, classification, raw materials, and processing. *Food Research International*, 41(9): 888-902.
- Ginting, A., Ginting, M., dan Situmeang, H. H. 2018. Sintesis CMC-G-Epiklorohidrin melalui reaksi selulosa membentuk cmc dilanjutkan dengan esterifikasi/aminasi menggunakan epiklorohidrin/etilendiamida. *Talenta Conference Series*, 1(1): 85-93.
- Gomez, A. V., Ferrer, E. G., Anon, M. C., dan Puppo, M. C. 2013. Changes in secondary structure of gluten proteins due to emulsifiers. *Journal of Molecular Structure*, 1033: 51-58.
- Han, J., Seo, T., Lim, S., dan Park, D. J. 2011. Utilization of rice starch with gums in asian starch noodle preparation as substitute for sweet potato starch. *Food Science and Biotechnology*, 20(5): 1173-1178.
- Hasnawati, Mustarin, A., dan Fadilah, R. 2020. Analisis kualitas mie basah dengan penambahan daun ubi jalar ungu (*Ipomoea batatas*). *Jurnal Pendidikan Teknologi Pertanian*, 6(1): 87-100.
- Hatcher, D. W., dan Anderson, M. J. 2007. Influence of alkaline formulation on oriental noodle color and texture. *Cereal Chemistry*, 84(3): 253-259.
- Heo, S., Lee, S. M., Shim, J. H., Yoo, S. H., dan Lee, S. 2013. Effect of dry- and wet-milled rice flours on the quality attributes of gluten-free dough and noodles. *Journal of Food Engineering*, 116: 213-217.

- Hou, G. G. 2010. *Asian Noodles: Science, Technology, and Processing*. John Wiley and Son, New Jersey.
- Hur, S. J., Lee, S. J., Lee, S. Y., Bahk, Y. Y., dan Kim, C. G. 2015. Effect of emulsifiers on microstructural changes and digestion of lipids in instant noodle during in vitro human digestion. *Food Science and Technology*, 60: 630-636.
- Indrianti, N., Kumalasari, R., Ekafitri, R., dan Darmajana, D. A. 2013. Pengaruh penggunaan pati ganyong, tapioca, dan mocaf sebagai bahan substitusi terhadap sifat fisik mie jagung instan. *Agritech*, 33(4): 391-398.
- Imanningsih, N. 2012. Profil gelatinisasi beberapa formulasi tepung-tepungan untuk pendugaan sifat pemasakan. *Panel Gizi Makan*, 35(1): 13-22.
- Impaprasert, R., Piyarat, S., Sophontanakih, N., Sakulnate, N., Paengkanya, S., Borompichaichartkul, C., dan Srzednicki, G. 2017. Rehydration and textural properties of dried konjac noodles: effect of alkaline and some gelling agents. *Horticulturae*, 20(3): 1-10.
- Jarnsuwan, S. dan Thongngam, M. 2012. Effects of hydrocolloids on microstructure and textural characteristics of instant noodles. *Asian Journal of Food and Agro-Industry*, 5(6): 485-492.
- Jatmiko, G. P. dan Estiasih, T. 2014. Mie dari umbi kimpul (*Xanthosoma Sagittifolium*): kajian pustaka. *Jurnal Pangan dan Agroindustri*, 2(2): 127-134.
- Jeong, S., Kim, H., dan Lee, S. 2016. Rheological and secondary structural characterization of rice flour-zein composites for noodles slit from gluten-free sheeted dough. *Food Chemistry*, 221: 1539-1545.
- Kamal, N. 2010. Pengaruh bahan aditif cmc (carboxyl methyl cellulose) terhadap beberapa parameter pada larutan sukrosa. *Jurnal Teknologi*, 1(17): 78-85.
- Kartini, A. Z. dan Putri, W. D. R. 2018. Pengaruh konsentrasi telur dan *carboxymethyl cellulose* terhadap karakteristik fisik, kimia, dan organoleptic mi kering tepung jail (*Coix lachrymal jobi-L*) terfermentasi. *Jurnal Pangan dan Agroindustri*, 6(2): 52-62.
- Kaudin, O., Patadjai, A. B., dan Isamu, K. T. 2019. Studi penambahan karagenan rumput laut (*Eucheuma cottonii*) dalam pembuatan mie basah berbasis tepung sagu (*Metroxylon sp.*). *Journal Fish Protech*, 2(2): 251-259.

- Kaur, A., Shevkani, K., Singh, N., Sharma, P., dan Kaur, S. 2015. Effect of guar gum and xanthan gum on pasting and noodle-making properties of potato, corn, and mung bean starches. *Journal of Food Science and Technology*, 52(12): 8113-8121.
- Koehler, P., Kieffer, R., dan Wieser, H. 2010. Effect of hydrostatic pressure and temperature on the chemical and functional properties of wheat gluten III. Studies on gluten films. *Journal of Cereal Science*, 51: 140-145.
- Koswara, S. 2009. *Teknologi Pengolahan Mie Seri Teknologi Pangan*. Ebook Pangan.
- Kovacs, M. I. P., Fu, B. X., Woods, S. M., dan Khan, K. 2004. Thermal stability of wheat gluten protein: its effect on dough properties and noodle texture. *Journal of Cereal Science*, 39: 9-19.
- Kurniasari, E., Waluyo, S., dan Sugianti, C. 2015. Mempelajari laju pengeringan dan sifat fisik mie kering berbahan campuran tepung terigu dan tepung tapioca. *Jurnal Teknik Pertanian Lampung*, 4(1): 1-8.
- Lala, H. F., Susilo, B., dan Komar, N. 2013. Uji karakteristik mie instan berbahan baku tepung terigu dengan substitusi mocaf. *Jurnal Bioproses Komoditas Tropis*, 1(2): 11-20.
- Lawless, H. dan Heymann, H. 2010. *Sensory Evaluation of Food Principles and Practices Second Edition*. Springer, New York.
- Lu, Q., Guo, S., dan Zhang, S. 2009. Effects of flour free lipids on textural and cooking qualities of Chinese noodles. *Food Research International*, 42: 226-230.
- Lubis, Y. M., Sulaiman, M. I., dan Hayati, M. 2018. Karakteristik mi jagung dengan penambahan jenis hidrokoloid (guar gum dan xanthan gum) pada berbagai konsentrasi. *Jurnal Teknologi dan Industri Pertanian Indonesia*, 10(2): 1-5.
- Marti, A., Barbiroli, A., Marengo, M., Fongaro, L., Iametti, S., dan Pagani, M. A. 2014. Structuring and texturing gluten-free pasta: egg albumen or whey proteins?. *European Food Research Technology* 238: 217-224.
- Maylani, D., Ali, A., dan Pato, U. 2014. Kajian mutu mi instan yang terbuat dari tepung jagung lokal riau dan pati sagu. *Jurnal Online Mahasiswa Fakultas Pertanian Universitas Riau*, 1(2): 1-11.

- Mulyadi, A. F., Wignyanton, dan Anita, N. B. 2013. Pembuatan mie kering kemangi (*Ocimum sanctum* L.) dengan bahan dasar tepung terigu dan tepung mocaf (*Modified Cassava Flour*) (kajian jenis perlakuan dan konsentrasi kemangi). *Prosiding Seminar Nasional, Konsumsi Pangan Sehat dengan Gizi Seimbang Menuju Tubuh Sehat Bebas Penyakit*. Yogyakarta, 12-13 Oktober 2013.
- Mulyadi, A. F., Wijana, S., Dewi, I. A., dan Putri, W. L. 2014. Karakteristik organoleptik produk mie kering ubi jalar kuning (*Ipomoea batatas*) (kajian penambahan telur dan CMC). *Jurnal Teknologi Pertanian*, 15(1): 25-36.
- Nouri, L., Nafchi, A. M., dan Karim, A. A. 2015. Mechanical and sensory evaluation of noodles incorporated with betel leaf extract. *International Journal Food Engineering*, 11(2): 221-227.
- Perez, S. dan Bertoft, E. 2010. The molecular structures of starch components and their contribution to the architecture of starch granules: a comprehensive review. *Starch*, 62: 389-420.
- Permatasari, S., Widyastuti, S., dan Suciyati. 2009. Pengaruh rasio tepung talas dan tepung terigu terhadap sifat kimia dan organoleptik mie basah. *Prosiding Seminar Nasional*, 52-59.
- Pongpichaiudom, A. dan Songsermpong, S. 2018. Improvement of microwave-dried, protein-enriched, instant noodles by using hydrocolloids. *Journal Food Science Technology*, 55: 2610-2620.
- Pontoluli, D. F., Assa, J. R., dan Mamuaja, C. F. 2017. Karakteristik sifat fisik dan sensoris mie basah berbahan baku tepung sukun (*Artocarpus altilis fosberg*) dan tepung ubi jalar ungu (*Ipomea batatas* L.). *Cocos*, 1(8): 1-12.
- Purwandari, U., Khoiri, A., Muchlis, M., Noriandita, B., Zeni, N., F., Lisdayana, N., dan Fauziyah, E. 2014. Textural, cooking quality, and sensory evaluation of gluten-free noodle made from breadfruit, konjac, or pumpkin flour. *International Food Research Journal*, 21(4): 1623-1627.
- Putra, S. N. 2008. Optimalisasi formula dan proses pembuatan mi jagung dengan metode kalendering. S.T.P. Skripsi, Institut Pertanian Bogor.
- Rahayu, I. 2003. Karakteristik fisik komposisi kimia dan uji organoleptik ayam merawang dengan pemberian pakan bersuplemen omega-3. *Jurnal Teknologi dan Industri Pangan*, 14(3): 199-205.

- Ratnawati, L. dan Afifah, N. 2018. Pengaruh penambahan guar gum, carboxymethylcellulose (CMC) dan karagenan terhadap kualitas mi yang terbuat dari campuran mocaf, tepung beras, dan tepung jagung. *Pangan*, 27(1): 43-54.
- Ribotta, P. D., Ausar, S. F., Beltramo, D. M., dan Leon, A. E. 2005. Interaction of hydrocolloids and sonicated-gluten proteins. *Food Hydrocolloids*, 19: 93-99.
- Rogers, L. 2017. *Discrimination Testing in Sensory Science: A Practical Handbook*. Elsevier Ltd.
- Rosa, C.S., Prestes, R.C., Tessele, K., dan Crauss, M. 2015. Influence of the different addition levels of amaranth flour and rice flour on pasta buckwheat flour. *International Food Research Journal*, 22(2): 691-698.
- Sandhu, K. S., Kaur, M., dan Mukesh. 2010. Studies on noodle quality of potato and rice starches and their blends in relation to their physicochemical, pasting, and gel textural properties. *Food Science and Technology*, 43: 1289-1293.
- Sangspring, Y., Fukuoka, M., dan Ratanasumawong, S. 2015. The effect of sodium chloride on microstructure, water migration, and texture of rice noodle. *LWT*, 64: 1107-1113.
- Santoso, D. D. S. 2009. Pemanfaatan tepung premix berbahan dasar mutan sorgum Zh-30 untuk industri pembuatan adonan dan mie kering. *Jurnal Ilmiah Aplikasi Isotop dan Radiasi* 5(1): 1-21.
- Sari, R., Fadilah, R., dan Sukainah, A. 2020. Pengaruh substitusi tepung buah mangrove jenis lindur (*Bruguiera gymnorhiza*) terhadap kualitas mie basah. *Jurnal Pendidikan Teknologi Pertanian*, 6(1): 65-78.
- Seib, P. A., Liang, X., Guan, F., Liang, Y. T., dan Yang, H. C. 2000. Comparison of Asian noodles from some hard white and hard red wheat flours. *Cereal Chemistry*, 77(6): 816-822.
- Shere, P. D., Sahni, P., Devkatte, A. N., dan Pawar, V. N. 2020. Influence of hydrocolloids on quality characteristics functionality and microstructure of spinach puree-enriched instant noodles. *Nutrition & Food Science* 50(6): 1267-1277.
- Shiau, S. Y. 2004. Effects of emulsifiers on dough rheological properties and the texture of extruded noodles. *Journal Texture Studies*, 35: 93-103.
- Singh, N., Singh, J., dan Sodhi, N. S. 2002. Morphological, thermal, rheological, and noodle-making properties of potato and corn starch. *Journal of the Science of Food and Agriculture*, 82: 1376-1383.

- Siskawardani, D. D., Komar, N., dan Hermanto, M. B. 2013. Pengaruh konsentrasi Na-CMC (*Natrium-Carboxymethyle Cellulose*) dan lama sentrifugasi terhadap sifat fisik kimia minuman asam sari tebu (*Saccharum officinarum L.*). *Jurnal Bioproses Komoditas Tropis*, 1(1): 54-61.
- Sukamto, Azizah, R., Suprihana, dan Karim, F. 2019. Produksi mie protein tinggi dari terigu yang difortifikasi tepung komposit dan protein kacang hijau. *Prosiding Seminar Nasional Lahan Suboptimal 2019*: 487-495. Palembang, 4-5 September 2019.
- Tam, L. M., Corke, H., Tan, W. T., Li, J., dan Collado, L. S. 2004. Production of bihon-type noodles from maize starch differing in amylose content. *Cereal Chemistry*, 81(4): 475-480.
- Tan, F. J., Dai, W. T., dan Hsu, K. C. 2009. Changes in gelatinization and rheological characteristic of japonica rice starch induced by pressure/heat combinations. *Journal of Cereal Science*, 49:285-289.
- Ugarcic-Hardi, Z., Jukic, M., Komlenic, D. K., Sabo, M., dan Hardi, J. 2007. Quality parameters of noodles made with various supplements. *Czech Journal Food Science*, 25(3): 151-157.
- Wahdini, A. I., Susilo, B., dan Yulianingsih, R. 2014. Uji karakteristik mi instan berbahan dasar tepung terigu dengan substitusi mocafo dan pati jagung. *Jurnal Keteknikan Pertanian Tropis dan Biosistem*, 2(3): 234-245.
- Wahyudi. 2018. Optimasi rasio tepung terigu, tepung pisang, dan tepung umbi talas serta zat adiktif pada pembuatan mie basah. *AGRITEPA*, 4(2): 144-158.
- Widyaningsih, T. B. dan Murtini, E. S. 2006. *Alternatif Pengganti Formalin Pada Produk Pangan*. Surabaya: Tribus Agrisarana.
- Winarno, F. G. 2002. *Kimia Pangan dan Gizi*. Jakarta: PT. Gramedia Pustaka Utama.
- Zhou, Y., Cao, H., Hou, M., Nirasawa, S., Tatsumi, E., Foster, T. J., Cheng, Y. 2013. Effect of konjac glucomannan on physical and sensory properties of noodles made from low-protein wheat flour. *Food Research International*, 51: 879-885.
- Yi, H. C., Cho, H., Hong, J. J., Ryu, R. K., Hwang, K. T., dan Regenstein, J. M. 2012. Physicochemical and organoleptic characteristic of seasoned beef patties with added glutinous rice flour. *Meat Science* 92: 464-468.
- Yuwono, S. S. dan Waziiroh, E. 2019. *Teknologi Pengolahan Tepung Terigu dan Olahannya di Industri*. UB Press, Malang.