

DAFTAR PUSTAKA

- Adnan, M., Ahmad, A., Ahmed, A., Khalid, N., Hayat, I., dan Ahmed, I. 2013. Chemical Composition and Sensory Evaluation of Tea (*Camellia sinensis*) Commercialized in Pakistan. *Pakistan Journal of Botany*, 45(3): 901-907.
- Alara, O. R., Abdurahman, N. H., Mudalip, S. K. A., dan Olalere, O. A. 2017. Characterization and Effect of Extraction Solvents on the Yield and Total Phenolic Content from *Vernonia amygdalina* Leaves. *Journal of Food Measurement and Characterization*, 12(1): 311-316. doi: 10.1007/s11694-017-9642-y.
- Alexander, E., Richard, E., Victor, S., dan John, S. 2019. Physicochemical Properties and Antimicrobial Activities of Essential Oil Extracted from *Eucalyptus globulus* Leaves. *International Journal of Chemical Science*, 35(1): 1-4.
- Anjarsari, I. R. D. 2016. Katekin Teh Indonesia: Prospek dan Manfaatnya. *Jurnal Kultivasi*, 15(2): 99-106.
- Aoun, M. dan Makris, D. P. 2012. Binary Mixtures of Natural Polyphenolic Antioxidant with Ascorbic Acid: Impact of Interactions on the Antiradical Activity. *International Food Research Journal*, 19(2): 603-606.
- Association of Official Analytical Chemist (AOAC). 2005. *Official Methods of Analysis of AOAC International*. 18th ed. AOAC International, USA.
- Badan Pusat Statistik. 2019. *Statistik Teh Indonesia 2018*. Badan Pusat Statistik Republik Indonesia, Jakarta.
- Bernatoniene, J. dan Kopustinskiene, D. M. 2018. The Role of Catechins in Cellular Responses to Oxidative Stress. *Molecules*, 23(4): 1-11. doi: 10.3390/molecules23040965.
- Boukhatem, M. N., Boumaiza, A., Nada, H. G., Rajabi, M., dan Mousa, S. A. 2020. *Eucalyptus globulus* Essential Oil as a Natural Food Preservative: Antioxidant, Antibacterial, and Antifungal Properties In Vitro and in a Real Food Matrix (*Orangina Fruit Juice*). *Applied Sciences*, 10(16): 1-17. doi: 10.3390/app10165581.
- Bradshaw, M. P., Barril, C., Clark, A. C., Prenzler, P. D., dan Scollary, G. R. 2011. Ascorbic Acid: A Review of its Chemistry and Reactivity in Relation to a Wine Environment. *Critical Reviews in Food Science and Nutrition*, 51(6): 479-498. doi: 10.1080/10408391003690559.

- Briand, L. dan Salles, C. 2016. *Flavor from Food to Behaviors, Wellbeing, and Health: Taste Perception and Integration*. Woodhead Publishing Series in Food Science, Technology, and Nutrition, United Kingdom.
- Bule, M., Khan, F., Nisar, M. F., dan Niaz, K. 2020. *Recent Advances in Natural Products Analysis*. Elsevier, Australia.
- Carlioni, P., Tiano, L., Padella, L., Bacchetti, T., Customu, C., Kay, A., dan Damiani, E. 2012. Antioxidant Activity of White, Green, and Black Tea Obtained from the Same Tea Cultivar. *Food Research International*, 53(2): 900-908. doi: 10.1016/j.foodres.2012.07.057.
- Chandini, S. K., Rao, L. J., dan Subramanian, R. 2011. Influence of Extraction Conditions on Polyphenols Content and Cream Constituents in Black Tea Extracts. *International Journal of Food Science and Technology*, 46(4): 879-886. doi: 10.1111/j.1365-2621.2011.02576.x.
- Chaturvedula, V. S. dan Prakash, I. 2011. The Aroma, Taste, Color, and Bioactive Constituents of Tea. *Journal of Medical Plant Research*, 5(11): 2110-2124.
- Chauhan, O. P., Archana, B. S., Singh, A., Raju, P. S., dan Bawa, A. S. 2014. A Refreshing Beverage from Mature Coconut Water Blended with Lemon Juice. *Journal of Food Science Technology*, 51(11): 3355-3361. doi: 10.1007/s13197-012-0825-6.
- Cleverdon, R., Elhalaby, Y., McAlpine, M. D., Gittings, W., dan Ward, W. E. 2018. Total Polyphenol Content and Antioxidant Capacity of Tea Bags: Comparison of Black, Green, Red Rooibos, Chamomile, and Peppermint over Different Steep Times. *Beverages (MDPI)*, 4(15): 1-13. doi: 10.3390/beverages4010015.
- Darmawan, M. 2012. Penetapan Kadar Teobromin dan Kafein dalam Ekstrak Serbuk Cokelat Merk "X" Menggunakan Metode Kromatografi Cair Kinerja Tinggi Fase Terbalik. *Skripsi*, Universitas Sanata Dharma, Daerah Istimewa Yogyakarta.
- Deskawi, O., Ningsih, R., Avisena, N., dan Hastuti, E. 2015. Potensi Ekstrak Kasar Teh Hitam (*Camellia sinensis*) sebagai Pewarna (Dye) pada Pembuatan Sela Surya Tersensitisasi (SSPT). *Alchemy*, 4(1): 50-59.
- Dewata, I. P., Wipradnyadewi, P. A. S., dan Widarta, I. W. R. 2017. Pengaruh Suhu dan Lama Penyeduhan terhadap Aktivitas Antioksidan dan Sifat Sensoris Teh Herbal Daun Alpukat (*Persea americana* Mill.). *Jurnal Ilmu dan Teknologi Pangan*, 6(2): 30-39.

- Dewi, A. P. 2018. Penetapan Kadar Vitamin C dengan Spektrofotometri UV-Vis pada Berbagai Variasi Buah Tomat. *Journal of Pharmacy and Science*, 2(1): 9-13.
- Dezsi, S., Badarau, A. S., Bischin, C., Vodnar, D. C., Dumitrescu, R., Gheldiu, A., Mocan, A., dan Vlase, L. 2015. Antimicrobial and Antioxidant Activities and Phenolic Profile of *Eucalyptus globulus* Labill. and *Corymbia ficifolia* (F. Muell.) K.D. Hill & L.A.S. Johnson Leaves. *Molecules*, 20(3): 4720-4734. doi: 10.3390/molecules20034720.
- Dias, N. A. A., Lara, S. B., Miranda, L. S., Pires, I. S. C., Pires, C. V., dan Halboth, N. V. 2012. Influence of color on acceptance and identification of flavor of foods by adults. *Ciencia e Tecnologia de Alimentos*, 32(2): 296-301. doi: 0.1590/S0101-20612012005000059.
- Fajar, R. I., Wrsiati, L. P., dan Suhendra, L. 2018. Kandungan Senyawa Flavonoid dan Aktivitas Antioksidan Ekstrak Teh Hijau pada Perlakuan Suhu Awal dan Lama Penyeduhan. *Jurnal Rekayasa dan Manajemen Agroindustri*, 6(3): 196-202.
- Feliana, K., Mursiti, S., dan Harjono. 2018. Isolasi dan Elusidasi Senyawa Flavonoid dari Biji Alpukat (*Persea americana* Mill.). *Indonesian Journal of Chemical Science*, 7(2): 153-159.
- Ferreira, C. D. S., Pereyra, A., Patriarca, A., Mazzobre, M. F., Polak, T., Abram, V., Buera, M. P., dan Ulrih, N. P. 2016. Phenolic Compounds in Extracts from *Eucalyptus globulus* Leaves and *Calendula officinalis* Flowers. *Journal of Natural Products and Resources*, 2(1): 53-57.
- Fitriyana, R. A. 2017. Perbandingan Kadar Vitamin C pada Jeruk Nipis (*Citrus aurantifolia*) dan Jeruk Lemon (*Citrus limon*) yang Dijual di Pasar Lingsapura Kabupaten Brebes. *Publicitas*, 2(2): 1-11.
- Food and Agriculture Organization of the United Nations. 2015. *World Tea Production and Trade Current and Future Development*. Food and Agriculture Organization of the United Nations, Roma.
- Grassmann, J. 2005. Terpenoids as Plant Antioxidants. *Elsevier Vitamins and Hormones*, 72: 505-535. doi: 10.1016/S0083-6729(05)72015-X.
- Gupta, V. K., Zhao, Y., Shoyama, Y., Pryme, I. F., Li, G. Q., dan Serkedjieva, J. 2016. *Camellia sinensis* (L.) Kuntze: A Review of Chemical and Nutraceutical Properties. *Natural Products*, 4(2): 21-62.

- Hardoko, Tanudjaja, Y., Mastuti, T. S., dan Halim, Y. 2018. Utilization of Soursop Leaves as Antihyperuricemic in Functional Beverage Herbal Green Tea. *International Food Research Journal*, 25(1): 321-328.
- Hayat, K., Iqbal, H., Malik, U., Bilal, U., dan Mushtaq, S. 2015. Tea and Its Consumption: Benefits and Risks. *Critical Reviews in Food Science and Nutrition*, 55(7): 939-954. doi: 10.1080/10408398.2012.678949.
- Hayat, U., Jilani, M. I., Rehman, R., dan Nadeem, F. 2015. A Review of *Eucalyptus globulus*: A New Perspective in Therapeutics. *International Journal of Chemical and Biochemical Sciences*, 8:85-91.
- Helwandi, I. R. 2016. Validasi Metode Spektrofotometri Uv-Vis Analisis Tiga Panjang Gelombang untuk Penetapan Kadar Tablet Prednison yang Mengandung Zat Pewarna. *Skripsi*, Universitas Airlangga, Surabaya.
- Herald, T. J., Gadgil, P., Perumal, R., Bean, S. R., dan Wilson, J. D. 2014. High Throughput Micro Plate HCl-Vanillin Assay for Screening Tannin Content in Sorghum Grain. *Journal of the Science of Food and Agriculture*, 94(10): 2133-2136. doi: 10.1002/jsfa.6538.
- Hoffman, A. C., Salgado, R. V., Dresler, C., Faller, R. W., dan Bartlett, C. 2016. Flavour Preferences in Youth versus Adults: a Review. *British Medical Journal*, 25(2): 32-39.
- Husni, P. dan Puspitaningrum, K. 2017. Pengembangan Formula Nano-Fitosom Serbuk Liofilisasi Seduhan Teh Hitam (*Camellia sinensis* L. Kuntze). *International Journal Pharmaceutical Science and Technology*, 4(3): 100-111.
- Ibrahim, Y. A., Musa, A., dan Yakasai, I. A. 2017. Spectrophotometric Method for Determination of Catechins in Green Tea and Herbal Formulations. *Nigerian Journal of Pharmaceutical Sciences*, 16(1): 25-30.
- International Organization for Standardization (ISO). 2019. *ISO 3103:2019: Tea - Preparation of Liquor for Use in Sensory Tests*. International Organization for Standardization, Switzerland.
- Jaya, I. G. N. I. P., Leliqia, N. P. E., dan Widjaja, I. N. K. 2012. Uji Aktivitas Penangkapan Radikal DPPH Ekstrak Produk Teh Hitam (*Camellia Sinensis* (L.)) Dan Gambir (*Uncaria Gambir* (Hunter) Roxb) serta Profil Klt-Densitometrinya. *Jurnal Farmasi Udayana*, 1(1): 86-101.
- Kalemba, D. dan Kunicka, A. 2003. Antibacterial and Antifungal Properties of Essential Oils. *Current Medicinal Chemistry*, 10(10): 813-829.

- Karastogianni, S., Girousi, S., dan Sotiropoulos, S. 2016. pH: Principles and Measurement. *The Encyclopedia of Food and Health*, 4: 333-338. doi: 10.1016/B978-0-12-384947-2.00538-9.
- Kodagoda, K. H. G. K. dan Wickramasinghe, I. 2017. Health Benefits of Green and Black Tea: A Review. *International Journal of Advanced Engineering Research and Science*, 4(7): 107-112. doi: 10.22161/ijaers.4.7.16.
- Koleckar, V., Kubikova, A., Rehakova, Z., Kuca, K., Jun, D., Jahodar, L., dan Opletal, L. 2008. Condensed and Hydrolysable Tannin as Antioxidants Influencing the Health. *Mini Reviews in Medicinal Chemistry*, 8(5): 436-447. doi: 10.2174/138955708784223486.
- Koswandy, L. F. dan Ramadhania, Z. M. 2016. Kandungan Senyawa Kimia dan Bioaktivitas *Eucalyptus globulus* Labill. *Farmaka*, 14(2): 63-78.
- Kumari, S., Sarmah, N., dan Handique, A. K. 2013. Antioxidant Activities of the Unripen and Ripen *Citrus aurantifolia* of Assam. *International Journal of Innovative Research in Science, Engineering, and Technology*, 2(9): 4811-4816.
- Kusuma, G. S. P. dan Fibrianto, K. 2018. Pengaruh Optimasi Lama Fermentasi terhadap Karakteristik Kombucha Daun Tua Kopi Robusta Dampit Metode Oksidatif dan Non-Oksidatif. *Jurnal Pangan dan Agroindustri*, 6(4): 87-97.
- Kusumaningrum, R., Supriadi, A., dan Hanggita, S. 2013. Karakteristik dan Mutu Teh Bunga Lotus (*Nelumbo nucifera*). *Jurnal FishTech*, 2(1): 9-21.
- Lamien-Meda, A., Lamien, C. E., Compaore, M. M. Y., Meda, R. N. T., Kiendrebeogo, M., Zeba, B., Nacoulma, O. G. 2008. "Polyphenol Content and Antioxidant Activity of Fourteen Wild Edible Fruits from Burkina Faso". *Molecules*, 13(3): 581-594. doi: 10.3390/molecules13030581.
- Lantano, C., Rinaldi, M., Cavazza, A., Barbanti, D., Corradini, C. 2015. Effects of Alternative Steeping Methods on Composition, Antioxidant Property, and Colour of Green, Black, and Oolong Tea Infusions. *Journal of Science and Technology*, 52(12): 8276-8283. doi: 10.1007/s13197-015-1971-4.
- Lattanzio, V. 2013. *Natural Products: Phytochemistry, Botany and Metabolism of Alkaloids, Phenolics and Terpenes*. Springer, Jerman.
- Liang, Y., Lu, J., Zhang, L., Wu, S., dan Wu, Y. 2005. Estimation of Tea Quality by Infusion Colour Difference Analysis. *Journal of Science and Agriculture*, 85: 286-292. doi: 10.1002/jsfa.1953.

- Li, S., Lo, C. Y., Pan, M. H., Lai, C. S., dan Ho, C. T. 2012. Black Tea: Chemical Analysis and Stability. *Food and Function*, 4:10-18. doi: 10.1039/c2fo30093a.
- Lin, S., Yang, J., Hsieh, Y., Liu, E., Mau, J. 2013. Effect of Different Brewing Methods on Quality of Green Tea. *Journal of Food Processing and Preservation*, 38(3): 1234-1243. doi: 10.1111/jfpp.12084.
- Luis, A., Duarte, A., Gominho, J., Domingues, F., dan Duarte, A. P. 2015. Chemical Composition, Antioxidant, Antibacterial, and Anti-Quorum Sensing Activities of *Eucalyptus globulus* and *Eucalyptus radiata* Essential Oils. *Industrial Crops and Products*, 1-9. doi: 10.1016/j.indcrop.2015.10.055.
- Lunkes, L. B. F. dan Hashizume, L. N. 2014. Evaluation of the pH and Titratable Acidity of Teas Commercially Available in Brazilian Market. *Revista Gaucha de Odontologia*, 62(1): 59-64.
- Maesaroh, K., Kurnia, D., dan Anshori, J. A. 2018. Perbandingan Metode Uji Aktivitas Antioksidan DPPH, FRAP, dan FIC terhadap Asam Askorbat, Asam Galat, dan Kuersetin. *Jurnal Chimica et Natura Acta*, 6(2): 93-100. doi: 10.24198/can.v6.n2.19049.
- Mahony, A. 2011. Effect of Color on the Odor, Flavor, and Acceptance Properties of Foods and Beverages. M.Sc., Kansas State University.
- Mawardi, Y. S. A., Pramono, Y. B., dan Setiani, B. E. 2016. Kadar Air, Tanin, Warna dan Aroma Off-Flavour Minuman Fungsional Daun Sirsak (*Annona muricata*) dengan Berbagai Konsentrasi Jahe (*Zingiber officinale*). *Jurnal Aplikasi Teknologi Pangan*, 5(3): 94-98. doi: 10.17728/jatp.179.
- McAlpine, M. D. dan Ward, W. E. 2016. Influence of Steep Time on Polyphenol Content and Antioxidant Capacity of Black, Green, Rooibos, and Herbal Teas. *Beverages (MDPI)*, 2(17): 1-12.
- Murugesan, P., Venkateswaran, G., Sathish, G., dan Shanmugaselvan, V. 2020. Enhancing the Quality of Naturally Oxidized Tea with Ascorbic Acid. *International Journal of Advanced Engineering Research and Science*, 7(4): 403-409. doi: 10.22161/ijaers.74.50.
- Muzolf-Panek, M., Gliszczynska-Swiglo, A., Szymusiak, H., dan Tyrakowska, B. 2012. The Influence of Stereochemistry on the Antioxidant Properties of Catechin Epimers. *Europe Food Research Journal*, 235: 1001-1009. doi: 10.1007/s00217-012-1826-4.

- Nadiah, N. I. dan Uthumporn, U. 2015. Determination of Phenolic and Antioxidant Properties in Tea and Spent Tea Under Various Extraction Method and Determination of Catechins, Caffeine and Gallic Acid by HPLC. *International Journal on Advanced Science Engineering and Information Technology*, 5(3): 158-164.
- Nangbes, J. G., Lawam, D. T., Nvau, J. B., Zukdimma, N. A., dan Dawam, N. N. 2014. Titrimetric Determination of Ascorbic Acid Levels in Some Citrus Fruits of Kurgwi, Plateau State Nigeria. *IOSR Journal of Applied Chemistry*, 7(9): 1-3.
- Narang, N. dan Jiraungkoorskul, W. 2016. Anticancer Activity of Key Lime, *Citrus aurantifolia*. *Pharmacognosy Review*, 10(20): 118-122. doi: 10.4103/0973-7847.194043.
- Negukhula, S., Mudau, F. N., Mariga, I. K., dan Liphadzi, K. B. 2011. Effect of Soaking Conditions on Total Phenolic and Antioxidant Capacity of Black Tea and Black Tea Combined (50:50) with Bush Tea. *Indian Journal of Horticulture*, 68(1): 91-95.
- Nimse, S. B. dan Pal, D. 2015. Free Radicals, Natural Antioxidants, and Their Reaction Mechanisms. *Royal Society of Chemistry*, 5: 27986-28006. doi: 10.1039/c4ra13315c.
- Obanda, M., Owuor, P. O., Mangoka, R., dan Kavoi, M. M. 2004. Changes in Thearubigin Fractions and Theaflavin Levels due To variations in Processing Conditions and Their Influence on Black Tea Liquor Brightness and Total Colour. *Food Chemistry*, 85(2): 163-173. doi: 10.1016/S0308-8146(02)00183-8.
- Palanivel, M., Gopal, V., Thevar, K. S., dan Veilumuthu, S. 2018. Impact of Different Steeping Time and Water Temperature on Tea Liquor. *International Journal of Technical Research and Science*, 3(1): 15-18. doi: 10.30780/IJTRS.V3.I1.2018.005.
- Paramita, N. L. P. V, Andari, N. P. T. W., Andani, N. M. D., dan Susanti, N. M. P. 2020. Penetapan Kadar Fenol Total dan Katekin Daun Teh Hitam dan Ekstrak Aseton Teh Hitam dari Tanaman *Camellia sinensis var. Assamica*. *Journal of Chemistry*, 14(1): 43-50.
- Parlina, S., Pokatong, W. D., dan Wijaya, J. R. 2012. Study of Antioxidant Characteristics of Cider Preparation from Pomegranate (*Punica granatum L.*) Fruit Peels. *Skripsi*, Universitas Pelita Harapan, Tangerang.

- Pathare, P. B., Opara, U. L., dan Alsaid, F. A. 2013. Colour Measurement and Analysis in Fresh and Processed Foods: A Review. *Food and Bioprocess Technology*, 6: 36-60. doi: 10.1007/s11947-012-0867-9.
- Permadi, M. Z., Oktafa, H., Agustianto, K. 2018. Perancangan Sistem Uji Sensoris Makanan dengan Pengujian Preference Test (Hedonik dan Mutu Hedonik), Studi Kasus Roti Tawar, Menggunakan Algoritma Radial Basis Function Network. *Jurnal Mikrotik*, 8(1): 29-42.
- Prastiwi, A. E. dan Lontoh, A. P. 2019. Manajemen Pemetikan Tanaman Teh (*Camellia sinensis* (L) O. Kuntze) di Unit Perkebunan Tambi, Wonosobo, Jawa Tengah. *Buletin Agrohorti*, 7(1): 115-122. doi: 10.29244/agrob.7.1.115-122.
- Prastiwi, S. S. dan Ferdiansyah, F. 2017. Kandungan dan Aktivitas Farmakologi Jeruk Nipis (*Citrus aurantifolia*). *Farmaka*, 15(2): 1-8.
- Rohdiana, D. 2015. Teh: Proses, Karakteristik, dan Komponen Fungsional. *Foodreview Indonesia*, 10(8): 34-37.
- Santoso, B. 2016. Pemanfaatan Jeruk Nipis sebagai Elektrolit dalam Sistem Sel Volta. *Skripsi*, Universitas Islam Negeri Sultan Syarif Kasim, Riau.
- Saklar, S., Ertas, E., Ozdemir, I. S., dan Karadeniz, B. 2015. Effects of Different Brewing Conditions on Catechin Content and Sensory Acceptance in Turkish Green Tea Infusions. *Journal of Food Science and Technology*, 52(10): 6639-6646. doi: 10.1007/s13197-015-1746-y.
- Saletnik, B., Zagula, G., Grabek-Lejko, D., Kasprzyk, I., Bajcar, M., Czernicka, M., dan Puchalski, C. 2017. Effect of Infusion Time and Addition of Lemon Juice on the Mobility of Selected Macroelements and Aluminium During Aqueous Extraction of Quality Brands of Leaf Tea. *Journal of Elementology*, 23(2): 611-624. doi: 10.5601/jelem.2017.22.3.1449.
- Sari, S. N. dan Mursiti, S. 2016. Isolasi Flavonoid dari Biji Mahoni (*Swietenia macrophylla*) dan Uji Aktivitasnya sebagai Antibakteri. *Indonesian Journal of Chemical Science*, 5(3): 178-183.
- Sharif, M. K., Butt, M. S., Sharif, H. R., Nasir, M. 2017. *Handbook of Food Science and Technology: Sensory Evaluation and Consumer Acceptability*. Research Gate, Pakistan.
- Sharma, K., Kumar, V., Kaur, J., Tanwar, B., Goyal, A., Sharma, R., Gat, Y., dan Kumar, A. 2019. Health Effects, Sources, Utilization, and Safety of Tannins: A Critical Review. *Toxin Reviews*, 38(1): 1-13. doi: 10.1080/15569543.2019.1662813.

- Sinha, S. K. dan Ghaskadbi, S. S. 2013. Thearubigins Rich Black Tea Fraction Reveals Strong Antioxidant Activity. *International Journal of Green Pharmacy*, 7(4): 336-344. doi: 10.4103/0973-8258.122099.
- Sipalehut, S. G., Tetelepta, G., dan Patty, J. 2017. Kajian Penambahan Minyak Atsiri dari Daging Buah Pala (*Myristica fragrans* Houtt.) pada Cake terhadap Daya Penerimaan Konsumen. *Jurnal Sains dan Teknologi Pangan*, 2(2): 486-495.
- Sirivibulkovit, K., Nouanthavong, S., dan Sameenoi, Y. 2018. Paper-Based DPPH Assay for Antioxidant Activity Analysis. *Analytical Sciences*, 34(7): 795-800. doi: 10.2116/analsci.18P014.
- Skotnicka, M., Wynimko, J. C., Jankun, J., dan Jankun, E. S. 2011. The Black Tea Bioactivity: An Overview. *Central European Journal of Immunology*, 36(4): 284-292.
- Sudaryat, Y., Kusmiyati, M., Pelangi, C. R., Rustamsyah, A., dan Rohdiana, D. 2015. Aktivitas Antioksidan Seduhan Sepuluh Jenis Mutu Teh Hitam (*Camellia sinensis*) Indonesia. *Jurnal penelitian teh dan kina*, 18(2): 95-100.
- Sudjatini. 2016. Sifat Pro-oksidan Sari Jeruk Nipis (*Citrus aurentifolia*) terhadap Aktivitas Antioksidan Teh Hijau (*Camellia sinensis*). *Agrotech*, 1(1): 19-26.
- Suhartati, T. 2017. *Dasar-Dasar Spektrofotometri UV-Vis dan Spektrofotometri Massa untuk Penentuan Struktur Senyawa Organik*. Anugrah Utama Raharja, Bandar Lampung.
- Su, Y. L., Leung, L. K., Huang, Y., dan Chen, Z. Y. 2003. Stability of Tea Theaflavins and Catechins. *Elsevier Food Chemistry*, 83(2): 189-195. doi: 10.1016/S0308-8146(03)00062-1.
- Takemoto, M. dan Takemoto, H. 2018. Synthesis of Theaflavins and Their Functions. *Molecules*, 23(4): 1-18. doi:10.3390/molecules2304091.
- Tamer, C. E., Yekeler, F. Z., Copur, O. U., Incedayi, B., Suna, S. 2017. A Study of Fortification of Lemonade with Herbal Extracts. *Food Science and Techonology*, 37(1): 45-51. doi: 0.1590/1678-457X.06016.
- Tanjung, R., Hamzah, F., dan Efendi, R. 2016. Lama Fermentasi terhadap Mutu Teh Daun Sirsak. *Jurnal Online Mahasiswa Fakultas Pertanian Universitas Riau*, 3(2): 1-9.

- Thakur, A., Sharma, V., dan Thakur, A. 2019. An Overview of Anti-Nutritional Factors in Food. *International Journal of Chemical Studies*, 7(1): 2472-2479.
- Thanoza, H., Silsia, D., dan Efendi, Z. 2016. Pengaruh Kualitas Pucuk dan Persentase Layu terhadap Sifat Fisik dan Organoleptik Teh CTC. *Jurnal Agroindustri*, 6(1): 42-50.
- Towaha, J. dan Balitri. 2013. Kandungan Senyawa Kimia pada Daun Teh (*Camellia sinensis*). *Warta Penelitian dan Pengembangan Tanaman Industri*, 19(3): 12-16.
- Tristantini, D., Ismawati, A., Pradana, B. T., dan Jonathan, J. G. 2016. Pengujian Aktivitas Antioksidan menggunakan Metode DPPH pada Daun Tanjung (*Mimusops elengi* L). *Prosiding Seminar Nasional Teknik Kimia Kejuangan 2016*. Yogyakarta, 17 Maret 2016.
- Ulger, I., Kamalak, A., Kurt, O., Kaya, E., dan Guven, I. 2017. Comparison of the Chemical Composition and Anti-Methanogenic Potential of *Liquidambar orientalis* Leaves with *Laurus nobilis* and *Eucalyptus globulus* Leaves using an *In Vitro* Gas Production Technique. *Ciencia e Investigacion Agraria*, 44(1): 75-82. doi: 10.7764/rcia.v44i1.1637.
- Vuong, Q. V., Golding, J. B., Stathopoulos, C. E., Roach, P. D. 2012. Effect of Aqueous Brewing Solutions pH on the Extraction of the Major Green Tea Constituents. *Food Research International*, 53: 713-719.
- Winarsi, H., Nuraeni, I., Roselina, A., dan Andreas, A. 2020. Sensory and Antioxidant Evaluation of Functional Drinks Based on Cardamom Rhizomes (*Amomum cardamomum* willd.). *Food Research*, 4(6): 2169-2175. doi: 10.26656/fr.2017.4(6).265.
- Yuann, J. P., Wu, J., Chang, H., Liang, J. 2015. Effects on Temperature and Water Steeping Duration on Antioxidant Activity and Caffeine Content of Tea. *MC Transaction on Biotechnology*, 7(1): 22-32.
- Yuliana. 2015. Sintesis dan Karakterisasi Senyawa Azo dari P-Aminofenol dengan Sulfanilamida. *Skripsi*, Universitas Jember, Jawa Timur.
- Zeng, L., Maa, M., Li, C., dan Luo, L. 2017. Stability of Tea Polyphenols Solution with Different pH at Different Temperatures. *International Journal of Food Properties*, 20(1): 1-18. doi: 10.1080/10942912.2014.983605.