

DAFTAR PUSTAKA

- AASHTO. (2013). T105-13 Standard Method of Test for Determining the Fracture Energy of Asphalt Mixtures Using the Semi Circular Bend Geometry Proposed Test Method to be reviewed by the FHWA Mixture ETG Standard Method of Test for Determining the Fracture Energy of Asphalt. *American Association of State and Highway Transportation Officials*.
- Abdullah, M. E., Zamhari, K. A., Buhari, R., Bakar, S. K. A., Kamaruddin, N. H. M., Nayan, N., Hainin, M. R., Hassan, N. A., Hassan, S. A., & Yusoff, N. I. M. (2014). Warm mix asphalt technology: A review. *Jurnal Teknologi*, 71(3), 39–52. <https://doi.org/10.11113/jt.v71.3757>
- Abtahi, S. M., Sheikhzadeh, M., & Hejazi, S. M. (2010). Fiber-reinforced asphalt-concrete – A review. *Construction and Building Materials*, 24(6), 871–877. doi:10.1016/j.conbuildmat.2009.11.009
- Aliha, M. R. M., Heidari-Rarani, M., Shokrieh, M. M., & Ayatollahi, M. R. (2012). Experimental determination of tensile strength and K_{Ic} of polymer concretes using semi circular bend (SCB) specimens. *Structural Engineering and Mechanics*, 43(6), 823–833. <https://doi.org/10.12989/sem.2012.43.6.823>
- Artamendi, I., & Khalid, H. A. (2006). A comparison between beam and semi-circular bending fracture tests for asphalt. *Road Materials and Pavement Design*, 7(December 2014), 163–180. <https://doi.org/10.1080/14680629.2006.9690063>

Asphalt Institute. (2015). *MS-2 Asphalt Mix Design Methods* (7th Ed). Asphalt Institute

Barry, M. K. (2016). *An analysis of impact factors on the Illinois flexibility index test (Master's thesis)*. <https://www.ideals.illinois.edu/handle/2142/95565>

Batioja-Alvarez, D., Lee, J., & Haddock, J. E. (2019). Understanding the Illinois Flexibility Index Test (I-FIT) using Indiana Asphalt Mixtures. *Transportation Research Record*, 2673(6), 337–346.

<https://doi.org/10.1177/0361198119841282>

BPSDM Kementerian PU dan Perumahan Rakyat. (2016). *Spesifikasi Perkerasan Aspal*.

Brasileiro, L., Moreno-Navarro, F., Tauste-Martínez, R., Matos, J., & Rubio-Gámez, M. del C. (2019). Reclaimed polymers as asphalt binder modifiers for more sustainable roads: A review. *Sustainability (Switzerland)*, 11(3), 1–20. <https://doi.org/10.3390/su11030646>

Daniel, C. (2019). *Analisis Pengaruh Penggunaan Fibre Aramid-Polyolefin Terhadap Performa Campuran Aspal Hangat*.

Delft, T. U. (2017). *NEN-EN 12697-44*.

Fitzgerald RL. (2000). Novel applications of carbon fiber for hot mix asphalt reinforcement and carbon–carbon pre-forms. *MSc Thesis, Department of Chemical Engineering*, Michigan Technological University.

Goh, S. W. (2012). *Digital Commons @ Michigan Tech Development and improvement of warm-mix asphalt technology*.

Hamzah, M. O., Golchin, B., Jamshidi, A., & Chailleux, E. (2015). Evaluation of Rediset for use in warm-mix asphalt: A review of the literatures. *International Journal of Pavement Engineering*, 16(9), 809–831.

<https://doi.org/10.1080/10298436.2014.961020>

Kaseer, F., Yin, F., Arámbula-Mercado, E., Epps Martin, A., Daniel, J. S., & Salari, S. (2018). Development of an index to evaluate the cracking potential of asphalt mixtures using the semi-circular bending test. *Construction and Building Materials*, 167, 286–298.

<https://doi.org/10.1016/j.conbuildmat.2018.02.014>

Kementerian Pekerjaan Umum dan Perumahan Rakyat; Direktorat Jenderal Bina Marga. (2010). *Spesifikasi Umum 2010 (Revisi 3) Divisi 6* (pp. 1–89).

Kementerian Pekerjaan Umum dan Perumahan Rakyat; Direktorat Jenderal Bina Marga. (2016). *Spesifikasi Khusus Interim Campuran Beraspal Hangat Bergradasi Menerus (Laston Hangat)*.
<https://binamarga.pu.go.id/v3/uploads/files/111/campuran-beraspal-hangat-bergradasi-menerus-laston-hangat.pdf>

Kim, M., Mohammad, L., & Elseifi, M. (2012). Characterization of fracture properties of asphalt mixtures as measured by semicircular bend test and indirect tension test. *Transportation Research Record*, 2296, 115–124.

<https://doi.org/10.3141/2296-12>

King, G., Helen, K., Johnston, J., Galehouse, L., & Voth, M., (2011). *Polymer Modified Asphalt Emulsions: Composition, Uses, and Specifications for*

- Surface Treatments.* 10.13140/RG.2.2.34586.03520.
- Li, X., & Marasteanu, M. O. (2010). *Using Semi Circular Bending Test to Evaluate Low Temperature Fracture Resistance for Asphalt Concrete.* 867–876. <https://doi.org/10.1007/s11340-009-9303-0>
- Lim, I. L., Johnston, I. W., & Choi, S. K. (1993). Stress intensity factors for semi-circular specimens under three-point bending. *Engineering Fracture Mechanics*, 44(3), 363–382. [https://doi.org/10.1016/0013-7944\(93\)90030-V](https://doi.org/10.1016/0013-7944(93)90030-V)
- Lu, D. X., Saleh, M., & Nguyen, N. H. T. (2020). Evaluation of Fracture and Fatigue Cracking Characterization Ability of Nonstandardized Semicircular-Bending Test for Asphalt Concrete. *Journal of Materials in Civil Engineering*, 32(8), 04020215. [https://doi.org/10.1061/\(asce\)mt.1943-5533.0003292](https://doi.org/10.1061/(asce)mt.1943-5533.0003292)
- Mahrez A, Karim M, Katman H. (2003). *Prospect of using glass fiber reinforced bituminous mixes.* J East Asia Soc Trans Studies, 5, 794–807.
- Miller, S., & Beuving, E. (2012). *Warm mix asphalt - too cold to handle ? Learning to deal with the operational consequences of warm mix asphalt.* October 2014.
- Molenaar, J. M. ., Liu, X., & Molenaar, A. A. A. (2003). *Resistance to crack-growth and fracture of asphalt mixture, Sixth International RILEM Symposium on Performance Testing and Evaluation of Bituminous Materials. PERFORMANCE TESTING AND EVALUATION OF BITUMINOUS MATERIALS PTEBM'03. PROCEEDINGS OF THE 6TH INTERNATIONAL RILEM SYMPOSIUM HELD ZURICH, SWITZERLAND, 14-16 APRIL 2003,* 618–625. <http://worldcat.org/isbn/2912143357>

Nsengiyumva, G. ;, Kim, Y.-R., & You, T. (2015). *Development of a Semicircular Bend (SCB) Test Method for Performance Testing of Nebraska Asphalt Mixtures*. 171. <https://digitalcommons.unl.edu/ndor/171>

Ozer, H., Al-Qadi, I. L., Lambros, J., El-Khatib, A., Singhvi, P., & Doll, B. (2016). Development of the fracture-based flexibility index for asphalt concrete cracking potential using modified semi-circle bending test parameters. *Construction and Building Materials*, 115, 390–401. <https://doi.org/10.1016/j.conbuildmat.2016.03.144>

Performance related characterisation of the mechanical behaviour of asphalt mixtures. (n.d.).

Pertamina.com. (2020, November 17). *Pertamina Asphalt Product Specification*. <https://www.pertamina.com/Media/Upload/Files/Bitumen.pdf>

Polacco, G., Filippi, S., Merusi, F., & Stastna, G. (2015). AC. *Advances in Colloid and Interface Science*. <https://doi.org/10.1016/j.cis.2015.07.010>

Rogers, D., Karan, P., Turner, I., Arnold, G., & Alexander, D. (2019). *Performance benefits of polymer modified bitumen binders for thin surfacings*.

Roque, R., Koh, C., Chen, Y., Sun, X., & Lopp, G. (2009). *Introduction of Fracture Resistance to the Design and Evaluation of Open Graded Friction Courses in Florida*. July 2009, 267.

Spesifikasi Umum. (2018). *Spesifikasi Umum 2018*. September.