ACKNOWLEDGEMENTS

The foremost gratitude is to Lord Jesus Christ for His blessings and guidance given to the author in completing this thesis entitled "STUDY ON THE ACTIVE EDIBLE FILM MADE OF SAGO FLOUR AND BLACK CUMIN POWDER WITH GLYCEROL PLASTICIZER".

This thesis was written as the partial fulfillment of the academic requirement to obtain the degree of *Sarjana Teknologi Pertanian Strata Satu*, Food Technology Study Program, Faculty of Science and Technology, Universitas Pelita Harapan, Tangerang. This thesis is also useful to apply the knowledge that have been received and as a new experience that is not able to be obtained during the study at the university.

The author realizes that this thesis would not be possible to be completed well and in time without the guidance, assistance, prayers and supports from various parties involved. Thereby, the author would like to take this opportunity to express her gratitude towards those who have helped and given support during the completion of this final project, including:

- 1. Eric Jobiliong, Ph.D., Dean of Faculty of Science and Technology for the guidance and helpful inputs during study in Universitas Pelita Harapan.
- 2. Laurence, MT., Director of Faculty of Science and Technology for the inspiring words and support during study in Universitas Pelita Harapan.
- Sunie Rahardja, M.S.CE. as acting vice Dean of Faculty of Science and Technology.
- 4. Ir. W. Donald R. Pokatong, M.Sc., Ph.D., Head of Food Technology Study

Program, guided, supported, given useful inputs during study in Universitas Pelita Harapan.

- 5. Ratna Handayani, MP, Deputy Head of Food Technology Study Program who has guided the author to perform the thesis project.
- 6. Dr. Ir. Raffi Parmawati, M.Si., as thesis supervisor for the guidance, patience, support, encouragement, knowledge, and time given from the beginning of the thesis proposal preparation till the completion of the thesis.
- 7. Intan Cidarbulan Matita, Ph.D, as thesis co-supervisor for the guidance, support, and knowledge throughout the thesis project.
- 8. Wenny S.L. Br. Sinaga M.Si., as academic supervisor for the useful knowledge and support during study in Universitas Pelita Haraoan.
- Yuniwaty Halim, M.Sc., Natania, M.Eng., and Dr. Tagor M. Siregar, Heads of Quality Control, Research, Food Processing, and Chemistry Laboratories, respectively.
- 10. All lecturers of Food Technology Department who teach the author during studying at Universitas Pelita Harapan.
- 10. Ms. Virly, Mr. Andra, Mr. Aji, Mr. Adi and Mr. Darius for the help and information during the work in the laboratories.
- 11. Julia Ratna Wijaya, M.AppSc. and Sisi P.L.A Gultom, M.Eng., former head and deputy head of Food Technology Study Program for the knowledge and support to conduct the thesis project till the end.
- 12. All others lecturers, lecturers assistant, and staffs in Food Technology Study Program for the support and help given to the author during the project.

- 13. Beloved parents, Delip Kumar Vaswani and Sati Lachmandas Shewakramani, and dearest sister, Khusbu Vaswani, for the endless love, support, encouragement and prayers given to the author during the thesis completion.
- 14. Marissa and my other classmates for the kindness, love, joy, laughter, support and help throughout my study in Universitas Pelita Harapan.
- 15. Marcella, Vanessa, Natasha, Nathania, and Priska for the kindness, care, and support throughout the making of my thesis.
- 16. Joshua and Radhika for the love, help, support, encouragement, entertainment, laughter and joy during years of study in Universitas Pelita Harapan.

The author is aware that this report is far from perfection and might have done some mistakes either during the research process or the completion of the thesis report. Therefore, the author would appreciate any type of criticisms and suggestions given regarding this report. Furthermore, the author hopes that this thesis report can be beneficial and helpful for the readers. Thank you.

Tangerang, February 2018

Author

TABLE OF CONTENTS

COVER PAGE	
STATEMENT OF THESIS AUTHENTICITY	
APPROVAL BY THESIS SUPERVISOR	
APPROVAL BY THESIS EXAMINATION COMMITTEE	
ABSTRACT	v
ACKNOWLEDGEMENTS	vi
TABLE OF CONTENTS	
LIST OF FIGURES	
LIST OF TABELS	
LIST OF APPENDICES	
CHAPTER I INTRODUCTION	
1.1 Background	1
1.2 Research Problem	3
1.3 Objectives Problem	
1.3.1 General Objective Problem	4
1.3.2 Specific Objective Problem	
CHAPTER II LITERATURE REVIEW	
2.1 Packaging	6
2.1.1 Packaging in General	
2.1.2 Active Packaging	6
2.1.3 Edible Packaging	7
2.1.4 Active Edible Film	8
2.1.4.1 Active Edible Film Materials	9
2.1.4.2 Preparation and Application of Active Edible Film	10
2.2 Sago	10
2.3 Black Cumin	14
2.4 Plasticizer	18
2.4.1 Glycerol	19
2.4.2 Water	19
2.5 Oxidation	
2.6 Cashew Nut Sugar Stick	21
CHADTED III DESEADCH METHODOLOCY	
CHAPTER III RESEARCH METHODOLOGY 3.1 Materials and Equipment	23
3.1.1 Materials	
3.1.2 Equipment	

Page

3.2.2.1 Verification of Antioxidant Activity of Black Cumin Seeds and Black Cumin Powdered Seeds	25
3.2.2 Main Research Stage I	
3.2.3 Main Research Stage II	
3.3 Experimental Design	
3.2.1 Preliminary Research	
3.3.2 Main Research Stage I	
3.2.3 Main Research Stage II	
3.4 Analysis Procedures	
3.4.1 Tensile Properties.	
3.4.2 Water Vapour Transmission rate	
3.4.3 Dissolution Time and Dissolution Temperature	
3.4.4 Moisture Content	
3.4.5 Hardness	
3.4.6 pH	
3.4.7 Peroxide Value Test	
3.4.8 TBA test	
CHAPTER IV ANALYSIS AND DISCUSSION	
4.1 Antioxidant Activity of Black Cumin	39
4.1.1 Antioxidant Activity of Black Cumin Seeds and Black Cumin	
Power	39
4.1.2 Selected From of Black Cumin	40
4.2 Characteristic of Active Edible Film	
4.2.1 Appearance	41
4.2.2 Tensile Properties	
4.2.2.1 Thickness	42
4.2.2.2 Tensile Strength	44
4.2.2.3 Elongation.	46
4.2.2.4 Young Modulus	
4.2.3 Water Vapour Transmission rate	50
4.2.4 Dissolution Time and Dissolution Temperature	53
4.3 Selected Edible Film Formulation	56
4.4 Characterisic of Cashew Nut Sugar Stick-Edible Film Wrapped	
during Storage	
4.4.1 Moisture Content	
4.4.2 Hardness	
4.4.3 pH	65
4.4.4 Peroxide Value Test	
4.4.5 TBA test	71
CHAPTER V CONCLUSIONS AND SUGGESTIONS	
5.1 Conclusions	76
5.2 Suggestions	
<i>5.2</i> Suggestions	//
BIBLIOGRAPHY	78

LIST OF FIGURES

Page

Figure 2.1 Sago Palm Tree.	.12
Figure 2.2 Black Cumin Plant(a) and Black Cumin Seeds(b)	
Figure 3.1 Flow chart of Active Edible film formation	
Figure 3.2 Flow chart of production of Cashew nut sugar stick	
Figure 3.3 Flow chart of Edible film thickness determination	
Figure 3.4 Flow chart of tensile properties determination of Edible film	.33
Figure 3.5 Flow chart of ASTM 396 standard to measure water vapour	
transmission rate	.34
Figure 3.6 Flow chart of Peroxide value test	.37
Figure 3.7 Flow chart of TBA test	
Figure 4.1 Appearance of Active Edible Film made from Black Cumin	
powder to Sago flour ratio of 5:95 (a) and Black Cumin powder	
to Sago flour ratio of 15:85 (b) with glycerol content of 20%	.42
Figure 4.2 Thickness of Active Edible Film with different formulation	.43
Figure 4.3 Tensile Strength of Active Edible Film with different formulation	.45
Figure 4.4 Elongation (%) of Active Edible Film with different formulation	.47
Figure 4.5 Young Modulus of Active Edible Film with different formulation	.50
Figure 4.6 Water Vapor Transmission Rate of Active Edible Film with	
Different formulation	52
Figure 4.7 Dissolution Time of Active Edible Film with different formulation	55
Figure 4.8 Dissolution Temperature of Active Edible Film with different	
formulation	.56
Figure 4.9 Moisture content of Cashew nut sugar stick wrapped with active	
edible film during storage	.61
Figure 4.10 Moisture content of Cashew nut sugar stick wrapped with active	
edible film during storage	.61
Figure 4.11 Moisture content of Cashew nut sugar stick wrapped with active	
edible film during storage	.61
Figure 4.12 Hardness of Cashew nut sugar stick wrapped with active edible	
film during storage	.64
Figure 4.13 Hardness of Cashew nut sugar stick wrapped with active edible	
film during storage	.64
Figure 4.14 Hardness of Cashew nut sugar stick wrapped with active edible	
film during storage	.64
Figure 4.15 pH of Cashew nut sugar stick wrapped with active edible film	
during storage	.67
Figure 4.16 pH of Cashew nut sugar stick wrapped with active edible film	
during storage	.67
Figure 4.17 pH of Cashew nut sugar stick wrapped with active edible film	
during storage	.67

Figure 4.18 Peroxide Value of Cashew nut sugar stick wrapped with active	
edible film during storage	71
Figure 4.19 Peroxide Value of Cashew nut sugar stick wrapped with active	
edible film during storage	71
Figure 4.20 Peroxide Value of Cashew nut sugar stick wrapped with active	
edible film during storage	71
Figure 4.21 TBA of Cashew nut sugar stick wrapped with active edible film	
during storage	75
Figure 4.22 TBA of Cashew nut sugar stick wrapped with active edible film	
during storage	75
Figure 4.23 TBA of Cashew nut sugar stick wrapped with active edible film	
during storage.	75



LIST OF TABLES

Page

Table 2.1 The proximate composition of Sago starch	13
Table 2.2 The proximate composition of Black Cumin	15
Table 3.1 Basic formula for the formation of Edible film	
Table 3.2 Experimental design for Main Research I	
Table 3.3 Experimental design for Main Research II	



LIST OF APPENDICES

Appendix A.	
Moisture Content	A-1
Appendix B.	
IC ₅₀ of Black Cumin Seeds	
IC ₅₀ of Black Cumin Powder	B-2
Appendix C.	
Thickness of Active Edible Film from Sago Flour and Black	
Cumin Powder with Glycerol Plasticizer	C-1
Statistical Analysis of Thickness	C-2
Appendix D.	
Tensile Strenghth of Active Edible Film from Sago Flour and	
Black Cumin Powder with Glycerol Plasticizer	D-1
Statistical Analysis of Tensile Strength	D - 2
Appendix E.	
Elongation of Active Edible Film from Sago Flour and Black	
Cumin Powder with Glycerol Plasticizer	E-1
Statistical Analysis of Elongation	E-2
Appendix F.	
Young Modulus of Active Edible Film from Sago Flour and Black	
Cumin Powder with Glycerol Plasticizer	
Statistical Analysis of Young Modulus	F-2
Appendix G.	
Water Vapor Transmission Rateof Active Edible Film from Sago	
Flour and Black Cumin Powder with Glycerol Plasticizer	
Statistical Analysis of Water Vapor Transmission Rate	.G-2
Appendix H.	
Dissolution Time and Dissolution Temperature of Active Edible Film	
from Sago Flour and Black Cumin Powder with Glycerol Plasticizer	
Statistical Analysis of Dissolution Time	
Statistical Analysis of Dissolution Temperature	.H - 3