

ACKNOWLEDGEMENTS

Thanks to The Almighty God for His endless blessings to the author during the completion of this thesis entitled “Optimization of Antioxidant Activity and Sensory Acceptability of Java Tea-Based Functional Drink Enriched with Red Fruit Oil Emulsion” that is written as partial fulfillment of the academic requirements to obtain the degree of *Sarjana Teknologi Pertanian Strata Satu* Food Technology, Universitas Pelita Harapan.

The author fully realizes that this thesis would not be completed without the help, support, and prayers of many parties. Thus, the author would like to express gratitude to those who helped and supported author during these hard times, including:

1. Mr. Eric Jobiliong, Ph.D., as Dean of Faculty of Science and Technology.
2. Mrs. Sunie Rahardja, M.S.CE., as Acting Vice Dean of Faculty of Science and Technology.
3. Mr. Laurence, S.T., M.T., as Director of Faculty of Science and Technology.
4. Ir. W. Donald R. Pokatong, M.Sc., Ph.D., as Head of Food Technology Study Program, for giving the chance to write and finish my thesis.
5. Prof. Dr. Ir. C. Hanny Wijaya, M.Agr as thesis supervisor and Mrs. Natania, M.Eng as thesis co-supervisor and Head of Food Processing Laboratory, for patiently guide, motivate and give useful advice from topic selection to thesis completion.
6. Dr. Ir. Hardoko, MS. as thesis defense examiner and Ms. Yuniwaty Halim, M.Sc. as thesis defense examiner and head of quality control and research laboratory.
7. Dr. Tagor M. Siregar, M.Si. and Dr. Adolf J. N. Parhusip as Head of Laboratories chemistry and microbiology laboratory, respectively, where the author conducts the final project.
8. Mr. Mateus Andra Gunawan, STP, Ms. Virly, STP, Mr. Adzie, Mr. Adi, Mr. Darius, and Mr. Yos, for the enormous help at the laboratories.

9. All lecturers of Food Technology Study Program who teach the author during studying at Pelita Harapan University.
10. Agung Wijaya and Meliwati as beloved parents, Julia Sonatha and Billy Wijaya as beloved siblings, and all of the family, for giving supports and prayers during thesis period.
11. Rocky, as fellow Java tea thesis partner who always gave help and motivations, and accompanied writer during thesis times. Andrea Angelina, Sicilia Chandra Wijaya, Chyntia Joe, and Eric, as thesis partners who always give support, help, and accompany the author during thesis period.
12. Giovani Fransisca Setiawan, for always making time to cherish, accompany, support, and prayers during thesis.
13. Yohanna Kristianto and Graziella Fausta as “Friday Night’s Girls”, Vania Lucida, Theresa Ellen Tjakrakusuma, Caryn Fidelia Miranda, and Ignatius Jordan Bernando as “Centilers” who cherish and accompany the author and for endless supports and being author’s best friends.
14. All members of Food Technology 2014 UPH, for accompany during study and good times shared together, especially 2014C.
15. All family, friends, and colleagues who cannot be mentioned one by one.

The author realize that this thesis report is still far from excellence and has room to be improved, therefore any suggestions are very welcomed for better improvement. Last but not least, the author hopes that this thesis report can be useful and informative for the readers.

Tangerang, February 2018


Author

TABLE OF CONTENTS

	page
COVER	
STATEMENT OF THESIS AUTHENTICITY	
APPROVAL BY THESIS SUPERVISORS	
APPROVAL BY THESIS EXAMINATION COMMITTEE	
ABSTRACT.....	v
ACKNOWLEDGEMENTS	vi
TABLE OF CONTENTS.....	viii
LIST OF FIGURES	xi
LIST OF TABLES	xii
LIST OF APPENDICES.....	xiii
CHAPTER I INTRODUCTION	
1.1 Background.....	1
1.2 Research Problem	3
1.3 Research Objectives.....	3
1.3.1 General Objective.....	3
1.3.2 Specific Objective	3
CHAPTER II LITERATURE REVIEW	
2.1 Functional Food	5
2.2 Java Tea (<i>Orthosiphon aristatus</i> Bl. Miq)-Based Functional Drink.....	6
2.2.1 Java Tea (<i>Orthosiphon aristatus</i> Bl. Miq).....	6
2.2.2 Sappan Wood (<i>Caesalpinia sappan</i> Linn.)	8
2.2.3 Ginger (<i>Zingiber officinale</i> Roscoe).....	8
2.2.4 Javanese Turmeric (<i>Curcuma xanthorrhiza</i> Roxb.)....	9
2.2.5 Kaffir Lime (<i>Citrus hystrix</i> D.C).....	10
2.2.6 Lime (<i>Citrus aurantifolia</i> Swingle).....	10
2.3 Degree of Color.....	11
2.4 Red Fruit (<i>Pandanus conoideus</i> Lam.) Oil	12
2.5 Emulsion	14
2.6 Carboxymethylcellulose (CMC).....	16
2.7 Antioxidant	16
2.7.1 Carotenoids.....	17
2.7.2 Phenolic Compounds.....	18
2.8 Optimization by Response Surface Methodology	19

CHAPTER III RESEARCH METHODOLOGY	
3.1 Materials and Equipment	21
3.2 Research Procedures	22
3.2.1 Research Stage I	22
3.2.2 Research Stage II	23
3.2.2.1 Preparation of Java Tea-based Functional Drink	24
3.2.2.2 Procedure of Java Tea-Based Functional Drink	25
3.3 Experimental Design.....	27
3.3.1 Research Stage I	27
3.3.2 Research Stage II	29
3.3.2.1 Determination of Lower and Upper Limit	30
3.3.2.2 Determination of Optimum Emulsion Concentration	30
3.3.2.3 Verification Test	31
3.3.2.4 Product Profile and Comparison	31
3.4 Analysis Procedures	32
3.4.1 Physical Analysis	32
3.4.1.1 Viscosity (Ali <i>et al.</i> , 2014 with modification)	32
3.4.1.2 Particle Size (Frascareli <i>et al.</i> , 2011 with modification)	33
3.4.1.3 Emulsion Stability (Nikzade <i>et al.</i> , 2012 with modification)	33
3.4.1.4 Degree of Color (Douglas, 2002)	33
3.4.2 Chemical Analysis	34
3.4.2.1 Total Carotenoids (Kalaikandhan <i>et al.</i> , 2014 with modification)	34
3.4.2.2 Total Phenolic Content (Alhakmani <i>et al.</i> , 2013 with modification)	35
3.4.2.3 Titratable Acidity (Nielsen, 2014)	35
3.4.3 Sensory Analysis	36
3.4.3.1 Hedonic Test (Meilgaard <i>et al.</i> , 2007 with modification)	36
3.4.3.2 Scoring Test (Meilgaard <i>et al.</i> , 2007)	36
CHAPTER IV RESULTS AND DISCUSSION	
4.1 The Effect of Different Oil Concentration and CMC Concentration towards the Characteristics of Emulsion	37
4.1.1 Viscosity	37
4.1.2 Particle Size	39
4.1.3 Stability	41
4.1.4 Total Carotenoid	43
4.1.5 Total Phenolic Content	45

4.1.6 The Selected Emulsion Formula	46
4.2 Optimization by Response Surface Methodology (RSM)	47
4.2.1 Determination of Upper and Lower Limit of Emulsion Concentration	48
4.2.2 Determination of Optimum Emulsion Concentration ..	48
4.2.3 Response Analysis.....	50
4.2.3.1 Total Carotenoid	50
4.2.3.2 Total Phenolic Content	52
4.2.3.3 Sensory Quality.....	53
4.2.4 Optimization of Red Fruit Oil Emulsion Concentration	58
4.2.5 Verification Result.....	60
4.2.6 Product Profile and Product Comparison.....	61
 CHAPTER V CONCLUSIONS AND SUGGESTIONS	
5.1 Conclusions.....	64
5.2 Suggestions	64
 BIBLIOGRAPHY	66
 APPENDICES	71




LIST OF FIGURES

	page
Figure 2.1 Java tea leaves	7
Figure 2.2 Slices of sappan wood	8
Figure 2.3 Big ginger rhizomes.....	9
Figure 2.4 Red fruit plant	12
Figure 2.5 Three regions in emulsion system	15
Figure 2.6 Structure of phenol	18
Figure 3.1 Flowchart of research methodology	22
Figure 3.2 Flowchart of red fruit oil emulsion preparation	23
Figure 3.3 Flowchart of herbs extraction	24
Figure 3.4 Flowchart of Java tea-based functional drink preparation.....	26
Figure 3.5 Flowchart of enriched Java tea-based functional drink preparation....	27
Figure 4.1 Effect of CMC and oil concentration to viscosity of emulsion	38
Figure 4.2 Effect of CMC and oil concentration to particle size of emulsion	40
Figure 4.3 Effect of CMC and oil concentrations towards emulsion stability.....	42
Figure 4.4 Effect of oil concentration towards total carotenoid content of emulsion	44
Figure 4.5 Effect of oil concentration towards total phenolic content of emulsion	46
Figure 4.6 Selected red fruit oil emulsion.....	47
Figure 4.7 Graph of total carotenoid analysis	51
Figure 4.8 Graph of total phenolic content	52
Figure 4.9 Graph of aroma analysis	54
Figure 4.10 Graph of color analysis.....	55
Figure 4.11 Graph of taste analysis.....	56
Figure 4.12 Graph of overall analysis.....	57
Figure 4.13 Enriched and control Java tea-based functional drink.....	63

LIST OF TABLES

	page
Table 2.1 Chemical constituents of red fruit oil.....	13
Table 3.1 Formulation of red fruit oil emulsion.....	23
Table 3.2 Ingredients of Java tea-based functional drink	26
Table 3.3 Experimental design of research stage I	28
Table 3.4 Experimental design for formula optimization	31
Table 3.5 Experimental design of optimum product comparison.....	32
Table 4.1 Results of physical and chemical analysis of emulsions	47
Table 4.2 Results of overall hedonic analysis.....	48
Table 4.3 Results of responses based on RSM formulation	49
Table 4.4 ANOVA equation model results of objective responses	49
Table 4.5 Goal of the factor and responses in formula optimization.....	59
Table 4.6 Solution and responses prediction	59
Table 4.7 Verification test results of optimum final product.....	61
Table 4.8 Comparison of optimum final product and control.....	62



LIST OF APPENDICES

	page
Appendix A	
Results of Emulsion Viscosity.....	A-1
Appendix B	
Statistical Analysis of Emulsion Viscosity.....	B-1
Appendix C	
Results of Emulsion Particle Size.....	C-1
Appendix D	
Statistical Analysis of Emulsion Particle Size.....	D-1
Appendix E	
Results of Emulsion Stability	E-1
Appendix F	
Statistical Analysis of Emulsion Stability	F-1
Appendix G	
Results of Total Carotenoid of Emulsions.....	G-1
Appendix H	
Statistical Analysis of Total Carotenoid of Emulsions.....	H-1
Appendix I	
Gallic Acid Standard Curve.....	I-1
Results of Total Phenolic Content of Emulsions.....	I-2
Appendix J	
Statistical Analysis of Total Phenolic Content of Emulsions.....	J-1
Appendix K	
Hedonic Test Questionnaire	K-1
Scoring Test Questionnaire	K-2
Appendix L	
Results of Hedonic Test (Overall) in Lower and Upper Limits Determination Stage	L-1
Appendix M	
Statistical Analysis of Hedonic Test (Overall) in Lower and Upper Limit Determination	M-1

Appendix N	Results of Total Carotenoid in Determination of Optimum Formulation by RSM.....	N-1
Appendix O	Results of Total Phenolic Content in Determination of Optimum Formulation by RSM.....	O-1
Appendix P	Results of Hedonic Test in Determination of Optimum Emulsion Concentration by RSM.....	P-1
Appendix Q	ANOVA Result of Total Carotenoid Analysis by RSM	Q-1
	ANOVA Result of Total Phenolic Content Analysis by RSM.....	Q-2
	ANOVA Result of Aroma Acceptance Analysis by RSM.....	Q-3
	ANOVA Result of Color Acceptance Analysis by RSM.....	Q-4
	ANOVA Result of Taste Acceptance Analysis by RSM	Q-5
	ANOVA Result of Overall Acceptance Analysis by RSM.....	Q-6
Appendix R	Result of Total Carotenoid of Enriched Drink	R-1
	Result of Total Phenolic Content of Enriched Drink	R-1
	Result of Hedonic Analysis of Enriched and Control Drink.....	R-1
Appendix S	Result of Viscosity Analysis of Control and Enriched Drink	S-1
	Result of °Hue Analysis of Control and Enriched Drink	S-1
	Standardization of NaOH Solution.....	S-2
	Result of Titratable Acidity Analysis of Control and Enriched Drink.....	S-2
	Result of Total Carotenoid Analysis of Control Drink	S-3
	Result of Total Phenolic Content Analysis of Control Drink.....	S-3
	Result of Scoring Analysis of Enriched and Control Drink	S-3
Appendix T	Statistical Analysis of Viscosity of Control and Enriched Drink.....	T-1
	Statistical Analysis of Titratable Acidity of Control and Enriched Drink.....	T-2
	Statistical Analysis of Total Carotenoid of Control and Enriched Drink.....	T-3
	Statistical Analysis of Total Phenolic of Control and Enriched Drink.....	T-4
	Statistical Analysis of Aroma Acceptance of Control and Enriched Drink	T-5

Statistical Analysis of Color Acceptance of Control and Enriched Drink.....	T-6
Statistical Analysis of Taste Acceptance of Control and Enriched Drink	T-7
Statistical Analysis of Overall Acceptance of Control and Enriched Drink	T-8

