

DAFTAR PUSTAKA

- Australian Government Department of Health. (2013). *TRIAGE QUICK REFERENCE GUIDE : FLACC pain scale*. Retrieved from <http://www.health.gov.au/internet/publications/publishing.nsf/Content/triageqrg~trriageqrg-pain~trriageqrg-FLACC>. Accessed on December 22, 2017 at 10.20 PM.
- Aveyard, H. (2010). *Doing a Literature Review in Health and Social Care: A Practical Guide*. 3rd ed. Maidenhead: McGraw-Hill Open University Press.
- Berben, S.A., Mejis, T.H., Van Dongen, R.T., Van Vugt, A.B., Vioet, L., Mintjes-de Groot, J.J., & Van Achterberg, T. (2008). Pain prevalence and pain relief in trauma patients in the accident and emergency department. *Injury International of the Care of the Injured*. 39, 578-585.
- Chan, C. (2009). *Assessment: Literature Review, Assessment Resources, University of Hong Kong*. Retrieved from <http://ar.cetl.hku.hk>. Accessed on June 20, 2017 at 04.30 PM.
- Crowe, M. (2013). *Crowe Critical Appraisal Tool (CCAT) User Guide Version 1.4*. Creative Commons Attribution-ShareAlike 3.0 Unported License: Australia.
- Ferrari, R. (2015). Writing narrative style literature reviews. *The European Medical Writers Association*. 24(4), 230-235. Italy: Medical Writing. Doi: 10.1179/2047480615Z.000000000329.
- Galinski, M., Picco, N., Hennequin, B., Raphael, V., Ayachi, A., Beruben, A., Lapostolee, F. (2011). Out-of hospital emergency medicine in pediatric patients: Prevalence and management of pain. *American Journal of Emergency Medicine*, 29, 1062-1066.
- Gomez, R.J., Barrowman, N., Elia, S., Manias, E., Royle, J., Harrison, D. (2013). Establishing intra- and inter- rater agreement of the Face, Legs, Activity, Cry, Consolability, scale for evaluating pain in toddlers during immunization. *Pain Res Manag*. 18(6), e124-e128.
- Heale, R., Twycross, A. (2015). Validity and reliability in quantitative studies. *Evid Based Nurs*. 18(3), 66-67.

Higgins, J., & Green S. (2008). *The Cochrane Collaboration: Cochrane Handbook for Systematic Reviews of Interventions*. John Wiley & Sons Ltd : England.

International Association for the Study of Pain. (2012, 22 May). *IASP Taxonomy*. Retrieved from <https://www.iasp-pain.org/Taxonomy>. Accessed on July 24, 2017 at 7.30 PM.

Kozlowski L. J., Kost-Byerly, S., Colantuoni, E., et al. (2014). Pain prevalence, intensity, assessment and management in a hospitalized pediatric population. *Pain Management Nursing*, 15(1), 22-35.

Landers, R.N. (2011). *Computing Intraclass Correlations (ICC) as Estimates of Interrater Reliability in SPSS*. Retrieved from <http://neoacademic.com/2011/11/16/computing-intraclass-correlations-icc-asestimates-of-interrater-reliability-in-spss/>. Accessed on December 22, 2017 at 11.00 PM.

Lewis, T.V., Zanotti, J., Dammeyer, J.A., Merkel, S. (2010). RELIABILITY AND VALIDITY OF THE FACE, LEGS, ACTIVITY, CRY, CONSOLABILITY BEHAVIORAL TOOL IN ASSESSING ACUTE PAIN IN CRITICALLY ILL PATIENTS. *AMERICAN JOURNAL OF CRITICAL CARE*. 19(1), 55- 61. Doi: 10.4037/ajcc2010624.

Mathews, L. (2011). Pain in Children: Neglected, Unaddressed and Mismanaged. *Indian Journal of Palliative Care*, 17(Suppl), S70–S73. <http://doi.org/10.4103/0973-1075.76247>.

Mc Hugh, L.M. (2012). Inter rater reliability: kappa statistic. *Biochemia Medica*. 22(3), 276-282.

Merkel, S.I., Lewis, V.T., Shayevitz, J.R dan Malviya, S. (1997). The FLACC: A Behavioral Scale for Scoring Postoperative Pain in Young Children. *Pediatric Nursing*. 23(3), 293-297.

Moher D, Liberati A, Tetzlaff J, Altman DG, The PRISMA Group (2009). Preferred Reporting Items for Systematic Reviews and Meta-Analyses: The PRISMA Statement. *PLoS Med* 6(7): e1000097. Doi: 10.1371/journal.pmed1000097.

National Institutes of Health U.S. National Library of Medicine. (2013, 17 April). *2012AB FLACC Scale Source Information*. Retrieved from https://www.nlm.nih.gov/research/umls/sourcereleasedocs/current/LNC_FLACC/. Accessed on July 24, 2017 at 09.00 PM.

- Oakes L, Linda. (2011). *Compact Clinical Guide to Infant and Child Pain Management, AN EVIDENCE-BASED APPROACH FOR NURSES*. New York: Springer Publishing Company.
- Price, P.C., Jhangiani, R.S., Chiang, I.C.A. (2015). *Research Methods in Psychology 2nd Canadian Edition*, 2nd ed. B.C. Open Textbook Project : California.
- Renovaldi, D., Novayelinda, R., Rahmalia, S. (2014). PERBANDINGAN VALIDITAS ALAT UKUR NYERI ANTARA *SELF-REPORT PAIN SCALE* DAN *OBSERVATIONAL PAIN SCALE* PADA NYERI AKUT ANAK USIA 3-7 TAHUN. *JOM PSIK*. 1(2), 1-9.
- Shamim, F., Ullah, H., Khan, A.F. (2015). Postoperative pain assessment using four behavioral scales in Pakistani children undergoing elective surgery. *Saudi Journal of Anesthesia*. 19(2), 174-177.
- Siloam Hospitals Bali. PEDOMAN PENILAIAN FLACC *PAIN SCALE* UNTUK BAYI DAN ANAK-ANAK (2 BULAN – 7 TAHUN). *Unpublished*.
- Ternullo, S. (2015, 15 May). *Assessment and Treatment of Pain in Children*. U.S. Pharmacist A Jobson Publication. Retrieved from <https://www.uspharmacist.com/article/assessment-and-treatment-of-pain-in-children>. Accessed on June 18, 2017 at 09.45 PM.
- UOttawa. (2014). *Validity and Reliability of Measurements*. Retrieved from https://www.med.uottawa.ca/sim/data/measurement_validity.htm. Accessed on December 23, 2017 at 03.00 PM.
- Wager, E., & Wiffen, P. J. (2011). Ethical issues in preparing and publishing systematic reviews. *Journal of Evidence-Based Medicine*, 4(2), 130-134. Doi: 10.1111/j.1756-5391.2011.01122.
- Walco, G. (2008). Needle pain in children: contextual factors. *PEDIATRICS*, 122, s125-s129. Doi: 10.1542/peds.2008-1055D.
- Yanuka, M., Soffer, D., & Halpern, P. (2008). An interventional study to improve the quality of analgesia in the emergency department. *The Journal of Canadian Association of Emergency Physicians*, 10, 435-439.