

DAFTAR PUSTAKA

1. Nowak PF. Amateur Sports of the Elderly: A Chance for Health and a Higher Quality of Life. *Adv Aging Res.* 2014;03(03):222–9.
2. World Health Organization. (2010). Global recommendations on physical activity for health. World Health Organization. [Internet]. Available from: <https://apps.who.int/iris/handle/10665/44399>
3. World Health Organization. Regional Office for South-East Asia. (2018). Status report on ‘physical activity and health in the South-East Asia Region’: July 2018. World Health Organization. Regional Office for South-East Asia. [Internet]. Available from: <https://apps.who.int/iris/handle/10665/274308>.
4. Seefeldt V, Malina RM, Clark MA. Factors Affecting Levels of Physical Activity in Adults. *Sport Med.* 2002;32(3):143–68.
5. Alkhateeb SA, Alkhameesi NF, Lamfon GN, Khawandanh SZ, Kurdi LK, Faran MY, et al. Pattern of physical exercise practice among university students in the Kingdom of Saudi Arabia (before beginning and during college): a cross-sectional study. *BMC Public Health.* 2019 Dec 21;19(1):1716.
6. Bender, L. (2020). Key Messages and Actions for Prevention and Control in Schools. Unicef, (March), 2.
7. Xiang M, Zhang Z, Kuwahara K. Impact of COVID-19 pandemic on children and adolescents’ lifestyle behavior larger than expected. *Prog Cardiovasc Dis.* 2020 Jul;63(4):531–2.
8. Aktürk S, Büyükavcı R, Aktürk Ü. Relationship between musculoskeletal disorders and physical inactivity in adolescents. *J Public Health (Bangkok).* 2019 Feb 18;27(1):49–56.
9. Auvinen J, Tammelin T, Taimela S, Zitting P, Karppinen J. Associations of physical activity and inactivity with low back pain in adolescents. *Scand J Med Sci Sports.* 2007 May 9;18(2):188–94.

10. Kujala UM, Taimela S, Viljanen T. Leisure physical activity and various pain symptoms among adolescents. *Br J Sports Med.* 1999 Oct 1;33(5):325–8.
11. International Physical Activity Questionnaire [Internet]. Sites.google.com. 2020 Available from: <https://sites.google.com/site/theipaq/>
12. Kuorinka I, Jonsson B, Kilbom A, Vinterberg H, Biering-Sørensen F, Andersson G, et al. Standardised Nordic questionnaires for the analysis of musculoskeletal symptoms. *Appl Ergon.* 1987 Sep;18(3):233–7.
13. Pate RR, Macera CA, Pratt M, Heath GW, Blair SN, Bouchard C, et al. Physical Activity and Public Health: A Recommendation From the Centers for Disease Control and Prevention and the American College of Sports Medicine. *JAMA J Am Med Assoc.* 1995 Feb 1;273(5):402–7.
14. Miles L. Physical activity and health. *Nutr Bull.* 2007;32(4):314–63.
15. Physical activity [Internet]. Who.int. 2020. Available from: <https://www.who.int/news-room/fact-sheets/detail/physical-activity>
16. Cox CE. Role of physical activity for weight loss and weight maintenance. *Diabetes Spectr.* 2017 Aug 15;30(3):157–60.
17. Hamasaki H. Daily physical activity and type 2 diabetes: A review. *World J Diabetes.* 2016;7(12):243.
18. Colberg, S. R., Sigal, R. J., Yardley, J. E., Riddell, M. C., Dunstan, D. W., Dempsey, P. C., ... Tate, D. F. (2016). *Physical Activity/Exercise and Diabetes: A Position Statement of the American Diabetes Association. Diabetes Care, 39(11), 2065*
19. Nystoriak MA, Bhatnagar A. Cardiovascular Effects and Benefits of Exercise. *Front Cardiovasc Med.* 2018 Sep 28;5.
20. Psaltopoulou T, Ntanasis-Stathopoulos I, Tzanninis I-G, Kantzanou M, Georgiadou D, Sergentanis TN. Physical Activity and Gastric Cancer Risk. *Clin J Sport Med.* 2016 Nov;26(6):445–64.

21. Keimling M, Behrens G, Schmid D, Jochem C, Leitzmann MF. The association between physical activity and bladder cancer: systematic review and meta-analysis. *Br J Cancer*. 2014 Apr 4;110(7):1862–70.
22. Moore SC, Lee I-M, Weiderpass E, Campbell PT, Sampson JN, Kitahara CM, et al. Association of Leisure-Time Physical Activity With Risk of 26 Types of Cancer in 1.44 Million Adults. *JAMA Intern Med*. 2016 Jun 1;176(6):816.
23. Pizot C, Boniol M, Mullie P, Koechlin A, Boniol M, Boyle P, et al. Physical activity, hormone replacement therapy and breast cancer risk: A meta-analysis of prospective studies. *Eur J Cancer*. 2016 Jan;52:138–54.
24. Hardman AE. Physical activity and cancer risk. *Proc Nutr Soc*. 2001 Feb 28;60(1):107–13.
25. Schmid D, Behrens G, Keimling M, Jochem C, Ricci C, Leitzmann M. A systematic review and meta-analysis of physical activity and endometrial cancer risk. *Eur J Epidemiol*. 2015;30(5):397–412.
26. Behrens G, Jochem C, Keimling M, Ricci C, Schmid D, Leitzmann MF. The association between physical activity and gastroesophageal cancer: Systematic review and meta-analysis. *Eur J Epidemiol*. 2014;29(3):151–70.
27. Singh S, Devanna S, Edakkanambeth Varayil J, Murad MH, Iyer PG. Physical activity is associated with reduced risk of esophageal cancer, particularly esophageal adenocarcinoma: a systematic review and meta-analysis. *BMC Gastroenterol*. 2014 Dec 30;14(1):101.
28. Psaltopoulou T, Ntanasis-Stathopoulos I, Tzanninis IG, Kantzanou M, Georgiadou D, Sergentanis TN. Physical Activity and Gastric Cancer Risk: A Systematic Review and Meta-Analysis. *Clin J Sport Med*. 2016;26(6):445–64.
29. American Heart Association Recommendations for Physical Activity in Adults and Kids [Internet]. www.heart.org. 2020. Available from:

<https://www.heart.org/en/healthy-living/fitness/fitness-basics/aha-recs-for-physical-activity-in-adults>

30. Guinn G, Vincent V, Semper T, et al. Active involvement, goal perspective and self-esteem among Mexican-American adolescents. *Res Q Exerc Sport* 2000; 71: 308-11
31. Craig CL, Marshall AL, Sjöström M, Bauman AE, Booth ML, Ainsworth BE, et al. International physical activity questionnaire: 12-Country reliability and validity. *Med Sci Sports Exerc.* 2003 Aug;35(8):1381–95.
32. WHO. Global Physical Activity Questionnaire (GPAQ) WHO STEPwise approach to NCD risk factor surveillance Surveillance and Population-Based Prevention Prevention of Noncommunicable Diseases Department World Health Organization [Internet]. Available from: www.who.int/chp/steps
33. Hagströmer M, Oja P, Sjöström M. The International Physical Activity Questionnaire (IPAQ): a study of concurrent and construct validity. *Public Health Nutr.* 2006 Sep 2;9(6):755–62.
34. Frost B, Camarero-Espinosa S, Foster E. Materials for the Spine: Anatomy, Problems, and Solutions. *Materials* (Basel). 2019 Jan 14;12(2):253.
35. Bogduk N, Mercer S. Biomechanics of the cervical spine. I: Normal kinematics. *Clin Biomech.* 2000 Nov;15(9):633–48.
36. Swartz EE, Floyd RT, Cendoma M. Cervical spine functional anatomy and the biomechanics of injury due to compressive loading. *J Athl Train.* 40(3):155–61.
37. Cervero F, Tattersall JE. Somatic and visceral sensory integration in the thoracic spinal cord. *Prog Brain Res.* 1986;67:189–205.
38. National Institutes of Health, National Heart, Lung, and Blood Institute (June 2006). "Your Guide to Physical Activity and Your Heart". U.S. Department of Health and Human Services.

39. Koes BW, van Tulder MW, Peul WC. Diagnosis and treatment of sciatica. *BMJ*. 2007 Jun 23;334(7607):1313–7.
40. Ramdan IM, Duma K, Setyowati DL. Reliability and Validity Test of the Indonesian Version of the Nordic Musculoskeletal Questionnaire (NMQ) to Measure Musculoskeletal Disorders (MSD) in Traditional Women Weavers. *Glob Med Heal Commun*. 2019 Aug 31;7(2).
41. Fairbank JCT, Pynsent PB. The Oswestry Disability Index. *Spine (Phila Pa 1976)*. 2000 Nov;25(22):2940–53.
42. Vernon H, Mior S. The Neck Disability Index: a study of reliability and validity. *J Manipulative Physiol Ther*. 1991 Sep;14(7):409–15.
43. Teichtahl AJ, Urquhart DM, Wang Y, Wluka AE, O’Sullivan R, Jones G, et al. Physical inactivity is associated with narrower lumbar intervertebral discs, high fat content of paraspinal muscles and low back pain and disability. *Arthritis Res Ther*. 2015 Dec 7;17(1):114.
44. Su CA, Kusin DJ, Li SQ, Ahn UM, Ahn NU. The Association Between Body Mass Index and the Prevalence, Severity, and Frequency of Low Back Pain. *Spine (Phila Pa 1976)*. 2018 Jun;43(12):848–52.
45. Leboeuf-Yde C. Body Weight and Low Back Pain. *Spine (Phila Pa 1976)*. 2000 Jan;25(2):226.
46. Manchikanti L, Boswell M V., Datta S, Fellows B, Abdi S, Singh V, et al. Comprehensive review of therapeutic interventions in managing chronic spinal pain. *Pain Physician*. 2009;12(4).
47. Borenstein D. Does osteoarthritis of the lumbar spine cause chronic low back pain? *Curr Pain Headache Rep*. 2004 Dec;8(6):512–7.
48. Daniels JM. Common musculoskeletal problems: A handbook, second edition. Daniels JM, editor. *Common Musculoskeletal Problems: A Handbook, Second Edition*. Cham: Springer International Publishing; 2015. 5–13 p.
49. Daniels JM. Common musculoskeletal problems: A handbook, second edition. Daniels JM, editor. *Common Musculoskeletal Problems: A*

Handbook, Second Edition. Cham: Springer International Publishing; 2015. 65–72 p.

50. Koes BW, van Tulder MW, Thomas S. Diagnosis and treatment of low back pain. *BMJ*. 2006 Jun 17;332(7555):1430–4.
51. Mortimer M, Pernold G, Wiktorin C. Low Back Pain in a General Population. Natural Course and Influence of Physical Exercise—A 5-Year Follow-up of the Musculoskeletal Intervention Center-Norrtälje Study. *Spine (Phila Pa 1976)*. 2006 Dec;31(26):3045–51.
52. Chan CW, Mok NW, Yeung EW. Aerobic Exercise Training in Addition to Conventional Physiotherapy for Chronic Low Back Pain: A Randomized Controlled Trial. *Arch Phys Med Rehabil*. 2011 Oct;92(10):1681–5.
53. Hendi O, Abdulaziz A, Althaqafi A, Hindi A, Khan S, Atalla A. Prevalence of musculoskeletal disorders and its correlation to physical activity among health specialty students. *Int J Prev Med*. 2019;10(1):48.
54. Nicholson B. Differential diagnosis: nociceptive and neuropathic pain. *Am J Manag Care*. 2006 Jun;12(9 Suppl):S256-62.
55. Smeets RJ, Severens JL, Beelen S, Vlaeyen JW, Knottnerus JA. More is not always better: Cost-effectiveness analysis of combined, single behavioral and single physical rehabilitation programs for chronic low back pain. *Eur J Pain*. 2009 Jan;13(1):71–81. Woods K, Bishop P, Jones E. Warm-Up and Stretching in the Prevention of Muscular Injury. *Sport Med*. 2007;37(12):1089–99.
56. Hill JC, Kang S, Benedetto E, Myers H, Blackburn S, Smith S, et al. Development and initial cohort validation of the Arthritis Research UK Musculoskeletal Health Questionnaire (MSK-HQ) for use across musculoskeletal care pathways. *BMJ Open*. 2016 Aug 5;6(8):e012331.
57. Linton SJ, Nicholas M, MacDonald S. Development of a Short Form of the Örebro Musculoskeletal Pain Screening Questionnaire. *Spine (Phila Pa 1976)*. 2011 Oct;36(22):1891–5.

58. Beneciuk JM, Bishop MD, Fritz JM, Robinson ME, Asal NR, Nisenzon AN, et al. The STarT back screening tool and individual psychological measures: Evaluation of prognostic capabilities for low back pain clinical outcomes in outpatient physical therapy settings. *Phys Ther.* 2013;93(3):321–33.
59. Aicale R, Tarantino D, Maffulli N. Overuse injuries in sport: a comprehensive overview. *J Orthop Surg Res.* 2018 Dec 5;13(1):309.
60. Nuttall FQ. Body Mass Index. *Nutr Today.* 2015;50(3):117–28.
61. Amro A, Albakry S, Jaradat M, Khaleel M, Kharroubi T, et al. (2020) Musculoskeletal Disorders and Association with Social Media Use Among University Students at the Quarantine Time Of COVID-19 Outbreak. *J Physic Med Rehabilita Stu* 1(1): 104
62. Šagát P, Bartík P, Prieto González P, Tohănean DI, Knjaz D. Impact of COVID-19 Quarantine on Low Back Pain Intensity, Prevalence, and Associated Risk Factors among Adult Citizens Residing in Riyadh (Saudi Arabia): A Cross-Sectional Study. *Int J Environ Res Public Health.* 2020 Oct 6;17(19):7302.
63. Taspinar F, Taspinar B, Cavlak U, Celik E. Determining the Pain-Affecting Factors of University Students with Nonspecific Low Back Pain. *J Phys Ther Sci.* 2013;25(12):1561–4.
64. Chambers MA, Moylan JS, Reid MB. Physical inactivity and muscle weakness in the critically ill. *Crit Care Med.* 2009 Oct;37:S337–46.
65. Gupta N, Christiansen CS, Hallman DM, Korshøj M, Carneiro IG, Holtermann A. Is Objectively Measured Sitting Time Associated with Low Back Pain? A Cross-Sectional Investigation in the NOMAD study. Dorner TE, editor. *PLoS One.* 2015 Mar 25;10(3):e0121159.
66. Hakala PT, Rimpelä AH, Saarni LA, Salminen JJ. Frequent computer-related activities increase the risk of neck–shoulder and low back pain in adolescents. *Eur J Public Health.* 2006 Oct 1;16(5):536–41.