

DAFTAR PUSTAKA

- Aghajanloo, A., Ghafourifard, M., Haririan, H., Gheydari, P, S. (2016).Comparison of the Effects of Cryotherapy and Placebo on Reducing the Pain of Arteriovenous Fistula Cannulation Among Hemodialysis Patients: A Randomized Control Trial. *Journal of Nursing and Midwifery*. 3(1), 59-65. Diakses dari : http://jnms.mazums.ac.ir/files/site1/user_files_d258bd/telehealth-A-10-422-35-49ebac8.pdf
- Agnihotri, M., V, R, Vijay., Kaur S., Bhalla, A. (2013). Effect of Valsava Manuveur Prior to Peripheral Intravenous Cannulation on Intensity of Pain. *Nursing and Midwifery Research Journal* 9(4). Diakses dari : <http://medind.nic.in/nad/t13/i4/nadt13i4p143.pdf>
- Aliasgharpour, M., Abbaszadeh, R., Mohammadi, N.,Kazemnejad, A. (2016). *Effect of lavender aromatherapy on the pain of arteriovenous fistula puncture in patients on hemodialysis.* 3(1), 26-30. Diakses pada <http://npt.tums.ac.ir/index.php/npt/article/view/125>
- Amer, Hamad, S., Dator, WIREEN, L., Abunab, Hamzeh, Y., Mari, M. (2017). Cryotherapy Intervention in Relieving Arteriovenous Fistula Cannulation-Related Pain among Hemodialysis Patients at the King Khalid Hospital, Kingdom of Saudi Arabia. *Saudi Journal of Kidney Disease and Transplantation*, 28(5), 1050-1056. doi: 10.4103/1319-2442.215141.
- Andriani, D., Anggoro, T., Puspitasari, K. A., Belawati, T., Kesuma, R., Wardani, I, G, K. (2011). *Metode Penelitian*. Jakarta: Universitas Terbuka.
- Arifiyanto, D. (2015). Tingkat nyeri penderita gagal ginjal saat kanulasi hemodialisa. *Jurnal Ilmu Kesehatan*, 8(2). Diakses dari: <https://media.neliti.com/media/publications/96901-ID-tingkat nyeri-penderita-gagal-ginjal-saa.pdf>
- Aveyard, H. (2010). *Doing literature review in health and social care: A practical guide* (2 ed.). New York: McGraw-Hill Companies.
- Aveyard, H. (2014). *Doing literature review in health and social care: A practical guide* (3 ed.). New York: McGraw-Hill Companies.
- Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan RI. (2013). *Riset Kesehatan Dasar*. Jakarta.

- Bagheri-Nesami, M., Espahbodi, F., Nikkhah, A., Shorofi, S. A., & Charati, J. Y. (2014). The effects of lavender aromatherapy on pain following needle insertion into a fistula in hemodialysis patients. *Complementary Therapies in Clinical Practice*, 20(1), 1-4. doi:10.1016/j.ctcp.2013.11.005
- Bartley, E., & Fillingim, R. (2013). Sex differences in pain: a brief review of clinical and experimental findings. *British Journal of Anaesthesia*, 111(1), 52–58. doi: 10.1093/bja/aet127
- Black & Hawk. (2014). *Keperawatan Medikal Bedah*. Elsevier: Singapura.
- Çelik, G., Özbeş, O., Yılmaz, M., Duman, I., Özbeş, S., & Apiliogullari, S. (2011). Vapocoolant Spray vs Lidocaine/Prilocaine Cream for Reducing Pain of Venipuncture in Hemodialysis Patients: A Randomized, Placebo-Controlled, Crossover Study. *International Journal of Medical Sciences*, 8(7), 623–627. doi: 10.7150/ijms.8.623
- Complementary therapies for pain - Canadian Cancer Society. (n.d.). Diakses dari <https://www.cancer.ca/en/cancer-information/diagnosis-and-treatment/pain/complementary-therapies-for-pain/?region=on>
- Da Silva, O. M., Rigon, E., Dalazen, J. V. C., Bissoloti, A. & Rabelo-Silva, E. R. (2016). Pain during arteriovenous fistula cannulation in chronic renal patients on hemodialysis. *Open Journal of Nursing*, 6, 1028-1037. <http://dx.doi.org/10.4236/ojn.2016.612098>
- Davtalab, E., & Naji, S. (2017). The Evaluation of Valsava Manuveur on Pain Intensity Within the Needle Insertion to the Arteriovenous Fistula For Patient Undergoing Hemodialysis in the Selected Hospital in Isfahan in 2015. *Annals of Tropical Medicine and Public Health*, 10(5), 1322-1327. Doi : 10.4103/ATMPH.ATMPH_202_17
- Doortua, B., Yustina, I., Ikhsanuddin, A, H. (2013). Hubungan karakteristik nyeri dengan kecemasan pada pasien kanker payudara yang menjalani kemoterapi di RSUD Dr. Pirngadi Medan. *Idea Nursing Jurnal*. Diakses dari: <http://jurnal.unsyiah.ac.id/INJ/article/view/6791/5551>
- Figueiredo, A. E., Viegas, A., Monteiro, M., & Poli-de-Figueiredo, C. E. (2008). Research Into Pain Perception with Arteriovenous Fistula (AVF). *Journal of Renal Care*, 34(4), 169–172. doi: 10.1111/j.1755-6686.2008.00041.x

- Ghods, A. A., Abforosh, N. H., Ghorbani, R., & Asgari, M. R. (2015). The effect of topical application of lavender essential oil on the intensity of pain caused by the insertion of dialysis needles in hemodialysis patients: A randomized clinical trial. *Complementary Therapies in Medicine*, 23(3), 325-330. doi:10.1016/j.ctim.2015.03.001
- Haerani, B., Sofiani, Y., & Wardi, A. (2019). Perbandingan Efektifitas Relaksasi Autogenic dan Music Therapy terhadap Tingkat Nyeri setelah Insersi Vaskuler Pasien yang Menjalani Hemodialisa. *Journal of Telenursing (JOTING)*, 1(1), 178–190. doi: 10.31539/joting.v1i1.540
- Handayani, L. T. (2018). Kajian etik penelitian dalam bidang kesehatan dengan melibatkan manusia sebagai subyek. *Jurnal Ilmu Kesehatan*, 10(1), 47-54. Diakses dari: <http://jurnal.unmuhjember.ac.id/index.php/TIHS/article/view/1454>
- In-center Hemodialysis (HD) Schedule. (2020). Diakses dari: <https://choosingdialysis.org/CommonDialysisTypes/DialysisSchedule>
- International Society of Nephrology. (2018). The Hidden Pandemic : Worldwide, Over 850 Million People Suffer From Kidney Disease. Diakses dari : http://www.era-edta.org/press/180626_Prevalence_Data_Project.pdf
- Kaza, N, K., Sabi, K, A., Amekoudi, E, Y, M., Imangue, G., Badibanga, J., Tsevi, C, M., Wendkuuni, A, Y, B., Teuwafeu, D, G., Benghanem, M, G., Ramdani, B. (2014). Pain during Arterio-Venous Fistula (AVF) Cannulation. *American Journal of Internal Medicine*. 2(5). doi: 10.11648/j.ajim.20140205.12
- Kemenkes. (2016). *Metodologi Penelitian Komprehensif*. Jakarta: Author.
- Kemenkes. (2017). *Situasi Penyakit Ginjal Kronis*. Jakarta.
- Kim, S., Kim, H., Yeo, J., Hong, S., Lee, J., & Jeon, Y. (2011). The Effect of Lavender Oil on Stress, Bispectral Index Values, and Needle Insertion Pain in Volunteers. *The Journal of Alternative and Complementary Medicine*, 17(9), 823-826. doi:10.1089/acm.2010.0644
- National Kidney Foundation. (2016). *Needles and Cannulas for Arteriovenous Fistula Access*. Unites States of America. Diakses dari: https://www.kidney.org/sites/default/files/Fistula%20Bulletin_0.pdf
- News - Joanna Briggs Institute: Better evidence. Better outcomes. Brighter future. (n.d.). diakses dari: <https://joannabriggs.org/news/article?id=1606>

- Nguyen, T. N., Nilsson, S., Hellström, A., & Bengtson, A. (2010). Music Therapy to Reduce Pain and Anxiety in Children With Cancer Undergoing Lumbar Puncture: A Randomized Clinical Trial. *Journal of Pediatric Oncology Nursing*, 27(3), 146-155. doi:10.1177/1043454209355983
- Porrazemmi, N., Goghary, Z. I., Firouzabadi, M., Balvardi, M., Parizi, F. I. (2019). The Effect of Cryotherapy at the Hoku Point on the Severity of Pain of Fistula Catheterization in Hemodialysis Patients. *Journal of Advances in Medical and Biomedical Research*. 27(124), 37-42. Doi : 10.30699/jambs.27.124.31
- Potter, P. A., & Perry, A. G. (2010). *Fundamental Keperawatan*, Edisi 7 Buku 3. Singapore: Elsevier.
- Pranowo, S. Prasetyo, A. Handayani, N. Pengaruh kompres dingin terhadap penurunan nyeri saat kanulasi (inlet akses femoral) hemodialisis. *Jurnal Kesehatan Al-Irsyad*, 9(2). Diakses dari: <http://jka.stikesalirsyadclp.ac.id/index.php/jka/article/view/58/75>
- Shabandokht-Zarmi, H., Bagheri-Nesami, M., Shorofi, S. A., & Mousavinasab, S. N. (2017). The effect of self-selected soothing music on fistula puncture-related pain in hemodialysis patients. *Complementary Therapies in Clinical Practice*, 29, 53-57. doi:10.1016/j.ctcp.2017.08.002
- Shankland II, Wesley E. (2011). Factors That Affect Pain Behaviour. *CRANIO*, 29(2), 144-154. doi: 10.1179/crn.2011.023
- Sheikhan, F., Jahdi, F., Khoei, E. M., Shamsalizadeh, N., Sheikhan, M., & Haghani, H. (2012). Erratum to “Episiotomy pain relief: Use of lavender oil essence in primiparous Iranian women” [Complement Ther Clin Pract 2012;18(1):66–70]. *Complementary Therapies in Clinical Practice*, 18(3), 195. doi:10.1016/j.ctcp.2012.01.004
- Smeltzer, Susane C. (2002). *Buku Ajar Keperawatan Medikal-Bedah Brunner & Suddarth Vol. 2. E/8*. Jakarta: Penerbit Buku Kedokteran EGC
- Sugiyono. (2018). Metode Penelitian Kuantitatif, dan R & D. *Alfabeta* : Bandung
- Sulistyorini, Ningrum. (2017). *Kidney Disease and Obesity : Healthy Lifestyle for Healthy Kidneys*. Indonesia. Diakses dari: <https://www.dinkesjatengprov.go.id/v2015/index.php/39rokcontent/frontpage/376-ginjal>

- Valkendarth, S & Kandi, V. (2017). Dialysis: A Review of the Mechanisms Underlying Complications in the Management of Chronic Renal Failure. *Cureus*, 9(8): e 1603. doi: 10.7759/cureus.1603
- Wager, E., & Wiffen, P. (2011). Ethical issues in preparing and publishing systematic reviews. *Journal of Evidence-Based Medicine*, 130-134. doi:10.1111/j.1756-5391.201101122.x
- Wahyudi, A. S., & Wahid, A. (2016). *Buku Ajar Ilmu Keperawatan Dasar*. Bogor: Mitra Wacana Media
- World Kidney Organization. (2019). Chronic Kidney Disease. Diakses dari: <https://www.worldkidneyday.org/facts/chronic-kidney-disease/>
- Yazdkhasti, M., & Pirak, A. (2016). The effect of aromatherapy with lavender essence on severity of labor pain and duration of labor in primiparous women. *Complementary Therapies in Clinical Practice*, 25, 81-86. doi:10.1016/j.ctcp.2016.08.008
- Yudiyanta, Khoirunissa N., Novitasari RW. (2015). Assessment Nyeri. *Jurnal CKD-226*, 42(3). Diakses dari: <https://scholar.google.co.id/citations?user=9vaRJz8AAAAJ&hl=en>