

## DAFTAR PUSTAKA

- Abayakoon, P., Jin, Y., Lingford, J. P., Petricevic, M., John, A., Ryan, E., Wai-Ying Mui, J., Pires, D. E. V., Ascher, D. B., Davies, G. J., Goddard-Borger, E. D., & Williams, S. J. (2018). Structural and Biochemical Insights into the Function and Evolution of Sulfoquinovosidases. *ACS Central Science*, 4(9), 1266–1273. <https://doi.org/10.1021/acscentsci.8b00453>
- Aleshin, A. E., Stoffer, B., Firsov, L. M., Svensson, B., & Honzatko, R. B. (1996). Crystallographic Complexes of Glucoamylase with Maltooligosaccharide Analogs: Relationship of Stereochemical Distortions at the Nonreducing End to the Catalytic Mechanism,. *Biochemistry*, 35(25), 8319–8328. <https://doi.org/10.1021/bi960321g>
- Almagro Armenteros, J. J., Sønderby, C. K., Sønderby, S. K., Nielsen, H., & Winther, O. (2017). DeepLoc: prediction of protein subcellular localization using deep learning. *Bioinformatics*, 33(21), 3387–3395. <https://doi.org/10.1093/bioinformatics/btx431>
- Andrews, S. (2015). *FastQC: A Quality Control Tool for High Throughput Sequence Data.* <https://www.bioinformatics.babraham.ac.uk/projects/fastqc/> <http://www.bioinformatics.bbsrc.ac.uk/projects/fastqc/>
- Bankevich, A., Nurk, S., Antipov, D., Gurevich, A. A., Dvorkin, M., Kulikov, A. S., Lesin, V. M., Nikolenko, S. I., Pham, S., Prjibelski, A. D., Pyshkin, A. V., Sirotkin, A. V., Vyahhi, N., Tesler, G., Alekseyev, M. A., & Pevzner, P. A. (2012). SPAdes: a new genome assembly algorithm and its applications to single-cell sequencing. *Journal of Computational Biology: A Journal of Computational Molecular Cell Biology*, 19(5), 455–477. <https://doi.org/10.1089/cmb.2012.0021>
- Benkert, P., Tosatto, S. C. E., & Schomburg, D. (2008). QMEAN: A comprehensive scoring function for model quality assessment. *Proteins: Structure, Function, and Bioinformatics*, 71(1), 261–277. <https://doi.org/https://doi.org/10.1002/prot.21715>
- Blum, M., Chang, H.-Y., Chuguransky, S., Grego, T., Kandasamy, S., Mitchell, A., Nuka, G., Paysan-Lafosse, T., Qureshi, M., Raj, S., Richardson, L., Salazar, G. A., Williams, L., Bork, P., Bridge, A., Gough, J., Haft, D. H., Letunic, I., Marchler-Bauer, A., ... Finn, R. D. (2021). The InterPro protein families and domains database: 20 years on. *Nucleic Acids Research*, 49(D1), D344–D354. <https://doi.org/10.1093/nar/gkaa977>
- Bolger, A. M., Lohse, M., & Usadel, B. (2014). Trimmomatic: a flexible trimmer for Illumina sequence data. *Bioinformatics (Oxford, England)*, 30(15), 2114–2120. <https://doi.org/10.1093/bioinformatics/btu170>
- Camacho, C., Coulouris, G., Avagyan, V., Ma, N., Papadopoulos, J., Bealer, K., & Madden, T. L. (2009). BLAST+: architecture and applications. *BMC Bioinformatics*, 10, 421. <https://doi.org/10.1186/1471-2105-10-421>

- Carrière, C., Jonic, S., Mornon, J.-P., & Callebaut, I. (2008). 3D mapping of glycogenosis-causing mutations in the large regulatory alpha subunit of phosphorylase kinase. *Biochimica et Biophysica Acta (BBA) - Molecular Basis of Disease*, 1782(11), 664–670. [https://doi.org/https://doi.org/10.1016/j.bbadi.2008.09.011](https://doi.org/10.1016/j.bbadi.2008.09.011)
- Chatterjee, B., Ghosh, A., & Das, A. (1992). Starch digestion and adsorption by  $\beta$ -amylase of *Emericella nidulans* (*Aspergillus nidulans*). *Journal of Applied Bacteriology*, 72(3), 208–213. [https://doi.org/https://doi.org/10.1111/j.1365-2672.1992.tb01825.x](https://doi.org/10.1111/j.1365-2672.1992.tb01825.x)
- Chen, W., Xie, T., Shao, Y., & Chen, F. (2012). Phylogenomic Relationships between Amyloytic Enzymes from 85 Strains of Fungi. *PLOS ONE*, 7(11), e49679. <https://doi.org/10.1371/journal.pone.0049679>
- Chen, Y., Armstrong, Z., Artola, M., Florea, B. I., Kuo, C.-L., de Boer, C., Rasmussen, M. S., Abou Hachem, M., van der Marel, G. A., Codée, J. D. C., Aerts, J. M. F. G., Davies, G. J., & Overkleeft, H. S. (2021). Activity-Based Protein Profiling of Retaining  $\alpha$ -Amylases in Complex Biological Samples. *Journal of the American Chemical Society*, 143(5), 2423–2432. <https://doi.org/10.1021/jacs.0c13059>
- Coordinators, N. R. (2018). Database resources of the National Center for Biotechnology Information. *Nucleic Acids Research*, 46(D1), D8–D13. <https://doi.org/10.1093/nar/gkx1095>
- de Souza, P. M., & de Oliveira Magalhães, P. (2010). Application of microbial  $\alpha$ -amylase in industry - A review. *Brazilian Journal of Microbiology: [Publication of the Brazilian Society for Microbiology]*, 41(4), 850–861. <https://doi.org/10.1590/S1517-83822010000400004>
- Ekblom, R., & Wolf, J. B. W. (2014). A field guide to whole-genome sequencing, assembly and annotation. *Evolutionary Applications*, 7(9), 1026–1042. <https://doi.org/https://doi.org/10.1111/eva.12178>
- Ekstrom, A., Taujale, R., McGinn, N., & Yin, Y. (2014). PlantCAZyme: a database for plant carbohydrate-active enzymes. *Database : The Journal of Biological Databases and Curation*, 2014, bau079. <https://doi.org/10.1093/database/bau079>
- Ernst, H. A., Lo Leggio, L., Willemoes, M., Leonard, G., Blum, P., & Larsen, S. (2006). Structure of the *Sulfolobus solfataricus* alpha-glucosidase: implications for domain conservation and substrate recognition in GH31. *Journal of Molecular Biology*, 358(4), 1106–1124. <https://doi.org/10.1016/j.jmb.2006.02.056>
- Flynn, J. M., Hubley, R., Goubert, C., Rosen, J., Clark, A. G., Feschotte, C., & Smit, A. F. (2020). RepeatModeler2 for automated genomic discovery of transposable element families. *Proceedings of the National Academy of Sciences*, 117(17), 9451 LP – 9457. <https://doi.org/10.1073/pnas.1921046117>

- Frieman, M. B., & Cormack, B. P. (2004). Multiple sequence signals determine the distribution of glycosylphosphatidylinositol proteins between the plasma membrane and cell wall in *Saccharomyces cerevisiae*. *Microbiology (Reading, England)*, 150(Pt 10), 3105–3114. <https://doi.org/10.1099/mic.0.27420-0>
- Gasteiger, E., Hoogland, C., Gattiker, A., Duvaud, S., Wilkins, M. R., Appel, R. D., & Bairoch, A. (2005). Protein Identification and Analysis Tools on the ExPASy Server. In J. M. Walker (Ed.), *The Proteomics Protocols Handbook* (pp. 571–607). Humana Press Inc.
- Gibbons, J. G., & Rokas, A. (2013). The function and evolution of the *Aspergillus* genome. *Trends in Microbiology*, 21(1), 14–22. <https://doi.org/10.1016/j.tim.2012.09.005>
- Gomi, K. (2019). Regulatory mechanisms for amylolytic gene expression in the koji mold *Aspergillus oryzae*. *Bioscience, Biotechnology, and Biochemistry*, 83(8), 1385–1401. <https://doi.org/10.1080/09168451.2019.1625265>
- Görg, A., Weiss, W., & Dunn, M. J. (2004). Current two-dimensional electrophoresis technology for proteomics. *PROTEOMICS*, 4(12), 3665–3685. <https://doi.org/https://doi.org/10.1002/pmic.200401031>
- Guan, D., McCarthy, S. A., Wood, J., Howe, K., Wang, Y., & Durbin, R. (2020). Identifying and removing haplotypic duplication in primary genome assemblies. *Bioinformatics*, 36(9), 2896–2898. <https://doi.org/10.1093/bioinformatics/btaa025>
- Gurevich, A., Saveliev, V., Vyahhi, N., & Tesler, G. (2013). QUAST: quality assessment tool for genome assemblies. *Bioinformatics (Oxford, England)*, 29(8), 1072–1075. <https://doi.org/10.1093/bioinformatics/btt086>
- Halligan, B. D. (2009). ProMoST: a tool for calculating the pI and molecular mass of phosphorylated and modified proteins on two-dimensional gels. *Methods in Molecular Biology (Clifton, N.J.)*, 527, 283–ix. [https://doi.org/10.1007/978-1-60327-834-8\\_21](https://doi.org/10.1007/978-1-60327-834-8_21)
- Higuchi, Y. (2021). Membrane Traffic in *Aspergillus oryzae* and Related Filamentous Fungi. In *Journal of Fungi* (Vol. 7, Issue 7). <https://doi.org/10.3390/jof7070534>
- Hong, S.-B., Lee, M., Kim, D.-H., Varga, J., Frisvad, J. C., Perrone, G., Gomi, K., Yamada, O., Machida, M., Houbraken, J., & Samson, R. A. (2013). ASPERGILLUS LUCHUENSIS, AN INDUSTRIALLY IMPORTANT BLACK ASPERGILLUS IN EAST ASIA. *PLOS ONE*, 8(5), e63769. <https://doi.org/10.1371/journal.pone.0063769>
- Humann, J. L., Lee, T., Ficklin, S., & Main, D. (2019). *Structural and Functional Annotation of Eukaryotic Genomes with GenSAS BT - Gene Prediction: Methods and Protocols* (M. Kollmar (ed.); pp. 29–51). Springer New York. [https://doi.org/10.1007/978-1-4939-9173-0\\_3](https://doi.org/10.1007/978-1-4939-9173-0_3)

- Illumina. (2021). *Poly-G Trimming*. [https://support.illumina.com/content/dam/illumina-support/help/Illumina\\_DRAGEN\\_Bio\\_IT\\_Platform\\_v3\\_7\\_1000\\_000141465/Content/SW/Informatics/Dragen/PolyG\\_Trimming\\_fDG.htm](https://support.illumina.com/content/dam/illumina-support/help/Illumina_DRAGEN_Bio_IT_Platform_v3_7_1000_000141465/Content/SW/Informatics/Dragen/PolyG_Trimming_fDG.htm)
- Karp, G. (2010). *Cell and Molecular Biology: Concepts and Experiments*. John Wiley & Sons, Inc.
- Keller, O., Kollmar, M., Stanke, M., & Waack, S. (2011). A novel hybrid gene prediction method employing protein multiple sequence alignments. *Bioinformatics*, 27(6), 757–763. <https://doi.org/10.1093/bioinformatics/btr010>
- Kiraga, J., Mackiewicz, P., Mackiewicz, D., Kowalcuk, M., Biecek, P., Polak, N., Smolarczyk, K., Dudek, M. R., & Cebrat, S. (2007). The relationships between the isoelectric point and: length of proteins, taxonomy and ecology of organisms. *BMC Genomics*, 8, 163. <https://doi.org/10.1186/1471-2164-8-163>
- Kumar, R., & Dhandha, S. K. (2020). Bird Eye View of Protein Subcellular Localization Prediction. In *Life* (Vol. 10, Issue 12). <https://doi.org/10.3390/life10120347>
- Kumar, Y., Khachane, A., Belwal, M., Das, S., Somsundaram, K., & Tatu, U. (2004). ProteoMod: A new tool to quantitate protein post-translational modifications. *PROTEOMICS*, 4(6), 1672–1683. <https://doi.org/10.1002/pmic.200300778>
- Lee, J., & Paetzel, M. (2011). Structure of the catalytic domain of glucoamylase from *Aspergillus niger*. *Acta Crystallographica. Section F, Structural Biology and Crystallization Communications*, 67(Pt 2), 188–192. <https://doi.org/10.1107/S1744309110049390>
- Lombard, V., Golaconda Ramulu, H., Drula, E., Coutinho, P. M., & Henrissat, B. (2014). The carbohydrate-active enzymes database (CAZy) in 2013. *Nucleic Acids Research*, 42(Database issue), D490–D495. <https://doi.org/10.1093/nar/gkt1178>
- Lu, S., Wang, J., Chitsaz, F., Derbyshire, M. K., Geer, R. C., Gonzales, N. R., Gwadz, M., Hurwitz, D. I., Marchler, G. H., Song, J. S., Thanki, N., Yamashita, R. A., Yang, M., Zhang, D., Zheng, C., Lanczycki, C. J., & Marchler-Bauer, A. (2020). CDD/SPARCLE: the conserved domain database in 2020. *Nucleic Acids Research*, 48(D1), D265–D268. <https://doi.org/10.1093/nar/gkz991>
- Marchler-Bauer, A., & Bryant, S. H. (2004). CD-Search: protein domain annotations on the fly. *Nucleic Acids Research*, 32(Web Server issue), W327–W331. <https://doi.org/10.1093/nar/gkh454>

- Marchler-Bauer, A., Zheng, C., Chitsaz, F., Derbyshire, M. K., Geer, L. Y., Geer, R. C., Gonzales, N. R., Gwadz, M., Hurwitz, D. I., Lanczycki, C. J., Lu, F., Lu, S., Marchler, G. H., Song, J. S., Thanki, N., Yamashita, R. A., Zhang, D., & Bryant, S. H. (2013). CDD: conserved domains and protein three-dimensional structure. *Nucleic Acids Research*, 41(D1), D348–D352. <https://doi.org/10.1093/nar/gks1243>
- Marion, C. L., Rappleye, C. A., Engle, J. T., & Goldman, W. E. (2006). An  $\alpha$ -(1,4)-amylase is essential for  $\alpha$ -(1,3)-glucan production and virulence in *Histoplasma capsulatum*. *Molecular Microbiology*, 62(4), 970–983. <https://doi.org/https://doi.org/10.1111/j.1365-2958.2006.05436.x>
- Martin, M., & řefan, J. (2007). *Amylolytic Enzymes: Types, Structures and Specificities BT - Industrial Enzymes: Structure, Function and Applications* (J. Polaina & A. P. MacCabe (eds.); pp. 3–18). Springer Netherlands. [https://doi.org/10.1007/1-4020-5377-0\\_1](https://doi.org/10.1007/1-4020-5377-0_1)
- Masuishi, Y. (2018). Identification of  $\omega$ -sites of Glycosylphosphatidylinositol Anchored Proteins. *Journal of Immunological Sciences*, 2, 1–5. <https://doi.org/10.29245/2578-3009/2018/5.1151>
- Mishra, S. K., Shivam, K., Diwakar, S. K., & Shukla, S. (2014). *Purification and Characterization of a Novel Thermostable  $\beta$ -Amylase from Aspergillus foetidus MTCC-508.  $\beta$ -Amylase from Aspergillus foetidus MTCC-508 BT - Microbial Diversity and Biotechnology in Food Security* (R. N. Kharwar, R. S. Upadhyay, N. K. Dubey, & R. Raghuwanshi (eds.); pp. 479–488). Springer India. [https://doi.org/10.1007/978-81-322-1801-2\\_43](https://doi.org/10.1007/978-81-322-1801-2_43)
- Mistry, J., Chuguransky, S., Williams, L., Qureshi, M., Salazar, G. A., Sonnhammer, E. L. L., Tosatto, S. C. E., Paladin, L., Raj, S., Richardson, L. J., Finn, R. D., & Bateman, A. (2021). Pfam: The protein families database in 2021. *Nucleic Acids Research*, 49(D1), D412–D419. <https://doi.org/10.1093/nar/gkaa913>
- Mohanta, T. K., Mishra, A. K., Khan, A., Hashem, A., Abd-Allah, E. F., & Al-Harrasi, A. (2021). Virtual 2-D map of the fungal proteome. *Scientific Reports*, 11(1), 6676. <https://doi.org/10.1038/s41598-021-86201-6>
- Muhiddin, N., Ramlawati, R., Yanti, N., & Mun'im, A. (2019). The changes of starch and sugar on fermented of mixture of cassava and sweet potatoes using local tape ragi. *Journal of Physics: Conference Series*, 1317, 12084. <https://doi.org/10.1088/1742-6596/1317/1/012084>
- National Center for Biotechnology Information. (2021). *Aspergillus welwitschiae*. <https://www.ncbi.nlm.nih.gov/genome/?term=aspergillus+welwitschiae>

- Needleman, R. B., Kaback, D. B., Dubin, R. A., Perkins, E. L., Rosenberg, N. G., Sutherland, K. A., Forrest, D. B., & Michels, C. A. (1984). MAL6 of *Saccharomyces*: a complex genetic locus containing three genes required for maltose fermentation. *Proceedings of the National Academy of Sciences*, 81(9), 2811 LP – 2815. <https://doi.org/10.1073/pnas.81.9.2811>
- Nigam, P. S. (2015). Microbial Enzymes with Special Characteristics for Biotechnological Applications. In P. H. Rampelotto (Ed.), *Enzymes and Their Biotechnological Applications* (p. 155). MDPI.
- Nonaka, T., Fujihashi, M., Kita, A., Hagihara, H., Ozaki, K., Ito, S., & Miki, K. (2003). Crystal Structure of Calcium-free  $\alpha$ -Amylase from *Bacillus* sp. Strain KSM-K38 (AmyK38) and Its Sodium Ion Binding Sites. *The Journal of Biological Chemistry*, 278, 24818–24824. <https://doi.org/10.1074/jbc.M212763200>
- Pierleoni, A., Martelli, P. L., & Casadio, R. (2008). PredGPI: a GPI-anchor predictor. *BMC Bioinformatics*, 9, 392. <https://doi.org/10.1186/1471-2105-9-392>
- Purich, D. L., & Allison, R. D. (2003). *The Enzyme Reference: A Comprehensive Guidebook to Enzyme Nomenclature, Reactions, and Methods*. Elsevier Science. <https://books.google.co.id/books?id=LlW7i28psqsC>
- Reece, J. B., Urry, L. A., Cain, M. L., Wasserman, S. A., Minorsky, P. V., & Jackson, R. B. (2014). *Campbell Biology* (10th ed.). Pearson Education, Inc.
- Reid, I., O'Toole, N., Zabaneh, O., Nourzadeh, R., Dahdouli, M., Abdellateef, M., Gordon, P. M. K., Soh, J., Butler, G., Sensen, C. W., & Tsang, A. (2014). SnowyOwl: accurate prediction of fungal genes by using RNA-Seq and homology information to select among ab initio models. *BMC Bioinformatics*, 15(1), 229. <https://doi.org/10.1186/1471-2105-15-229>
- Robinson, P. N., & Jäger, R. M. P. M. (2018). *Computational Exome and Genome Analysis* (N. F. Britton, X. Lin, N. Mulder, M. V. Schneider, & M. Singh (eds.)). CRC Press.
- Samson, R. A., Visagie, C. M., Houbraken, J., Hong, S.-B., Hubka, V., Klaassen, C. H. W., Perrone, G., Seifert, K. A., Susca, A., Tanney, J. B., Varga, J., Kocsimbé, S., Szigeti, G., Yaguchi, T., & Frisvad, J. C. (2014). Phylogeny, identification and nomenclature of the genus *Aspergillus*. *Studies in Mycology*, 78, 141–173. <https://doi.org/https://doi.org/10.1016/j.simyco.2014.07.004>
- Saranraj, P. (2013). Fungal Amylase - A Review. *International Journal of Microbiological Research*, 4. <https://doi.org/10.5829/idosi.ijmr.2013.4.2.75170>

- Sauer, J., Sigurskjold, B. W., Christensen, U., Frandsen, T. P., Mirgorodskaya, E., Harrison, M., Roepstorff, P., & Svensson, B. (2000). Glucoamylase: structure/function relationships, and protein engineering. *Biochimica et Biophysica Acta (BBA) - Protein Structure and Molecular Enzymology*, 1543(2), 275–293. [https://doi.org/10.1016/S0167-4838\(00\)00232-6](https://doi.org/10.1016/S0167-4838(00)00232-6)
- Savojardo, C., Martelli, P. L., Fariselli, P., Profiti, G., & Casadio, R. (2018). BUSCA: an integrative web server to predict subcellular localization of proteins. *Nucleic Acids Research*, 46(W1), W459–W466. <https://doi.org/10.1093/nar/gky320>
- Sehnal, D., Bittrich, S., Deshpande, M., Svobodová, R., Berka, K., Bazgier, V., Velankar, S., Burley, S. K., Koča, J., & Rose, A. S. (2021). Mol\* Viewer: modern web app for 3D visualization and analysis of large biomolecular structures. *Nucleic Acids Research*, 49(W1), W431–W437. <https://doi.org/10.1093/nar/gkab314>
- Seppey, M., Manni, M., & Zdobnov, E. M. (2019). *BUSCO: Assessing Genome Assembly and Annotation Completeness BT - Gene Prediction: Methods and Protocols* (M. Kollmar (ed.); pp. 227–245). Springer New York. [https://doi.org/10.1007/978-1-4939-9173-0\\_14](https://doi.org/10.1007/978-1-4939-9173-0_14)
- Sievers, F., Wilm, A., Dineen, D., Gibson, T. J., Karplus, K., Li, W., Lopez, R., McWilliam, H., Remmert, M., Söding, J., Thompson, J. D., & Higgins, D. G. (2011). Fast, scalable generation of high-quality protein multiple sequence alignments using Clustal Omega. *Molecular Systems Biology*, 7(1), 539. <https://doi.org/https://doi.org/10.1038/msb.2011.75>
- Silva, J. J. da, Iamanaka, B. T., Ferranti, L. S., Massi, F. P., Taniwaki, M. H., Puel, O., Lorber, S., Frisvad, J. C., & Fungaro, M. H. P. (2020). Diversity within Aspergillus niger Clade and Description of a New Species: Aspergillus vinaceus sp. nov. In *Journal of Fungi* (Vol. 6, Issue 4). <https://doi.org/10.3390/jof6040371>
- Smit, AFA, Hubley, R., & Green, P. (2015). *RepeatMasker Open-4.0*. <http://www.repeatmasker.org>
- Tagami, T., Yamashita, K., Okuyama, M., Mori, H., Yao, M., & Kimura, A. (2013). Molecular Basis for the Recognition of Long-chain Substrates by Plant -Glucosidases. *Journal of Biological Chemistry*, 288(26), 19296–19303. <https://doi.org/10.1074/jbc.M113.465211>
- USDA-ARS-USMARC. (2020). *Salmonella enterica subsp. enterica serovar Typhimurium str. USDA-ARS-USMARC-1808 : USMARC NAMA Salmonella Sequencing Project*. National Center for Biotechnology Information.
- van Dijk, E. L., Auger, H., Jaszczyzyn, Y., & Thermes, C. (2014). Ten years of next-generation sequencing technology. *Trends in Genetics*, 30(9), 418–426. <https://doi.org/10.1016/j.tig.2014.07.001>

- Vesth, T. C., Nybo, J. L., Theobald, S., Frisvad, J. C., Larsen, T. O., Nielsen, K. F., Hoof, J. B., Brandl, J., Salamov, A., Riley, R., Gladden, J. M., Phatale, P., Nielsen, M. T., Lyhne, E. K., Kogle, M. E., Strasser, K., McDonnell, E., Barry, K., Clum, A., ... Andersen, M. R. (2018). Investigation of inter- and intraspecies variation through genome sequencing of *Aspergillus* section Nigri. *Nature Genetics*, 50(12), 1688–1695. <https://doi.org/10.1038/s41588-018-0246-1>
- von Heijne, G. (1990). The signal peptide. *The Journal of Membrane Biology*, 115(3), 195–201. <https://doi.org/10.1007/BF01868635>
- Waterhouse, A., Bertoni, M., Bienert, S., Studer, G., Tauriello, G., Gumienny, R., Heer, F. T., de Beer, T. A. P., Rempfer, C., Bordoli, L., Lepore, R., & Schwede, T. (2018). SWISS-MODEL: homology modelling of protein structures and complexes. *Nucleic Acids Research*, 46(W1), W296–W303. <https://doi.org/10.1093/nar/gky427>
- Wetterstrand, K. A. (2020). *DNA Sequencing Costs: Data from the NHGRI Genome Sequencing Program (GSP)*. [www.genome.gov/sequencingcostsdata](http://www.genome.gov/sequencingcostsdata)
- Wick, R. R., Schultz, M. B., Zobel, J., & Holt, K. E. (2015). Bandage: interactive visualization of de novo genome assemblies. *Bioinformatics*, 31(20), 3350–3352. <https://doi.org/10.1093/bioinformatics/btv383>
- Yandell, M., & Ence, D. (2012). A beginner's guide to eukaryotic genome annotation. *Nature Reviews Genetics*, 13(5), 329–342. <https://doi.org/10.1038/nrg3174>
- Yuan, X. L., Van Der Kaaij, R. M., Van Den Hondel, C. A. M. J. J., Punt, P. J., Van Der Maarel, M. J. E. C., Dijkhuizen, L., & Ram, A. F. J. (2008). Aspergillus niger genome-wide analysis reveals a large number of novel alpha-glucan acting enzymes with unexpected expression profiles. *Molecular Genetics and Genomics*, 279(6), 545–561. <https://doi.org/10.1007/s00438-008-0332-7>