

## DAFTAR PUSTAKA

- Adimpong, D. B., Sørensen, K. I., Thorsen, L., Stuer-Lauridsen, B., Abdelgadir, W. S., Nielsen, D. S., & Jespersen, L. (2012). Antimicrobial Susceptibility of *Bacillus* Strains Isolated from Primary Starters for African Traditional Bread Production and Characterization of the Bacitracin Operon and Bacitracin Biosynthesis. *Applied and Environmental Microbiology*, 78(22), 7903–7914.
- Agersø Y, Stuer-Lauridsen B, Bjerre K, Jensen MG, Johansen E, Bennedsen M, Brockmann E, Nielsen B. (2018). Antimicrobial susceptibility testing and tentative epidemiological cutoff values for five *Bacillus* species relevant for use as animal feed additives or for plant protection. *Appl Environ Microbiol* 84:e01108-18. <https://doi.org/10.1128/AEM.01108-18>.
- Alcock, B. P., Raphenya, A. R., Lau, T., Tsang, K. K., Bouchard, M., Edalatmand, A., Huynh, W., Nguyen, A. V., Cheng, A. A., Liu, S., Min, S. Y., Miroshnichenko, A., Tran, H. K., Werfalli, R. E., Nasir, J. A., Oloni, M., Speicher, D. J., Florescu, A., Singh, B., Faltyn, M., ... McArthur, A. G. (2020). CARD 2020: antibiotic resistome surveillance with the comprehensive antibiotic resistance database. *Nucleic acids research*, 48(D1), D517–D525. <https://doi.org/10.1093/nar/gkz935>
- Aldema, M. L., McMurry, L. M., Walmsley, A. R., & Levy, S. B. (1996). Purification of the Tn10-specified tetracycline efflux antiporter TetA in a native state as a polyhistidine fusion protein. *Molecular Microbiology*, 19(1), 187–195. doi:10.1046/j.1365-2958.1996.359886.x
- AlGburi, A. , Volski, A. , Cugini, C. , Walsh, E. , Chistyakov, V. , Mazanko, M. , Bren, A. , Dicks, L. and Chikindas, M. (2016) Safety Properties and Probiotic Potential of *Bacillus subtilis*KATMIRA1933 and *Bacillus amyloliquefaciens* B-1895. *Advances in Microbiology*, 6, 432-452. doi: 10.4236/aim.2016.66043.
- Ali, S. M., Siddiqui, R., & Khan, N. A. (2018). Antimicrobial discovery from natural and unusual sources. *Journal of Pharmacy and Pharmacology*.
- Amerah, A., Quiles, A., Medel, P., Sanchez, J., Lehtinen, M., & Gracia, M. (2013). Effect of pelleting temperature and probiotic supplementation on growth performance and immune function of broilers fed maize/soy-based diets. *Journal of Animal Feed Science and Technology*, 180, 55–63.

Amin, Z. F. A., Sabri, S., Ismail, M., Chan, K. W., Ismail, N., Mohd Esa, N., Mohd Lila, M. A., & Zawawi, N. (2019). Probiotic Properties of *Bacillus* Strains Isolated from Stingless Bee (*Heterotrigona itama*) Honey Collected across Malaysia. *International journal of environmental research and public health*, 17(1), 278. <https://doi.org/10.3390/ijerph17010278>

Apteroiae-Constantin, C., Mikkola, R., Andersson, M., Teplova, V., Suominen, I., Johansson, T., & Salkinoja-Salonen, M. (2009). *Bacillus subtilis* and *B. mojavensis* strains connected to food poisoning produce the heat stable toxin amylosin. *Journal of Applied Microbiology*, 106, 1976–1985.

Aristoff, P. A., Garcia, G. A., Kirchhoff, P. D., & Hollis Showalter, H. D. (2010). Rifamycins: Obstacles and opportunities. *Tuberculosis*, 90(2), 94–118. doi:10.1016/j.tube.2010.02.001

Bello-López, J. M., & Rojo-Medina, J. (2017). Detection of antibiotic resistance genes  $\beta$ -lactamics in bacterial strains isolated from Umbilical Cord Blood Units for transplant. *Revista Médica Del Hospital General de México*, 80(1), 31–36. doi:10.1016/j.hgmx.2016.05.005

Bernard, R., El Ghachi, M., Mengin-Lecreux, D., Chippaux, M., & Denizot, F. (2005). BcrC from *Bacillus subtilis* Acts as an Undecaprenyl Pyrophosphate Phosphatase in Bacitracin Resistance. *Journal of Biological Chemistry*, 280(32), 28852–28857. doi:10.1074/jbc.m413750200

Binda, E., Marinelli, F., and Marcone, G. L. (2014). Old and new glycopeptide antibiotics: action and resistance. *Antibiotics (Basel)* 3, 572–594.

Binda, S., Hill, C., Johansen, E., Obis, D., Pot, B., Sanders, M. E., Tremblay, A., & Ouwehand, A. C. (2020). Criteria to Qualify Microorganisms as "Probiotic" in Foods and Dietary Supplements. *Frontiers in microbiology*, 11, 1662.

Blondeau, J. M. (2004). Fluoroquinolones: mechanism of action, classification, and development of resistance. *Survey of Ophthalmology*, 49(2), S73–S78. doi:10.1016/j.survophthal.2004.01.005

Bozdogan, B., & Appelbaum, P. C. (2004). Oxazolidinones: activity, mode of action, and mechanism of resistance. *International Journal of Antimicrobial Agents*, 23(2), 113–119. doi:10.1016/j.ijantimicag.2003.11.003

Cai, X.-C., Xi, H., Liang, L., Liu, J.-D., Liu, C.-H., Xue, Y.-R., & Yu, X.-Y. (2017). Rifampicin-Resistance Mutations in the *rpoB* Gene in *Bacillus velezensis* CC09 have Pleiotropic Effects. *Frontiers in Microbiology*, 08.doi:10.3389/fmicb.2017.00178

Carlin, F. (2011) Origin of bacterial spores contaminating foods. *Journal Food Microbiology*, 29,177-182

Carlson-Banning, K. M., & Zechiedrich, L. (2013). Antibiotic Classes and Mechanisms of Resistance. *Encyclopedia of Metagenomics*, 1–13. doi:10.1007/978-1-4614-6418-1\_55-1

Cartman, S. T., La Ragione, R.M. & Woodward, M. J. (2008). *Bacillus subtilis* spores germinate in the chicken gastrointestinal tract. *Appl Environ Microbiol* 74, 5254-5258

Chen, Y., Succi, J., Tenover, F. C., & Koehler, T. M. (2003). -Lactamase Genes of the Penicillin-Susceptible *Bacillus anthracis* Sterne Strain. *Journal of Bacteriology*, 185(3), 823–830. doi:10.1128/jb.185.3.823-830.2003

Chopra, I., & Roberts, M. (2001). Tetracycline antibiotics: mode of action, applications, molecular biology, and epidemiology of bacterial resistance. *Microbiology and molecular biology reviews : MMBR*, 65(2), 232–260. <https://doi.org/10.1128/MMBR.65.2.232-260.2001>

1Clinical and Laboratory Standards Institute (CLSI). (2012). M02-A11: Performance Standards for Antimicrobial Disk Susceptibility Tests; Approved Standard- 11th Edition. CLSI: Wayne, PA.

2Clinical and Laboratory Standards Institute (CLSI). (2021). M100: Performance Standards for Antimicrobial Susceptibility Testing 31st Edition. CLSI: Wayne, PA.

1Crowe-McAuliffe, C., Graf, M., Huter, P., Takada, H., Abdelshahid, M., Nováček, J., ... Wilson, D. N. (2018). Structural basis for antibiotic resistance mediated by the *Bacillus subtilis* ABCF ATPase VmlR. *Proceedings of the National Academy of Sciences*, 201808535. doi:10.1073/pnas.1808535115

2Crowe-McAuliffe, C., Murina, V., Turnbull, K. J. (2021). Structural basis of ABCF-mediated resistance to pleuromutilin, lincosamide, and streptogramin A antibiotics in Gram-positive pathogens. *Nat Commun* 12, 3577.

- Cutting, S. M. (2011). *Bacillus probiotics*. *Food Microbiology*, 28(2), 214–220.doi:10.1016/j.fm.2010.03.007
- Dahesihdewi, A., Sugianli, A.K., Parwati, I. (2019). The surveillance of antibiotics resistance in Indonesia: a current reports. *Bali Medical Journal* 8(2): 474-479
- Dai, L., Wu, C. M., Wang, M. G., Wang, Y., Wang, Y., Huang, S. Y., et al. (2010). First report of the multidrug resistance gene cfr and the phenicol resistance gene fexA in a *Bacillus* strain from swine feces. *Antimicrob. Agents Chemother.* 54, 3953–3955.
- Diallo, O. O., Baron, S. A., Abat, C., Colson, P., Chaudet, H., & Rolain, J. M. (2020). Antibiotic resistance surveillance systems: A review. *Journal of global antimicrobial resistance*, 23, 430–438.
- Drlica, K., Hiasa, H., Kerns, R., Malik, M., Mustaev, A., & Zhao, X. (2009). Quinolones: action and resistance updated. *Current topics in medicinal chemistry*, 9(11), 981–998. <https://doi.org/10.2174/156802609789630947>
- European Committee on Antimicrobial Susceptibility Testing (EUCAST). (2021). Breakpoint tables for interpretation of MICs and zone diameters. Version 11.0. EUCAST: <http://www.eucast.org>.
- Fàbrega, A., Madurga, S., Giralt, E., & Vila, J. (2009). Mechanism of action of and resistance to quinolones. *Microbial biotechnology*, 2(1), 40–61.
- Fijan, S. (2014) Microorganisms with claimed probiotic properties: an overview of recent literature. *Int J Environ Res Public Health* 11, 4745–4767.
- File, T. M. (2005). Solutions to the Problem of Bacterial Resistance. *Treatments in Respiratory Medicine, Treat Respir Med*, 4 Suppl. 1: 25-30.
- González, J. M., Buschiazzo, A., & Vila, A. J. (2010). Evidence of Adaptability in Metal Coordination Geometry and Active-Site Loop Conformation among B1 Metallo-β-lactamases,. *Biochemistry*, 49(36), 7930–7938.
- Green, D. H., Wakeley, P. R., Page, A., Barnes, A., Baccigalupi, L., Ricca, E., & Cutting, S. M. (1999). Characterization of two *Bacillus* probiotics. *Applied and environmental microbiology*, 65(9), 4288–4291.

- Gu, S. B., Zhao, L. N., Wu, Y., Li, S. C., Sun, J. R., Huang, J. F., & Li, D. D. (2015). Potential probiotic attributes of a new strain of *Bacillus coagulans* CGMCC 9951 isolated from healthy piglet feces. *World journal of microbiology & biotechnology*, 31(6), 851–863. <https://doi.org/10.1007/s11274-015-1838-x>
- Haddar H.O., Aziz G.M., and Al-Gelawi M.H. (2007). Optimization of bacitracin production by *Bacillus licheniformis*B5. *Pak. J. Biol. Sci.* 10(6): 972–976.
- Hassan M., Kjos M., Nes I.F., Diep D.B., and Lotfipour F. (2012). Natural antimicrobial peptides from bacteria: characteristics and potential applications to fight against antibiotic resistance. *J. Appl. Microbiol.* 113(4): 723–736.
- Hoa, N. T., Baccigalupi, L., Huxham, A., Smertenko, A., Van, P. H., Ammendola, S., Ricca, E., & Cutting, A. S. (2000). Characterization of *Bacillus* species used for oral bacteriotherapy and bacterioprophylaxis of gastrointestinal disorders. *Applied and environmental microbiology*, 66(12), 5241–5247.
- Hong, H.A., Duc, L.H. and Cutting, S.M. (2005) The use of bacterial spore formers as probiotics. *FEMS Microbiol Rev*29, 813–835.
- Inaoka, T., Takahashi, K., Ohnishi-Kameyama, M., Yoshida, M., and Ochi, K. (2003) Guanine nucleotides guanosine 5'-diphosphate 3'-diphosphate and GTP co-operatively regulate the production of an antibiotic bacilysin in *Bacillus subtilis*. *J Biol Chem*278: 2169– 2176.
- Ishihara, H., Takoh, M., Nishibayashi, R., & Sato, A. (2002). Distribution and Variation of Bacitracin Synthetase Gene Sequences in Laboratory Stock Strains of *Bacillus licheniformis*. *Current Microbiology*, 45(1), 18–23. doi:10.1007/s00284-001-0041-5
- Jack, D. L., Storms, M. L., Tchieu, J. H., Paulsen, I. T., & Saier, M. H. (2000). A Broad-Specificity Multidrug Efflux Pump Requiring a Pair of Homologous SMR-Type Proteins. *Journal of Bacteriology*, 182(8), 2311–2313.doi:10.1128/jb.182.8.2311-2313.2000
- Kadaikunnan, S., Rejiniemon, T., Khaled, J. M., Alharbi, N. S., & Mothana, R. (2015). In-vitro antibacterial, antifungal, antioxidant and functional properties of *Bacillus amyloliquefaciens*. *Annals of clinical microbiology and antimicrobials*, 14, 9. <https://doi.org/10.1186/s12941-015-0069-1>

- Kahne, D., Leimkuhler, C., Lu, W., & Walsh, C. (2005). Glycopeptide and Lipoglycopeptide Antibiotics. *Chemical Reviews*, 105(2), 425–448.
- Kerr, J.R. (1999) Bacterial inhibition of fungal growth and pathogenicity. *Microb Ecol Health Dis* 11, 129–142.
- Khan, Siddiqui, & Park. (2019). Current and Emerging Methods of Antibiotic Susceptibility Testing. *Diagnostics*, 9(2), 49.
- Khochamit, N., Siripornadulsil, S., Sukon, P. and Siripornadulsil, W. (2015) Antibacterial activity and genotypic-phenotypic characteristics of bacteriocin- producing *Bacillus subtilis* KKU213: potential as a probiotic strain. *Microbiol Res* 170, 36–50.
- Kohanski, M. A., Dwyer, D. J., & Collins, J. J. (2010). How antibiotics kill bacteria: from targets to networks. *Nature reviews. Microbiology*, 8(6), 423–435.
- Kono, M., Ohmiya, K., Kanda, T., Noguchi, N., & O'hara, K. (1987). Purification and characterization of chromosomal streptomycin adenylyltransferase from derivatives of *Bacillus subtilis* Marburg 168. *FEMS Microbiology Letters*, 40(2-3), 223–228. doi:10.1111/j.1574-6968.1987.tb02029.x
- Krause, K. M., Serio, A. W., Kane, T. R., & Connolly, L. E. (2016). Aminoglycosides: An Overview. *Cold Spring Harbor perspectives in medicine*, 6(6), a027029. <https://doi.org/10.1101/cshperspect.a027029>
- Kreft, J., Burger, K. J., & Goebel, W. (1983). Expression of antibiotic resistance genes from *Escherichia coli* in *Bacillus subtilis*. *Molecular & general genetics : MGG*, 190(3), 384–389. <https://doi.org/10.1007/BF00331063>
- Landers TF, Cohen B, Wittum TE, et al. A review of antibiotic use in food animals: perspective, policy, and potential. *Public Health Rep.* 2012;127:4–22.
- Lange, C., Schubert, S., Jung, J., Kostrzewska, M., & Sparbier, K. (2014). Quantitative matrix-assisted laser desorption ionization-time of flight mass spectrometry for rapid resistance detection. *Journal of clinical microbiology*, 52(12), 4155–4162. <https://doi.org/10.1128/JCM.01872-14>
- Larsen, N., Thorsen, L., Kpikpi, E. N. (2014). Characterization of *Bacillusspp.* strains for use as probiotic additives in pig feed,” *Applied Microbiology and Biotechnology*, pp. 1105–1118.

- Latorre, J.D., Hernandez-Velasco, X., Wolfenden, R.E., Vicente, J.L., Wolfenden, A.D., Menconi, A., Bielke, L.R., Hargis, B.M. et al. (2016) Evaluation and selection of *Bacillus* species based on enzyme production antimicrobial activity, and biofilm synthesis as direct-fed microbial candidates for poultry. *Front Vet Sci* 3, 95.
- Li G., Liu B., Shang Y., Yu Z., and Zhang R. (2012). Novel activity evaluation and subsequent partial purification of antimicrobial peptides produced by *Bacillus subtilis*LFB112. *Ann. Microbiol.* 62(2): 667–674.
- Lin A. H., Murray, R. W., Vidmar, T. J., Marotti, K. R. (1997).The oxazolidinone eperezolid binds to the 50S ribosomal subunit and competes with binding of chloramphenicol and lincomycin. *Antimicrob Agents Chemother* 41:2127–31.
- Manjunatha, U. H., Dalal, M., Chatterji, M., Radha, D. R., Visweswariah, S. S., & Nagaraja, V. (2002). Functional characterisation of mycobacterial DNA gyrase: an efficient decatenase, *Nucleic Acids Research*. pp: 2144–2153.
- Maruta, K., Miyazaki, H., Masuda, S., Takahashi, M., Marubashi, T., Tadano, Y., Takahashi, H. (1996). Exclusion of intestinal pathogens by continuous feeding with *Bacillus subtilis*C-3102 and its influence on the intestinal microflora in broilers. *Journal of Animal Science and Technology*, 67, pp. 273-280.
- Matagne A., Lamotte-Brasseur J., Frere J. M. (1998), Catalytic properties of class A beta-lactamases: efficiency and diversity, *Biochem. J.*; 330; pp581-598.
- Materon, I. C., Queenan, A. M., Koehler, T. M., Bush, K., & Palzkill, T. (2003). Biochemical Characterization of -Lactamases Bla1 and Bla2 from *Bacillus anthracis*. *Antimicrobial Agents and Chemotherapy*, 47(6), 2040–2042.
- Mayers, D. L., Sobel, J. D., Ouellette, M., Kaye, K. S., & Marchaim, D. (2017). *Antimicrobial drug resistance*. Cham, Switzerland: Springer. P:136
- Merlin, C. (2020). Reducing the Consumption of Antibiotics: Would That Be Enough to Slow Down the Dissemination of Resistances in the Downstream Environment? *Frontiers in Microbiology*, 11.
- Mikkola, R., Andersson, M.A., Teplova, V., Grigoriev, P., Kuehn, T., Loss, S., Tsitko, I., Apetroaie, C. et al. (2007) Amylosin from *Bacillus*

amyloliquefaciens,aK<sup>+</sup> and Na<sup>+</sup> channel-forming toxic peptide containing a polyene structure. *Toxicon* 49, 1158–1171

Mongkolsuk, S., & Lovett, P. S. (1984). Selective expression of a plasmid cat gene at a late stage of *Bacillus subtilis* sporulation. *Proceedings of the National Academy of Sciences*, 81(11), 3457–3460. doi:10.1073/pnas.81.11.3457

Monod, M., Denoya, C., and Dubnau, D. (1986). Sequence and properties of pIM13, a macrolide-lincosamide-streptogramin B resistance plasmid from *Bacillus subtilis*. *J. Bacteriol.* 167, 138–147.

Motta A. S., Flores F. S., Souto A. A., & Brandelli A. (2008). Antibacterial activity of a bacteriocin-like substance produced by *Bacillusspp.* P34 that targets the bacterial cell envelope. *Antonie Van Leeuwenhoek*, 93(3): 275–284.

Murata, M., Ohno, S., Kumano, M., Yamane, K., & Ohki, R. (2003). Multidrug resistant phenotype of *Bacillus subtilis* spontaneous mutants isolated in the presence of puromycin and lincomycin. *Canadian Journal of Microbiology*, 49(2), 71–77. doi:10.1139/w03-014

Natioanl Health Serive. (2018). UK Standards for Microbiology Investigations: Identification of *Bacillus* species. Retrivied from Public Health England: [https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment\\_data/file/697260/ID\\_9i3.1.pdf](https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/697260/ID_9i3.1.pdf) (22 July 2021)

Ohki, R., Tateno, K., Takizawa, T., Aiso, T., & Murata, M. (2005). Transcriptional termination control of a novel ABC transporter gene involved in antibiotic resistance in *Bacillus subtilis*. *Journal of bacteriology*, 187(17), 5946–5954. <https://doi.org/10.1128/JB.187.17.5946-5954.2005>

Olivier, S. A., Bull, M. K., & Stone, G. (2011). Strong and consistently synergistic inactivation of spores of spoilage-associated *bacillus* and *geobacillus* spp. by high pressure and heat compared with inactivation by heat alone,” *Applied and Environmental Microbiology*, 77, (7), 2317–2324.

Oxoid. (2013). Updated CLSI and FDA tables: Disc Diffusion standard tables. Retrivied from Oxoid: <http://www.oxoid.com/pdf/uk/2013-CLSFDA-table-update.pdf> (26 April 2021).

Paik, H. D., Bae, S. S., Park, S. H., & Pan, J.G. (1997). Identification and partial characterization of tochicin, a bacteriocin produced by *Bacillus*

- thuringiensisssp. *tochigiensis*. *J. Ind. Microbiol. Biotechnol.* 19(4): 294–298.
- Palzkill T. (2013). Metallo- $\beta$ -lactamase structure and function. *Annals of the New York Academy of Sciences*, 1277, 91–104.
- Paukner, S., & Riedl, R. (2017). Pleuromutilins: Potent Drugs for Resistant Bugs—Mode of Action and Resistance. *Cold Spring Harbor perspectives in medicine*, 7(1), a027110. <https://doi.org/10.1101/cshperspect.a027110>
- Penders, J., Stobberingh, E. E., Savelkoul, P. H. M., & Wolffs, P. F. G. (2013). The human microbiome as a reservoir of antimicrobial resistance. *Frontiers in Microbiology*, 4.
- Peterson, E., & Kaur, P. (2018). Antibiotic Resistance Mechanisms in Bacteria: Relationships Between Resistance Determinants of Antibiotic Producers, Environmental Bacteria, and Clinical Pathogens. *Frontiers in Microbiology*, 9. doi:10.3389/fmicb.2018.02928
- Poehlsgaard, J., & Douthwaite, S. (2005). The bacterial ribosome as a target for antibiotics. *Nature Reviews Microbiology*, 3(11), 870–881. doi:10.1038/nrmicro1265
- Poole, K. (2005). Efflux-mediated antimicrobial resistance. *Journal of Antimicrobial Chemotherapy*, 56(1), 20–51. doi:10.1093/jac/dki171
- Ramachandran, R., Chalasani, A. G., Lal, R., & Roy, U. (2014). A Broad-Spectrum Antimicrobial Activity of *Bacillus subtilis* RLID 12.1. *The Scientific World Journal*, 2014, 1–10.
- Reid, G. (2008). Review, probiotics and prebiotics – progress and challenges. *International Dairy Journal*, 18, pp. 969–975
- Reygaert W. C. (2018). An overview of the antimicrobial resistance mechanisms of bacteria. *AIMS microbiology*, 4(3), 482–501.
- Roberts, M. C., Sutcliffe, J., Courvalin, P., Jensen, L. B., Rood, J., & Seppala, H. (1999). Nomenclature for macrolide and macrolide-lincosamide-streptogramin B resistance determinants. *Antimicrobial agents and chemotherapy*, 43(12), 2823–2830. <https://doi.org/10.1128/AAC.43.12.2823>

- Sabaté, D.C. & Audisio, M. C. (2013). Inhibitory activity of surfactin, produced by different *Bacillus subtilissubsp. subtilis* strains, against *Listeria monocytogenes*sensitive and bacteriocin-resistant strains. *Microbiol. Res.* 168(3): 125–129.
- Sanders, M. E., Morelli, L., & Tompkins, T. A. (2003). Sporeformers as human probiotics: *bacillus*, *sporolactobacillus*, and *brevibacillus*,” *Comprehensive Reviews in Food Science and Food Safety*, vol. 2, no. 3, pp. 101–110, 2003.
- Schlünzen, F., Zarivach, R., Harms, J., Bashan, A., Tocilj, A., Albrecht, R., Ada., Y., and Franceschi, F. (2001). Structural basis for the interaction of antibiotics with the peptidyl transferase centre in eubacteria. *Nature*, 413(6858), 814–821.doi:10.1038/35101544
- Shobharani, P. and Halami, P.M. (2016) In vitro evaluation of the cholesterol-reducing ability of a potential probiotic *Bacillus* spp. *Ann Microbiol* 66, 643–651.
- Sköld, O. (2001). Resistance to trimethoprim and sulfonamides. *Veterinary Research*, 32(3/4), 261–273. doi:10.1051/vetres:2001123
- Smith, C. L., & Powell, K. R. (2000). Review of the Sulfonamides and Trimethoprim. *Pediatrics in Review*, 21(11), 368–371. doi:10.1542/pir.21-11-368
- 1Sparbier, K., Schubert, S., Weller, U., Boogen, C., & Kostrzewska, M. (2012). Matrix-assisted laser desorption ionization-time of flight mass spectrometry-based functional assay for rapid detection of resistance against  $\beta$ -lactam antibiotics. *Journal of clinical microbiology*, 50(3), 927–937.
- 2Sparbier, K., Lange, C., Jung, J., Wieser, A., Schubert, S., & Kostrzewska, M. (2013). MALDI biotyper-based rapid resistance detection by stable-isotope labeling. *Journal of clinical microbiology*, 51(11), 3741–3748.
- Spížek, J., & Řezanka, T. (2017). Lincosamides: Chemical structure, biosynthesis, mechanism of action, resistance, and applications. *Biochemical Pharmacology*, 133, 20–28. doi:10.1016/j.bcp.2016.12.001
- Sun, P., Wang, J. Q., Zhang, H. T. (2010). Effects of *Bacillus subtilis*natto on performance and immune function of preweaning calves. *Journal of Dairy Science.*, 93 (2010), pp. 5851-5855

- Suttyak, K. E., Wirawan, R. E., Aroutcheva, A. A., & Chikindas M. L. (2008). Isolation of the *Bacillus subtilis* antimicrobial peptide subtilosin from the dairy product-derived *Bacillus amyloliquefaciens*. *Journal of Applied Microbiology*. 104(4): 1067–1074.
- Tamehiro, N., Okamoto-Hosoya, Y., Okamoto, S., Ubukata, M., Hamada, M., Naganawa, H., & Ochi, K. (2002). Bacilysocin, a novel phospholipid antibiotic produced by *Bacillus subtilis* 168. *Antimicrob Agents Chemother* 46: 315–320.
- Teo, A. Y. L., & Tan, H. M. (2005). Inhibition of *Clostridium perfringens* by a novel strain of *Bacillus subtilis* isolated from the gastrointestinal tracts of healthy chickens. *Appl Environ Microbiol* 71, 4185–4190.
- Tóth, A. G., Csabai, I., Judge, M. F., Maróti, G., Becsei, Á, Spisák, S., & Solymosi, N. (2021). Mobile antimicrobial resistance genes in probiotics. doi:10.1101/2021.05.04.44254
- Upmanyu, N., & Malviya, V. N. (2020). Antibiotics: mechanisms of action and modern challenges. *Microorganisms for Sustainable Environment and Health*, 367–382. doi:10.1016/b978-0-12-819001-2.00018-8
- van Kuijk S., Noll K.S., and Chikindas M.L. 2011. The species-specific mode of action of the antimicrobial peptide subtilosin against *Listeria monocytogenes* Scott A. Lett. Appl. Microbiol. 54(1): 52–58.
- Vrioni, G., Tsiamis, C., Oikonomidis, G., Theodoridou, K., Kapsimali, V., & Tsakris, A. (2018). MALDI-TOF mass spectrometry technology for detecting biomarkers of antimicrobial resistance: current achievements and future perspectives. *Annals of translational medicine*, 6(12), 240. <https://doi.org/10.21037/atm.2018.06.28>
- Wegener HC. Improving food safety through a One Health approach. Washington: National Academy of Sciences; 2012. *Antibiotic resistance—Linking human and animal health*; pp. 331–349.
- Wichelhaus, T. A., Schäfer, V., Brade, V., & Böddinghaus, B. (1999). Molecular Characterization of rpoB Mutations Conferring Cross-Resistance to Rifamycins on Methicillin-Resistant *Staphylococcus aureus*. *Antimicrobial Agents and Chemotherapy*, 43(11), 2813–2816. doi:10.1128/aac.43.11.2813

Wilke, M. S., Lovering, A. L., & Strynadka, N. C. (2005).  $\beta$ -Lactam antibiotic resistance: a current structural perspective. *Current Opinion in Microbiology*, 8(5), 525–533. doi:10.1016/j.mib.2005.08.016

Yoshida, K., Ohki, Y. H., Murata, M., Kinehara, M., Matsuoka, H., Satomura, T., Ohki, R., Kumano, M., Yamane, K., & Fujita, Y. (2004). *Bacillus subtilis* LmrA is a repressor of the lmrAB and yxaGH operons: identification of its binding site and functional analysis of lmrB and yxaGH. *Journal of bacteriology*, 186(17). <https://doi.org/10.1128/JB.186.17.5640-5648.2004>

You, Y., Hilpert, M., & Ward, M. J. (2013). Identification of Tet45, a tetracycline efflux pump, from a poultry-litter-exposed soil isolate and persistence of tet(45) in the soil. *The Journal of antimicrobial chemotherapy*, 68(9), 1962–1969. <https://doi.org/10.1093/jac/dkt127>

Zheng, M., Zhang, R., Tian, X., Zhou, X., Pan, X., & Wong, A. (2017). Assessing the Risk of Probiotic Dietary Supplements in the Context of Antibiotic Resistance. *Frontiers in Microbiology*, 8. doi:10.3389/fmicb.2017.00908

Zulkhairi Amin, F. A., Sabri, S., Ismail, M., Chan, K. W., Ismail, N., Mohd Esa, N., Mohd Lila, M. A., & Zawawi, N. (2019). Probiotic Properties of *Bacillus* Strains Isolated from Stingless Bee (*Heterotrigona itama*) Honey Collected across Malaysia. *International journal of environmental research and public health*, 17(1), 278. <https://doi.org/10.3390/ijerph17010278>.