

DAFTAR PUSTAKA

- Ale, E. C., & Binetti, A. G. (2021). Role of Probiotics, Prebiotics, and Synbiotics in the Elderly: Insights into Their Applications. *Frontiers in Microbiology*, *12*. <https://doi.org/10.3389/fmicb.2021.631254>
- Al-Tamimi, M., Palframan, R., Cooper, J., Gibson, G., & Rastall, R. (2006). In vitro fermentation of sugar beet arabinan and arabino-oligosaccharides by the human gut microflora. *Journal of Applied Microbiology*, *100*(2), 407-414. <https://doi.org/10.1111/j.1365-2672.2005.02780.x>
- Atilola, O. A., Ibrahim, S., & Song, D. (2010). Optimizing growth of lactobacillus reuteri in phytone peptone-tryptone-glucose medium by using response surface methodology. *The FASEB Journal*, *24*(S1). https://doi.org/10.1096/fasebj.24.1_supplement.lb268
- Amaretti, A., Tamburini, E., Bernardi, T., Pompei, A., Zanoni, S., Vaccari, G., Matteuzzi, D., & Rossi, M. (2006). Substrate preference of Bifidobacterium adolescentis MB 239: Compared growth on single and mixed carbohydrates. *Applied Microbiology and Biotechnology*, *73*(3), 654-662. <https://doi.org/10.1007/s00253-006-0500-9>
- Akiyama, T., Kimura, K., & Hatano, H. (2015). Diverse galactooligosaccharides consumption by bifidobacteria: Implications of β -galactosidase—LacS operon. *Bioscience, Biotechnology, and Biochemistry*, *79*(4), 664-672. <https://doi.org/10.1080/09168451.2014.987204>
- Abdelhamid, A. G., El-Masry, S. S., & El-Dougdoug, N. K. (2019). Probiotic lactobacillus and Bifidobacterium strains possess safety characteristics, antiviral activities and host adherence factors revealed by genome mining. *EPMA Journal*, *10*(4), 337-350. <https://doi.org/10.1007/s13167-019-00184-z>
- Biavati, B., Bottazzi, V., Morelli, L., Schiavi, C. 2011. Bifidobacteria. Microorganisms as health supporters, the alce molecular laboratory.pp .10–33.
- Bury, D., Jelen, P., & Kaláb, M. (2001). Disruption of lactobacillus delbrueckii SSP. bulgaricus 11842 cells for lactose hydrolysis in dairy products: A comparison of sonication, high-pressure homogenization and bead Milling. *Innovative Food Science & Emerging Technologies*, *2*(1), 23-29. [https://doi.org/10.1016/s1466-8564\(00\)00039-4](https://doi.org/10.1016/s1466-8564(00)00039-4)
- Blaak, E. E., Canfora, E. E., Theis, S., Frost, G., Groen, A. K., Mithieux, G., Nauta, A., Scott, K., Stahl, B., van Harsseelaar, J., van Tol, R., Vaughan, E. E., & Verbeke, K. (2020). Short chain fatty acids in human gut and metabolic health. *Beneficial Microbes*, *11*(5), 411–455. <https://doi.org/10.3920/bm2020.0057>
- Baer, D. J., Stote, K. S., Henderson, T., Paul, D. R., Okuma, K., Tagami, H., Kanahori, S., Gordon, D. T., Rumpler, W. V., Ukhanova, M., Culpepper, T.,

- Wang, X., & Mai, V. (2014). The Metabolizable Energy of Dietary Resistant Maltodextrin Is Variable and Alters Fecal Microbiota Composition in Adult Men. *The Journal of Nutrition*, 144(7), 1023–1029. <https://doi.org/10.3945/jn.113.185298>
- Cantu-Jungles, T. M., & Hamaker, B. R. (2020). New View on Dietary Fiber Selection for Predictable Shifts in Gut Microbiota. *MBio*, 11(1). <https://doi.org/10.1128/mbio.02179-19>
- Chang, K. J. (2020). Isolasi dan identifikasi bakteri Bifidobacterium sp. dari starter culture yogurt dan suplemen bion 3. Skripsi Universitas Pelita Harapan.
- Cao, P., Wu, L., Wu, Z., Pan, D., Zeng, X., Guo, Y., & Lian, L. (2019). Effects of oligosaccharides on the fermentation properties of lactobacillus plantarum. *Journal of Dairy Science*, 102(4), 2863-2872. <https://doi.org/10.3168/jds.2018-15410>
- Crittenden R, Karppinen S, Ojanen S, Tenkanen M, Fagerstrom R, Matto J, Saarela M, Mattila-Sandholm T, Poutanen K. In vitro fermentation of cereal dietary fibre carbohydrates by probiotic and intestinal bacteria. *J Sci Food Agric*. 2002;82:781–789.
- Corsetti, A., & Valmorri, S. (2011). Lactic acid bacteria | Lactobacillus spp.: Lactobacillus plantarum. *Encyclopedia of Dairy Sciences*, 111-118. <https://doi.org/10.1016/b978-0-12-374407-4.00263-6>
- Cui, Y., & Qu, X. (2021). Genetic mechanisms of prebiotic carbohydrate metabolism in lactic acid bacteria: Emphasis on Lacticaseibacillus casei and Lacticaseibacillus paracasei as flexible, diverse and outstanding prebiotic carbohydrate starters. *Trends in Food Science & Technology*, 115, 486-499. <https://doi.org/10.1016/j.tifs.2021.06.058>
- Chen, C., Zhao, G., Chen, W., & Guo, B. (2015). Metabolism of Fructooligosaccharides in lactobacillus plantarum ST-III via differential gene transcription and alteration of cell membrane fluidity. *Applied and Environmental Microbiology*, 81(22), 7697-7707. <https://doi.org/10.1128/aem.02426-15>
- de Vrese M., & Schrezenmeir J. 2008. Probiotics, prebiotics, and synbiotics. *Advance Biochemical Engineered Biotechnology*, 111:1–66.
- Delzenne, N. M., Olivares, M., Neyrinck, A. M., Beaumont, M., Kjølbæk, L., Larsen, T. M., Benítez-Páez, A., Román-Pérez, M., Garcia-Campayo, V., Bosscher, D., Sanz, Y., & Van der Kamp, J. (2020). Nutritional interest of dietary fiber and prebiotics in obesity: Lessons from the MyNewGut consortium. *Clinical Nutrition*, 39(2), 414-424. <https://doi.org/10.1016/j.clnu.2019.03.002>

- Dhanashree, Rajashekharan, S., Krishnaswamy, B., & Kammara, R. (2017). Bifid Shape Is Intrinsic to *Bifidobacterium adolescentis*. *Frontiers in Microbiology*, 8. <https://doi.org/10.3389/fmicb.2017.00478>
- de Graaf A. A., & Venema, K. 2008. Gaining insight into microbial physiology in the large intestine: a special role for stable isotopes. *Advance Microbiology Physiology*, 53: 73–168
- Egan, M., & Van Sinderen, D. (2018). Carbohydrate metabolism in Bifidobacteria. *The Bifidobacteria and Related Organisms*, 145-164. <https://doi.org/10.1016/b978-0-12-805060-6.00008-9>
- Elison, E.; Vigsnaes, L.K.; Rindom Krogsgaard, L.; Rasmussen, J.; Sørensen, N.; McConnell, B.; Hennet, T.; Sommer, M.O.A.; Bytzer, P. Oral supplementation of healthy adults with 20-O-fucosyllactose and lacto-N-neotetraose is well tolerated and shifts the intestinal microbiota. *Br. J. Nutr.* 2016, 116, 1356–1368.
- Espinosa, R. M., Tamez, M., Prieto, P. 2007. Prebiotics to emulate human milk oligosaccharides. *British Journal of Nutrition*, 98:74–79.
- Ejby M, Fredslund F, Vujicic-Zagar A, Svensson B, Slotboom DJ, Abou Hachem M. 2013. Structural basis for arabinoxylo-oligosaccharide capture by the probiotic *Bifidobacterium animalis* subsp. *lactis* BI-04. *Mol. Microbiol.* 90:1100–12
- Forest, V., M. Clement, F. Pierre, K. Meflah, and J. Menanteau. 2003. Butyrate restores motile function and actin cytoskeletal network integrity in apc mutated mouse colon epithelial cells. *Nutrition and Cancer*, 45:84–92.
- Fraser, D., & Powell, R. E. (1950). The kinetics of trypsin digestion. *Journal of Biological Chemistry*, 187(2), 803-820. [https://doi.org/10.1016/s0021-9258\(18\)56227-x](https://doi.org/10.1016/s0021-9258(18)56227-x)
- Flint, H. J., Scott, K. P., Duncan, S. H., Louis, P., & Forano, E. (2012). Microbial degradation of complex carbohydrates in the gut. *Gut Microbes*, 3(4): 289–306.
- Fastinger ND, Karr-Lilienthal LK, Spears JK, Swanson KS, Zinn KE, Nava GM, Ohkuma K, Kanahori S, Gordon DT, Fahey GC Jr. A novel resistant maltodextrin alters gastrointestinal tolerance factors, fecal characteristics, and fecal microbiota in healthy adult humans. *J Am Coll Nutr.* 2008;27:356–66.
- Fushinobu, S. 2010. Unique Sugar Metabolic Pathways of Bifidobacteria. *Bioscience, Biotechnology and Biochemistry*, 74(12), 2374–2384.
- Gourbeyre, P., Denery, S., Bodinier, M., 2011. Probiotics, prebiotics, and synbiotics: impact on the gut immune system and allergic reactions. *Journal of Leukocyte Biology*, 89:685–695.

- Gao, S., Hothersall, J., Wu, J., Murphy, A. C., Song, Z., Stephens, E. R., Thomas, C. M., Crump, M. P., Cox, R. J., Simpson, T. J., & Willis, C. L. (2014). Biosynthesis of Mupirocin by *Pseudomonas fluorescens* NCIMB 10586 involves parallel pathways. *Journal of the American Chemical Society*, *136*(14), 5501-5507. <https://doi.org/10.1021/ja501731p>
- Ghodussi, H.B., Tamime, A.Y., 2014. Microflora of the Intestine: Biology of Bifidobacteria. In: Batt, C.A., Tortorello, M.L. *Encyclopedia of Food Microbiology*, vol 2. Elsevier Ltd, Academic Press, pp. 639–645. ISBN: 9780123847300
- Garrido, D.; Barile, D.; Mills, D.A. A molecular basis for bifidobacterial enrichment in the infant gastrointestinal tract. *Adv. Nutr.* 2012, *3*, 415S–421S.
- Goh, Y. J., & Klaenhammer, T. R. (2015). Genetic mechanisms of prebiotic Oligosaccharide metabolism in probiotic microbes. *Annual Review of Food Science and Technology*, *6*(1), 137-156. <https://doi.org/10.1146/annurev-food-022814-015706>
- Grimoud, J., Durand, H., De Souza, S., Monsan, P., Ouarné, F., Theodorou, V., & Roques, C. (2010). In vitro screening of probiotics and synbiotics according to anti-inflammatory and anti-proliferative effects. *International Journal of Food Microbiology*, *144*(1), 42-50. <https://doi.org/10.1016/j.ijfoodmicro.2010.09.007>
- Gänzle, M. (2011). Lactose and Oligosaccharides. *Encyclopedia of Dairy Sciences*, 209-216. <http://doi.org/10.1016/b978-0-12-374407-4.00276-4>
- Gänzle, M. G. (2015). Lactic metabolism revisited: Metabolism of lactic acid bacteria in food fermentations and food spoilage. *Current Opinion in Food Science*, *2*, 106-117. <https://doi.org/10.1016/j.cofs.2015.03.001>
- Gänzle, M. G., & Follador, R. (2012). Metabolism of Oligosaccharides and starch in lactobacilli: A review. *Frontiers in Microbiology*, *3*. <https://doi.org/10.3389/fmicb.2012.00340>
- Gibson, G. R., Roberfroid, M. B. 1995. Dietary modulation of the human colonic microbiota: introducing the concept of prebiotics. *Journal of Nutrition*, *125*:1401–1412.
- Gibson, G., & Wang, X. (1994). Bifidogenic properties of different types of fructo-oligosaccharides. *Food Microbiology*, *11*(6), 491-498. <https://doi.org/10.1006/fmic.1994.1055>
- Gibson GR, Scott KP, Rastall RA, Tuohy KM, Hotchkiss A, et al. 2010. Dietary prebiotics: current status and new definition. *Food Sci. Technol. Bull. Funct. Foods* *7*:1–19

- Gibson, G. R., Probert, H. M., Loo, J. V., Rastall, R. A., Roberfroid, M. B. 2004. Dietary modulation of the human colonic microbiota: updating the concept of prebiotics. *Nutrition Research Reviews*, 17:259–275.
- Gibson, G. R. (2004). From Probiotics to Prebiotics and a healthy digestive system. *Journal of Science*, 69(5), 141-143.
- Gibson, G. R. (2004). Dietary Modulation of Human Gut microflora using the prebiotics oligofructose and inulin. *The American Society for Nutritional Sciences*, 129: 1438-1441.
- Gibson, G. R., McCartney, A. L., Rastall, R. L., (2005). Prebiotic and resistance of gastrointestinal infections. *British Journal of Nutrition*, 93(1):831-834.
- Gibson, G. R., Roberfroid, M. B., (2008). *Handbook of Prebiotics*. Florida: Talor and Francis Group, LLC.
- Hutkins, R., Krumbeck, J., Bindels, L., Cani, P., Fahey, G, Jr., Goh Y. 2016. Prebiotics: why definitions matter. *Current Opinion in Biotechnology*, 37:1–7.
- Hennet, T., Weiss, A., Borsig, L. (2014). Decoding breast milk oligosaccharides. *Swiss Medical Weekly*, 111:13027.
- Hammes, W. P., & Hertel, C. (2006). The genera *Lactobacillus* and *Carnobacterium*. *The Prokaryotes*, 320-403. https://doi.org/10.1007/0-387-30744-3_10
- Hoover, D. (2014). *Bifidobacterium*. *Encyclopedia of Food Microbiology*, 216-222. <https://doi.org/10.1016/b978-0-12-384730-0.00033-1>
- Husain, I., J. A. Poupard, and R. F. Norris. 1972. Influence of nutrition on the morphology of a strain of *Bifidobacterium bifidum*. *J. Bacteriol.* **111**:841-844.
- Holdeman, L. V., E. P. Cato, and W. E. C. Moore. (1977). *Anaerobe laboratory manual*, 4th ed. Virginia Polytechnic Institute and State University, Blacksburg
- Hofman, D. L., van Buul, V. J., & Brouns, F. J. (2015). Nutrition, Health, and Regulatory Aspects of Digestible Maltodextrins. *Critical Reviews in Food Science and Nutrition*, 56(12), 2091–2100. <https://doi.org/10.1080/10408398.2014.940415>
- Iqbal, S., Nguyen, T., Nguyen, T. T., Maischberger, T., & Haltrich, D. (2010). β -galactosidase from *Lactobacillus plantarum* WCFS1: Biochemical characterization and formation of prebiotic galacto-oligosaccharides. *Carbohydrate Research*, 345(10), 1408-1416. <https://doi.org/10.1016/j.carres.2010.03.028>
- Janer, C., Rohr, L. M., Peláez, C., Laloi, M., Cleusix, V., Requena, T., & Meile, L. (2004). Hydrolysis of Oligofructoses by the Recombinant β -Fructofuranosidase from *Bifidobacterium lactis*. *Systematic and Applied Microbiology*, 27(3), 279–285. <https://doi.org/10.1078/0723-2020-00274>

- James, K., Motherway, M. O., Bottacini, F., & Van Sinderen, D. (2016). Bifidobacterium breve UCC2003 metabolises the human milk oligosaccharides lacto-N-tetraose and lacto-N-neo-tetraose through overlapping, yet distinct pathways. *Scientific Reports*, 6(1). <https://doi.org/10.1038/srep38560>
- Kelly, G. 2008. Inulin-type prebiotics a review: part 1. *Alternative Medicine Reviews*,13(4):315-29.
- Kim, Y. (2021). Identifikasi dan Karakterisasi isolat SU-KC1a dari Air Susu Ibu. Skripsi Universitas Pelita Harapan.
- Kindangen, W. (2021). Analisis gen-gen enzim pemecah karbohidrat isolat SU-KC1a. Skripsi Universitas Pelita Harapan.
- Kawasaki, S., Watanabe, M., Fukiya, S., & Yokota, A. (2018). Stress responses of Bifidobacteria: Oxygen and bile acid as the stressors. *The Bifidobacteria and Related Organisms*, 131-143. <https://doi.org/10.1016/b978-0-12-805060-6.00007-7>
- Kitaoka, M. (2012). Bifidobacterial Enzymes Involved in the Metabolism of Human Milk Oligosaccharides. *Advances in Nutrition*, 3(3). <https://doi.org/10.3945/an.111.001420>
- Kumar, H., Collado, M. C., Wopereis, H., Salminen, S., Knol, J., & Roeselers, G. (2020). The Bifidogenic effect revisited—Ecology and health perspectives of Bifidobacterial colonization in early life. *Microorganisms*, 8(12), 1855. <https://doi.org/10.3390/microorganisms8121855>
- Kumar, P., & Dubey, K. K. (2019). Current perspectives and future strategies for Fructooligosaccharides production through membrane bioreactor. *Applied Microbiology and Bioengineering*, 185-202. <https://doi.org/10.1016/b978-0-12-815407-6.00010-1>
- Kaplan, H., & Hutkins, W. R. 2000. Fermentation of Fructooligosaccharides by Lactic Acid Bacteria and Bifidobacteria. Department of Food Science and Technology.pp. 2682-2684.
- Koskiniemi, S., Sun, S., Berg, O. G., & Andersson, D. I. (2012). Selection-Driven Gene Loss in Bacteria. *PLoS Genetics*, 8(6). <https://doi.org/10.1371/journal.pgen.1002787>
- Kiyohara M, Nakatomi T, Kurihara S, Fushinobu S, Suzuki H, et al. 2012. α -N-acetylgalactosaminidase from infant-associated bifidobacteria belonging to novel glycoside hydrolase family 129 is implicated in alternative mucin degradation pathway. *J. Biol. Chem.* 287:693–700
- Kleerebezem, M., Boekhorst, J., Van Kranenburg, R., Molenaar, D., Kuipers, O. P., Leer, R., Turchini, R., Peters, S. A., Sandbrink, H. M., Fiers, M. W., Stiekema, W., Lankhorst, R. M., Bron, P. A., Hoffer, S. M., Groot, M. N., Kerkhoven, R.,

- De Vries, M., Ursing, B., De Vos, W. M., ... Siezen, R. J. (2003). Complete genome sequence of *Lactobacillus plantarum* WCFS1. *Proceedings of the National Academy of Sciences*, *100*(4), 1990-1995. <https://doi.org/10.1073/pnas.0337704100>
- Lee, J.-H., & O'Sullivan, D. J. (2010). Genomic Insights into Bifidobacteria. *Microbiology and Molecular Biology Reviews*, *74*(3), 378-416. <https://doi.org/10.1128/membr.00004-10>
- Lahtinen, S., Ouwehand, A. C., Salminen, S., & Wright, A. V. (2011). *Lactic acid bacteria: Microbiological and functional aspects* (4th ed.). CRC Press.
- Lu, Y., Song, S., Tian, H., Yu, H., Zhao, J., & Chen, C. (2018). Functional analysis of the role of CcpA in *Lactobacillus plantarum* grown on fructooligosaccharides or glucose: A transcriptomic perspective. *Microbial Cell Factories*, *17*(1). <https://doi.org/10.1186/s12934-018-1050-4>
- Li, S., Watanabe, K., Hsu, C., Chao, S., Yang, Z., Lin, Y., Chen, C., Cao, Y., Huang, H., Chang, C., & Tsai, Y. (2017). Bacterial composition and diversity in breast milk samples from mothers living in Taiwan and mainland China. *Frontiers in Microbiology*, *8*(965), 1-15.
- Lambertz, J., Weiskirchen, S., Landert, S., & Weiskirchen, R. (2017). Fructose: A Dietary Sugar in Crosstalk with Microbiota Contributing to the Development and Progression of Non-Alcoholic Liver Disease. *Frontiers in Immunology*, *8*. <https://doi.org/10.3389/fimmu.2017.01159>
- Mentschel, J., & R. Claus. 2003. Increased butyrate formation in the pig colon by feeding raw potato starch leads to a reduction of colonocyte apoptosis and a shift to the stem cell compartment. *Metabolism*, *52*:1400-1405.
- Miller, P. H., Wiggs, L. S., & Miller, J. M. (1995). Evaluation of AnaeroGen system for growth of anaerobic bacteria. *Journal of Clinical Microbiology*, *33*(9), 2388-2391. <https://doi.org/10.1128/jcm.33.9.2388-2391.1995>
- Marco, M. L., De Vries, M. C., Wels, M., Molenaar, D., Mangell, P., Ahrne, S., De Vos, W. M., Vaughan, E. E., & Kleerebezem, M. (2010). Convergence in probiotic *Lactobacillus* gut-adaptive responses in humans and mice. *The ISME Journal*, *4*(11), 1481-1484. <https://doi.org/10.1038/ismej.2010.61>
- Mazzeo, M. F., Cacace, G., Peluso, A., Zotta, T., Muscariello, L., Vastano, V., Parente, E., & Siciliano, R. A. (2012). Effect of inactivation of ccpA and aerobic growth in *Lactobacillus plantarum*: A proteomic perspective. *Journal of Proteomics*, *75*(13), 4050-4061. <https://doi.org/10.1016/j.jprot.2012.05.019>
- Mei, G., Carey, C. M., Tosh, S., & Kostrzynska, M. (2011). Utilization of different types of dietary fibres by potential probiotics. *Canadian Journal of Microbiology*, *57*(10), 857-865. <https://doi.org/10.1139/w11-077>

- Mattarelli, P., & Biavati, B. (2018). Species in the genus *Bifidobacterium*. *The Bifidobacteria and Related Organisms*, 9-48. <https://doi.org/10.1016/b978-0-12-805060-6.00002-8>
- Modesto, M. (2018). Isolation, cultivation, and storage of *Bifidobacteria*. *The Bifidobacteria and Related Organisms*, 67-98. <https://doi.org/10.1016/b978-0-12-805060-6.00004-1>
- Margolles, A., & de los Reyes-Gavilán Clara G. (2003). Purification and Functional Characterization of a Novel α -1-Arabinofuranosidase from *Bifidobacterium longum* B667. *Applied and Environmental Microbiology*, 69(9), 5096–5103. <https://doi.org/10.1128/aem.69.9.5096-5103.2003>
- McCartney, A. L. (2003). *Bifidobacteria in Foods*. *Encyclopedia of Food Sciences and Nutrition*, 463–470. <https://doi.org/10.1016/b0-12-227055-x/00094-8>
- Maddalena, R., Corradini, C., Amaretti, A., Nicolini, M., Pompei, A., Zanoni, S., & Matteuzzi, D. 2005. Fermentation of Fructooligosaccharides and Inulin by *Bifidobacteria* comparative study of pure and fecal cultures. Department of Pharmaceutical Sciences.pp. 6150-6158.
- Martínez, I., Kim, J., Duffy, P. R., Schlegel, V. L., & Walter, J. (2010). Resistant Starches Types 2 and 4 Have Differential Effects on the Composition of the Fecal Microbiota in Human Subjects. *PLoS ONE*, 5(11). <https://doi.org/10.1371/journal.pone.0015046>
- Miller, P. H., Wiggs, L. S., & Miller, J. M. (1995). Evaluation of AnaeroGen system for growth of anaerobic bacteria. *Journal of Clinical Microbiology*, 33(9), 2388–2391. <https://doi.org/10.1128/jcm.33.9.2388-2391.1995>
- Milani, C., Duranti, S., Bottacini, F., Casey, E., Turrioni, F., Mahony, J., Belzer, C., Delgado Palacio, S., Arboleya Montes, S., Mancabelli, L., Lugli, G. A., Rodriguez, J. M., Bode, L., de Vos, W., Gueimonde, M., Margolles, A., van Sinderen, D., & Ventura, M. (2017). The First Microbial Colonizers of the Human Gut: Composition, Activities, and Health Implications of the Infant Gut Microbiota. *Microbiology and Molecular Biology Reviews*, 81(4). <https://doi.org/10.1128/mnbr.00036-17>
- Milani, C.; Lugli, G.A.; Duranti, S.; Turrioni, F.; Mancabelli, L.; Ferrario, C.; Mangifesta, M.; Hevia, A.; Viappiani, A.; Scholz, M.; et al. *Bifidobacteria exhibit social behavior through carbohydrate resource sharing in the gut*. *Sci. Rep.* 2015, 5, 15782
- Musilova, S., Rada, V., Marounek, M., Nevoral, J., Dušková, D., Bunesova, V., Zelenka, R. 2015. Prebiotic Effects of a Novel Combination of Galactooligosaccharides and Maltodextrins. *Journal of Medicinal Food*, 18(6): 685–689.

- Muramatsu K, Onodera S, Kikuchi M, Shiomi N. Substrate specificity and subsite affinities of α -fructofuranosidase from *Bifidobacterium adolescentis* G 1. *Biosci Biotechnol Biochem*. 1994;58:1642–1645.
- Murari, Satish. (2014). Fructooligosaccharides - type prebiotic : A Review. *Journal of Pharmacy Research*. 8. 321.
- Nuraida, L. Mardiana, R. N., Faridah, N. D., & Hana. 2011. Prebiotics metabolism by probiotics candidates isolated from breast milk as a basis for development of sinbiotics products. *Indonesian Food Agriculture Science and Technology Center*, 21(2).
- Ozcan, E., & Sela, D. A. (2018). Inefficient metabolism of the human milk Oligosaccharides Lacto-N-tetraose and Lacto-N-neotetraose shifts *Bifidobacterium longum* subsp. *infantis* physiology. *Frontiers in Nutrition*, 5. <https://doi.org/10.3389/fnut.2018.00046>
- Obst, M., Hehn, R., Vogel, R. F., & Hammes, W. P. (1992). Lactose metabolism in *Lactobacillus curvatus* and *Lactobacillus sake*. *FEMS Microbiology Letters*, 97(3), 209-214. <https://doi.org/10.1111/j.1574-6968.1992.tb05465.x>
- O’Callaghan, A., & van Sinderen, D. 2016. Bifidobacteria and Their Role as Members of the Human Gut Microbiota. *Frontiers in Microbiology*, 7(1).
- O’Connell Motherway M, Kinsella M, Fitzgerald GF, van Sinderen D. 2013. Transcriptional and functional characterization of genetic elements involved in galacto-oligosaccharide utilization by *Bifidobacterium breve* UCC2003. *Microb. Biotechnol*. 6:67–79
- Palframan, R. J., Gibson, G. R., Rastall, R. A. 2003. Carbohydrate preferences of *Bifidobacterium* species isolated from the human gut. *Current Issues Intestinal Microbiology*, 4:71–75.
- Parks, D. H., Chuvochina, M., Waite, D. W., Rinke, C., Skarszewski, A., Chaumeil, P., & Hugenholtz, P. (2018). A standardized bacterial taxonomy based on genome phylogeny substantially revises the tree of life. *Nature Biotechnology*, 36(10), 996-1004. <https://doi.org/10.1038/nbt.4229>
- Parlindungan, E., Dekiwadia, C., Tran, K. T., Jones, O. A., & May, B. K. (2018). Morphological and ultrastructural changes in *Lactobacillus plantarum* B21 as an indicator of nutrient stress. *LWT*, 92, 556-563. <https://doi.org/10.1016/j.lwt.2018.02.072>
- Parlindungan, E., May, B. K., & Jones, O. A. (2019). Metabolic insights into the effects of nutrient stress on *Lactobacillus plantarum* B21. *Frontiers in Molecular Biosciences*, 6. <https://doi.org/10.3389/fmolb.2019.00075>
- Pechar, R., Rada, V., Parafati, L., Musilova, S., Bunesova, V., Vlkova, E., Killer, J., Mrazek, J., Kmet, V., & Svejstil, R. (2014). Mupirocin-mucin agar for selective

- enumeration of *Bifidobacterium bifidum*. *International Journal of Food Microbiology*, 191, 32-35. <https://doi.org/10.1016/j.ijfo odm icro.2014.08.032>
- Patel, S., & Goyal, A. 2012. The current trends and future perspectives of prebiotics research: a review. *3 Biotechnology*, 2(2): 115–125.
- Pandey, K. R., Naik, S. R., & Vakil, B. V. (2015). Probiotics, prebiotics and synbiotics- a review. *Journal of Food Science and Technology*, 52(12), 7577–7587. <https://doi.org/10.1007/s13197-015-1921-1>
- Pokusaeva K, Fitzgerald GF, van Sinderen D (2011) Carbohydrate metabolism in *Bifidobacteria*. *Genes Nutr* 6:285–306
- Patterson, J., & Burkholder, K. (2003). Application of prebiotics and probiotics in poultry production. *Poultry Science*, 82(4), 627-631. <https://doi.org/10.1093/ps/82.4.627>
- Ritsema, T., & S. Smeekeens. 2003. Fructans: beneficial for plants and humans. *Current Opinion of Plant Biology*. 6:223–230.
- Pine, L., & Boone, C. J. (1967). Comparative cell wall analyses of morphological forms within the genus *actinomyces*. *Journal of Bacteriology*, 94(4), 875-883. <https://doi.org/10.1128/jb.94.4.875-883.1967>
- Probi, A. B. (2016). Generally Recognized as Safe (GRAS) Determination for the Use of *Lactobacillus plantarum* Strain 299v in Conventional Foods. <https://www.fda.gov/media/103434/download>
- Roberfroid, M. B. 1993. “Dietary Fiber, Inulin, and Oligofructose: A Review Comparing Their Physiological Effects,” *Critical Reviews in Food Science and Nutrition*, Vol. 33, No. 2, pp. 103-148. doi:10.1080/10408399309527616
- Rowland, I., Gibson, G., Heinken, A., Scott, K., Swann, J., Thiele, I., & Tuohy, K. 2017. Gut microbiota functions: metabolism of nutrients and other food components. *European Journal of Nutrition*, 57(1): 1–24.
- Roberfroid, M. (2007). Prebiotics: The Concept Revisited. *The Journal of Nutrition*, 137: 830S-837S.
- Rossi, M., Amaretti, A., & Raimondi, S. (2011). Folate production by probiotic bacteria. *Nutrients*, 3(1), 118-134. <https://doi.org/10.3390/nu3010118>
- Rossi, M., Corradini, C., Amaretti, A., Nicolini, M., Pompei, A., Zanoni, S., & Matteuzzi, D. (2005). Fermentation of Fructooligosaccharides and Inulin by *Bifidobacteria*: a Comparative Study of Pure and Fecal Cultures. *Applied and Environmental Microbiology*, 71(10), 6150–6158. <https://doi.org/10.1128/aem.71.10.6150-6158.2005>

- Roy, D. (2001). Media for the isolation and enumeration of bifidobacteria in dairy products. *International Journal of Food Microbiology*, 69(3), 167-182. [https://doi.org/10.1016/s0168-1605\(01\)00496-2](https://doi.org/10.1016/s0168-1605(01)00496-2)
- Ryan Sinéad M., Fitzgerald, G. F., & van Sinderen, D. (2005). Transcriptional Regulation and Characterization of a Novel β -Fructofuranosidase-Encoding Gene from *Bifidobacterium breve* UCC2003. *Applied and Environmental Microbiology*, 71(7), 3475–3482. <https://doi.org/10.1128/aem.71.7.3475-3482.2005>
- Roberfroid, M., Gibson, G. R., Hoyles, L., McCartney, A. L., Rastall, R. Rowland, I., Wolvers, D., et al., (2010). Prebiotics effects: metabolic and health benefits. *British Journal of Nutrition*, 104(2):s1e63
- Reid, G. (2016). Probiotics: Definition, scope and mechanisms of action. *Best Practice & Research Clinical Gastroenterology*, 30(1), 17-25. <https://doi.org/10.1016/j.bpg.2015.12.001>
- Robinson, R. (1996). Dairy starter cultures EDS T. M. Cogan & J.-P. Accolas. VCH publishers Inc., New York. ISBN 1 56081 628 7. xii + 277 pp. *Food Chemistry*, 57(3), 481. [https://doi.org/10.1016/s0308-8146\(96\)80477-8](https://doi.org/10.1016/s0308-8146(96)80477-8)
- Xiao JZ, Takahashi S, Nishimoto M, Odamaki T, Yaeshima T, Iwatsuki K, Kitaoka M. Distribution of in vitro fermentation ability of lacto-Nbiose I, a major building block of human milk oligosaccharides, in bifidobacterial strains. *Appl Environ Microbiol*. 2010;76:54–9
- Shigwedha, N., & Ji, L. (2013). Bifidobacterium in Human GI Tract: Screening, Isolation, Survival and Growth Kinetics in Simulated Gastrointestinal Conditions. *Lactic Acid Bacteria - R & D for Food, Health and Livestock Purposes*. <https://doi.org/10.5772/50457>
- Salveti, E., Harris, H. M., Felis, G. E., & O'Toole, P. W. (2018). Comparative genomics of the genus *Lactobacillus* reveals robust Phylogroups that provide the basis for reclassification. *Applied and Environmental Microbiology*, 84(17). <https://doi.org/10.1128/aem.00993-18>
- Saulnier, D. M., Molenaar, D., De Vos, W. M., Gibson, G. R., & Kolida, S. (2007). Identification of prebiotic Fructooligosaccharide metabolism in *Lactobacillus plantarum* WCFS1 through microarrays. *Applied and Environmental Microbiology*, 73(6), 1753-1765. <https://doi.org/10.1128/aem.01151-06>
- Sela, D. A., Chapman, J., Adeuya, A., Kim, J. H., Chen, F., Whitehead, T. R., Lapidus, A., Rokhsar, D. S., Lebrilla, C. B., German, J. B., Price, N. P., Richardson, P. M., & Mills, D. A. (2008). The genome sequence of *Bifidobacterium longum subsp. infantis* reveals adaptations for milk utilization within the infant microbiome. *Proceedings of the National Academy of Sciences*, 105(48), 18964-18969. <https://doi.org/10.1073/pnas.0809584105>

- Saavedra-Leos, Z., Leyva-Porras, C., Araujo-Díaz, S., Toxqui-Terán, A., & Borrás-Enríquez, A. (2015). Technological application of Maltodextrins according to the degree of polymerization. *Molecules*, 20(12), 21067-21081. <https://doi.org/10.3390/molecules201219746>
- Sharma, S., & Kanwar, S. S. (2017). Effect of prebiotics on growth behavior of lactobacillus plantarum and their impact on adherence of strict anaerobic pathogens to intestinal cell lines. *Journal of Food Safety*, 38(1). <https://doi.org/10.1111/jfs.12384>
- Siezen, R. J., Francke, C., Renckens, B., Boekhorst, J., Wels, M., Kleerebezem, M., & Van Hijum, S. A. (2011). Complete resequencing and Reannotation of the lactobacillus plantarum WCFS1 genome. *Journal of Bacteriology*, 194(1), 195-196. <https://doi.org/10.1128/jb.06275-11>
- Stackhouse, R. R., Faith, N. G., Kaspar, C. W., Czuprynski, C. J., & Wong, A. C. (2012). Survival and virulence of Salmonella enterica Serovar Enteritidis filaments induced by reduced water activity. *Applied and Environmental Microbiology*, 78(7), 2213-2220. <https://doi.org/10.1128/aem.06774-11>
- Slizewska, K., Kapusniak, J., Barczynska, R., & Jochym, K. (2012). Resistant dextrins as prebiotic. *Carbohydrates - Comprehensive Studies on Glycobiology and Glycotechnology*. <https://doi.org/10.5772/51573>
- Schell, M. A., Karmirantzou, B., Snel, D., Vilanova, B., Berger, G., Pessi, M. C., Zwalhen, F., *et al.* 2002. The genome sequence of Bifidobacterium longum reflects its adaptation to the human gastrointestinal tract. *Proceedings of the National Academy of Sciences of the United States of America*, 99:14422–14427.
- Saulnier, D. M., Gibson, G. R., Kolida, S. 2008. In vitro effects of selected synbiotics on the human faecal microbiota composition. *FEMS Microbiology*, 66:516–527.
- Satouchi M, Wakabayashi S, Ohkuma K, Fujiwara K, Matsuoka A. Effects of indigestible dextrin on bowel movements. *Jpn J Nutr*. 1993;51:31–7.
- Simpson, P. J., Ross, R. P., Fitzgerald, G. F., Stanton, C. 2004. Bifidobacterium psychraerophilum sp. and Aeriscardovia aeriphila isolated from a porcine caecum. *International Journal of Systematic and Evolutionary Microbiology*, 54:401–406.
- Steenhout, P. Term Infant Formula Supplemented with Human Milk Oligosaccharides (20 fucosyllactose and Lacto-Neotetraose) Shifts Stoom Microbiota and Metabolic Signatures Closer to that of Breastfed Infants. *J. Pediatric Gastroenterol. Nutr*. 2016, 63, S55.

- Sela, D. A., & Mills, D. A. (2010). Nursing our microbiota: molecular linkages between bifidobacteria and milk oligosaccharides. *Trends in Microbiology*, 18(7), 298–307. <https://doi.org/10.1016/j.tim.2010.03.008>
- Smilowitz, J.T.; Lebrilla, C.B.; Mills, D.A.; German, J.B.; Freeman, S.L. 2014 Breast Milk Oligosaccharides: Structure-Function Relationships in the Neonate. *Annu. Rev. Nutr.* 2015, 34, 143–169.
- Scott KP, Martin JC, Duncan SH, Flint HJ. 2014. Prebiotic stimulation of human colonic butyrate-producing bacteria and bifidobacteria, in vitro. *FEMS Microbiol Ecol* 87:30–40. <https://doi.org/10.1111/1574-6941.12186>
- Swanson, K. S., Gibson, G. R., Hutkins, R., Reimer, R. A., Reid, G., Verbeke, K., Scott, K. P., Holscher, H. D., Azad, M. B., Delzenne, N. M., & Sanders, M. E. (2020). The International Scientific Association for Probiotics and Prebiotics (ISAPP) consensus statement on the definition and scope of synbiotics. *Nature Reviews Gastroenterology & Hepatology*, 17(11), 687–701. <https://doi.org/10.1038/s41575-020-0344-2>
- Stowell, J. 2007. Calorie control and weight management. sweeteners and sugar alternatives in food technology. Blackwell Publishing Ltd.
- Turroni F, Bottacini F, Foroni E, Mulder I, Kim JH, Zomer A, Sa´nchez B, Bidossi A, Ferrarini A, Giubellini V, Delledonne M, Henrissat B, Coutinho P, Oggioni M, Fitzgerald GF, Mills D, Margolles A, Kelly B, van Sinderen D, Ventura M (2010) Genome analysis of *Bifidobacterium bifidum* PRL2010 reveals metabolic pathways for host-derived glycan foraging. *PNAS* 107 (45):19514–19519
- Timotius, V. A. (2021). Analisis Motif Immunostimulator DNA CpG pada Genom Isolat SU-KC1a melalui whole genome sequencing. Skripsi Universitas Pelita Harapan.
- Turroni, F., Milani, C., Van Sinderen, D., & Ventura, M. (2011). Genetic strategies for mucin metabolism in *Bifidobacterium bifidum* PRL2010: An example of possible human-microbe Co-evolution. *Gut Microbes*, 2(3), 183-189. <https://doi.org/10.4161/gmic.2.3.16105>
- Taghizadeh, M., Safaei, H. G., & Poursina, F. (2018). Identification of *Lactobacillus plantarum* in breast milk. *Research in Molecular Medicine*, 5(4), 50. <https://doi.org/10.18502/rmm.v5i4.3065>
- Tannock GW, Wilson CM, Loach D, Cook GM, Eason J, et al. 2012. Resource partitioning in relation to cohabitation of *Lactobacillus* species in the mouse forestomach. *ISME J.* 6:927–38
- Titgemeyer, F., & Hillen, W. (2002). Global control of sugar metabolism: A Gram-positive solution. *Lactic Acid Bacteria: Genetics, Metabolism and Applications*, 59-71. https://doi.org/10.1007/978-94-017-2029-8_4

- van den Broek, L. A., Hinz, S. W., Beldman, G., Vincken, J.-P., & Voragen, A. G. (2008). Bifidobacterium carbohydrases-their role in breakdown and synthesis of (potential) prebiotics. *Molecular Nutrition & Food Research*, 52(1), 146–163. <https://doi.org/10.1002/mnfr.200700121>
- Vos, A. P., Haarman, M., Boco, A., Govers, M., Knol, J., Garssen, J., Stahl, B., Boehm, G., & M'Rabet, L. (2006). A specific prebiotic oligosaccharide mixture stimulates delayed-type hypersensitivity in a murine influenza vaccination model. *International Immunopharmacology*, 6(8), 1277-1286. <https://doi.org/10.1016/j.intimp.2006.03.010>
- Van den Broek, L. A., Hinz, S. W., Beldman, G., Vincken, J., & Voragen, A. G. (2008). Bifidobacterium carbohydrases-their role in breakdown and synthesis of (potential) prebiotics. *Molecular Nutrition & Food Research*, 52(1), 146–163. <https://doi.org/10.1002/mnfr.200700121>
- Vlasova, A. N., Kandasamy, S., Chattha, K. S., Rajashekara, G., & Saif, L. J. (2016). Comparison of probiotic lactobacilli and bifidobacteria effects, immune responses and rotavirus vaccines and infection in different host species. *Veterinary Immunology and Immunopathology*, 172, 72-84. <https://doi.org/10.1016/j.vetimm.2016.01.003>
- Ventura, M., Zink, R., Huys, G., & Swings, J. (2004). Polyphasic taxonomic analysis of *Bifidobacterium animalis* and *Bifidobacterium lactis* reveals relatedness at the subspecies level: Reclassification of *Bifidobacterium animalis* as *Bifidobacterium animalis* subsp. *animalis* subsp. Nov. and *Bifidobacterium lactis* as *Bifidobacterium animalis* subsp. *lactis* subsp. Nov. *International Journal of Systematic and Evolutionary Microbiology*, 54(4), 1137-1143. <https://doi.org/10.1099/ijs.0.03011-0>
- Wallace, T. C., Guarner, F., Guarner, K., Madsen, M. D., Cabana, G. Gibson, E. Hentges., & Sanders, M. E. 2011. Human gut microbiota and its relationship to health and disease. *Nutrition Reviews*, 69: 392-403.
- Walter, J. (2008). Ecological role of lactobacilli in the gastrointestinal tract: Implications for fundamental and biomedical research. *Applied and Environmental Microbiology*, 74(16), 4985-4996. <https://doi.org/10.1128/aem.00753-08>
- Wortinger, M. A., Quardokus, E. M., & Brun, Y. V. (1998). Morphological adaptation and inhibition of cell division during stationary phase in *Caulobacter crescentus*. *Molecular Microbiology*, 29(4), 963-973. <https://doi.org/10.1046/j.1365-2958.1998.00959.x>
- Wiciński, M., Sawicka, E., Gębalski, J., Kubiak, K., & Malinowski, B. (2020). Human milk Oligosaccharides: Health benefits, potential applications in infant formulas, and pharmacology. *Nutrients*, 12(1), 266. <https://doi.org/10.3390/nu12010266>

- Wichienchot, S., & Chinachoti, P. 2011. Prebiotic oligosaccharides: origins and production, health benefits and commercial applications. In: Gordon NS, editor. *Oligosaccharides: sources, properties and applications*. New York: Nova Science Publishers, Inc. pp. 59–83.
- Wang, Y., & La Pointe, G. (2020). Arabinogalactan Utilization by *Bifidobacterium longum* subsp. *longum* NCC 2705 and *Bacteroides caccae* ATCC 43185 in Monoculture and Coculture. *Microorganisms*, 8(11), 1703. <https://doi.org/10.3390/microorganisms8111703>
- Yoo H, Rheem I, Rheem S, Oh S. Optimizing Medium Components for the Maximum Growth of *Lactobacillus plantarum* JNU 2116 Using Response Surface Methodology. (2018). *Korean J Food Sci Anim Resour.*;38(2):240-250. doi:10.5851/kosfa.2018.38.2.240.
- Yeo, S. K., Liong M-T. 2010 .Effect of prebiotics on viability and growth characteristics of probiotics in soymilk. *Journal of Science Food Agriculture* 90:267–275.
- Zúñiga, M.; Monedero, V.; Yebra, M.J. Utilization of host-derived glycans by intestinal lactobacillus and bifidobacterium species. *Front. Microbiol.* 2018, 9.
- Zheng, J., Wittouck, S., Salvetti, E., Franz, C. M., Harris, H. M., Mattarelli, P., O'Toole, P. W., *et al.* (2020). A taxonomic note on the genus *Lactobacillus*: Description of 23 novel genera, emended description of the genus *Lactobacillus* Beijerinck 1901, and union of *Lactobacillaceae* and *Leuconostocaceae*. *International Journal of Systematic and Evolutionary Microbiology*, 70(4), 2782-2858. <https://doi.org/10.1099/ijsem.0.004107>
- Zheng, J., Ruan, L., Sun, M., & Gänzle, M. (2015). A Genomic view of lactobacilli and *Pediococci* demonstrates that phylogeny matches ecology and physiology. *Applied and Environmental Microbiology*, 81(20), 7233-7243. <https://doi.org/10.1128/aem.02116-15>
- Zotta, T., Parente, E., & Ricciardi, A. (2017). Aerobic metabolism in the genus *Lactobacillus*: Impact on stress response and potential applications in the food industry. *Journal of Applied Microbiology*, 122(4), 857-869. <https://doi.org/10.1111/jam.13399>
- Zhao, H., Lu, L., Xiao, M., Wang, Q., Lu, Y., Liu, C., Wang, P., Kumagai, H., & Yamamoto, K. (2008). Cloning and characterization of a novel β -galactosidase from *Bifidobacterium breve* 203 capable of synthesizing Gal- β -1,4 linkage. *FEMS Microbiology Letters*, 285(2), 278–283. <https://doi.org/10.1111/j.1574-6968.2008.01246.x>