

REFERENCES

- Alden, R. A., Birktoft, J. J., Kraut, J., Robertus, J. D. & Wright, C. S. (1977). Atomic Coordinates for Subtilisin BPN (or Novo). doi: 10.2210/pdb1SBT/pdb
- Altschul, S.F., Gish, W., Miller, W., Myers, E.W. & Lipman, D.J. (1990) "Basic local alignment search tool." *J. Mol. Biol.* 215:403-410. [https://doi.org/10.1016/s0022-2836\(05\)80360-2](https://doi.org/10.1016/s0022-2836(05)80360-2)
- Arkin, M. (2001). Mutational Analysis. *Encyclopedia of Genetics*, 1279–1284. doi:10.1006/rwgn.2001.0872
- Baek, M., DiMaio, F., Anishchenko, I., Dauparas, J., Ovchinnikov, S., Lee, G. R., ... Baker, D. (2021). Accurate prediction of protein structures and interactions using a 3-track network. *Science*. doi: 10.1126/science.abj8754.
- Berman, H. M., Westbrook, J., Feng, Z., Gilliland, G., Bhat, T. N., Weissig, H., Shindyalov, I. N. & Bourne, P. E. (2000). The Protein Data Bank. *Nucleic Acids Research*, 28: 235-242.
- Bode, C., Runge, M. S., & Smalling, R. W. (1996). The future of thrombolysis in the treatment of acute myocardial infarction. *European Heart Journal*, 17: 55–60.
- Bowie, J., Luthy, R., & Eisenberg, D. (1991). A method to identify protein sequences that fold into a known three-dimensional structure. *Science*, 253(5016), 164–170. doi:10.1126/science.1853201
- Burdick, J. A., & Stevens, M. M. (2005). Biomedical hydrogels. *Biomaterials, Artificial Organs and Tissue Engineering*, 107–115. doi:10.1533/9781845690861.2.107
- Carter, P., & Wells, J. A. (1990). Functional interaction among catalytic residues in subtilisin BPN'. *Proteins: Structure, Function, and Genetics*, 7(4), 335–342. doi:10.1002/prot.340070405
- Center for Disease Control and Prevention (CDC). 2020. Venous Thromboembolism. Retrieved from Center for Disease Control and Prevention: <https://www.cdc.gov/ncbddd/dvt/facts.html> (24 June 2021)
- Chapin, J. C., & Hajjar, K. A. (2015). Fibrinolysis and the control of blood coagulation. *Blood Reviews*, 29(1): 17–24.
- Cukuroglu, E., Gursoy, A. & Keskin, O. (2012). HotRegion: a database of predicted hot spot clusters. *Nucleic Acids Res*, 40(D1):829–833. <https://doi.org/10.1093/nar/gkr929>

- de Castro, E., Sigrist, C. J. A., Gattiker, A., Bulliard, V., Langendijk-Genevaux, P. S., Gasteiger, E., Bairoch, A. & Hulo, N. (2006). ScanProsite: detection of PROSITE signature matches and ProRule-associated functional and structural residues in proteins. *Nucleic Acids Res*, 1:34.
- de Vries S. J. & Bonvin A.M.J.J. (2011) CPORT: a consensus interface predictor and its performance in prediction-driven docking with HADDOCK. *PLoS ONE*. <https://doi.org/10.1371/journal.pone.0017695>
- DeLano, W. L. (2002) Pymol: an open-source molecular graphics tool. *CCP4 Newslett Protein Crystallogr* 40:82–92
- Dominguez, C., Boelens, R., and Bonvin, A. M. J. J. (2003). HADDOCK: a protein-protein docking approach based on biochemical and/or biophysical information. *J. Am. Chem. Soc.* 125, 1731-1737
- Doolittle, R. F., Kollman, J. M., Chen, A. & Pandi, L. (2007). Crystal Structure of Fragment D-dimer from Human Fibrin Complexed with Gly-hydroxyPro-Arg-Pro-amide. doi: 10.2210/pdb2hlo/pdb
- Du, X., Li, Y., Xia, Y. L., Ai, S. M., Liang, J., Sang, P., Ji, X. L., & Liu, S. Q. (2016). Insights into Protein-Ligand Interactions: Mechanisms, Models, and Methods. *International journal of molecular sciences*, 17(2), 144. <https://doi.org/10.3390/ijms17020144>
- Eisenberg D, Luthy R, Bowie J (1997) Verify3D: assessment of protein models with three-dimensional profiles. *Methods Enzymol* 277:396–404. [https://doi.org/10.1016/s0076-6879\(97\)77022-8](https://doi.org/10.1016/s0076-6879(97)77022-8)
- Fedan, J. S. (2016). Thrombosis-Embolism. Reference Module in Biomedical Sciences. doi:10.1016/b978-0-12-801238-3.99531-x
- Gale, A. J. (2010). Continuing Education Course #2: Current Understanding of Hemostasis. *Toxicologic Pathology*, 39(1): 273–280.
- Gao, M., & Skolnick, J. (2011). New benchmark metrics for protein-protein docking methods. *Proteins: Structure, Function, and Bioinformatics*, 79(5), 1623–1634. doi:10.1002/prot.22987
- Gasteiger, E., Hoogland, C., Gattiker, A., Duvaud, S., Wilkins, M. R., Appel, R. D., & Bairoch, A. (2005). Protein Identification and Analysis Tools on the ExPASy Server. *The Proteomics Protocols Handbook*, 571–607. doi:10.1385/1-59259-890-0:571
- Gaudreault, F., Chartier, M., & Najmanovich, R. (2012). Side-chain rotamer changes upon ligand binding: common, crucial, correlate with entropy and rearrange hydrogen bonding. *Bioinformatics*, 28(18), i423–i430. doi:10.1093/bioinformatics/bts39

- Geourjon C, Deléage G (1995) SOPMA: significant improvements in protein secondary structure prediction by consensus prediction from multiple alignments. *Bioinformatics* 11(6):681–684. <https://doi.org/10.1093/bioinformatics/11.6.681>
- Graycar, T. P., Bott, R. R., Power, S. D., & Estell, D. A. (2013). Subtilisins. *Handbook of Proteolytic Enzymes*, 3148–3155. doi:10.1016/b978-0-12-382219-2.00693-1
- Haas J., Barbato A., Behringer D., Studer G., Roth S., Bertoni M., Mostaguir K., Gumienny R., Schwede T. Continuous Automated Model EvaluatiOn (CAMEO) complementing the critical assessment of structure prediction in CASP12. *Proteins*. (2018), 86, 387-398. <https://dx.doi.org/10.1002/prot.25431>
- Haas J., Gumienny R., Barbato A., Ackermann F., Tauriello G., Bertoni M., Studer G., Smolinski A., Schwede T. (2019) Introducing "best single template" models as reference baseline for the Continuous Automated Model Evaluation (CAMEO). *Proteins*, 87, 1378-1387. <https://dx.doi.org/10.1002/prot.25815>
- Haas J., Roth S., Arnold K., Kiefer F., Schmidt T., Bordoli L. and Schwede T. (2013). The Protein Model Portal - a comprehensive resource for protein structure and model information. *Database* <http://www.ncbi.nlm.nih.gov/pubmed/23624946>
- Hoffman, M., & Monroe, D. M. (2007). Coagulation 2006: A Modern View of Hemostasis. *Hematology/Oncology Clinics of North America*, 21(1): 1–11.
- Jameson, L. P., Kasper, D. L., Longo, D. L., Fauci, A. S. & Hauser, S. L. (2018). *Harrison's Principles of Internal Medicine*. New York: McGraw-Hill Education.
- Kelley, L., Mezulis, S. & Yates, C. (2015). The Phyre2 web portal for protein modeling, prediction and analysis. *Nat Protoc*, 10: 845–858. <https://doi.org/10.1038/nprot.2015.053>
- Kho, C. W., Park, S. G., Cho, S., Lee, D. H., Myung, P. K., & Park, B. C. (2005). Confirmation of Vpr as a fibrinolytic enzyme present in extracellular proteins of *Bacillus subtilis*. *Protein Expression and Purification*, 39(1), 1–7. doi:10.1016/j.pep.2004.08.008
- Kim, D. E., Chivian, D., & Baker, D. (2004). Protein structure prediction and analysis using the Robetta server. *Nucleic acids research*, 32 (Web Server issue): W526–W531. <https://doi.org/10.1093/nar/gkh468>

- Klykov, O., van der Zwaan, C., Heck, A. J. R., Meijer, A. B., & Scheltema, R. A. (2020). Missing regions within the molecular architecture of human fibrin clots structurally resolved by XL-MS and integrative structural modeling. *Proceedings of the National Academy of Sciences*, 201911785. doi:10.1073/pnas.1911785117
- Laskowski RA, MacArthur MW, Moss DS, Thornton JM (1993) PROCHECK: a program to check the stereochemical quality of protein structures. *J Appl Crystallogr* 26(2):283–291. <https://doi.org/10.1107/s0021889892009944>
- Longstaff, C., & Kolev, K. (2015). Basic mechanisms and regulation of fibrinolysis. *Journal of Thrombosis and Haemostasis*, 13: 98–105.
- Lozano, R., Naghavi, M., Foreman, K., Lim, S., Shibuya, K., Aboyans, V., ... Ahn, S. Y. (2012). Global and regional mortality from 235 causes of death for 20 age groups in 1990 and 2010: a systematic analysis for the Global Burden of Disease Study 2010. *The Lancet*, 380(9859): 2095–2128.
- Maillet, N. (2019) Rapid Peptides Generator: fast and efficient in silico protein digestion. *NAR Genomics and Bioinformatics*, 2(1). <https://doi.org/10.1093/nargab/lqz004>
- Maiti, R., Van Domselaar, G. H., Zhang, H. & Wishart, D. S. (2004). SuperPose: a simple server for sophisticated structural superposition. *Nucleic Acids Res*, 32:590–594. <https://doi.org/10.1093/nar/gkh477>
- Mariani, Valerio & Biasini, Marco & Barbato, Alessandro & Schwede, Torsten. (2013). IDDT: A local superposition-free score for comparing protein structures and models using distance difference tests. *Bioinformatics* (Oxford, England). 29. 10.1093/bioinformatics/btt473.
- Abate, F., Bensi, G., Chiarot, E., ... Matthews, S. (2020). Structure, dynamics and immunogenicity of a catalytically inactive CXC Chemokine-degrading Protease SpyCEP from *Streptococcus pyogenes*. *Computational and Structural Biotechnology Journal*. doi:10.1016/j.csbj.2020.03.004
- McRee, D. E. (1999). *COMPUTATIONAL TECHNIQUES. Practical Protein Crystallography*, 91–cp1. doi:10.1016/b978-012486052-0/50005-1
- Minond, D., Lauer-Fields, J. L., Nagase, H., & Fields, G. B. (2004). Matrix Metalloproteinase Triple-Helical Peptidase Activities Are Differentially Regulated by Substrate Stability†. *Biochemistry*, 43(36), 11474–11481. doi:10.1021/bi048938i
- Mohanasrinivasan, V., Mohanapriya, A., Potdar, S., Chatterji, S., Konne, S., Kumari, S., ... Subathra Devi, C. (2017). In vitro and in silico studies on

- fibrinolytic activity of nattokinase: A clot buster from *Bacillus* sp. *Frontiers in Biology*, 12(3), 219–225. doi:10.1007/s11515-017-1453-3
- Morgan, F. J. E., Holliday, G. L., Drew, C., Porter, C., Hornby, C. (2021). Subtilisin. EMBL-EBI. Retrieved from: <https://www.ebi.ac.uk/thornton-srv/m-csa/entry/723/> (Accessed 16 August 2021)
- Nelson McMillan, K., Kramer, J., Takemoto, C. M., & Ozment, C. P. (2019). Coagulation Disorders in Congenital Heart Disease. *Critical Heart Disease in Infants and Children*, 282–302.e7. doi:10.1016/b978-1-4557-0760-7.00024-3
- Panda, S., & Chandra, G. (2012). Physicochemical characterization and functional analysis of some snake venom toxin proteins and related non-toxin proteins of other chordates. *Bioinformation*, 8(18), 891–896. <https://doi.org/10.6026/97320630008891>
- Patel, S. (2017). A critical review on serine protease: Key immune manipulator and pathology mediator. *Allergologia et Immunopathologia*, 45(6), 579–591. doi:10.1016/j.aller.2016.10.011
- Pinontoan, R., Elvina, Sanjaya, A. & Jo, J. (2021). Fibrinolytic characteristics of *Bacillus subtilis* G8 isolated from natto. *Bioscience of Microbiota, Food and Health*, 40(3). doi: 10.12938/bmfh.2020-071
- Peng, Y., Yang, X., & Zhang, Y. (2005). Microbial fibrinolytic enzymes: an overview of source, production, properties, and thrombolytic activity in vivo. *Applied Microbiology and Biotechnology*, 69(2): 126–132.
- Rawlings, N. D., Waller, M., Barrett, A. J., & Bateman, A. (2013). MEROPS: the database of proteolytic enzymes, their substrates and inhibitors. *Nucleic Acids Research*, 42(D1), D503–D509. doi:10.1093/nar/gkt953
- Robertson, A. L., Headey, S. J., Ng, N. M., Wijeyewickrema, L. C., Scanlon, M. J., Pike, R. N., & Bottomley, S. P. (2016). Protein unfolding is essential for cleavage within the α -helix of a model protein substrate by the serine protease, thrombin. *Biochimie*, 122, 227–234. doi:10.1016/j.biochi.2015.09.021
- Roser, M., Ortiz-Ospina, E., & Ritchie, H. (2013). Life Expectancy. Retrieved from Our World In Data: <https://ourworldindata.org/life-expectancy> (24 June 2021)
- Rosetta Commons (n.d.) Frequently Asked Questions (FAQ). Retrieved from Rosetta Commons: https://www.rosettacommons.org/docs/latest/getting_started/FAQ#frequentl

y-asked-questions_what-is-the-difference-between-ab-initio-and-de-novo-modeling (3 August 2021)

- Sandle, T. (2016). Endotoxin and pyrogen testing. *Pharmaceutical Microbiology*, 131–145. doi:10.1016/b978-0-08-100022-9.00011-6
- Schwede, T., Kopp, J., Guex, N. & Peitsch, M. C. (2003) SWISS-MODEL:an automated protein homology-modeling server. *Nucleic Acids Res* 31(13):3381–3385. <https://doi.org/10.1093/nar/gkg520>
- Sharma, C., Nigam, A. & Singh, R. (2021). Computational-approach understanding the structure-function prophecy of Fibrinolytic Protease RFEA1 from *Bacillus cereus* RSA1. *PeerJ*, 9: e11570 <http://doi.org/10.7717/peerj.11570>
- Shaw, K. L., Grimsley, G. R., Yakovlev, G. I., Makarov, A. A., & Pace, C. N. (2001). The effect of net charge on the solubility, activity, and stability of ribonuclease Sa. *Protein Science*, 10(6), 1206–1215. doi:10.1110/ps.440101
- Sloma, A., Rudolph, C. F., Rufo, G. A. JR., Sullivan, B. J., Theriault, K. A., Ally, D. & Pero, J. (1989). Gene Encoding a Novel Extracellular Metalloprotease in *Bacillus subtilis*. *Journal of Bacteriology*, 1024-1029.
- Sloma, A., Rufo, G., Theriault, K., Dwyer, M., Wilson, S., Pero, J. (1991). Cloning and characterization of the gene for an additional extracellular serine protease of *Bacillus subtilis*, *Journal of Bacteriology*, 6889–6895.
- Syahbanu, F., Giriwono, P., Tjandrawinata, R. & Suhartono, M. (2021). Molecular docking of Subtilisin K2, a fibrin-degrading enzyme from Indonesian moromi, with its substrates. *Food Science and Technology*. 10.1590/fst.61820.
- Szilágyi, A., & Závodszky, P. (2000). Structural differences between mesophilic, moderately thermophilic and extremely thermophilic protein subunits: results of a comprehensive survey. *Structure*, 8(5), 493–504. doi:10.1016/s0969-2126(00)00133-7
- Undas, A., & Ariens, R. A. S. (2011). Fibrin Clot Structure and Function: A Role in the Pathophysiology of Arterial and Venous Thromboembolic Diseases. *Arteriosclerosis, Thrombosis, and Vascular Biology*, 31(12), e88–e99. doi:10.1161/atvbaha.111.230631
- UniProt Consortium. (2020). UniProt: the universal protein knowledgebase in 2021. *Nucleic Acids Research*, 49(D1): 480–489, <https://doi.org/10.1093/nar/gkaa1100>
- Van Zundert, G. C. P., Rodrigues, J. P. G. L. M, Trellet, M., Schmitz, C., Kastitis, P. L., Karaca, E., Melquiond, A. S. J., van Dijk, M., de Vries, S. J. & Bonvin, A. M. J. J. (2016) The HADDOCK2.2 web server: user-friendly integrative

- modeling of biomolecular complexes. *Journal of Molecular Biology*, 428(4):720–725. <https://doi.org/10.1016/j.jmb.2015.09.014>
- Wallace, A. C., Laskowski, R. A. & Thornton, J. M. (1995) LIGPLOT: a program to generate schematic diagrams of protein-ligand interactions. *Protein Eng* 8(2):127–134. <https://doi.org/10.1093/protein/8.2.127>
- Wiederstein M & Sippl MJ (2007) ProSA-web: interactive web service for the recognition of errors in three-dimensional structures of proteins. *Nucleic Acids Res* 35(2):407–410. <https://doi.org/10.1093/nar/gkm290>
- Wilson, M. R., & Campbell Tait, R. (2014). Hemostasis and Anticoagulants. *Handbook of Pharmacogenomics and Stratified Medicine*, 479–496. doi:10.1016/b978-0-12-386882-4.00023-2
- World Health Organization (WHO). (2020). The top 10 causes of death. Retrieved from World Health Organization: <https://www.who.int/news-room/fact-sheets/detail/the-top-10-causes-of-death> (24 June 2021)
- Xue, L. C., Rodrigues, J. P., Kastitis, P. L., Bonvin, A. M. J. J. & Vangone, A. (2016). PRODIGY: a web server for predicting the binding affinity of protein-protein complexes. *Bioinformatics*, 32(23):3676–3678. <https://doi.org/10.1093/bioinformatics/btw514>
- Yao, Z., Meng, Y., Le, H. G., Lee, S. J., Jeon, H. S., Yoo, J. Y., Kim, H.-J., & Kim, J. H. (2020). Cloning of a Novel Vpr gene encoding a minor Fibrinolytic enzyme from *Bacillus Subtilis* SJ4 and the properties of Vpr. *Journal of Microbiology and Biotechnology*, 30(11), 1720–1728. <https://doi.org/10.4014/jmb.2006.06014>
- Zheng, Z., Zuo, Z., Liu, Z., Tsai, K., Liu, A., & Zou, G. (2005). Construction of a 3D model of nattokinase, a novel fibrinolytic enzyme from *Bacillus natto*. *Journal of Molecular Graphics and Modelling*, 23(4), 373–380. doi:10.1016/j.jmgm.2004.10.002