

DAFTAR PUSTAKA

- Abo-State, M. A. M., Saleh, Y. E., & Hazaa, H. A. (2017). Decolorization of Congo Red dye by bacterial isolates. *Journal of Ecology of Health & Environment*, 5(2), 41-48.
- Abou-El-Souod, G. W. & El-Sheekh, M. A. (2016). BIODEGRADATION OF BASIC FUCHSIN AND METHYL RED BY THE BLUE GREEN ALGAE Hydrocoleum oligotrichum AND Oscillatoria limnetica. *Environmental Engineering and Management Journal*, 15(2), 279-296.
- Adams, M. S., Dillon, C. T., Vogt, S., Lai, B., Stauber, J. L., & Jolley, D. F. (2016). Copper uptake, intracellular localization, and speciation in marine microalgae measured by synchrotron radiation X-ray fluorescence and absorption microspectroscopy. *Environmental Science & Technology*, 50, 8827–8839.
- Agency for Toxic Substances & Disease Registry. (2011). *Copper*. Diakses dari <https://www.atsdr.cdc.gov/substances/toxsubstance.asp?toxicid=37> (25 Januari 2021).
- Ahmed, A. M., Lyautey, E., Bonnneau, C., Dabrin, A., & Pesce, S. (2018). Environmental Concentrations of Copper, Alone or in Mixture with Arsenic, Can Impact River Sediment Microbial Community Structure and Functions. *Frontiers in Microbiology*, 9, 1-13.
- Al-Fawwaz, A. T. & Abdullah, M. (2016). Decolorization of Methylene Blue and Malachite Green by Immobilized Desmodesmus sp. Isolated from North Jordan. *International Journal of Environmental Science and Development*, 7(2), 95-99.
- Alam, M. Z., Mansor, M. F., & Jalal, K. C. A. (2008). Optimization of decolorization of methylene blue by lignin peroxidase enzyme produced from sewage sludge with Phanerocheate chrysosporium. *Journal of Hazardous Materials*, 162(2-3), 708-715.
- Albarracin, V. H., Avila, A. L., Amoroso, M. J., & Abate, C. M. (2008). Copper removal ability by Streptomyces strains with dissimilar growth patterns and endowed with cupric reductase activity. *FEMS Microbiology Letters*, 288, 141-148.
- Asses, N., Ayed, L., Hkiri, N., & Hamdi, M. (2018). Congo Red Decolorization and Detoxification by Aspergillus niger: Removal Mechanisms and Dye Degradation Pathway. *BioMed Research International*, 2018, 1-9.
- Auta, H. S., Adedamola, J. O., Aransiola, A. S., Abioye, O. P., & Damisa, D. (2015). Biodecolorization of Basic Fuchsin Dye by Saccharomyces cerevisiae Isolated from Salt Water and Palm Wine. *Journal Biology and Nature*, 3(3), 113-120.

- Azizah, Y. D. N. (2018) *Biodekolorisasi Pewarna Metilen Biru oleh Bakteri Ralstonia pickettii*. Skripsi, Institut Teknologi Sepuluh Nopember. Diakses dari <https://repository.its.ac.id/50562/>.
- Badan Pusat Statistik. (2014). *Pertumbuhan Nilai Tambah Industri Besar dan Sedang di Indonesia*. Jakarta Pusat: Badan Pusat Statistik.
- Bankole, P. O., Adekunle, A. A., & GOvindwar, S. P. (2018). Enhanced decolorization and biodegradation of acid red 88 dye by newly isolated fungus, Achaetomium strumarium. *Journal of Environmental Chemical Engineering*, 6(2), 1589-1600.
- Bhatia, S. C. (2017). *Pollution control in textile industry*. New Delhi: Woodhead Publishing India.
- Bosco, F., Mollea, C., & Ruggeri, B. (2017). Decolorization of Congo Red by Phanerochaete chrysosporium: the role of biosorption and biodegradation. *Environmental Technology*, 38(20), 2581-2588.
- Bost, M., Houdart, S., Oberli, M., Kalonji, E., Huneau, J., & Margaritis, I. (2016). Dietary copper and human health: Current evidence and unresolved issues. *Journal of Trace Elements in Medicine and Biology*, 35, 107-115.
- Braga, P. C., Sasso, M. D., & Sala, M. T. (2000). Sub-MIC concentration of cefodizime interfere with various factors affecting bacterial virulence. *Journal of Antimicrobial Chemotherapy*, 45(1), 15-25.
- Bumpus, J. A. & Brock, B. J. (1988). Biodegradation of crystal violet by the white rot fungus Phanerochaete chrysosporium. *Applied and Environmental Microbiology*, 54(5), 1143-1150.
- Casas, N., Parella, T., Vicent, T., Camina, G., & Sarrà, M. (2009). Metabolites from the biodegradation of triphenylmethane dyes by Trametes versicolor or laccase. *Chemosphere*, 75, 1344-1349.
- Chen, C., Wu, J. Y., Huang, C. C., Liang, Y. M., & Hwang, S. C. J. (2003). Segmented Faulting Process of Chelungpu Thrust: Implication of SAR Interferograms. *Terrestrial, Atmosphere and Oceanis sciences journal*, 14(2), 241-247.
- Copaciu, F., Opris, O., Coman, V., Ristoiu, D., Niinemets, U., & Copolovici, L. (2013). Diffuse water pollution by anthraquinone and azo dyes in environment importantly alters foliage volatiles, carotenoids, and physiology in wheat (*Triticum aestivum*). *Water, Air, and Soil Pollution*, 224(3), 1478-1489.
- Damanhuri, E. (2010). *Pengelolaan Bahan Berbahaya dan Beracun (B3)*. Bandung: Institusi Teknologi Bandung.
- Das, A., Bhattacharya, S., Panchanan, G., Navya, B. S., & Nambiar, P. (2016). Production, characterization and Congo red dye decolourizing efficiency of a laccase from Pleurotus ostreatus MTCC 142 cultivated on co-substrates of

- paddy straw and corn husk. *Journal of Genetic Engineering and Biotechnology*, 14(2), 281-288.
- Das, S., Dash, H. R., & Chakraborty, J. (2016). Genetic basis and importance of metal resistant genes in bacteria for bioremediation of contaminated environments with toxic metal pollutants. *Applied Microbiology and Biotechnology*, 100, 2967-2984.
- Djoko, K. Y., Chong, L. X., Wedd, A. G., & Xiao, Z. (2010). Reaction mechanisms of the multicopper oxidase CueO from Escherichia coli support its functional role as a cuprous oxidase. *Journal of the American Chemical Society*, 132, 2005-2015.
- Duran-Rivera, B., Moreno-Suarez, J. R., & García-Ramírez, S. I. (2018). Decolorization of a textile effluent and methylene blue by three white rot fungi (WRF), at pilot and laboratory scale. *Bionatura*, 3(4), 709-714.
- Elmorsi, T. M. (2011). Equilibrium Isotherms and Kinetic Studies of Removal of Methylene Blue Dye by Adsorption onto Miswak Leaves as a Natural Adsorbent. *Journal of Environmental Protection*, 2(6), 817-827.
- Enguita, F. J., Martins, L. O., Henriques, A. O., & Corrondo, M. A. (2003). Crystal structure of a bacterial endospore coat component: A Laccase with enhanced thermostability properties. *The Journal of Biological Chemistry*, 278(21), 19416-19425.
- Eslami, H., Khavidak, S. S., Salehi, F., Khosravi, R., Fallahzadeh, R. A., Peirovi, R., & Sadeghi, S. (2017). Biodegradation of methylene blue from aqueous solution bacteria isolated from contaminated soil. *Journal of Advances in Environmental Health Research*, 5(1), 10-15.
- Ewida, A. Y. I., El-Sesy, M. E., Zeid, A. A. (2019). Complete degradation of azo dye acid red 337 by Bacillus megaterium KY848339.1 isolated from textile wastewater. *Water Science*, 33(1), 154-161.
- Fatihah, S. W. (2018). *Biodekolorisasi Metilen Biru Oleh Kultur Campuran Bakteri Pseudomonas Aeruginosa Dan Jamur Pelapuk Putih Phlebia Brevispora*. Skripsi, Institut Teknologi Sepuluh Nopember. Diakses dari <https://repository.its.ac.id/58747/>.
- Ferreira-Leitão, V. S., de Carvalho, M. E. A., & Bon, E. P. S. (2006). Lignin peroxidase efficiency for methylene blue decolourization: Comparison to reported methods. *Dye and Pigments*, 7(2007), 230-236.
- Fitria, F. (2015). *DEGRADASI MALACHITE GREEN SECARA ELEKTROKIMIA MENGGUNAKAN ELEKTRODA PASTA KARBON NANOPORI*. Skripsi, Universitas Airlangga. Diakses dari <http://repository.unair.ac.id/39438/>.
- Hala, Y., Taba, P., & Manami, M. (2010). Fitosorpsi Bilogam Cd (II) dan Cu (II) oleh Chaetoceros calcitrans dalam Media Conwy. *Marina Cimica Acta*, 11(1), 30-35.

- Hames, D. & Hooper, N. (2005). *Biochemistry Ed-4*. Taylor and Francis Group: New York.
- Hassan, M. M. & Carr, C. M. (2018). A critical review on recent advancements of the removal of reactive dyes from dyehouse effluent by ion-exchange adsorbents. *Chemosphere*, 209(1), 201-219.
- Heinfling, A., Martinez, M., Martinez, A., Bergbauer, M., & Szewzyk, U. (1998). Transformation industrial dyes by manganese peroxidases from *Bjerkandera adusta* and *Pleurotus eryngii* in manganese-independent reaction. *Applied and Environmental Microbiology*, 64, 2688-2793.
- Hilhor, R. M., Apostol, L. C., & Gavrilescu, M. (2017). Environmental bioremediation by biosorption and bioaccumulation: principles and applications. *Enhancing Cleanup of Environmental Pollutants*, 1, 289-315.
- Holey, B. A. (2015). Decolourization of Congo Red dye by bacteria and consortium isolated from dye contaminated soil. *International Research Journal of Science & Engineering*, 3(3), 107-112.
- Hood, E. (2005). Tap Water and Trihalomethanes: Flow of Concerns Continues. *Environmental Health Perspective*, 113(7), A474.
- Hunger, K. (2003). *Industrial dyes: Chemistry, properties, and applications*. Weinheim: Wiley-VCH.
- Ikram, M., Ali, S., Aqeel, M., Ul-Hamid, A., Imran, M., Haider, J., Haider, A., Shahbaz, A., & Ali, S. (2020). Reduced graphene oxide nanosheets doped by efficient visible light photocatalytic behavior. *Journal of Alloys and Compounds*, 837, 155588.
- Imran, M., Crowley, D. E., Khalid, A., Hussain, S., Mumtaz, M. W., & Arshad, M. (2015). Microbial biotechnology for decolorization of textile wastewaters. *Reviews in Environmental Science and Biotechnology*, 14(1), 73-92.
- Irawati, W., Omposunggu, N. P., Susilowati, D. N., & Yuwono, T. (2019). Molecular and physiological characterization of indigenous copper-resistant bacteria from Cikapundung River, West Java. *Biodiversitas*, 20(2), 344-349.
- Irawati, W., Riak, S., Sopiah, N., & Sulistia, S. (2017). Heavy metal tolerance in indigenous bacteria isolated from the industrial sewage in Kemisan River, Tangerang, Banten, Indonesia. *Biodiversitas Journal of Biological Diversity*, 18(4), 1481-1486.
- Ito, T. & Suto, T. (2018). Potential use of bacteria collected from human hands for textile dye decolorization. *Water Resources and Industry*, 20, 46-53.
- Jones, J. J. & Falkinham, J. O. (2003). Decolorization of Malachite Green and Crystal Violet by Waterborne Pathogenic Mycobacteria. *Antimicrobial Agents and Chemotherapy*, 47(7), 2323-2326.

- Kang, H. W., Yang, Y. H., Kim, S. W., Kim, S., & Ro, H. (2014). Decolorization of Triphenylmethane Dyes by Wild Mushrooms. *Biotechnology and Bioprocess Engineering*, 19, 519-525.
- Khan, S. & Malik, A. (2018). Toxicity evaluation of textile effluents and role of native soil bacterium in biodegradation of textile dye. *Environmental Science and Pollution Research*, 25(5), 4446-4458.
- Khandare, R. V. & Govindwar, S. P. (2016). Microbial Degradation Mechanism of Textile Dye and Its Metabolic Pathway for Environmental Safety, *Environmental Waste Management*, 14, 399-429.
- Komarawidjaja, W. (2017). Paparan Limbah Cair Industri Mengandung Logam Berat pada Lahan Sawah di Desa Jelegong, Kecamatan Rancaekek, Kabupaten Bandung. *Jurnal Teknologi Lingkungan*, 18(2), 173-181.
- Kumar, C. G., Ganesh, Mongolla, P., & Shaik, A. B. (2012). Decolorization and Biotransformation of Triphenylmethane Dye Methyl Violet, by Aspergillus sp. Isolated from Ladakh, India. *Journal of Microbiology and Biotechnology*, 21(3), 267-273.
- Kumari, L., Tiwary, D., & Mishra, P. K. (2015). Biodegradation of C.I. Acid Red 1 by indigenous bacteria Stenotrophomonas sp. BHUSSp X2 isolated from dye contaminated soil. *Environmental Science and Pollution Research*, 23, 4054-4062.
- Kunamneni, A., Plou, F. J., Ballesteros, A., & Alcalde, M. (2008). Laccases and their applications: a patent review. *Recent patents on biotechnology*, 2(1), 10-24.
- Lade, H., Govindwar, S., & Paul, D. (2015). Mineralization and Detoxification of the Carcinogenic Azo Dye Congo Red and Real Textile Effluent by a Polyurethane Foam Immobilized Microbial Consortium in an Upflow Column Bioreactor. *International Journal of Environmental Research and Public Health*, 12(6), 6894-6918.
- Laurensia, Y. (2018) *Evaluation decolorization of methylene blue using Pelita Harapan University bacterial collection grown on rice bran medium = evaluasi dekolorisasi methylene blue oleh bakteri koleksi Universitas Pelita Harapan yang dikultur dalam medium bekatul*. Skripsi, Universitas Pelita Harapan. Diakses dari <http://repository.uph.edu/4719/>.
- Maas, A. S. V. D., da Silva, N. J. R., da Costa, A. S. V., Barros, A. R., & Bomfeti, C. A. (2018). The degradation of methylene blue dye by the strains of Pleurotus sp. with potential applications in bioremediation processes. *Revista Ambiente & Água*, 13(4), e2247.
- Malick, R. C., Bera, A. K., Chowdhury, H., Bhattacharya, M., Abdulla, T., Swain, H. S., Baitha, R., Kumar, V., & Das, B. K. (2020). Identification and pathogenicity study of emerging fish pathogens Acinetobacter junii and Acinetobacter pittii recovered from a disease outbreak in Labeo catla (Hamilton, 1822) and Hypophthalmichthys molitrix (Valenciennes,

- 1844) of freshwater wetland in West Bengal, India. *Aquaculture Research*, 51(6), 2410-2420.
- McKinnon, P. S. & Davis, S. L. (2004). Pharmacokinetic and pharmacodynamic issues in the treatment of bacterial infectious diseases. *European Journal of Clinical Microbiology & Infectious Diseases*, 23(4), 271-288.
- Michelle, Siregar, R. A. N., Sanjaya, A., Jap, L., & Pinontoan, R. (2020). Methylene blue decolorizing bacteria isolated from water sewage in Yogyakarta, Indonesia. *Biodiversitas*, 21, 1136-1141.
- Misal, S. A. & Gawai, K. R. (2018). Azoreductase: a key player of xenobiotic metabolism. *Bioresources and Bioprocessing*, 5(17), 1-9.
- Mota, T. R., Kato, C. G., Peralta, R. A., Bracht, A., de Moraes, G. R., Baesso, M. L., de Souza, C. G. M., & Peralta, R. M. (2015). Decolorization of Congo Red by Ganoderma lucidum laccase: Evaluation of Degradation Products and Toxicity. *Water, Air, & Soil Pollution*, 226(351), 1-11.
- Ng, I. S., Chen, T., Lin, R., Zhang, X., Ni, C., & Sun, D. (2014). Decolorization of Textile Azo Dye and Congo Red by an Isolated Strain of the Dissimilatory Manganese-Reducing Bacterium Shewanella Xiamenensis BC01. *Applied Microbiology and Biotechnology*, 98(5), 2297-2308.
- Nidadavolu, S. V. S. S. S. L. H. B., Krishna, G., Pabba, S. K., & Maringanti, S. C. (2013). Decolorization of triphenyl methane dyes by Fomitopsis feei. *Natural Science*, 5(6), 30-35.
- Nies, D. H. (2003). Efflux-mediated heavy metal resistance in prokaryotes. *FEMS Microbiology Reviews*, 27, 313-339.
- O'Mahony, T., Guibal, E., & Tobin, J. M. (2002). Reactive dye biosorption by Rhizopus arrhizus biomass. *Enzyme Microbiology & Technology*, 31, 456-463.
- Ogugbue, C. J. & Sawidis, T. (2011). Assessment of Bio Elimination and Detoxification of Phenothiazine Dye by Bacillus firmus in Synthetic Wastewater under High Salt Conditions. *Journal of Applied Sciences*, 11, 2886-2897.
- Ogugbue, C. J., Sawidis, T., & Oranusi, N. A. (2012). Bioremoval of chemically different synthetic dyes by Aeromonas hydrophila in simulated wastewater containing dyeing auxiliaries. *Annals of Microbiology*, 62, 1141-1153.
- Olukanni, O. D., Osuntoki, A. A., Awotula, A. O., Kalyani, D. C., Gbenle, G. O., & Govindwar, S. P. (2013). Decolorization of Dyehouse Effluent and Biodegradation of Congo Red by Bacillus Thuringiensis RUN1. *Journal of Microbiology and Biotechnology*, 23(6), 843-849.
- Pearce, C. I., Lloyd, J. R., & Guthrie, J. T. (2003). The removal of colour from textile wastewater using whole bacterial cells: a review. *Dyes Pigments*, 58(3), 179-196.

- Puspasari, E., Artika, I. M., & Panji, T. (2015). Deodorization of LAtex Waste and Decolorization of Textile-Coloring Agent by Omphalina sp. using Batch and Continuous Methods. *Current Biochemistry*, 3(1), 33-42.
- Putra, W. (2018, Februari 5). Sungai Citarum Masih Tercemar Limbah Tekstil dan Kertas. *Detik*. Diakses dari <https://news.detik.com/berita-jawa-barat/d-3850610/sungai-citarum-masih-tercemar-limbah-tekstil-dan-kertas>.
- Ramirez-Garcia, R., Gohil, N., & Singh, V. (2019). Recent advances, challenges, and opportunities in bioremediation of hazardous materials. *Phytomanagement of Polluted Sites*, 21(1), 517-568.
- Ramya, M., Iyappan, S., Manju, A., & Jiffe, J. S. (2010). Biodegradation and Decolorization of Acid Red by Acinetobacter radioresistens. *Journal of Bioremediation & Biodegradation*, 105, 1-6.
- Ratnawati, E. (2010). Pengaruh pH, konsentrasi biosorben dan waktu reaksi terhadap penurunan logam berat Pb dengan memanfaatkan limbah industri bir dalam bentuk pellet sebagai biosorben. *Jurnal Kimia dan Kemasan*, 32(2), 73-78.
- Salokhe, M. & Govindwar, S. (1999). Decolorization of triphenylmethane dyes and textile and dyestuff effluent by Kurthia sp. *Enzyme and Microbial Technology*, 24, 433-437.
- Santosa, R. W. (2013). Dampak Pencemaran Lingkungan Laut oleh Perusahaan Tambangan terhadap Nelayan Tradisional. *Lex Administratum*, 1(2), 65-78.
- Saratale, R., Saratale, G., Chang, J., & Govindwar, S. (2009). Decolorization and biodegradation of textile dye navy Blue HER by Trichosporon beigelii NCIM-3326. *Journal of Hazardous Materials*, 166, 1421-1428.
- Sekarlangit, E. & Martani, E. (2018). *Dekolorisasi Methylene Blue dalam Limbah Cair Industri Tekstil dan Batik oleh Biofilm Konsorsium Bakteri*. Skripsi, Universitas Gadjah Mada. Diakses dari <http://etd.repository.ugm.ac.id/penelitian/detail/158922>.
- Shah, A. A., Bhatti, M. A., Tahira, A., Chandio, A. D., Channa, I. A., Sahito, A. G., Ebrahim, S., Willander, M., Nur, O., & Ibupoto, Z. H. (2019). Facile synthetics of copper doped ZnO nanorods for the efficient photo degradation of methylene blue and methyl orange. *Ceramics International*, 46(8), 1-9.
- Shah, K. (2014). Biodegradation of azo dye compounds. *International Research Journal of Biochemistry and Biodegradation*, 1(2), 5-13.
- Sharma, B., Dangi, A. K., & Shukla, P. (2018). Contemporary enzyme based technologies for bioremediation: A review. *Journal of Environmental Management*, 210, 10-22.
- Sharma, S., Kalpana, A. S., Suryavathi, V., Singh, P. R. S., & Sharma, K. (2007). Toxicity assessment of textile dye wastewater using swiss albino rats. *Australian Journal of Ecology*, 13, 81-85.

- Shraddha, Shekher, R., Sehgal, S., Kamthania, M., & Kumar, A. (2011). Laccase: Microbial Sources, Production, Purification, and Potential Biotechnological Applications. *Enzyme Research*, 2011, 1-11.
- Vishwakarma, G. S., Bhattacharjee, G., Gohil, N., & Singh, V. (2020). Current status, challenges and future of bioremediation. *Bioremediation of Pollutants*, 20, 403-415.
- Wahab, M. F. A., Rasid, N. A. A., & Yusoff, A. R. H. M. (2006). Degradation of Acid Red 27 by the Recombinant Flavin Reductase. *KUSTEM 5th Annual Seminar*.
- Wielewski, L. P., Zuccolotto, T., Soares, M., Prola, L. D. T., de Liz, M. V. (2020). Degradation of the Textile Dye Reactive Black 5 by Basidiomycetes. *Revista Ambiente & Água*, 15(1), e2464.
- Wuana, R. A. & Okieimen, F. E. (2011). Heavy Metals in Contaminated Soils: A Review of Sources, Chemistry, Risks and Best Available Strategies for Remediation. *International Scholarly Research Notices*, 1, 1-20.
- Yahdiana. (2011). *Studi Degradasi Zat Warna Tekstil Congo Red dengan Metode Fotokatalitik menggunakan Suspensi TiO₂*. Skripsi, Universitas Indonesia. Diakses dari <http://lib.ui.ac.id/file?file=digital/20290721-S945-Studi%20degradasi.pdf>.
- Yokoyama, K., Fisher, A. D., Amori, A. R., Welchons, D. R., & McKnight, R. E. (2010). roscopic and calorimetric studies of Congo red dye-amyloid β peptide complexes. *Journal of Biophysical Chemistry*, 3(1), 153-163.
- Yudo, S. & Said, N. I. (2001). Masalah Pencemaran Air di Jakarta, Sumber dan Alternatif Penanggulangannya. *Jurnal Teknologi Lingkungan*, 2, 199 – 206.
- Zouboulis, A. I., Moussas, P. A., & Psaltou, S. G. (2019). Groundwater and Soil Pollution: Bioremediation. *Encyclopedia of Environmental Health*, 2, 369-381.
- Zucca, P., Cocco, G., Sollai, F., & Sanjust, E. (2015). Fungal laccases as tools for biodegradation of industrial dyes. *Biocatalysis*, 1, 82-108.
- Zunariyah, S. (2018). Upaya Membangun Kemitraan dalam Pengelolaan Sungai. *Dialektika Masyarakat: Jurnal Sosiologi*, 2(1), 25-46.
- Zuraya, N. (2019, Maret 23). 82 Persen Sungai di Indonesia Tercemar dan Kritis. *Republika*. Diakses dari <https://nasional.republika.co.id/berita/nasional/umum/porsc1383/82-persen-sungai-di-indonesia-tercemar-dan-kritis>.