

DAFTAR PUSTAKA

- Addor, F. (2017). Antioxidants in dermatology. *Anais brasileiros de dermatologia*, 92(3), 356–362. DOI:10.1590/abd1806-4841.20175697
- Andreu, L., Nuncio-Jáuregui, N., Carbonell-Barrachina, Á. A., Legua, P., & Hernández, F. (2017). Antioxidant properties and chemical characterization of Spanish Opuntia ficus-indica Mill. cladodes and fruits. *Journal of the Science of Food and Agriculture*, 98(4), 1566–1573. DOI: 10.1002/jsfa.8628
- Aydar, A. Y. (2018). Utilization of Response Surface Methodology in Optimization of Extraction of Plant Materials. *Statistical Approaches With Emphasis on Design of Experiments Applied to Chemical Processes*. DOI: 10.5772/intechopen.73690
- Bradley, N. (2007). The response surface methodology. Department of Mathematical Sciences. South Bend, Indiana University. *Master of Science in Applied Mathematics & Computer Science*, 36–38.
- Che Sulaiman, I., Basri, M., Masoumi, H., Chee, W., Ashari, S., Ismail, M. (2017). Effects of temperature, time, and solvent ratio on the extraction of phenolic compounds and the anti-radical activity of *Clinacanthus nutans Lindau* leaves by response surface methodology. *Chemistry Central Journal*, 11, 54. DOI: 10.1186/s13065-017-0285-1
- Chew, K., Ng, S., Thoo, Y., Khoo, M., Wan Aida, W., Ho, C. (2011). Effect of ethanol concentration, extraction time and extraction temperature on the recovery of phenolic compounds and antioxidant capacity of *Centella asiatica* extracts. *International Food Research Journal*, 18, 571-578.
- Crimmins, E. (2015). Lifespan and Healthspan: The Past, Present, Promise. *The Gerontologist*, 55(6), 901-911. DOI:10.1093/geront/gnv130
- Domingo, C., De Vera, W., Pambid, R., Austria, V. (2019). Playing with the Senses: Application of Box-Behnken Design to Optimize the Bukayo Formulation. *Food Research*.
- Dutta, P, Mandal, S., Kumar, A. (2018). Comparative study: FPA based response surface methodology & ANOVA for the parameter optimization in process control. *Advances in Modelling and Analysis C*, 73(1), 23-27.
- Elboughdiri, N. (2018). Effect of Time, Solvent-Solid Ratio, Ethanol Concentration and Temperature on Extraction Yield of Phenolic Compounds From Olive Leaves. *Engineering, Technology, and Applied Science Research*, 8(2), 2805-2808. DOI: 10.13140/RG.2.2.26002.81601.
- Halliwell, B. (2011). Free radicals and antioxidants – quo vadis? *Trends in Pharmacological Sciences*, 32(3), 125–130. DOI: 10.1016/j.tips.2010.12.002

- Islam, S. M. A., Ahmed, K. T., Manik, M. K., Wahid, M. A., & Kamal, C. S. I. (2013). A comparative study of the antioxidant, antimicrobial, cytotoxic and thrombolytic potential of the fruits and leaves of *Spondias dulcis*. *Asian Pacific Journal of Tropical Biomedicine*, 3(9), 682–691. DOI: 10.1016/s2221-1691(13)60139-2
- Lee, S., Lee, D., Kang, H. (2007). Effect of Extraction Ethanol Concentration on Antioxidant and Anti-Inflammatory Activity of 30-Year-Old and 120-Year-Old Dangyuja (*Citrus maxima* (Burm.) Merr.). *Biomedical Science Letters*, 26(2), 109-113. DOI: 10.15616/BSL.2020.26.2.109
- Lestari, D., Kartika, R., Marliana, E. (2019). Uji Brine Shrimp Lethality Test (BSLT) Umbi Bawang Tiwai (*Eleutherine bulbosa* (Mill.) Urb) dan Uji Toksisitas Akut Fraksi Aktif. *Jurnal Riset Kemasan Indonesia*, 1(1), 1-10.
- Mishra, A., Sharma, A. K., Kumar, S., Saxena, A. K., & Pandey, A. K. (2013). *Bauhinia variegata* leaf extracts exhibit considerable antibacterial, antioxidant, and anticancer activities. *BioMed research international*, 2013, 915436. DOI: 10.1155/2013/915436
- Morton, J. (1987). *Ambarella*. Diambil dari Purdue University: https://hort.purdue.edu/newcrop/morton/ambarella_ars.html (23 Januari 2021)
- Nariya, P., Bhalodia, N., Shukla, V., Acharya, R., Nariya, M. (2013). In vitro evaluation of antioxidant activity of *Cordia dichotoma* (Forst f.) bark. *Ayu*, 34(1), 124–128. DOI: 10.4103/0974-8520.115451
- Ningdyah, A., Alimuddin, A., Jayuska, A. (2015). Uji Toksisitas dengan Metode BSLT (Brine Shrimp Lethality Test) Terhadap Fraksinasi Ekstrak Kulit Buah Tampoi (*Baccaurea macrocarpa*). *Jurnal Kimia Khatulistiwa*, 4(1), 75-83.
- NIST/SEMATECH. (2013). 5.3.3.7. Adding Centerpoints. Diambil dari Engineering Statistics Handbook: <https://www.itl.nist.gov/div898/handbook/pri/section3/pri337.htm> (Diakses 4 September 2021)
- Pennsylvania State University¹. (2021). 11.2.2 - Box-Behnken Designs. Diambil dari PennState Eberly College of Science: <https://online.stat.psu.edu/stat503/lesson/11/11.2/11.2.2> (Diakses 4 Januari 2021)
- Pennsylvania State University². (2021). Lesson 11: Response Surface Methods and Designs. Diambil dari PennState Eberly College of Science: <https://online.stat.psu.edu/stat503/lesson/11> (Diakses 4 Januari 2021)
- Rumsey¹, D. (2009). *Statistics II for Dummies*. Wiley Publishing, Inc.
- Rumsey², D. (2011). *Statistics for Dummies*. Wiley Publishing, Inc.
- Sarah, Q., Anny, F., Misbahuddin, M. (2017). Brine Shrimp Lethality Assay. *Bangladesh Journal of Pharmacology*, 12, 186-189. DOI: 10.3329/bjp.v12i2.32796

- Shahidi, F., Zhong, Y. (2015). Measurement of Antioxidant Activity. *Journal of Functional Foods*, 18, 757-781. DOI: 10.1016/j.jff.2015.01.047
- Suliyantri, M., Tan, T., Sugata, M. (2020). *Response surface methodology application to optimize the extraction conditions of red skin melinjo*. Bachelor thesis, Universitas Pelita Harapan.
- Tummala, S., Kuppusamy, G., Kumar, M., Krishnamurthy, P., Yamjala, K., Tripuraneni, N., Prakash, A. (2015). Formulation and Optimization of Oxaliplatin Immuno-nanoparticles Using Box-Behnken Design and Cytotoxicity Assessment for Synergistic and Receptor-mediated Targeting in the Treatment of Colorectal Cancer. *Artificial Cells, Nanomedicine, and Biotechnology*, 44(8). DOI: 10.3109/21691401.2015.1111226
- Tungmunnithum, D., Thongboonyou, A., Pholboon, A., & Yangsabai, A. (2018). Flavonoids and Other Phenolic Compounds from Medicinal Plants for Pharmaceutical and Medical Aspects: An Overview. *Medicines (Basel, Switzerland)*, 5(3), 93. DOI: 10.3390/medicines5030093
- Vijayalakshmi, K., Roghini, R. (2019). Phytochemical Screening, Quantitative Analysis of Flavonoids and Minerals in Ethanolic Extract of Citrus paradisi. *International Journal of Pharmaceutical Sciences and Research*, 9(11). DOI: 10.13040/IJPSR.0975-8232.9(11).4859-64
- Widodo, I., Tan, T., Sugata, M. (2020). *Evaluation of bioactive compounds activities from the ethanol extract of green melinjo peel with response surface methodology (RSM)*. Bachelor thesis, Universitas Pelita Harapan.
- Wong, B., Tan, C., Ho, C. (2013). Effect of solid-to-solvent ratio on phenolic content and antioxidant capacities of “Dukung Anak” (*Phyllanthus niruri*). *International Food Research Journal*, 20(1), 325-330.
- Wu, L., Yick, K., Ng, Z., Yip, J. (2011). Shape Characterization for Optimisation of Bra Cup Moulding. *Journal of Fiber Bioengineering and Informatics*, 4(3), 235-243. DOI:10.3993/jfbi09201103
- Xu, D., Li, Y., Meng, X., Zhou, T., Zhou, Y., Zheng, J., Zhang, J., & Li, H. (2017). Natural Antioxidants in Foods and Medicinal Plants: Extraction, Assessment and Resources. *International journal of molecular sciences*, 18(1), 96. <https://doi.org/10.3390/ijms18010096>
- Zhao, L., Liu, W., Xiong, S., Tang, J., Lou, Z., Xie, M., Xia, B., Lin, L., Liao, D. (2018). Determination of Total Flavonoids Contents and Antioxidant Activity of *Ginkgo biloba* Leaf by Near-Infrared Reflectance Method. *International Journal of Analytical Chemistry*, 2018(1). DOI: <https://doi.org/10.1155/2018/8195784>