

ACKNOWLEDGEMENTS

Praise and gratitude to Jesus Christ, due to His blessings author can finish the thesis report entitled “DEVELOPMENT OF FUNCTIONAL BEVERAGE MADE FROM *KESUM* LEAVES (*Polygonum minus* H.) AND MINT LEAVES (*Mentha arvensis* L.) EXTRACT WITH STEVIA (*Stevia rebaudiana* B.)”.

The thesis report was completed based on the research that has been done from July 2017 until October 2017. Thesis was written as partial fulfillment of the academic requirements to obtain the degree of *Sarjana Teknologi Pertanian Strata Satu* from Universitas Pelita Harapan.

The thesis report would not be possible to be completed well and in time without support, guidance, and prayer from several parties undeniably given until this thesis completed. In this occasion, the author would like to give biggest appreciation to:

1. Eric Jobiliong, Ph.D. as the Dean of Faculty of Science and Technology.
2. Sunie Rahardja, M.S.CE. as the Vice Dean of Faculty of Science and Technology.
3. Laurence, ST, MT as the Director of Faculty of Science and Technology.
4. W. Donald R. Pokatong, Ph.D. as the Head of Food Technology Study Program, and as thesis examiner, for the chances and opportunity to conduct this thesis, approval of this report, and for helpful suggestions regarding thesis revisions.
5. Dr. Ir. Raffi Paramawati, M.Si. as the thesis supervisor, for the genuine guidance, care, inspiration, support, and giving useful advices until the research and the thesis report was finally completed.
6. Intan Cidarbulan Matita, Ph.D. as the co-supervisor, for the time, guidance, care, advices, and support until the research and the thesis report was finally completed.
7. Lucia Crysanthy Soedirga, M.Sc. as the thesis examiner for the valuable advice and suggestions to the research.

8. Wenny Silvia Loren Sinaga, M.Si. as Academic Advisors for the help and guidance for the author during studying at Universitas Pelita Harapan.
9. Yuniwaty Halim, M.Sc., Dr. Adolf J. N. Parhusip, Dr. Tagor M. Siregar, and Natania, M.Eng., as the Heads of Quality Control and Food Research Laboratories, Microbiology, Chemistry, and Food Processing Technology Laboratories, respectively, who had given permission, guidance, and advices for the author to conduct this research in their laboratories.
10. Mr. Adzie, Mr. Adi, Mr. Darius, Mr. Yosafat, Virly, S.T.P., Christopher Iman Rimbasantoso, S.TP., Fiammeta Esther, S.T.P., and Jessica Decyree, S.T.P., as the laboratories assistance and lecturers assistance, respectively, for the enormous help at the laboratories.
11. All lecturers of Food Technology Study Program who teach the author during studying at Universitas Pelita Harapan.
12. Beloved father (The Kiok Kuang a.k.a Sri Harianto), mother (Elly Yanti), and older brother (Antony Valentinus Halim) for the endless love, care, support, advices, comfort, and prayers given during the research and thesis report completion.
13. My big family who could not be mentioned one by one, for the endless love, support, advices, and prayers during the research and thesis report completion.
14. Lakita Vaswani, Marcella Setiawan, Natasha Janice, Nathania Clairine, and Vanessa Vania as partners on the same supervisor, for the motivation, help, support, cooperation, and the moments shared during the research and thesis report completion.
15. Dea Lambertha, Marissa Arlianti, and Natasya Angeline as the best friends in university, for the kindness, love, advices, support, and help during the study in Universitas Pelita Harapan, research, and thesis report completion.
16. Aldo Alfandi, Chintya, Cindy Auwyano, Jacky Phua, Jeanette Yovanka, Kinta Armanda, Kristina Fransiska, Putu Nanda Nirmala, Terry Sinaga, and Vinilia as the best friends in university, for the help, support, care, and invaluable moments shared during research and report completion.

17. Marcella Elvina Suteja and Sanny as the housemates and beloved juniors in Food Technology, for the care, encouragements, advices, and invaluable moments shared.
18. All friends in Food Technology 2014 especially class C, who share happiness and togetherness during the university life.
19. Friends and colleagues who contribute and cannot be mentioned one by one.

The author feels grateful and beyond blessed for all the knowledge and valuable experiences gained during final project. The author also realizes that this thesis is still far from excellent. Therefore, any critics or suggestion are gladly welcomed for better improvement in the future. Last but not least, the author hopes that this report can be useful and beneficial for all of the readers.

Tangerang, February, 2018

(PRISKA OKTAVIA HALIM)




TABLE OF CONTENTS


	page
COVER	
STATEMENT OF THESIS AUTHENTICITY	
APPROVAL BY THESIS SUPERVISOR	
APPROVAL BY THESIS EXAMINATION COMMITTEE	
ABSTRACT.....	v
ACKNOWLEDGEMENTS.....	vi
TABLE OF CONTENTS.....	ix
LIST OF FIGURES.....	xii
LIST OF TABLES.....	xiii
LIST OF APPENDICES.....	xiv
CHAPTER I INTRODUCTION	
1.1 Background	1
1.2 Research Problem.....	3
1.3 Objective	4
1.3.1 Main Objective.....	4
1.3.2 Specific Objective	4
CHAPTER II LITERATURE REVIEW	
2.1 Functional Beverage.....	5
2.2 Kesum Leaves (<i>Polygonum minus</i> H.)	7
2.3 Mint Leaves (<i>Mentha arvensis</i> L.)	9
2.4 Stevia (<i>Stevia rebaudiana</i> B.)	12
2.5 Herb Extraction	14
2.6 Preservation Treatment.....	16
2.7 Antioxidant.....	19
CHAPTER III RESEARCH METHODOLOGY	
3.1 Materials and Equipment	23
3.1.1 Materials.....	23
3.1.2 Equipment	23
3.2 Research Procedure.....	24
3.2.1 Preliminary Research	24
3.2.2 Main Research.....	25
3.3 Experimental Design.....	26
3.3.1 Experimental Design Preliminary Research	27
3.3.2 Experimental Design Main Research.....	28
3.4 Analysis Procedure.....	30
3.4.1 Moisture Content Analysis (AOAC, 2005).....	30
3.4.2 Physicochemical Analysis.....	30

3.4.2.1 Color (Ismail and Revathi, 2006; Ladanyia and Milind, 2010; Keskin et al., 2013)	30
3.4.2.2 Viscosity (Kulp, 2016)	31
3.4.2.3 pH (AOAC, 2005)	31
3.4.2.4 Total Soluble Solids (Vinha et al., 2012)	32
3.4.3 DPPH Free Radicals Scavenging (Tangkanakul et al., 2009)	32
3.4.4 Total Phenolic Content using Folin-Ciocalteu Method (Anesini et al., 2008; Sahu and Saxena, 2013) .	33
3.4.5 Total Flavonoid Content (Meda, et al., 2005)	33
3.4.6 Proximate Analysis	34
3.4.6.1 Protein Content (AOAC, 2005)	34
3.4.6.2 Fat Content (AOAC, 2005)	34
3.4.6.3 Ash Content (AOAC, 2005)	35
3.4.6.4 Carbohydrate Content (AOAC, 2005)	35
3.4.7 Sensory Evaluation (Lawless and Heymann, 2010)	35

CHAPTER IV RESULTS AND DISCUSSION

4.1 Determination of Temperature of <i>Kesum</i> Aqueous Extract....	37
4.1.1 Moisture Content of Fresh <i>Kesum</i> Leaves and <i>Kesum</i> Leaves Aqueous Extract.....	37
4.1.2 pH value of <i>Kesum</i> Leaves Aqueous Extract.....	38
4.1.3 Total Soluble Solids of <i>Kesum</i> Leaves Aqueous Extract	38
4.1.4 Color of <i>Kesum</i> Leaves Aqueous Extract	39
4.1.5 Antioxidant Activity of <i>Kesum</i> Leaves Aqueous Extract	39
4.1.6 Total Phenolic Content of <i>Kesum</i> Leaves Aqueous Extract	40
4.1.7 Total Flavonoid Content of <i>Kesum</i> Leaves Aqueous Extract	42
4.2 Effect of Ratio <i>Kesum</i> Leaf Aqueous Extract – Mint Leaves Aqueous Extract and Concentration of Stevia toward Physical Characteristics of Functional Beverage	43
4.2.1 Color.....	43
4.2.2 Viscosity.....	44
4.3 Effect of Ratio <i>Kesum</i> Leaf Aqueous Extract – Mint Leaves Aqueous Extract and Concentration of Stevia toward Chemical Characteristics of Functional Beverage	45
4.3.1 pH value	45
4.3.2 Total Soluble Solids (TSS)	46
4.4 Determination of the Best Formula of Functional Beverage Based on Sensory Evaluation	47
4.4.1 Color.....	47
4.4.2 Aroma.....	49
4.4.3 Taste	52

4.4.4 Viscosity.....	57
4.4.5 Overall Acceptance.....	58
4.4.6 Determination of the Best Functional Beverage Formulation.....	60
4.5 Nutrient Composition of the Best Functional Beverage Formula.....	61
CHAPTER V CONCLUSIONS AND SUGGESTIONS	
5.1 Conclusions.....	63
5.2 Suggestions.....	64
BIBLIOGRAPHY.....	65
APPENDICES.....	73




LIST OF FIGURES

	page
Figure 2.1 <i>Kesum</i> Leaves	7
Figure 2.2 <i>Mentha arvensis</i> L. Leaves	11
Figure 2.3 <i>Stevia rebaudiana</i> Leaves	14
Figure 2.4 Oxidation and antioxidant mechanism	20
Figure 3.1 Flowchart of <i>kesum</i> leaves aqueous extract making.....	25
Figure 3.2 Flowchart of main research	26
Figure 4.1 Effect of different heating temperature of aqueous extract <i>kesum</i> leaves on the antioxidant activities based on dry matter	39
Figure 4.2 Effect of different heating temperature of aqueous extract <i>kesum</i> leaves on the total phenolic content.....	41
Figure 4.3 Effect of different heating temperature of aqueous extract <i>kesum</i> leaves on the total flavonoid content	42
Figure 4.4 Effect of different ratio of <i>kesum</i> aqueous extract to mint aqueous extract on color preferences of functional beverage.....	47
Figure 4.5 Effect of different ratio of <i>kesum</i> aqueous extract to mint aqueous extract on aroma preferences of functional beverage.....	49
Figure 4.6 Effect of different ratio of <i>kesum</i> aqueous extract to mint aqueous extract on foreign aroma scoring of functional beverage.....	51
Figure 4.7 Effect of different ratio of <i>kesum</i> aqueous extract to mint aqueous extract (a); and different stevia concentration (b) on the taste preferences of functional beverage	53
Figure 4.8 Effect of different ratio of <i>kesum</i> aqueous extract to mint aqueous extract on foreign taste scoring of functional beverage.....	54
Figure 4.9 Effect of different ratio of <i>kesum</i> aqueous extract to mint aqueous extract on cooling sensation scoring of functional beverage.....	55
Figure 4.10 Effect of different ratio of <i>kesum</i> aqueous extract to mint aqueous extract (a); and different stevia concentration (b) on the overall acceptance of functional beverage.....	59

LIST OF TABLES

	page
Table 2.1 Nutrient composition of <i>kesum</i> leaves per 100 g weight	9
Table 2.2 Nutrient composition of <i>Mentha arvensis</i> L. leaves per 100 g weight	11
Table 2.3 Nutrient composition of stevia leaves per 100 g dried weight.....	14
Table 3.1 Formulation of functional beverage at 100 ml.....	26
Table 3.2 Experimental design for the preliminary research	27
Table 3.3 Experimental design of the main research	28
Table 3.4 Color conversion from °Hue	31
Table 4.1 Nutrient content of functional beverage with the best formula	61
Table 4.2 Antioxidant activity, total phenolic content, and total flavonoid content of functional beverage with the best formula.....	62



LIST OF APPENDICES

	page
Appendix A	
Result of Identification Test of <i>Kesum</i> and Mint Leaves	A-1
Appendix B	
Result of Moisture Content Analysis of <i>Kesum</i> and Mint Leaves.....	B-1
Result of Statistical Analysis of Moisture Content of <i>Kesum</i> and Mint Leaves.....	B-2
Appendix C	
Result of pH value Analysis of <i>Kesum</i> Leaves	C-1
Result of Statistical Analysis of pH value of <i>Kesum</i> Leaves	C-2
Appendix D	
Result of Total Soluble Solids (TSS) Analysis of <i>Kesum</i> Leaves	D-1
Result of Statistical Analysis of Total Soluble Solids (TSS) of <i>Kesum</i> Leaves.....	D-2
Appendix E	
Result of Color Analysis of <i>Kesum</i> Leaves	E-1
Result of Statistical Analysis of Color of <i>Kesum</i> Leaves	E-1
Appendix F	
Result of Antioxidant Activity Analysis of <i>Kesum</i> juice	F-1
Result of Antioxidant Activity Analysis of <i>Kesum</i> Aqueous Extract at 80°C (without continuous heating)	F-3
Result of Antioxidant Activity Analysis of <i>Kesum</i> Aqueous Extract at 100°C (without continuous heating)	F-5
Result of Antioxidant Activity Analysis of <i>Kesum</i> Aqueous Extract at 100°C (with continuous heating)	F-7
Result of Antioxidant Activity Analysis of Mint Leaves Aqueous Extract.....	F-9
Example of Antioxidant Activity Calculation	F-11
Result of the Statistical Analysis of the Antioxidant Activity of <i>Kesum</i> Leaves Aqueous Extract	F-12
Appendix G	
Result of Total Phenolic Content Analysis of <i>Kesum</i> juice	G-1
Result of Total Phenolic Content Analysis of <i>Kesum</i> Leaves Aqueous Extract and Mint Aqueous Extract.....	G-2
Result of the Statistical Analysis of Total Phenolic Content Analysis of <i>Kesum</i> Leaves Aqueous Extract	G-3

Appendix H	
	Result of Total Flavonoid Content Analysis of <i>Kesum</i> Juice H-1
	Result of Total Flavonoid Content Analysis of Kesum Leaves Aqueous Extract and Mint Leaves Aqueous Extract H-2
	Result of the Statistical Analysis of Total Flavonoid Content Analysis of Kesum Leaves Aqueous Extract H-3
Appendix I	
	Formulation of the Functional Beverage I-1
Appendix J	
	Result of Color Analysis of Functional Beverage J-1
	Result of Statistical Analysis of Lightness of Functional Beverage J-2
	Result of Statistical Analysis of Hue of Functional Beverage J-3
Appendix K	
	Result of Viscosity value of Functional Beverage K-1
	Result of Statistical Analysis of Viscosity of Functional Beverage K-2
Appendix L	
	Result of pH value of Functional Beverage L-1
	Result of Statistical Analysis of pH value of Functional Beverage L-2
Appendix M	
	Result of Total Soluble Solids (TSS) of Functional Beverage M-1
	Result of Statistical Analysis of Total Soluble Solids (TSS) of Functional Beverage M-2
Appendix N	
	Example of the Scoring Test Questionnaire N-1
	Example of the Hedonic Test Questionnaire N-2
Appendix O	
	Result of Hedonic Test on Color of Functional Beverage O-1
	Result of Statistical Analysis of Hedonic Test on Color of Functional Beverage O-3
Appendix P	
	Result of Scoring Test on Color of Functional Beverage P-1
	Result of Statistical Analysis of Scoring Test on Color of Functional Beverage P-3
Appendix Q	
	Result of Hedonic Test on Aroma of Functional Beverage Q-1
	Result of Statistical Analysis of Hedonic Test on Aroma of Functional Beverage Q-3

Appendix R	
Result of Scoring Test on Aroma of Functional Beverage	R-1
Result of Statistical Analysis of Scoring Test on Aroma of Functional Beverage.....	R-3
Appendix S	
Result of Hedonic Test on Taste of Functional Beverage.....	S-1
Result of Statistical Analysis of Hedonic Test on Taste of Functional Beverage.....	S-3
Appendix T	
Result of Scoring Test on Foreign Taste of Functional Beverage	T-1
Result of Statistical Analysis of Scoring Test on Foreign Taste of Functional Beverage.....	T-3
Result of Scoring Test on Cooling Sensation of Functional Beverage.....	T-4
Result of Statistical Analysis of Scoring Test on Cooling Sensation of Functional Beverage	T-6
Result of Scoring Test on Aftertaste of Functional Beverage.....	T-8
Result of Statistical Analysis of Scoring Test on Aftertaste of Functional Beverage.....	T-10
Appendix U	
Result of Hedonic Test on Viscosity of Functional Beverage	U-1
Result of Statistical Analysis of Hedonic Test on Viscosity of Functional Beverage.....	U-3
Appendix V	
Result of Hedonic Test on Overall Acceptance of Functional Beverage.....	V-1
Result of Statistical Analysis of Hedonic Test on Overall Acceptance of Functional Beverage.....	V-3
Appendix W	
Result and Analysis of the Sensory Characteristic of Functional Beverage with the Best Formula	W-1
Appendix X	
Result of Proximate Analysis of Functional Beverage with the Best Formula	X-1
Appendix Y	
Result of Antioxidant Activity of Functional Beverage with the Best Formula	Y-1

Result of Statistical Analysis of Antioxidant Activity of Functional Beverage with the Best Formula..... Y-2

Appendix Z

Result of Total Phenolic Content of Functional Beverage with the Selected Formula.....Z-1
Result of Statistical Analysis of Total Phenolic Content of Functional Beverage with the Best Formula.....Z-2

Appendix AA

Result of Total Flavonoid Content of Functional Beverage with the Best Formula AA-1
Result of Statistical Analysis of Total Flavonoid Content of Functional Beverage with the Best Formula..... AA-2

