

DAFTAR PUSTAKA

- Amalia L., Anggadired, K., Sukrasno, S., Fidrianny, I., dan Inggriani, R. 2012. Antihypertensive potency of wild cosmos (*Cosmos caudatus* Kunth, Asteraceae) leaf extract. *Journal of Pharmacology and Toxicology* 7(8): 359–368.
- Ajaykumar, T. V., Anandarajagopal, K., Sunilson, J. A. J., Arshad, A., Jainaf, R. A. M., dan Venkateshan, N. 2012. Anti-inflammatory activity of *Cosmos caudatus*. *International Journal of Universal Pharmacy and Bio Sciences* 1(2): 40-48.
- Akowuah, G. A., Mariam, A., dan Chin, J. H. 2009. The effect of extraction temperature on total phenols and antioxidant activity of *Gynura procumbens* leaf. *Pharmacognosy Magazine* 5(17):81-85.
- Alothman, M., Bhat, R., dan Karim, A. A. 2009. Antioxidant capacity and phenolic content of selected tropical fruits from Malaysia, extracted with different solvents. *Food Chemistry* 115(3): 785-788.
- AOAC. 2005. "Official Methods of Analysis" 19th ed. AOAC Inc., Washington.
- Arslanyolu, M., dan Erdemgil, F. Z. 2006. Evaluation of the antibacterial activity and toxicity of isolated arctiin from the seeds of *Centaurea sclerolepis*. *J. Fac. Pharm, Ankara* 35(2): 103-109.
- Azizah, A. H., Wee, K. C., Azizah, O., dan Azizah, M. 2009. Effect of boiling and stir frying on total phenolics, carotenoids, and radical scavenging activity of pumpkin (*Cucurbita moschata*). *International Food Research Journal* 16(1): 45-51.
- Azmir, J., Zaidul, I. S. M., Rahman, M. M., Sharif, K. M., Mohamed, A., Sahena, F., Jahanul, M. H. A., Ghafoor, K., Norulaini, N. A. N., dan Omar, A. K. M. 2013. Techniques for extraction of bioactive compounds from plant materials: A review. *Journal of Food Engineering* 117(4): 4266-236.
- Azwanida. 2015. A review on the extraction methods use in medicinal plants, principle, strength, and limitation. *Medicinal and Aromatic Plants* 4(3): 1-6.
- Badarinath, A. V., Rao, K. M., Chetty, C. M. S., Ramkanth, S., Rajan, T. V. S., Gnanaprakash, K. 2010. A review on *In-vitro* antioxidant methods: comparisions, correlations and considerations. *International Journal of PharmTech Research* 2(2): 1276-1285.

- Balasundram, N., Sundram, K., dan Samman, S. 2006. Phenolic compound in plants and agri-industrial by-products: antioxidant activity, occurrence, and potential uses. *Food Chemistry* 99(1): 191-203.
- Bodeker G. 2009. "Health and Beauty from the Rainforest: Malaysian Traditions of Ramuan". Didier Millet, Kuala Lumpur.
- Bordei, N. I., Ivopol, G. C., Neagu, M., Popescu, M., dan Meghea, A. 2015. Fatty acid and antioxidant activity in vegetable oils used in cosmetic formulations. *U.P.B. Sci. Bull.* 77(3): 39-48.
- Boeing, J. S., Barizao, E. O., Silva, B. C., Montanher, P. F., Almeida, V. C., dan Visentainer, J. V. 2014. Evaluation of solvent effect on the extraction of phenolic compounds and antioxidant capacities from the berries: application of principal component analysis. *Chemistry Central Journal* 8(48): 1-9.
- Brown, A. 2015. "Understanding Food Principles and Preparation" 5th ed. Standford, Cengage Learning.
- Cai, W., Gu, X., dan Tang, J. 2010. Extraction, purification, and Characterisation of the flavonoids from *Opuntia milpa alta* skin. *Czech J. Food Sci.* 28(2): 108-116.
- Cheng, S. H., Ismail, A., Anthony J., Ng, O. C., Hamid, A. A., dan Barakatun-Nisak, M. Y. 2015a. Eight weeks of *Cosmos caudatus* (Ulam Raja) supplementation improves glycemic status in patients with type 2 diabetes: a randomized controlled trial. *Evidence-Based Complementary and Alternative Medicine: eCAM*, 405615.
- Cheng, S. H., Barakatun-Nisak, M. Y., Anthony, J., dan Ismail, A. 2015b. Potential medicinal benefits of *Cosmos caudatus* (Ulam Raja): a scoping review. *Journal of Research in Medical Sciences* 20(10): 1000-1006.
- Cheng, M. C., Chang, W. H., Chen, C. W., Li, W. W., Tseng, C. Y., dan Song, T. Y. 2015c. Antioxidant properties of essential oil extracted from *Pinus morrisonicola* Hay Needles by supercritical fluid and identification of possible active compounds by GC/MS. *Molecules* 20(10):19051-19065.
- Christine, K. Omolo, I. N., Kabasa, J. D., Nagawa, C. B., Wasswa, J., dan Kikawa, C. R. 2015. Evaluation of anti-oxidant properties in essential oil and solvent extracts from *Tagetes minuta*. *African Journal of Pure and Applied Chemistry* 9(5): 98-104.
- Chumyam, A., Whangchai, K., Jungklang, J., Faiyue, B., dan Saengnil, K. 2013. Effect of heat treatments on antioxidant capacity and total phenolic content of four cultivars of purple skin eggplants. *Science Asia* 39(3): 246-251.

- Clarkson, C., Maharaj, V. J., Crouch, N. R., Grace, O. M., Pillay, P., Matsabisa, M. G., Bhagwandin, N., Smith, P. J., dan Folb, P. I. 2004. In vitro antiplasmodial activity of medicinal plants native to or naturalized in South Africa. *Journal of Ethnopharmacology* 92(3): 177-191.
- Cristea, E. 2016. The influence of temperature and time on the antioxidant activity and color parameters of Dog-Rose (*Rosa canina*) ethanolic extract. *Scientific Study & Research Chemistry & Chemical Engineering, Biotechnology, Food Industry* 17(2):189-197.
- Daud, M. F., Sadiyah E. R., dan Rismawati, E. 2011. Pengaruh Perbedaan Metode Ekstraksi Terhadap Aktivitas Antioksidan Ekstrak Etanol Daun Jambu Biji (*Psidium guajava* L.) Berdaging Buah Putih. Prosiding Seminar Nasional Penelitian dan PKM Sains, Teknologi, dan Kesehatan, Bandung.
- Dembinska-Kiec, A., Mykkanen, O., Kiec-Wilk, B., dan Mykkanene, H. 2008. Antioxidant phytochemicals against type 2 diabetes. *British Journal of Nutrition* 99(ES1): ES109-ES117.
- Dian, F., Noriham, A., Nooraain, H., dan Azizah, A. H. 2015. Antioxidant activity of herbal tea prepared from *Cosmos caudatus* leaves at different maturity stages. *International Food Research Journal* 22(3): 1189-1194.
- Dif, M. M dan Bouazza, S. 2016. Effect of time and traditional extraction on antioxidant activity of three *Lavandula* Species. *Global Journal of Medicinal Plant Research* 4(3): 6-8.
- Do, Q. D., Angkawijaya, A. E., Tran-Nguyen, P. L., Huynh, L. H., Soetaredjo, F. E., Ismadji, S., dan Ju, Y. 2014. Effect of extraction solvent o total phenol content, total flavonoid content, and antioxidant activity of *Limnophila aromatic*. *Journal of Food and Drug Analysis* 22(3):296-302.
- Engelhard, Y. N., Gazer, B., dan Paran, E. 2006. Natural antioxidants from tomato extract reduce blood pressure in patients with grade-1 hypertension: A double-blind, placebo-controlled pilot study. *American Heart Journal* 151(1): 100.e1-100.e6.
- Fang, M., Ivanisevic, J., Benton, H. P., Johnson, C. H., Patti, G. J., Hoang, L. T., Uritboonthai, W., Kurczy, M. E., dan Siuzdak, G. 2015. Thermal degradation of small molecules: A global metabolomic investigation. *Analytical Chemistry* 87(21): 10935-10941.
- Fitrilia, T., Bintang, M., dan Safithri, M. 2015. Phytochemical screening and antioxidant activity of clove mistletoe leaf extracts (*Dendrophthoe pentandra* (L.) Miq). *IOSR Journal of Pharmacy* 5(8): 13-18.

- Frengki, Roslizawaty, dan Pertiwi, D. 2014. Uji toksitas ekstrak etanol sarang semut lokal Aceh (*Mymercordia* sp.) dengan metode BSLT terhadap larva udang *Artemia salina* Leach. Jurnal Medika Veterinaria 8(1): 60-62.
- Ghosh, D. 2015. Tannins from foods to combat diseases. International Journal of Pharma Research and Review 4(5): 40-44.
- Gupta, S., Cox, S., dan Ghannam, N. A. 2011. Effect of different drying temperatures on the moisture and phytochemical constituents of edible Irish brown seaweed. LWT-Food Science and Technology 44(5): 1266-1272.
- Hassan, W. W dan Mahmood, M. 2007. "Healing herbs of Malaysia". Biotropics, Malaysia Berhad.
- Halliwell, B dan Gutteridge J. M. C. 2001. "Free radicals in biology and medicine" 3rd ed. Oxford Univ Press Inc., New York.
- Hossain, M. A., AL-Mijizy, Z. H., Al-Rashdi, K. K., Weli, A. M., dan Al-Riyami, Q. 2013. Effect of temperature and extraction process on antioxidant activity of various leaves crude extracts of *Thymus vulgaris*. Journal of Coastal Life Medicine 1(2): 130-134.
- Huang, W. Y., Cai, Y. Z., dan Zhang, Y. 2010. Natural Phenolic Compounds From Medicinal Herbs and Dietary Plants: Potential Use for Cancer Prevention. Nutrition and Cancer 62(1): 1-20.
- Hui, L., He, L., Huan, L., Lan, L. X., dan Guo, Z. A. 2010. Chemical composition of *lavender* essential oil and its antioxidant activity and inhibition against rhinitis-related bacteria. African Journal of Microbiology Research 4(4): 309-313.
- Hussein, S. Z., dan Maqbool, K. 2014. GC-MS: Principle, Technique and its application in Food Science. Int. J. Curr. Sci. 13(1): 116-126.
- Iqbal, S., Younas, U., Sirajuddin, C., K.W., Sarfraz, R. A., dan Uddin, Md. K. 2012. Proximate composition and antioxidant potential of leaves from three varieties of Mulberry (*Morus* sp.): A comparative study. International Journal of Molecular Sciences 13(6): 6651-6664.
- Javadi, N., Abas, F., Hamid, A. A., Simoh, S., Shaari, K., Ismail, I. S., Median, A., dan Khatib, A. 2014. "GC-MS- based metabolite profiling of *Cosmos caudatus* leaves possesing alpha-glucosidase inhibitory activity. Journal of Food Science 79(6): C1130-C1136.
- Jeong, S. M., Kim, S. Y., Kim, D. R., Jo, S. C., Nam, K. C., Ahn, D. U., dan Lee, S. C. 2004. Effect of heat treatment on the antioxidant activity of extracts from citrus peels. Journal of Agricultural and Food Chemistry 52(11): 3389-3393.

- Kaur, N., Chaudhary, J., Jain, A., dan Kishore, L. 2011. Stigmasterol: a comprehensive review. International Journal of Pharmaceutical Science and Research 2(9): 2259-2265.
- Kemit, N. 2016. Pengaruh Jenis Pelarut dan Waktu Maserasi Terhadap Kandungan Senyawa Flavonoid dan Aktivitas Antioksidan Ekstrak Daun Alpukat (*Persea Americana* Mill.). Skripsi, Univeritas Udayana, Bali.
- Krishnaraju, A. V., Rao, T. V. N., Sundararaju, D., Vanisree, M., Tsay, H., dan Subbaraju, G. V. 2005. Assessment of bioactivity of indian medicinal plants using brine shrimp (*Artemia salina*) lethality assay. International Journal of Applied Science and Engineering 3(2): 125-134.
- Kristiani, V., dan Halim, F. I. 2014. Pengaruh konsentrasi etanol dan waktu maserasi terhadap perolehan fenolik, flavonoid, dan aktivitas antioksidan ekstrak rambut jagung. Skripsi, Universitas Katolik Widya Mandala, Surabaya.
- Kumar, H. V., dan Naik, N. 2010. Synthesis and antioxidant properties of some novel 5H-dibenz[b,f]azepine derivatives in different in vitro model system. European Journal of Medicinal Chemistry 45(1): 2-10.
- Li, B. B., Smith, B., dan Hossain, M. M. 2006. Extraction of phenolics from citrus peels: I. Solvent extraction method. Separation and Purification Technology 48(2): 182-188.
- Liliwirianis, Musa, N. L. W., Zain, W. Z. W. M., Kassim, J., dan Karim, S. A. 2011. Preliminary studies on phytochemical screening of ulam and fruit from malaysia. E-Journal of Chemistry 8(S1): S285-S288.
- Lisi, A. K. F., Runtuwene, M. R. J., dan Wewengkang, D.S. 2017. Uji fitokimia dan aktivitas antioksidan dari ekstrak metanol bunga Soyogik (*Saurauia bracteosa* DC.) Pharmacon 6(1): 53-61.
- Loh, S. P dan Hadira, O. 2011. In vitro inhibitory potential of selected Malaysian plants against key enzymes involved in hyperglycemia and hypertension. Malaysian Journal of Nutrition 17(1): 77-86.
- Lopez, J., Galvez, A. V., Sainz, C. B., Chiou, B. S., Uribe, E., dan Fuentes, I. Q. 2017. Influence of vacuum drying temperature on: Physico-chemical composition and antioxidant properties of murta berries. Journal of Food Process Engineering 40(6):1-9.
- Mandana, B., Russly, A. R., Farah, S. T., Noranizan, M. A., Zaidul, I. S., dan Ali, G. 2012. Antioxidant activity of winter melon (*Benincasa Hispida*) seeds using conventional soxhlet extraction technique. International Food Research Journal 19(1): 229-234.

- Maulida, D., dan Zulkarnaen, N. 2010. Ekstraksi antioksidan (likopen) dair buah tomat dengan menggunakan solven campuran, n-heksana, aseton, dan etanol. Skripsi, Universitas Diponegoro, Semarang.
- McDaniel A. L., Alger, H. M., Sawyer, J. K., Kelley, K. L., Kock, N. D., Brown, J. M., Temel, R. E., dan Rudel, L. L. 2013. Phytosterol feeding causes toxicity in ABCG5/G8 knockout mice. *The American Journal of Pathology* 182(4): 1131-1138.
- McGuire, M., dan Beerman, K. 2007. "Nutritional Sciences: From Fundamentals to Food". Thomson Learning, Inc., Belmont.
- Mediani, A., Abas, F., Khatib, A., dan Tan, C. P. 2013. *Cosmos Caudatus* as a potential source of polyphenolic compounds: optimisation of oven drying conditions and characterisation of its functional properties. *Molecules* 18(9): 10452-10464.
- Mediani, A., Abas, F., Tan, C. P., dan Khatib, A. 2014. Effect of different drying methods and storage time on free radical scavenging activity and total phenolic content of *Cosmos caudatus*. *Antioxidants* 3(2): 358-370.
- Medini, F., Fellah, H., Ksouri, R., dan Abdelly C. Total phenolic, flavonoid, and tannin contents and antioxidant and antimicrobial activities of organic extracts of shoots of the plant *Limonium delicatulum*. *Journal of Taibah University of Science* 8(3): 216-214.
- Meyer, B. N., Ferrigni, N. R., Putnam, J. E., Jacobsen, L. B., Nichols, D. E., dan McLaughlin, J. L. 1982. Brine Shrimp: A convenient general bioassay for active plant constituents. *Journal of Medicinal Plant Research* 45(5): 31-34.
- Mohamed, N., Sahhugi, Z., Ramli, E. S. M., dan Muhammad, N. 2013. The effects of *Cosmos caudatus* (ulam raja) on dynamic and cellular bone histomorphometry in ovariectomized rats. *BMC Research notes* 6(1): 239-244.
- Moldovan, B., Ghic, O., David, L., dan Chisbora, C. 2012. The influence of storage on the total pheols content and antioxidant activity of the cranberrybush (*Viburnum opulus* L.) fruits extract. *Revista de Chimie* 63(5):463-464.
- Moshawih, S., Cheema, M. S., Ahmad, Z., Zakaria, Z. A., dan Hakim, M. N. 2017. A comprehensive review on *Cosmos caudatus* (ulam raja): pharmacology, ethnopharmacology, and phytochemistry. *International Research Journal of Education and Sciences* 1(1): 14-31.
- Nielsen, S. 2017. "Food Analysis" 5th ed. Cham, Springer.

- Nobrega, E. M., Oliveira, E. L., Genovese, M. I., dan Correia, R. T.P. 2015. The impact of hot air drying on the physical-chemical characteristics, bioactive compounds and antioxidant activity of Acerola (*M. alphigia emarginata*) residue. Journal of Food Processing and Preservation 39(2): 131-141.
- Nurhaeni, F., Trilestari, Wahyuono, S., dan Rohman, A. 2014. Aktivitas antioksidan ekstrak etanolik berbagai jenis sayuran serta penentuan kandungan fenolik dan flavonoid totalnya. Media Farmasi 11(2): 167-178.
- Odchimar, N. M. O., Nuneza, O. M., Uy, M. M., dan Senarath, W. T. P. S. K. 2016. Antioxidant activity, total phenolic content, and gc-ms analysis of the root of Kawilan (*Embeliaphilippinensis a. DC.*). Bulletin of Environment, Pharmacology and Life Sciences 5(5): 42-47.
- Onocha, P. A., Oloyede, G. K., dan Akintola, J. A. 2017. Chemical composition, free radical scavenging and antimicrobial activities of essential oil of *Mariscus alternifolius* Vahl. The Open Conference Proceedings Journal 7(1): 160-167.
- Padmaja, M., dan Srinivasulu, A. 2016. Influence of pH and temperature on total phenol content of *Ocimum sanctum* leaves. Indian Journal of Pharmaceutical Science & Research 6(2): 69-72.
- Patra, J. K., Das, G., dan Baek, K.H. 2015. Chemical composition and antioxidant and antibacterial activities of an essential oil extracted from an edible seaweed, *Laminaria japonica* L. Molecules 20(7): 12093-12113.
- Perumal V., Hamid, A. A., Ismail, Amin, Saari, K., Abas, F., Ismail I. S., Maulidiani, Lajis, N. L., dan Khatib, A. 2014. Effect of *Cosmos caudatus* Kunth leaves on the lipid profile of a hyperlipidemia-induced animal model. Journal of Food Chemistry and Nutrition 02(01): 43-51.
- Plainsirichai, M., Prasomthong, N., Bussaman, P., dan Wongsawas, M. 2015. Methanol, ethanol, and acetone result in non differenct concentration of total phenolic content in mangosteen (*Gacina mangostana* L.) peel. Journal of Agricultural Science 7(2): 131-134.
- Politeo, O., Jukic, M., dan Milos, M. 2006. Chemical composition and antioxidant activity of essential oils of twelve spice plants. Croatica Chemica Acta 79(4): 545-552.
- Popov, A. M., Osipov, A. N., Korepanova, E. A., Krivoshapko, O. N., Shtoda, Y. P., dan Klimovich, A. A. 2015. Investigation of the antioxidant and membranotropic activity of the quinozaline alkaloid triptantrin in different model system. Biophysics 60(4): 574-580.

- Pratiwi, R. D. 2016. Uji kualitatif fitokimia daun *Ruta angustifolia*. Faktor Exacta 9(3): 200-206.
- Prayoga, G. 2013. Fraksinasi, Uji Aktivitas Antioksidan dengan Metode DPPH dan Identifikasi Golongan Senyawa Kimia dari Ekstrak Teraktif Daun Sambang Darah (*Excoecaria cochinchinensis* Lour). Skripsi, Universitas Indonesia, Depok.
- Puspitasari, A. D., dan Prayogo, L. S. 2016. Pengaruh waktu perebusan terhadap kadar flavonoid total daun kersen (*Muntingia calabura*). Inovasi Teknik Kimia 1(2): 104-108.
- Qu, W., Pan, Z., dan Ma, H. 2010. Extraction modeling and activities of antioxidants from pomegranate marc. Journal of Food Engineering 99(1): 16-23.
- Rasdi, N. H. M., Samah, O. A., Sule, A., dan Ahmed, Q. U. 2010. Antimicrobial studies of *Cosmos caudatus* Kunth. (Compositae). Journal of Medicinal Plants Research 4(8): 669-673.
- Reihani, S. F. S., dan Azhar, M. E. 2012. Antioxidant activity and total phenolic content in aqueous extracts of selected traditional Malay salads (*Ulam*). International Food Research Journal 19(4): 1439-1444.
- Rompas, D. E. B., Runtuwene, M. R. J., dan Koleangan, H. S. J. 2016. Analisis kandungan fitokimia dan uji aktivitas antioksidan dari tanaman lire (*Hemigraphis repanda* (L) Hall F.) Jurnal MIPA Unsrat Online 5(1): 36-39.
- Ross, C. F., Hoye, C., dan Plotka, V. C. F. 2011. Influence of heating on the polyphenolic content and antioxidant activity of grape seed flour. Journal of Food Science 76(6): C884-C890.
- Salamah, N., dan Widyasari, E. 2015. Aktivitas Antioksidan Ekstrak Metanol Daun Kelengkeng (*Euphoria longan* (L) Steud.) dengan Metode Penangkapan Radikal 2,2'-Difenil-1-Pikrilhidrazil. Pharmaciana 5(1): 25-34.
- Sharma, N., Gupta, P. C., Singh, A., dan Rao, C. V. 2013. Brine shrimp bioassay of *Pentapetes phoenicea* Linn. and *Ipomoea carnea* jacq. Leaves. Der Pharmacia Lettre 5(1): 162-167.
- Sharma, K., Ko, E. Y., Assefa, A. D., Ha, S., Nile, S. H., Lee, E. T., dan Park, S. W. 2015. Temperature-dependent studies on the total phenolics, flavonoids, antioxidant activities, and sugar content in six onion varieties. Journal of Food and Drug Analysis 23(2): 243-252.

- Shinke, T., Shite, J., Takaoka, H., Hata K., Inoue, N., Yoshikawa R., Matsumoto, H., Masai, H., Wanatabe, S., Ozawa, T., Otake, H., Matsumoto, D., Hirata, K., dan Yokoyama, M. 2007. Vitamin C restores the contractile response to dobutamine and improves myocardial efficiency in patients with heart failure after anterior myocardial infarction. American Heart Journal 154(4): 645.e1-645.e8.
- Shui, G. H., Leong, L. P., dan Wong, S. P. 2005. Rapid screening and characterisation of antioxidants of *Cosmos caudatus* using liquid chromatography coupled with mass spectrometry. Journal of Chromatography B 827(1): 127-138.
- Siddiqui, M. H., Al-Whaibi, M. H., Sakran, A. M., Basalah, M. O., dan Ali, H. M. 2012. Effect of calcium and potassium on antioxidant system of *Vicia faba* L. under cadmium stress. International Journal of Molecular Sciences 13(6): 6604-6619.
- Sin, H. P. Y., Liu, D. T. L., dan Lam, D. S. C. 2013. Lifestyle modification, nutritional and vitamins supplements for age-related macular degeneration. Acta Ophthalmologica 91(1): 6-11.
- Singh, D., Singh, P., Gupta, A., Solanki, S., Sharma, E., dan Nema, R. 2012. Qualitative estimation of the presence of bioactive compound in *Centella Asiatica*: an important medicinal plant. International Journal of Life Science and Medical Science 2(1): 5-7.
- Srivastava, J. K dan Gupta S. 2009. Extraction, characterization, stability, and biological activity of flavonoids isolated from chamomile flowers. Molecular and Cellular Pharmacology 1(3): 138-147.
- Stewart, A. 2007. "Basic Statistics and Epidemiology: A Practical Guide", 2nd ed. Radcliffe Publishing, Oxford.
- Sugianto, I.S. 2013. Uji Fitokimia Ekstrak Pegagan (*Centella asiatica*) dan Buah sirsak (*Annona muricata* L.) serta Potensinya Sebagai Inhibitor Enzim Xantin Oksidase. Skripsi, Universitas Negeri Malang, Malang.
- Sukmawati, D. A. N., Hayati, E. K., dan Muti'ah, R. 2014. Uji fitokomia dan uji toksisitas ekstrak etanol tanaman Kesembukan (*Paederia foetida* Linn.) dengan metode brine shrimp lethality test. Alchemy 3(2): 189-193.
- Sukrasno, Fidriany, I., Anggadireja, K., Handayani, W. A., dan Anam, K. 2011. Influence of drying methods on flavonoid content of *Cosmos caudatus* (Kunth) leaves. Research Journal of Medicinal Plant 5(2): 189-195.

- Sukri, N. A. B. 2012. Effect of Different Types of Solvent on Extraction of Phenolic Compounds from *Cosmos caudatus*. Skripsi, Universiti Malaysia Pahang, Pahang.
- Sulaiman, S. F., Sajak, A. A. B., Ooi, K. L., Supriatno, dan Seow, E. M. 2011. Effect of solvents in extracting polyphenols and antioxidant of selected raw vegetables. *Journal of Food Composition and Analysis* 24(5): 506-515.
- Sun, L., Bai, X., dan Zhuang, Y. 2014. Effect of different cooking methods on total phenolic contents and antioxidant activities of four *Boletus* mushroom. *J. Food. Sci. Technol.* 51(11): 3362-3368.
- Swamy, M. K., Arumugam, G., Kaur, R., Ghasemzadeh, A., Yusoff, M. M., dan Sinniah, U. R. 2017. GC-MS based metabolite profiling, antioxidant and antimicrobial properties of different solvent extracts of Malaysian *Plectranthus amboinicus* leaves. *Evidence-Based Complementary and Alternative Medicine*.
- Tan, S. P., Parks, S. E., Stathopoulos, C. E., dan Roach, P. D. 2014. Extraction of flavonoids from bitter melon. *Food and Nutrition Science* 5: 458-465.
- Tchouya, G. R. F dan Nantia, E. A. 2015. Phytochemical analysis, antioxidant evaluation and total phenolic content of the leaves and stem bark of *Musanga cecropioides* R. Br. ex Tedlie (Cecropiaceae), growing in Gabon. *Journal of Pharmacognosy and Phytochemistry* 3(5): 192-195.
- Tiwari, P., Kumar, B., Kaur, M., Kaur, G., dan Kaur, H. 2011. Phytochemical screening and extraction: A review. *Internationale Pharmaceutica Scientia* 1(1): 98-106.
- Tommasini, S., Raneri, D., Ficarra, R., Calabro, M. L., Stanganelli, R., dan Ficarra, P. 2004. Improvement in solubility and dissolution rate of flavonoids by complexation with β -cyclodextrin. *Journal of Pharmaceutical and Biomedical Analysis* 35(2): 379-387.
- Tristantini, D., Ismawati, A., Pradana, B. T., Jonathan, J. G. 2016. Pengujian Aktivitas Antioksidan Menggunakan Metode DPPH dpada Daun Tanjung (*Mimusops elengi* L.). Prosiding Seminar Nasional Teknik Kimia “Kejuangan”, Yogyakarta.
- Victor, V. M., Rocha, M., Sola, E., Banuls, C., Garcia-Malpartida, K., dan Hernandez-Mijares, A. 2009a. Oxidative stress, endothelial dysfunction and atherosclerosis. *Current Pharmaceutical Design* 15(26): 2988-3002.

- Victor, V. M., Apostolova, N., Herance, R., Hernandez-Mijares, A., dan Rocha, M. 2009b. Oxidative stress and mitochondrial dysfunction in atherosclerosis: mitochondria-targeted antioxidants as potential therapy. Current Medicinal Chemistry 16(35): 4654-4667.
- Wang, J., Wang, Y., Song, H., dan Wang, H. 2017. Synthesis and antioxidant capacity of a C₁₂-naphthylamine antioxidant in polyethylene. Polymer Bulletin 14(5): 3689-3705.
- Wijayanti, R., dan Rahayuni, A. 2014. Pengaruh pemberian serbuk biji labu kuning (*Cucurbita moschata*) terhadap penurunan kadar trigliserida darah pada tikus wistar jantan yang diberi diet tinggi lemak. Journal of Nutrition College 3(4): 604-611.
- Woo, P. F., Yim, H. S., Khoo, H. E., Sia, C. M., dan Ang, Y. K. 2013. Effects of extraction conditions on antioxidant properties of sapodilla fruit (*Manilkara zapota*). International Food Research Journal 20(5): 2065-2072.
- Woyengo, T. A., Ramprasath, V. R., dan Jones, P. J. H. 2009. Anticancer effects of phytosterols. European Journal of Clinical Nutrition 63(7): 813-820.
- Yulianingtyas, A., dan Kusmartono, B. 2016. Optimasi volume pelarut dan waktu maserasi pemgambilan flavonoid daun belimbing wuluh (*Averrhoa bilimbi* L.). Jurnal Teknik Kimia 10(2): 58-64.
- Youssef, K. M., dan Mokhtar, S. M. 2014. Effect of drying methods on the antioxidant capacity, color and phytochemicals of *Portulaca oleracea* L. leaves. Journal of Nutrition and Food Sciences 4(6): 1-6.