

DAFTAR PUSTAKA

- Agarwal, P and Gupta, R. 2016. Alpha-amylase inhibition can treat diabetes melitus. Research and Review. Journal of Medical and Health Sciences 5(4), 1 – 8.
- Alcazar-Alay, S.C and Meireles, M.A.A. 2015. Physicochemical properties, modifications and applications of starches from different botanical sources. Food Science Technology. Campinas 35(2), 215 – 236.
- Aliawati, G. 2003. Teknik analisis kadar amilosa dalam beras. Buletin teknik pertanian, 8:82 – 84.
- AOAC. 1995. Official Methods of Analysis. Association of Official Analytical Chemists. Benjamin Franklin Station, Washington.
- AOAC. 1984. Official Methods of Analysis. Association of Official Analytical Chemists. Benjamin Franklin Station, Washington.
- AOAC. 2005. Official Methods of Analysis. Association of Official Analytical Chemists. Benjamin Franklin Station, Washington.
- Bavaneethan, Y., Vasantha, S., Balakumar,S., Thayananthan,K. 2015. Effect of different processing time on resistant starch content of selected tubers. World Journal of Agricultural Sciences 11(4): 244 – 246.
- Berski, W., Ptaszek, A., Ptaszek, P., Ziobro, R., Kowalski, G., Grzesik, M., & Achremowicz, B. 2011. Pasting and rheological properties of oat starch and its derivatives. Carbohydrate Polymers, 83(2): 665–671.
- Budiyati, C.S., Kumoro, A.C., Ratnawati.R., dan Retnowati, D.S. 2016. Modifikasi pati sukun (*Artocarpus altilis*) dengan teknik oksidasi menggunakan hidrogen peroksida tanpa katalis. Teknik 37(1): 32 – 40.
- Catal, H and Ibanoglu, S. 2014. Effect of aqueous ozonation on the pasting, flow, and gelatinization properties of wheat starch. LWT- Food Science and Technology, 59: 577 – 582.
- Chang, P. S., Park, K. O., Shin, H. K., Suh, D. S., & Kim, K. O. (2008). Physicochemical properties of partially oxidized corn starch from bromide-free TEMPO-mediated reaction. Journal of Food Science, 73(3): 173 – 178.
- Chung, H.J., Shin, D.H., Lim, S.T. 2008. In vitro starch digestibility and estimated glycemic index of chemically modified corn starches. Food Res. Int. 41: 579–585
- Coates, J. 2006. “Interpretation of Infrared Spectra, A Practical Approach”. John Wiley & Sons, USA.
- Dewi, N.S., Ir. Parnanto, N.H.R., Ridwan, A.A.2012. Karakteristik sifat fisikokimia tepung bengkuang dimodifikasi secara asetilasi dengan variasi konsentrasi

- asam asetat selama perendaman. *Jurnal Teknologi Hasil Pertanian* 5(2): 104 – 112.
- Dias, A.R.G., Zavareze, E.R., Helbig, E., Moura, F.A., Vargas, C.G., Ciacco, C.F. 2011. Oxidation of fermented cassava starch using hydrogen peroxide. *Carbohydrate Polymers* 86:185-191.
- Ewadh, M.J., Juda, T.M., Ali, Z.A., Ewadh, M.M.2014. Evaluation of amylase activity in patients with type 2 diabetes mellitus. *American Journal of BioScience* 2(5): 171 – 174
- Faridah, N.D., Fardiaz, D., Andarwulan, N., Sunarti, T.C. 2014. Karakteristik sifat fisikokimia pati garut (*Maranta arundinaceae*). *AGRITECH* 34(1): 14 – 21.
- Fonseca, L.M., Gonvalces, J.R, El-Halal, S.L.M., Pinto, V.Z., Guerra Dias, A.R., Jacques, A.C., Zavareze, E.R. 2015. Oxidation of potato starch with different sodium hypochlorite concentration and its effect on biodegradable films. *Food Science and Technology*, 60(2):714 – 720.
- Fuentes-Zaragoza, E, Riquelme-Navarrete, M.J., Sánchez-Zapata, E., Pérez-Álvarez, J.A. 2010. Resistant starch as functional ingredient: A Review. *Food Research International* 43: 931 – 942.
- Fuentes-Zaragoza, E., Sanchez-Zapata, E., Sendra, E., Sayas, E., Navarro, C., Fernandez-Lopez, J., and Perez-Alvarez, J.A. 2011. Resistant starch as prebiotic: A Review. *Starch*, 63: 406 – 415.
- Halal, S.L.M., Colussi, R., Pinto, V.Z., Bartz, J., Radunz, M., Carreño, N.L.V., Dias, A.R.G. and Zavareze, E.R. 2015. Structure, morphology and functionality of acetylated and oxidised barley starches. *Food Chemistry*, 168: 247–256.
- Herawati, H. 2011. Potensi pengembangan produk pati tahan cerna sebagai pangan fungsional. *Jurnal Litbang Pertanian*, 30(1): 31 – 39.
- Hung, D.P., Nam, T.T., Phuc, M.V., Hiep, N.A., Thanh, T.V., Vuong, N.T. 2016. Oxidized Maize Starch: Characterization and its effect on the biodegradable films. *Vietnam Journal of Science and Technology*, 54(3): 347 – 355.
- Hung, D.P., Nam, T.T., Phuc, M.V., Hiep, N.A., Thanh, T.V., Vuong, N.T., Xuang, D.D. 2017. Oxidized maize starch: characterization and its effect on the biodegradable films. *Vietnam Journal of Science and Technology*, 55(4): 395 – 402.
- Kadokawa, J. 2012. Preparation and applications of amylose supramolecules by means of phosphorylase-catalyzed enzymatic polymerization. *Polymers*, 4(1): 116 – 133.
- Kartikasari, Nawa, S., Sari, P., Subagio, A. 2016. Karakterisasi sifat kimia, profil amilografi (RVA) dan morfologi granula (SEM) pati singkong termodifikasi secara biologi. *Jurnal Agroteknologi*, 10(1): 12 – 24.

- Kaur, M and Bhullar, G.K. 2016. Partial characterization of tamarind (*Tamarindus indica L.*) kernel starch oxidized at different levels of sodium hypochlorite. *International Journal of Food Properties*, 19:605-617.
- Khondkar, D., Tester, R.F., Karkalas, J. 2009. Effect cross-linking on the resistance to enzymatic hydrolysis of waxy maize starch and low-methoxy pectin. *Food Hydrocolloids*, 23: 387 – 393.
- Liu, J., Wang, B., Lin, L., Zhang, J., Liu, W., Xie, J., & Ding, Y. (2014). Functional, physicochemical properties and structure of cross-linked oxidized maize starch. *Food Hydrocolloids*, 36:45–52.
- Leszczynski, W. 2004. Resistant starch – classification, structure, production. *Polish Journal of Food and Nutrition Sciences*, 13(54): 37 – 50.
- Lewallen, K.S and Marini, R. P. 2003. Relationship between flesh firmness and ground color in peach as influenced by light and canopy position. *J.Amer.Soc.Hort.Sci*, 128(2): 163 – 170.
- Masina, N., Choonara, Y.E., Kumar, P., du Toit., L.C., Govender, M., Indermun., S., Pillay. V. 2016. A review of the chemical modification technique of starch. *Carbohydrate Polymers*, 157:1226 – 1236.
- Munegumi, T., Inutsuka, M and Hayafuji, Y. 2016. Investigating the hydrolysis of starch using α -amylase contained in dishwashing detergent and human saliva. *Journal Chemical Education*, 93(8): 1401 – 1405.
- Murtiningrum., Lisangan, M. M., dan Edoway Y. 2012. Pengaruh preparasi ubi jalar (*Ipomoe batatas*) sebagai bahan pengental terhadap komposisi kimia dan sifat organoleptik saus buah merah (*Pandanus conoideus L*). *Jurnal Agrointek*, 6(1).
- Mustaghfiqh, I.T., dan Probosari, E. 2014. Pengaruh pemberian tepung tempe dan pati garut termodifikasi terhadap kadar glukosa darah tikus hiperglikemi. *Journal of Nutrition College*, 3(1): 76 – 82.
- Mano, J. F., Koniarova, D., & Reis, R. L. 2003. Thermal properties of thermoplastic starch/synthetic polymer blends with potential biomedical applicability. *Journal of Materials Science: Materials in Medicine*, 14(2): 127–135.
- Nugraheni, M., Hamidah, S., and Auliana, R. 2017. A potential of coeleus tuberosus crackers rich in resistant starch type 3 improves glucose and lipid profile of alloxan –induced diabetic mice. *Current Research Nutrition and Food Science*, 5(3): 308 – 319.
- Nissar, J., Ahad, T., Naik, HR., Hussain, SZ. 2017. Resistant starch- chemistry and nutritional properties. *Int. J. Food Science and Nutrition*, 2(6): 95 – 108.
- Nand, A.V., Charan, R.P., Rohindra, D., dan Khurma, J.R. 2008. Isolation and properties of starch from some local cultivars of cassava and taro in fiji. *The South Pacific Journal of Natural Science*, 26:45 – 48.

- Nugraheni, M., Santoso, U., Suparmo., dan Wuryastuti, H. 2013. Potensi kentang hitam dalam mereduksi stres oksidatif dan menghambat proliferasi sel kanker payudara MCF-7. Jurnal Teknologi dan Industri Pangan, 24(2): 138 – 146.
- Oladebeye, A.O., Oshodi, A.A., Amoob, I.A., & Karim, A.A. 2013. Functional thermal and molecular behaviours of ozone-oxidized cocoyam and yam starches. Food Chemistry, 141:1416 – 1423.
- Patel, H., Royall, P.G., Gaisford, S., Williams, G.R., Edwards, C.H., Warrend, F.J., Flanagan, B.M., Ellis, P.R., Butterworth, P.J. 2017. Structural and enzyme kinetic studies of retrograded starch: Inhibition of α -amylase and consequences for intestinal digestion of starch. Carbohydrate Polymers 164: 154 – 161.
- Pereira, J.M, Evangelho, J.A, Moura, F.A., Gutkoski, L.C, Zavareze, E.R. and Dias, A.R.G. 2017. Crystallinity, thermal and gel properties of oat starch oxidized using hydrogen peroxide. International Food Research Journal, 24(2): 1545 – 1552.
- Rahmani, N., Yopi, A., I., & Awan. 2011. “Karakteristik dan Pengembangan Karbohidrat dari Umbi Kentang Hitam (*Coleus tuberosus benth*), Ubi Kayu (*Manihot esculenta*)”. Lembaga Ilmu Pengetahuan Indonesia, Bogor.
- Razali, N., El-Sheikha, A.F., Mustafa, S., Azmi, A.F.M.N., Amid, M., Abd. Manap, M.Y. 2012. Chemical and nutritional composition of coleus tuberosus (Ubi Kemili) tubers from malaysian Preliminary Studies. Food, 6(1):100 – 104.
- Razali, N., El-Sheikha, A.F., Mustafa, S., Azmi, A.F.M.N., Amid, M., Manap, M.Y.A. 2012. A potential of coleus tuberosus crackers rich in resistant starch type 3 improves glucose and lipid profile of alloxan –induced diabetic mice. Food, 6(1): 100-104
- Reddy, D.K and Bhotmange, M.G. 2014. Viscosity of starch: a comparative study of indian rice (*Oryza sativa L.*) varieties. International Review of Applied Engineering Research, 4(5): 397 – 402.
- Rinanto, Yudi. 2014. Prospek Budidaya Kentang Hitam (*Coleus tuberosus*) Di Lahan Kekeringan. Seminar Nasional XI Pendidikan Biologi FKIP UNS. UNS Press.
- Sánchez-Rivera, M. M., García-Suárez, F. J. L., Velázquez del Valle, M., Gutierrez-Meraz, F., & Bello-Pérez, L. A. 2005. Partial characterization of banana starches oxidized by different levels of sodium hypochlorite. Carbohydrate Polymers, 62(1):50–56.
- Simsek, S., Ovando-Martínez, M., Whitney, K., & Bello-Pérez, L. A. 2012. Effect of acetylation, oxidation and annealing on physicochemical properties of bean starch. Food Chemistry, 134(4):1796–1803.
- Sangseethong, K and Sriroth, K. 2009. The effect of reaction temperature on hypochlorite oxidation of cassava starch. Starch Updtate, 177 – 182.

- Sangseethong, K., Lertphanich, S., and Sriroth, K. 2009. Physicochemical properties of oxidized cassava starch prepared under various alkalinity levels. *Starch*, 61: 92 – 100.
- Sajilata, M.G., Singhal, R.S., and Kulkarni P.R. 2006. Resistant starch - a review. *Comprehensive Reviews in Food Science and Food Safety*, 5:1 – 17.
- Setiarto, R.H.B., Jenie, B.S.L., Faridah, D.N., Saskiawan, I. 2015. Kajian peningkatan pati resisten yang terkandung dalam bahan pangan sebagai sumber prebiotik. *Jurnal Ilmu Pertanian Indonesia*, 20(3): 191 – 200.
- Setiarto, R.H.B., Widhyastuti, N., Setiadi, D. 2018. Peningkatan pati resisten tepung sorgum termodifikasi melalui fermentasi dan siklus pemanasan bertekanan-pendinginan. *Jurnal Ilmu Pertanian Indonesia*, 23(1):10 – 20.
- Singh, J., Kaur, L., & McCarthy, O. J. 2007. Factors influencing the physicochemical, morphological, thermal and rheological properties of some chemically modified starches for food applications—A review. *Food Hydrocolloids*, 21(1): 1–22.
- Smrckova, P., Saglamtas, M., Hofmanova, T., Kolacek, J., Chena, D., and Sarka, E. 2014. Effect of process parameters on slowly digestible and resistant starch content in extrudates. *Czech J. Food Science*, 32(5): 503 – 508.
- Sjoo, Malin and Nilsson, L. 2018. “Starch in Food: Structure, Function, and Applications”. Elsevier, UK
- Sjahfirdi, L. 2015. Aplikasi fourier transform infrared (FTIR). *Jurnal Kedokteran Hewan* 9(2).
- Soto, D., Urdaneta, J., and Pernia, K. 2014. Characterization of native and modified starches by potentiometric titration. *Journal of Applied Chemistry*, 1 – 10.
- Spier, F., Zavareze, E. da R., Marques e Silva, R., Elias, M. C., & Dias, A. R. G. 2013. Effect of alkali and oxidative treatments on the physicochemical, pasting, thermal and morphological properties of corn starch. *Journal of the Science of Food and Agriculture*, 93(9):2331–2337
- Sugri, I., Kusi, F., Kanton, R.A.L., Nutsugah, S.K., dan Zakaria, M. 2013. Sustaining Frafra potato (*Solenostemon rotundifolius* Poir.) in the food chain; current opportunities in Ghana. *Journal of Plant Sciences*, 1(4): 68 – 75.
- Sundaram, A., and Murthy, T.P.K. 2014. α -Amylase production and applications: a review. *Journal of Applied & Environmental Microbiology* 2(4):166 – 175.
- Tako, M., Tamaki, Y., Teruya, T., Takeda, Y. 2014. The principles of starch gelatinization and retrogradation. *Food and Nutrition Sciences*, 5:280 – 291.
- Tethool, E.F, Jading, A., Santoso,B. 2012. Characterization of physicochemical and baking expansion properties of oxidized sago starch using hydrogen peroxide and sodium hypochlorite catalyzed by UV irradiation. *Food Science and Quality Management*, 1-10.

- Vanier, N.L., Halal, S.L.M., Dias, A.R.G., Zavareze, E.R. 2017. Molecular structure, functionality and applications of oxidized starches: A review. *Food Chemistry*, 221: 1546 – 1559.
- Vanier, N.L., Zavareze, R.T., Pinto, V.Z., Klein, B., Botelho, F.T., Dias, A.R.G., Elias. M.C. 2012. Physicochemical, crystallinity, pasting, and morphological, properties of bean starch oxidized by different concentration of sodium hypochlorite. *Food Chemistry*, 131:1255-1262.
- Wang, Y.J and Wang, L. 2003. Physicochemical properties of common and waxy corn starches oxidized by different levels of sodium hypochlorite. *Carbohydrate Polymers*, 52: 207 – 217
- Wojeicchowski, J.P., Siqueira, G.L., Lacerda, L.G., Schnitzler, E., Demiate, I.M. 2018. Physicochemical, structural, and thermal properties of oxidized, acetylated, and dual-modified common bean (*Phaseolus vulgaris* L.) starch. *Food Science and Technol. Campinas*, 38(2): 318 – 327.
- Wulan, S.N., Widyaningsih, T.D., dan Kasseri, D. 2007. Modifikasi pati beras alami dan pati hasil pemutusan rantai cabang dengan perlakuan fisik / kimia untuk meningkatkan kadar pati resisten. *Jurnal Teknologi Pertanian*, 8(1): 61 – 70.
- Wulan, S.N., Widyaningsih, T.D., dan Dian, E. 2007. Modifikasi pati alami dan pati hasil pemutusan rantai cabang dengan perlakuan fisik/kimia untuk meningkatkan kadar pati resisten pada pati beras. *Jurnal Teknologi Pertanian*, 8(2): 80 – 87.
- Yi, X., Zhang, S., Ju, B. 2014. Preparation of water-soluble oxidized starch with high carboxyl content by sodium hypochlorite. *Starch*, 66: 115 – 123.
- Zhao, X., Andersson, M., Andersson, R. 2018. Resistant Starch and other dietary fiber components in tubers from a high-amyllose potato. *Food Chemistry*, 251: 58 – 63.
- Zhou, F., Liu, Q., Zhang, H., Chen, Q., & Kong, B. 2016. Potato starch oxidation induced by sodium hypochlorite and its effect on functional properties and digestibility. *International Journal of Biological Macromolecules*, 84: 410 – 417.