


ACKNOWLEDGEMENTS

The highest gratitude is to the Jesus Christ for His endless love, blessing and guidance that had been given unto the writer for completing this thesis report, which entitled “UTILIZATION OF *TORBANGUN* (*Plectranthus amboinicus* L.) LEAVES AND FENUGREEK (*Trigonella foenum-graecum* L.) SEEDS IN MALTED BARLEY MILK FORMULATION”. This thesis was written to fulfill one of the academic requirements to obtain the degree of *Sarjana Teknologi Pertanian Strata Satu*, Food Technology Study Program, Faculty of Science and Technology, Universitas Pelita Harapan.

The writer realizes that this thesis would not be completed well without the support, assistance, and guidance of many parties. Hence, the writer would like to express the greatest gratitude to those who have given their supports and guidance, including:

1. Eric Jobilong, Ph.D. as Dean of Faculty of Science and Technology.
2. Dela Rosa, M.M., M.Sc., Apt. as Vice Dean of Faculty of Science and Technology.
3. Laurence, S.T., M.T. as Director of Finance and Student Affair Faculty of Science and Technology.
4. Ir. W. Donald R. Pokatong, M.Sc., Ph.D. as Head of Food Technology Study Program, Faculty of Science and Technology, for the chance to conduct the thesis project and guidance throughout the thesis project period.
5. Ratna Handayani, M.P. as Vice Head of Food Technology Study Program for the guidance throughout the thesis project period.

- 
6. Intan Cidarbulan Matita, Ph.D. as thesis supervisor for the time, guidance and support throughout the whole process of research proposal preparation until the completion of the thesis project.
 7. Natania, M.Eng. as Head of Food Processing Laboratory, Yuniwaty Halim, M.Sc. as the Head of Quality Control and Research Laboratory, Dr. Adolf J. N. Parhusip, M.Si. as the Head of Microbiology Laboratory and Dr. Tagor M. Siregar, S.Si., M.Si. as the Head of Chemistry Laboratory who had given permission to the writer conduct the research in the laboratories.
 8. Christopher I. Rimba, S.T.P, Fiammetta Esther, S.T.P, Darius, Yosafat, Adi, and Adzie for the guidance and information during the work in the laboratories.
 9. All lecturers, lecturer assistants, and staffs in Food Technology Study Program for the knowledge given and support which very helpful to the writer during completion of thesis report.
 10. Beloved parents, Johny Tanuwijaya and Lia Ellensyah Tan, and dearest sister and brother, Cherry Tanuwijaya and Eric Jarvis Tanuwijaya, for the endless love, prayers and supports given to the writer during this thesis completion.
 11. Brigitta Bella, Kezia Olivia, Veronica Angelia Djuarsa, Stefani, and Smita Maitri as my best partners under the same supervisor for the never-ending supports, prayers and sharing through ups and downs from the beginning until the end during this thesis process.
 12. Carinna Ruth Darmawan, Felicia Agustin and Jennifer Alvionita for the never-ending supports, love, joys and prayers from the beginning until the end of this thesis project.

13. Tiffany Nathalie, Joanina, Gracia Angelina, Katarina Tere, Irving Ekaputra, Kevin Christonar, Hendi Candra, Nathania Sofie, Danielle Linggar, Aldwin T., Siska, Kineta Kumala, Aileen N., Joshua Agus, Reynald Livano and Dustin Hendarlim for the supports, giving advices and share of knowledge from the beginning until the end of my thesis project.
14. Angeline Clarissa, Eva Riani, Regina Theodora, Shella Hana and Vincent Ferrandy for the endless supports and love from the beginning until the end of my thesis project.
15. All students from Food Technology Batch 2015 who also did the thesis project for the support and togetherness.
16. All other friends and relatives who are not yet mentioned, but have supported the writer during this thesis completion.

The writer realizes that this report is not perfect and might have done some mistakes during the research process and completion of this report. Therefore, the writer would welcome any criticisms and suggestions given to this report with great pleasure. Finally, the writer hopes that this report would be useful and beneficial for the readers. Thank you.

Tangerang, January 2019

(Celine Tanuwijaya)

TABLE OF CONTENTS

	page
COVER	
STATEMENT OF THESIS AUTHENTICITY	
APPROVAL BY THESIS SUPERVISOR	
APPROVAL BY THESIS EXAMINATION COMMITTEE	
ABSTRACT	v
<i>ABSTRAK</i>	vi
ACKNOWLEDGEMENTS	vii
TABLE OF CONTENTS	x
LIST OF FIGURES	xv
LIST OF TABLES	xvii
LIST OF APPENDICES	xviii
CHAPTER I INTRODUCTION	
1.1 Research Background	1
1.2 Research Problems	3
1.3 Objectives	4
1.3.1 General Objectives	4
1.3.2 Specific Objectives.....	5
CHAPTER II LITERATURE REVIEW	
2.1 Functional Drink.....	6
2.1.1 Galactagogue	6
2.2 <i>Torbangun</i> Leaf	7
2.2.1 Nutrients Composition in <i>Torbangun</i> Leaf	9
2.2.2 Bioactive Compounds and Its Health Benefits.....	9
2.2.3 Antioxidant Activity in <i>Torbangun</i> Leaf.....	11
2.3 Fenugreek Seeds	12
2.3.1 Nutrients Composition in Fenugreek Seeds	14


2.3.2 Bioactive Compounds and Its Health Benefits.....	15
2.4 Barley.....	16
2.4.1 Malt Production	18
2.4.2 Nutrients Composition in Malted Milk Drink	18
2.4.3 Health Benefits of Malted Milk.....	19
2.5 Chemical Properties in Barley Grain.....	20
2.5.1 Antioxidant Properties.....	20
2.5.1.1 Total Phenolic Contents (TPC)	20
2.5.1.2 Flavonoid Compound.....	20
2.5.2 pH Determination	21
2.5.3 Proximate Content in Barley Grain	21
2.5.3.1 Carbohydrates	21
2.5.3.2 Protein	22
2.5.3.3 Ash	22
2.5.3.4 Lipids	22
2.6 Organoleptic Properties	23
 CHAPTER III RESEARCH METHODOLOGY	
3.1 Materials and Equipment.....	24
3.2 Research Methodology	25
3.2.1 Research Stage I	26
3.2.1.1 Preparation of <i>Torbangun</i> Leaves Steeps	26
3.2.1.2 Preparation of Fenugreek Seeds Steeps	27
3.2.1.3 Preparation of <i>Torbangun</i> Leaves and Fenugreek Seeds Steeps	28
3.2.1.4 Preparation of Malted Barley Milk Drink.....	29
3.2.1.5 Experimental Design Research Stage I.....	30
3.2.1.6 Parameter Analysis	32
3.2.2 Research Stage II	32
3.2.2.1 Steeping of <i>Torbangun</i> Leaves and Fenugreek Seeds in Malted Barley Milk.....	32
3.2.2.2 Experimental Design Research Stage II.....	34

3.2.2.3 Parameter Analysis	36
3.3 Method of Analysis	36
3.3.1 DPPH Method	36
3.3.2 Total Phenolic Content	37
3.3.3 Total Flavonoid Content.....	37
3.3.4 Proximate Analysis.....	38
3.3.4.1 Moisture Content (AOAC, 2005).....	38
3.3.4.2 Ash Content (AOAC, 2005).....	38
3.3.4.3 Mineral Content	39
3.3.4.4 Protein Content (AOAC, 2005)	40
3.3.4.5 Crude Fat Content (AOAC, 2005)	42
3.3.4.6 Total Carbohydrate Content (AOAC, 2005)	43
3.3.5 pH Level (AOAC, 2005)	43
3.3.6 Viscosity	43
3.3.7 Total Soluble Solids (AOAC, 2005)	43
3.3.8 Color	44
3.3.9 Organoleptic Test	45
3.3.9.1 Hedonic Test	45
3.3.9.2 Scoring Test	45
3.3.10 Percent Yield (AOAC, 2005)	46
3.3.11 Toxicity Test (Juniarti, <i>et al.</i> , 2009)	46

CHAPTER IV RESULTS AND DISCUSSIONS

4.1 Taxonomical Verification of <i>Torbangun</i> and Fenugreek Species	48
4.2 Research Stage I	48
4.2.1 Proximate Analysis of Raw Materials	48
4.2.1.1 Moisture Content.....	48
4.2.1.2 Ash Content.....	50
4.2.1.3 Protein Content	50
4.2.1.4 Mineral Content	51
4.2.2 Antioxidant Activity of Raw Materials and Steeps	52

4.2.3 Total Phenolic Content of Raw Materials and Steeps	53
4.2.4 Total Flavonoid Content of Raw Materials and Steeps....	54
4.2.5 Processing of Making Functional Drink.....	55
4.2.6 Effect of Ratio between Barley and Wheat Flour in Malted Barley Milk	56
4.2.6.1 Scoring Results	56
4.2.6.2 Hedonic Results	58
4.2.6.3 Physicochemical Characteristics of Selected Malted Barley Milk	60
4.3 Research Stage II	61
4.3.1 Effect of Ratio between Types of Steeps and Malted Barley Milk Treatment to Functional Drink	61
4.3.2 Scoring Results of Fortified Malted Barley Milk.....	61
4.3.2.1 Aroma.....	61
4.3.2.2 Color.....	63
4.3.2.3 Aftertaste.....	64
4.3.3 Hedonic Results of Fortified Malted Barley Milk.....	65
4.3.3.1 Aroma.....	65
4.3.3.2 Color.....	66
4.3.3.3 Aftertaste	67
4.3.3.4 Overall Acceptance	68
4.3.4 Best Formulation of Fortified Malted Barley Milk	69
4.3.4.1 Antioxidant Activity	69
4.3.4.2 Total Phenolic Content.....	70
4.3.4.3 Total Flavonoid Content	72
4.3.4.4 pH Level between Control and Best Formulation	73
4.3.4.5 Color (°hue) analysis between Control and Best Formulation	74
4.3.4.6 Viscosity Analysis between Control and Best Formulation	75
4.3.4.7 Total Soluble Solids of Best Formulation.....	76
4.3.4.8 Mineral Content of Best Formulation	76
4.3.5 Comparison of Best Formulation and Control Sample	77




4.4 Complete Proximate Analysis of Best Formulation and Commercial	78
4.4.1 Moisture Content	78
4.4.2 Ash Content	79
4.4.3 Protein Content	79
4.4.4 Crude Fat Content	80
4.4.5 Total Carbohydrate Content	80
4.5 Phytochemical Analysis of Commercial Drink	81
4.6 Results of Toxicity Test of <i>Torbangun</i> Leaves Extract	81
CHAPTER V CONCLUSIONS AND SUGGESTIONS	
5.1 Conclusions	83
5.2 Suggestions	84
BIBLIOGRAPHY	85
APPENDICES	91

LIST OF FIGURES

	page
Figure 2.1 <i>Torbangun</i> leaves	8
Figure 2.2 Structures of colored radical DPPH for antioxidative assay	11
Figure 2.3 Fenugreek (<i>Trigonella foenum-graecum</i>) plant and seeds	13
Figure 2.4 Barley grains.....	17
Figure 3.1 Dried <i>Torbangun</i> leaves process	26
Figure 3.2 <i>Torbangun</i> leaves steeps process.....	27
Figure 3.3 Fenugreek seeds steeps process.....	28
Figure 3.4 <i>Torbangun</i> leaves and Fenugreek seeds steeps process	29
Figure 3.5 Procedure of malted Barley milk preparation	31
Figure 3.6 Procedure of fortified malted Barley milk.....	34
Figure 4.1 Effect of different concentration between barley and wheat flour to color scoring of malted barley milk	56
Figure 4.2 Effect of different concentration between barley and wheat flour to aftertaste scoring of malted barley milk.....	57
Figure 4.3 Effect of different concentration between barley and wheat flour to aftertaste hedonic of malted barley milk.....	58
Figure 4.4 Effect of different concentration between barley and wheat flour to overall hedonic of malted barley milk	59
Figure 4.5 Effect of different concentration between steeps and malted barley milk to aroma scoring of functional drink	63
Figure 4.6 Effect of different concentration between steeps and malted barley milk to color scoring of functional drink.....	64
Figure 4.7 Effect of different concentration between steeps and malted barley milk to aftertaste scoring of functional drink	65
Figure 4.8 Effect of different concentration between steeps and malted barley milk to aroma hedonic of functional drink.....	66
Figure 4.9 Effect of different concentration between steeps and malted barley milk to color hedonic of functional drink.....	66
Figure 4.10 Effect of different concentration between steeps and malted barley milk to aftertaste hedonic of functional drink	67

Figure 4.11 Effect of different concentration between steeps and malted barley milk to overall hedonic of functional drink.....	68
Figure 4.12 Antioxidant activity of fortified malted barley milk with different types of steeps:malted barley milk ratio.....	70
Figure 4.13 Total phenolic content of fortified malted barley milk with different types of steeps:malted barley milk ratio.....	72
Figure 4.14 Total flavonoid content of fortified malted barley milk with different types of steeps:malted barley milk ratio.....	73
Figure 4.15 Results of pH between control and best formulation	74
Figure 4.16 Results of color analysis between control and best formulation	74
Figure 4.17 Results of viscosity analysis between control and best formulation ..	75



LIST OF TABLES

	page
Table 2.1 Nutrients composition in 100 g of <i>Torbangun</i> leaf.....	9
Table 2.2 Active components with its pharmacologist effect and proportions in <i>Torbangun</i> leaf	10
Table 2.3 Main components of <i>Torbangun</i> leaf.....	10
Table 2.4 Nutrients composition in 100 g of Fenugreek seeds.....	14
Table 2.5 Mineral contents (mg/100 g) of Fenugreek seeds.....	15
Table 2.6 Typical nutrients composition (%) of hulled and hulless Barleys (dry matter).....	18
Table 2.7 Nutritional composition of malted milk and commercial sample powder per 100 g.....	20
Table 3.1 Experimental design of research stage I.....	31
Table 3.2 Formulation of malted Barley milk ingredients per 28 g.....	32
Table 3.3 Formulation of ratio of steeps and malted Barley milk per 100 ml.....	33
Table 3.4 Experimental design research stage II	34
Table 3.5 Hedonic test scale	45
Table 3.6 Scoring test scale	46
Table 4.1 Raw materials moisture content.....	49
Table 4.2 Raw materials ash content	50
Table 4.3 Raw materials protein content	50
Table 4.4 Antioxidant activity results of raw materials and steeps	53
Table 4.5 Total phenolic content results of raw materials and steeps	54
Table 4.6 Total flavonoid content results of raw materials and steeps	55
Table 4.7 Physicochemical results of selected malted barley milk	60
Table 4.8 T-test analysis results between control and best formulation	77
Table 4.9 Results of complete proximate analysis between best formulation and control.....	79
Table 4.10 Phytochemical results of commercial sample.....	82
Table 4.11 Toxicity category	82

LIST OF APPENDICES

	page
Appendix A. Identification of <i>Torbangun</i> leaves and Fenugreek seeds species.....	A-1
Appendix B. Moisture content of <i>Torbangun</i> leaves	B-1
Appendix C. Ash content of <i>Torbangun</i> leaves	C-1
Appendix D. Yield of dried <i>Torbangun</i> leaves	D-1
Appendix E. Moisture content of raw Fenugreek seeds	E-1
Appendix F. Ash content of raw Fenugreek seeds	F-1
Appendix G. Moisture content of dry malt extracts (DME) Barley powder	G-1
Appendix H. Ash content of dry malt extracts (DME) Barley powder	H-1
Appendix I. Mineral analysis of raw materials	I-1
Appendix J. Antioxidant activity of raw materials	J-1
Appendix K. Antioxidant activity of raw materials steeps	K-1
Appendix L. Antioxidant activity of malted Barley milk	L-1
Appendix M. Total phenolic content of raw materials	M-1
Appendix N. Total phenolic content of malted Barley milk	N-1
Appendix O. Total flavonoid content of raw materials	O-1
Appendix P. Total flavonoid content of malted Barley milk	P-1
Appendix Q. Organoleptic results of malted Barley milk	Q-1
Appendix R. Organoleptic results of malted Barley milk formulation	R-1
Appendix S. Mineral analysis of best formulation	S-1
Appendix T. Physicochemical results of malted Barley milk (control)	T-1
Appendix U. Physicochemical results of malted Barley milk (formulation) ...	U-1
Appendix V. Complete proximate analysis of best formulation	V-1
Appendix W. Complete proximate analysis of commercial sample	W-1
Appendix X. Phytochemical analysis of commercial sample	X-1
Appendix Y. Result of T-test analysis between best formulation and control ..	Y-1
Appendix Z. Toxicity test of <i>Torbangun</i> leaves extracts	Z-1

Appendix AA. Organoleptic test questionnaire sheets	AA-1
Appendix AB. Raw materials, steeps and formulation of malted Barley milk	AB-1

