

BIBLIOGRAPHY

- Amin, I. and Mukhrizah, O. 2006. Antioxidant Capacity of Methanolic and Water Extracts Prepared from Food-Processing By-Products. *Journal of the Science of Food and Agriculture.* 86 (5):778-784.
- Anderson, R.A., Conway, H.F., Pfeifer, V.F., and Griffin, E.L.JR. 1969. Gelatinization of Corn Grits by Roll- and Extrusion-cooking. *Cereal Sci. Today* 14: 4-12.
- Ardianti, A., Any, G., and Zainab, Z. 2014. Uji Aktivitas Antioksidan Fraksi Eter Hasil Hidrolisis Infusa Daun Binahong (Anredera Cordifolia (Ten) Steeenis) dengan Metode DPPH (2,2-Diphenyl-1-Picrylhydrazyl). *Jurnal Pharmaciana* 4 (1): 1-7.
- Association of Official Analytical Chemists (AOAC). 2005. Official Method of Analysis. Association of Official Analytical Chemists Inc., Gaithersburg.
- Bowles, S., Demiate, I. M. Physicochemical characterization of the soymilk byproduct – okara. *Ciência Tecnologia de Alimentos*, v. 26, n. 3, p. 652-659, 2006. <http://dx.doi.org/10.1590/S0101-20612006000300026>
- Brown, A. 2010. “Understanding Food Principles & Preparation”. Wadsworth, Belmont.
- Bullerman, L.B. 2003. Fungi in Food - An Overview. University of Nebraska. Lincoln. USA.
- Cheison, S.C., S.B. Zhang, Z. Wang and S.Y. Xu, 2009. Comparison of a modified spectrophotometric and the pH-stat methods for determination of the degree of hydrolysis of whey proteins hydrolysed in a tangential-flow filter membrane reactor. *Food Res. Int.*, 42: 91-97.
- Chutmanop, J., Chuichulcherm, S., Chisti, Y., and Srinophakun, P. 2008. Protease production by *Aspergillus oryzae* in Solid-State Fermentation using Agroindustrial Substrates. *Journal of Chemical Technology and Biotechnology*.
- Esther, F. 2017. Karakteristik Senyawa Antibakteri Ekstrak Daun Jati (*Tectona grandis* L.). Universitas Pelita Harapan. Tangerang
- Gump, B.H., Zoecklein, B.W., Fugelsang, K.C. and Whiton, R.S. 2002. Comparison of Analytical Methods for Prediction of Prefennentation Nutritional Status of Grape Juice. *Am. J. Enol. Vitic.* 53, 325-329.
- Hegyi, G., Kardos. J., Kovaes, M. Nyitray, L., Pal, G., Radnai, L., Remenyi, A., Venekei, I. 2013. Introduction to Practical Biochemistry. Eorvos Lorand University.
- Hur, S. J., Lee, S.Y., Kim, Y-C., Choi, I., and Kim, G-B. 2014. Effect of Fermentation on the Antioxidant Activity in Plant-Based Foods. *Food Chemistry* 160: 346-56.

- Jimenez-Escriv, A., Tenorio, M.D., Espinosa-Martos, I., and Ruperez, P. 2008. Health-Promoting Effects of a Dietary Fiber Concentrate from the Soybean By-product Okara in Rats. *Journal of Agricultural and Food Chemistry*. 56:7495-7501.
- Kamnerdpatch, C., Weiss, M., Kasper, C., and Schepers, T. 2007. An Improvement of Potato Pulp Protein Hydrolyzation Process by Combination of Protease Enzyme Systems. *Enzyme and Microbial Technology*. Elsevier. 40:508-514.
- Kementerian Pertanian. 2013. Konsumsi Rata-Rata per Kapita Setahun Beberapa Bahan Makan di Indonesia tahun 2009 - 2013.
- Kim, A., Lee, K., Kim, H., Chun, J., Kerr, W.L., Choi S.G. 2018. The Effects of Added Water and Grinding Temperature on Stability and Degradation Kinetics of Antioxidant Activity, Phenolic Compounds, and Ascorbic Acid in Ground Apples. *Journal of Food Science*.
- Kumawat, B.K., Gupta, M., Singh, Y. 2012. Free Radical Scavenging Effect of Various Extracts of Leaves of *Balanites aegyptiaca*(L.) Delile by DPPH Method. Pelagia Research Library.
- Li, Bo. 2012. Composition, Nutrition, and Utilization of Okara (Soybean Residue). Henan Institute of Science and Technology, Xinxiang, China.
- Lee, I-Hsin, Yu-Hisang, Hung, Cheng-Chun, Chou. Solid State Fermentation with Fungi to Enhance the Antioxidative Activity, Total Phenolic and Anthocyanin Contents of Black Bean. Graduate Institute of Food Science and Technology, National Taiwan University, Taipei, Taiwan.
- Levenspiel, O. 1999. Solution Manual to Accompany Chemical Reaction Engineering Third Edition. Chemical Engineering Department, Oregon State University. Corvallis
- Li, S., Zhu, D., Li, K., Yang, Y., Lei, Z., and Zhang, Z. 2013. Soybean Curd Residue: Composition, Utilization, and Related Limiting Factors. Graduate School of Life and Environmental Sciences, University of Tsukuba, 1-1-1 Tennodai, Tsukuba, Ibaraki 305-8572.
- Maruthiah T, Immanuel, G and Palavesam, A. 2015. Purification and Characterization of Halophilic Organic Solvent Tolerant Protease from Marine *Bacillus* sp. APCMST-RS7 and its antioxidant potentials. *Proc Natl Acad Sci India Sect B Biol*. doi:10.1007/s40011-015-0603-0.
- McCarthy, A., O'Callaghan, Y., and O'Brien, N. 2013. Protein Hydrolysates from Agricultural Crops—Bioactivity and Potential for Functional Food Development. *Agriculture* 3(1): 112-30.
- Membrillo, I., Sanchez, C., Meneses, M., Favela, E., and Loera, O. 2008. Effect of Substrate Particle Size and Additional Nitrogen Source on Production of

- Lignocellulolytic Enzymes by Pleurotus ostreatus Strains. *Bioresource Technology* 99: 7842-7847.
- Morais, H. A., Silvestre, M. P., Silveira, J. N., Silva, A. C., Silva, V. D., and Silva, M. R. 2013. Action of a pancreatin and an Aspergillus oryzae protease on whey proteins: Correlation among the methods of analysis of the enzymatic hydrolysates. *Brazilian Archives of Biology and Technology* 56(6): 985-995.
- Morais, H.A., Silvestre, M.P., Silveira, J.N., Silva, A.C., Silva, V.D., and Silva, M.R, Silva, and A.C, Silvveira, J.N. 2013 .Correlation between the Degree of Hydrolysis and the Peptide Profile of Whey Protein Concentrate Hydrolysates: Effect of the Enzyme Type and Reaction Time. *American Journal of Food Technology*.
- Najaoan, J.J., Runtuwene, M.J.R., and Wewengkang, D.S. 2016. Uji Fitokimia dan Aktivitas Antioksidan Ekstrak Etanol Daun Tiga (*Allophylus cobbe* L.). *Jurnal Ilmiah Farmasi* 5 (1): 266-274.
- Pagarra, H. 2009. Laju Pertumbuhan Jamur Rhizopus sp. pada Tempe Kacang Hijau (*Phaseolus radiatus* L.). *Bionature*.
- Pandey, A., Effect of Particle Size of Substrate on Enzyme Production in Solid State Fermentation. 1991. Council of Scientific and Industrial Research.
- Putri, F. 2017. Study on Utilization of Okara in Flavored Soy Ice Cream Making. S1 thesis, Univ. of Pelita Harapan, Tangerang.
- Qin, S., Li, W.J., Dastager, S.G., and Hozzein, W.N. 2007. Actinobacteria in Special and Extreme Habitats: Diversity, Function Roles and Environmental Adaptations. Frontiers Media SA, Switzerland.
- Ravinder, R., Linga, V.R., Pogaku, R., 2003. Production of SCP from deoiled rice bran. *Food Technology Biotech.* 41, 243–246.
- Salleh, A. B., Rahman, R.N.Z.R.A., and Basri, M. 2013. “Molecular and Structural Biology of New Lipases and Proteases”. New York: Nova Science Publisher.
- Sandulachi, E. 2012. Water Activity Concept and Its Role in Food Preservation. Technical University of Moldova.
- Sengupta, S., Chakraborty, M., Bhowal, and J., Bhattacharya , D.K. 2012. Study on the Effects of Drying Process on the Composition and Quality of Wet Okara. School of Community Science and Technology. Bengal Engineering and Science University, Shibpur, Howrah, West Bengal.
- Saraswati Indo Genetech (SIG). 2012. “Diagram Alir Pengujian Asam Amino Metode UPLC”. Bogor.
- Shahidi, F. 2015. Handbook of Antioxidants For Food Preservation. Woodhead Publishing., Cambridge.
- Shurtleff, W., and Akiko, A. 2000. Tofu & Soymilk Production: A Craft and Technical Manual. Soyinfo Center.

- Shekhar, T. C., and Anju, G. 2014. Antioxidant Activity by DPPH RadicalScavenging Method of Ageratum conyzoides Linn. Leaves. American Journal of Ethnomedicine.
- Sigma-Aldrich. 2014. Enzymatic Assay of Protease Using Casein as a Substrate. Available from: <http://www.sigmaaldrich.com/technical-documents/protocols/biology/enzymatic-assay-of-protease-casein-as-a-substrate.html#materials>. Accessed on 2017 October 19th.
- Skoutelas, J.M. and Ricardo-da-Silva, O.L. 2011. Validation and Comparison of Formol and FT-IR Methods for Assimilable Nitrogen in Vine Grapes. Universidade Técmca de Lisboa. Lisboa.
- Spellman, D., E. McEvoy, G. O'Cunn and G.R.J. FitzGerald, 2003. Proteinase and exopeptidase hydrolysis of whey protein: Comparison of the TNBS, OPA and pH stat methods for quantification of degree of hydrolysis. Int. Dairy J., 13: 447-453.
- Sumantha, A., Larroche, C., Pandey, A. 2006. Microbiology and Industrial Biotechnology of Food-Grade Proteases: A Perspective. Asiatech Publishers Inc., New Delhi.
- Sunarni, T., Suwidjiyo, P., and Ratna,A. 2007. Flavonoid Antioksidan Penangkap Radikal dari Daun Kepel (Steleochocarpus burahol (Bl.) Hook f. & Th.). Majalah Farmasi Indonesia.
- Syvitski, J.P. 2007. Principles, Method, and Appliation of Particle Size Analysis. Cambridge University Press.
- Vishwanathan, K.H., Singh, V., and Subramanian, R. 2011. Influence of Particle Size on Protein Extractability from Soybean and Okara. Journal of Food Engineering. 102:240-246.
- Wang, L.Wang. 2008. Tofu and Tempeh as Potential protein Sources in the Western Diet. U.S Department of Agriculture, Peoria, Illinois.
- Wang, H.I. and Cavins, J.F. 1989. Yield and Amino Acid Composition of Fractions Obtained during Tofu Production. Cereal Chemical Journal. 66:359-361.
- Winarsi, H. 2007. "Antioksidan Alami dan Radikal Bebas". Kanisius, Yogyakarta.
- Yemm, E.W. and Cocking, E.C. 1961. The Determination of Amino-acids with Ninhydrin. University of Bristol, Bristol.
- Yousufi, M.K. 2012. Impact of pH on the single cell protein produced on okara-wheat grit substrates using Rhizopus oligosporus and Aspergillus oryzae. Department of Microbiology Jawaharlal Nehru College, Bhopal (M.P.) India.
- Yousufi, M.K., Shaukat, S. and Jha, K. 2003. The effect of moisture content on the production of single cell protein using Rhizopus oligosporus and Aspergillus oryzae grown on okara- wheat grit combinations. Indian J. Applied & Pure Bio.

You, L., Mouming ,Z., Chun ,C., Haifeng ,Z., and Bao ,Y. 2008. Effect of Degree of Hydrolysis on the Antioxidant Activity of Loach. Chinese Academy of Sciences, Guangzhou, China.

Zhu, Y. P., Fan, J. F., Cheng, Y. Q., and Li, L. T. 2008. Improvement of the antioxidant activity of Chinese traditional fermented okara (Meitauza) using *Bacillus subtilis* B2. Food Control 19: 654-66

