

DAFTAR PUSTAKA

- Adam, J. M. F. 2000. Klasifikasi dan kriteria diagnosis diabetes melitus yang baru. *Cermin Dunia Kedokteran* 10(127): 37-40.
- Adam, Z., Hassali, H. A., Razali, R., Ali, M. Z., Daryl, Aziz, A. H. A., dan Khamis, S. 2016. Phytochemicals Content, Antioxidant and α -Glucosidase Inhibition Activity of *Bouea macrophylla* Griff Seed Extract. Available from: https://inis.iaea.org/collection/NCLCollectionStore/_Public/48/050/48050408.pdf?r=1&r=1. Diakses 30 November 2018.
- Adawiyah, D. R. dan Indriati, I. 2003. Color stability of natural pigment from secang woods (*Caesalpinia sappan* L.). The 8th Asean Food Conference, Hanoi.
- Adneye, A. A. dan Agbaje, E. O. 2007. Hypoglycemic and hypolipidemic effects of fresh leaf aqueous extract of *Cymbopogon citratus* Stapf. in rats. *Journal of Ethnopharmacology* 112: 440-444.
- Agusta, A. 2000. "Minyak Atsiri Tumbuhan Tropika Indonesia" Penerbit ITB, Bandung.
- Alfarabi, M. 2010. Kajian antidiabetogenik ekstrak daun sirih merah (*Piper crocatum*) in vitro. Skripsi, Institut Pertanian Bogor, Bogor.
- American Diabetes Association. 2010. Clinical practice recommendations: report of the expert committee on the diagnosis and classifications of diabetes mellitus diabetes care. American Diabetes Association, USA.
- Analysis of the Association of Official Analytical Chemist (AOAC). 2005. "Official Methods of Analysis of the Association of Official Analytical Chemist" 18th ed. AOAC, Inc., Arlington.
- Anesini, C., Ferraro, G. C., dan Filip, R. 2008. Total polyphenol content and antioxidant capacity of commercially available tea (*Camellia sinensis*) in Argentina. *International Journal of Pharmacy and Pharmaceutical Sciences* 5(3): 517-520.
- Antara, N. dan Wartini, M. 2014. Aroma and flavor compounds. Tropical Plant Curriculum Project, Universitas Udayana, Denpasar.
- Arisandi, Y. dan Andriani, Y. 2008. "Khasiat Tanaman Obat" Edisi ke-5. Pustaka Buku Murah, Jakarta.
- Assous, M. T. M., El-Waseif, K. H. M., dan Gado, G. B. A. 2013. Production and evaluation of non-traditional products from lemon grass. *Egypt Journal Agric. Res.* 91(1): 271-283.
- Aveonita, A. R. 2015. Pengaruh senam diabetes terhadap kadar glukosa darah pada kelompok senam diabetes di rumah sakit abdul moeloek bandar lampung. Skripsi, Universitas Lampung, Bandar Lampung.

- Ayunda, R. 2014. Aktivitas antioksidan ekstrak etanol daun serai (*Cymbopogon citratus*) dan potensinya sebagai pencegah oksidasi lipid. Skripsi, Institut Pertanian Bogor, Bogor.
- Badami, S., Moorkoth, S., dan Suresh. B. 2004. A medicine and dye yielding plant. *Natural Product Radiance* 3(2):75-82.
- Badan Pengawas Obat dan Makanan (BPOM). 2005. Keputusan Kepala Badan Pengawas Obat dan Makanan Republik Indonesia Nomor HK. 00.05.1.52.0685 tahun 2005 tentang Ketentuan Pokok Pengawasan Pangan Fungsional. BPOM, Jakarta.
- Bahriul, P., Nurdin, R., dan Diah, A. W. M. 2014. Uji aktivitas antioksidan ekstrak daun salam (*Syzygium polyanthum*) dengan menggunakan 1,1-difenil-2-pikrilhidrazil. *J. Akad. Kim.* 3(3): 143-149.
- Balasundram, N., Sundram, K., dan Samman, S. 2006. Phenolic compounds in plants and agri-industrial by-products: Antioxidant activity, occurrence, and potential uses. *Food Chemistry* 99(1): 191-203.
- Banjarnahor, S. dan Artanti, N. 2014. Antioxidant properties of flavonoids. *Medical Journal of Indonesia* 23(4): 239-244.
- Bansode, P. 2015. Total flavonoid content of commonly consumed teas in India. *World Journal of Pharmaceutical Research* 4(2): 874-881.
- Bayu, M. K., Rizqiati, H., dan Nurwantoro. 2017. Analisis total padatan terlarut, kadar lemak, dan tingkat viskositas pada kefir optima dengan lama fermentasi yang berbeda. *Jurnal Teknologi Pangan* 1(2): 33-38.
- Borges, L., Alves, S., Sampaio, B., Conceicao, E., Bara, M., dan Paula, J. 2013. Environmental factors affecting the concentration of phenolic compounds in *Myrcia tomentosa* leaves. *Brazilian Journal of Pharmacognosy* 23(2): 230-238.
- Bösenberg, L. H. dan Zyl, D. G. V. 2008. The mechanism of action of oral antidiabetic drug: a review of recent literature. *The Journal of Endocrinology, Metabolism and Diabetes of South Africa* 13(3): 80-88.
- Brighente, I. M. C., Dias, M., Verdi, L. G., dan Pizzolatti, M. G. 2007. Antioxidant activity and total phenolic content of some Brazilian species. *Pharmaceutical Biology* 45(2): 156-161.
- Brossaud, F., Cheynier, V. dan Noble, A. 2001. Bitterness and astringency of grape and wine polyphenols. *Australian Journal of Grape and Wine Research* 7: 33-39.
- Buchori, L. 2007. Pembuatan gula non karsinogenik non kalori dari daun stevia. *Reaktor* 11(2): 57-60.
- Cai, Y., Luo, Q., Sun, M., dan Corke, H. 2004. Antioxidant activity and phenolic compounds of 112 traditional Chinese medicinal plants associated with anticancer. *Life Science*. 4:2157-2184
- Campbell, M. K. dan Farrell, S. O. 2009. "Biochemistry" 5th ed. Thomson Brooks/Cole, Pacific Grove (CA).

- Changwei, A. O., Anping, L., Abdelnaser, A., Tran, D. X., dan Shinkichi, T. 2008. Evaluation of antioxidant and antibacterial activities of *Ficus microcarpa* L. leaf extract. *Food Control* 19: 940-948.
- Chanthai, S., Prachakoll, S., dan Ruangviriyachai, C. 2012. Influence of extraction methodologies on the analysis of five major volatile aromatic compounds of citronella grass (*Cymbopogon nardus*) and lemongrass (*Cymbopogon citratus*) grown in Thailand. *Journal of AOAC International* 95(3): 763-772.
- Cheel, J., Theoduloz, C., Rodriguez, J., dan Schmeda-Hirschmann, G. 2005. Free radical scavengers and antioxidants from lemongrass (*Cymbopogon citratus* (DC.) Stapf.). *Journal Agricultural and Food Chemistry* 53(7): 2511-2517.
- Dai, J. dan Mumper, R. J. 2010. Plant Phenolics: Extraction, analysis and their antioxidant and anticancer properties. *Molecules* 15: 7313-7352.
- Daryanti. 2012. Pemanfaatan stevia sebagai pemanis alami pada sari buah belimbing. *Agrineca* 12(2).
- Departemen Kesehatan Republik Indonesia (Depkes RI). 1995. Farmakope Indonesia. Departemen Kesehatan Republik Indonesia, Jakarta.
- Departemen Kesehatan Republik Indonesia (Depkes RI). 2000. Parameter Standar Umum Ekstrak Tumbuhan Obat. Direktorat Jendral Pengawasan Obat dan Makanan, Jakarta.
- Departemen Kesehatan Republik Indonesia (Depkes RI). 2008. Metode Pencegahan dan Penanggulangan Faktor Risiko Diabetes Melitus. Departemen Kesehatan Republik Indonesia, Jakarta.
- Diana. 2010. Aktivitas anti-hiperglikemik dari minuman fungsional berbasis kumis kucing (*Orthosiphon aristatus* BI. Miq) secara *in vitro* dan *ex vivo*. Skripsi, Institut Pertanian Bogor, Bogor.
- Distantina, S., Fadilah, Danarto, Y. C., dan Wiratni, F. M. 2009. Pengaruh kondisi proses pada pengolahan *Eucheuma cottonii* terhadap rendemen dan sifat gel karagenan. *Ekulibrium* 8(1): 35-40.
- Dixon, R. A. dan Paiva, N. L. 1995. Stress-induced phenylpropanoid metabolism. *Plant Cell* 7: 1085-1097.
- Djaeni, M., Triyastuti, M. S., Utari, F. D., Annisa, A. N., dan Novita, D. A. 2015. The sappanwood extract drying with carrier agent under air dehumidification. *IPTEK, The Journal for Technology Science* 26(1): 15-18.
- Durry, F. K. 2016. Uji efek antihyperglykemik ekstrak etanol 70% biji rambutan (*Nephelium lappaceum* L.) pada tikus putih jantan dengan metode induksi aloksan. Skripsi, UIN Syarif Hindayatullah Jakarta, Jakarta.
- Duthie, G. G., Duthie, S. J., dan Kyle, J. A. M. 2000. Plant polyphenols in cancer and heart disease: Implications as nutritional antioxidants. *Nutrition Research Review* 13: 79-106.

Elmaniar, R. 2017. Aktivitas penghambatan enzim α -glukosidase oleh ekstrak etanol umbi ubi jalar ungu (*Ipomoea batatas* L.). Skripsi, Universitas Muhammadiyah Surakarta, Surakarta.

Elya, B., Handayani, R., Sauriasari, R., Azizahwati, Hasyiyati, U. S., Permana, I. T., dan Permatasari, Y. I. 2015. Antidiabetic activity and phytochemical screening of extracts from Indonesian plants by inhibition of alpha amylase, alpha glucosidase and dipeptidyl peptidase IV. *Pakistan Journal of Biological Science* 18(6): 279-284.

Everette, J.D., Richard, B. W., dan Shahidul, I. 2013. Inhibitory activity of naturally occurring compounds towards rat intestinal α -glucosidase using *p*-nitrophenyl- α -D-glucopyranoside (PNP-G) as a substrate. *Am J Food Technol.* 8(1): 65-73.

Farhana, H., Indra, T. M., dan Reza, A. K. 2015. Perbandingan pengaruh suhu dan waktu perebusan terhadap kandungan brazilin pada kayu secang (*Caesalpinia sappan* Linn.). *Prosiding Penelitian Sivitas Akademika UNISBA, Farmasi Gelombang 2, Tahun Akademik 2014-2015*: 19-25.

Farhang, V., Amini, J., Javadi, T., Nazemi, J. dan Ebadollahi, A. 2013. Chemical composition and antifungal activity of essential oil of *Cymbopogon citratus* (DC.) Stapf. against three *Phytophthora* species. *Greener J. Biol. Sci.*, 3: 292-298.

Feng, J., Yang, X.W., dan Wang, RF. 2011. Bio-assay guided isolation and identification of α -glucosidase inhibitors from the leaves of *Aquilaria sinensis*. *Phytochemistry* 72: 242-247.

Figueirinha, A., Paranhos, A., Pe'rez-Alonso, J. J., Santos-Buelga, C., dan Batista, M. A. T. 2008. *Cymbopogon citratus* leaves: Characterisation of flavonoids by HPLC-PDA-ESI/MS/MS and an approach to their potential as a source of bioactive polyphenols. *Journal of Food Chemistry* 110: 718-728.

Gao, H., Huang, Y. N., Xu, P. Y., dan Kawabata, J. 2007. Inhibitory effect on α -glucosidase by the fruits of *Terminalia chebula* retz. *Food Chemistry* 105(2): 628-634.

Geuns, J. M. C. 2003. Stevioside. *Phytochemistry* 64: 913-921.

Ghasemzadeh, A., Azarifar, M., Soroodi, O., dan Jaafar, H. Z. E. 2012. Flavonoid compounds and their antioxidant activity in extract of some tropical plants. *Journal of Medicinal Plants Research* 6(13): 2639-2643.

Godwin, A., Daniel, G. A., Shadrack, D., Elom, S. A., Afua, K. A. B. N., Godsway, B., Joseph, K. G., Sackitey, N. O., Isaak, K. B., Wisdom, A. 2014. Determination of elemental, phenolic, antioxidant and flavonoid properties of lemon grass (*Cymbopogon citratus* Stapf). *International Food Research Journal* 21(5): 1971-1979.

Gopalakrishnan, K. dan Udayakumar, R. 2014. GC-MS analysis of phytocompounds of leaf and stem of *Marsilea quadrifolia* (L.). *Int. J. Biochem. Res. Rev.*, 4: 517-526.

Guo, L.P., Jiang, T.F., Lv, Z. H., dan Wang, Y. H. 2010. Screening alpha-glucosidase inhibitors from traditional Chinese drugs by capillary electrophoresis

with electrophoretically mediated microanalysis. *Journal of Pharmaceutical and Biomedical Analysis* 53: 1250-1253.

Gurudeeban, S., Kaliyamurthi, S., dan Thirugnanasambandam, R. 2012. Alpha glucosidase inhibitory effect and enzyme kinetics of coastal medical plants. *Bangladesh J Pharmacol.* 7: 186-191.

Halabi, M. F. dan Sheikh, B. Y. 2014. Anti-proliferative effect and phytochemical analysis of *Cymbopogon citratus* Extract. *BioMed Research International*: 1-8.

Halim, F. Y., Marsono, Y., dan Suprijono, M. M. 2013^a. Identifikasi potensi antioksidan dalam minuman coklat dari kakao indah (*Theobroma cacao* L.) dengan berbagai cara preparasi: Metode *Ferric Reducing Antioxidant Power* (FRAP). *Jurnal Teknologi Pangan dan Gizi* 12(1): 10-16.

Halim, M. O. 2015. Pengaruh proporsi tepung dan daun beluntas (*Pluchea indica* Less) dan teh hitam terhadap sifat fisikokimia, sifat organoleptik, dan aktivitas antioksidan produk minuman. Skripsi, Universitas Katolik Widya Mandala Surabaya, Surabaya.

Halim, J. M., Pokatong, W. D. R., dan Ignacia, J. 2013^b. Antioxidative characteristics of beverages made from a mixture of lemongrass extract and greentea. *J. Teknol. dan Industri Pangan* 24(2): 215-221.

Halliwell, B. dan Gutteridge, J.M. 1999. "Free Radicals in Biology and Medicine" Oxford University Press, Oxford, United Kingdom.

Harborne, J. B. 1987. "Metode Fitokimia: Penuntun Cara Modern Menganalisis Tumbuhan" Padmawinata, I Sudiro, Penerjemah. Institut Teknologi Bandung, Bandung.

Hariana, A. 2006. "Tumbuhan Obat dan Khasiatnya" Niaga Swadaya, Depok.

Hariyadi, P. 2006. "Pangan Fungsional Indonesia" Food Review 1(4), Media Pangan Indonesia, Bogor.

Hartati, S., Elya, B., dan Najib, A. 2010. n-Butanol fraction of *Acorus calamus* rhizome extract to inhibit the activity of alpha-glucosidase. *Journal Trop. Med. Plants* 11(2).

Hasim, Falah, S., Ayunda, R. D., dan Faridah, D. N. 2015. Potential of lemongrass leave extract (*Cymbopogon citratus*) as prevention for oil oxidation. *Journal of Chemical and Pharmaceutical Research* 7(10): 55-60.

Hasriani. 2012. Optimasi proses pengeringan simplisia kayu secang (*Sappan Lignum*) dan aplikasinya pada produk minuman. Skripsi, Institut Pertanian Bogor, Bogor.

Henning, S. M., Niu, Y., Liu, Y., Lee, N. H., Hara, Y., Thames, G. D., Minutti, R. R., Carpenter, C. L., Wang, H., dan Heber, D. 2005. Bioavailability and antioxidant effect of epigallocatechin gallate administered in purified form versus as green tea extract in healthy individuals. *Journal of Nutrition Biochemistry* 16: 610-616.

- Hermawan, S. 2016. Kajian perbandingan stoberi (*Fragaria x ananassa*) dengan ekstrak jahe (*Zingiber officinale*) dan konsentrasi penstabil terhadap karakteristik minuman fungsional stroberi jahe. Skripsi, Universitas Pasundan, Bandung.
- Holinesti, R. 2009. Studi pemanfaatan pigmen brazilein kayu secang (*Caesalpinia sappan* L.) sebagai pewarna alami serta stabilitasnya pada model pangan. Jurnal Pendidikan dan Keluarga UNP 1(2): 11-21.
- Illanes, A., Altamirano, C., da Wilson, L. 2008. "Enzym biocatalysis: Principles and Applications" Springer, United States.
- Indariani, S. 2011. Aktivitas antihiperlipidemia minuman fungsional berbasis ekstrak daun kumis kucing (*Orthosiphon Aristatus* Bl. Miq) pada mencit hiperlipidemia yang diinduksi dengan *streptozotocin*. Skripsi, Institut Pertanian, Bogor.
- Jaffery, E. H., Brown, A. F., Kurilich, A. C., Keek, A.S., Matusheski, N., dan Klein, B. P. 2003. Variation in content of bioactive components in broccoli. Journal of Food Composition and Analysis 16: 323-330.
- Janick, J. 2010. "Horticultural Review, Vol. 28" John Wiley and Sons, New York.
- Joshua, A. A., Usunomena, U., Lanre, A. B., Amenza, O., dan Gabriel, O. A. 2012. Comparative studies on the chemical composition and antimicrobial activities of ethanolic extracts of lemon grass leaves and stems. Asian Journal of Medical Sciences 4(4): 145-148.
- Jun, M., Fu, H. Y., Hong, J., Wan, X., Yang, C. S., dan Ho, C. T. 2003. Comparison of antioxidant activities of isoflavones from Kudzu Root (*Pueraria lobata* Ohwl). Journal of Food Science 68(6): 2117-2122.
- Katno, P. S. 2007. Tingkat manfaat dan keamanan tanaman obat dan obat tradisional. Balai Penelitian Obat Tawangmangu, Fakultas Farmasi, Universitas Gadjah Mada, Yogyakarta.
- Khadri, A., Neffati, M., Smiti, S., Fale, P., Rosa, L., Serralheiro, M., Araujo, M. 2010. Antioxidant, antiacetylcholinesterase and antimicrobial activities of *Cymbopogon scheinanthus* L. Spreng (lemongrass) from Tunisia. LWT- Food Science and Technology 43(2): 331-336.
- Khan, M. Y. dan Khan, F. 2015. "Principles of Enzyme Technology" PHI Learning Private Limited, Delhi.
- Khil, L. Y., Han, S. S., Kim, S.G., Chang, T. S., Jeon, S. D., So, D. S., Moon, C. K. 1999. Effects of brazilin on GLUT4 recruitment in isolated rat epididymal adipocytes. Biochem Pharmacol. 58:1705-1712.
- Kinghorn, A. D. 2002. "Stevia." Taylor & Francis, London.
- Koyama, E., Norifumi, S., Yuji, O., Ken, K., Osamu, I., Kunio, K., Akiharu, F., dan Michio, U. 2003. Absorption and metabolism of glycosidic sweeteners of stevia mixture and their aglycone, steviol, in rats and humans. Food and Chemical Toxicology 41: 875-883.

- Lai, Y. C., Chen, C. K., Tsai, S. F., dan Lee, S. S. 2012. Triterpenes as α -glucosidase inhibitors from *Fagus hayatae*. *Phytochemistry* 74: 206-211.
- Latifah. 2015. Identifikasi golongan senyawa flavonoid dan uji aktivitas antioksidan pada ekstrak rimpang kencur *Kaemferia galanga L.* dengan metode DPPH (*1,1-Difenil,-2-Pikrilhidrazil*). Skripsi, Universitas Islam Negeri, Maulana Malik Ibrahim Malang.
- Lee, S. Y., Mediani, A., Nur Ashikin, A. H., Azliana, A. B. S., dan Abas, F. 2014. Antioxidant and α -glucosidase inhibitory activities of the leaf and stem of selected traditional medicinal plants. *International Food Research Journal* 21(1): 165-172.
- Lee, S. S., Lin, H. C., dan Chen, C. K. 2008. Acylated flavonol monorhamnosides, α -glucosidase inhibitors from *Machilus philippinensis*. *Phytochemistry* 69: 2347-2353.
- Lehninger, A L. 1988. "Dasar-dasar Biokimia Jilid 1." Erlangga, Jakarta.
- Lestari, N. P., Tjandrakirana, dan Kuswanti, N. 2013. Pengaruh pemberian campuran cairan rebusan kayu secang (*Caesalpia sappan L.*) dan daun lidah buaya (*Aloe vera*) terhadap kadar glukosa darah mencit (*Mus musculus*). *LenteraBio* 2(1): 113-119.
- Limanto, A. 2017. Stevia, pemanis pengganti gula dari tanaman *stevia rebaudiana*. *Jurnal Kedokteran Meditek* 23(61): 1-12.
- Lotito, S. B. dan Frei, B. 2006. Consumption of flavonoid-rich foods and increased plasma antioxidant capacity in humans: Cause, consequence, or epiphenomenon? *Free Radical Biology and Medicine* 4: 1727-1746.
- Lutfia, Z. 2011. Ekstraksi dan identifikasi kandungan senyawa pada kayu secang (*Caesalpinia sappan Linn*) serta uji aktivitasnya sebagai antioksidan. Skripsi, Universitas Negeri Malang, Malang.
- Maharani, K. 2003. Stabilitas pigmen brazilin pada kayu secang (*Caesalpinia sappan L.*). Skripsi, Institut Pertanian Bogor, Bogor.
- Mahmuda, K. F. 2011. Uji aktivitas antidiabetes dengan metode penghambatan enzim α -Glukosidase dan skrining fitokimia pada beberapa tanaman Indonesia. Skripsi, Universitas Indonesia, Depok.
- Malviya, N., Jain, S., dan Malviya, S. 2010. Anti-diabetic potential of medicinal plants. *Acta Pil Pharm.* 67 (2): 113-118.
- Mata, A. T., Proenca, C., Ferreira, A. R., Serralheiro, M. L. M., Nogueira, J. M. F., dan Araujo, M. E. M. 2007. Antioxidant and antiacetylcholinesterase activities of five plant used as Portuguese food species. *Food Chemistry* 103: 778-786.
- McGown, J. 2006. "Diabetes Drug Produced by a Microbe in Out of Africa: Myteries of Access and Benefit Sharing" Beth Burrows ed. The Edmonds Institute, Washington, United States.
- Meda, A., Lamien, C. E., Romito, M., Millogo, J., dan Nacoulma, O. G. 2005. Determination of the total phenolic, flavonoid, and proline contents in Burkina

- Fasan Honey, as well as their radical scavenging activity. *J. Food Chem.* 91: 571-577.
- Meilgaard, M. C., Civille, G. V. dan Carr, B. T. 2007. "Sensory Evaluation Techniques" 4th ed. Taylor & Francis, New York.
- Meinar, I. A. 2015. Kinetika inhibisi enzim α -glukosidase secara *in vitro* oleh ekstrak daun *Aquilaria filarial* sebagai antihiperqlikemik. Skripsi, Institut Pertanian Bogor, Bogor.
- Min, B. S., Cuong, T. D., Hung, T. M., Min, B. K., Shin, B. S., Woo, M. H. 2012. Compounds from the heartwood of *Caesalpinia sappan* and their anti-inflammatory activity. *Bioorg Med. Chem. Lett.* 22(24):7436-7439.
- Mohan, C., Long, K. D., dan Mutneja, M. 2013. "An Introduction to Inhibitors and Their Biological Applications" EMD Millipore, Jerman.
- Mohan, V.R., Kumar, N.R. dan Vasantha, K. 2014. GC-MS analysis of bioactive components of tubers of *Ruellia tuberosa* L. (*Acanthaceae*). *Am. J. Phytomed. Clin. Therapeut.* 2: 209-216.
- Moon, C. H. 1990. Effect of brazilin on glucose metabolism in isolated soleus muscles from streptozotocin diabetic rats. *Arch. Pharm. Res.* 13: 359-364.
- Muhlisah, F. 1999. "Temu-temuan dan Empon-empon Budidaya dan Manfaatnya" Cetakan 1. Penerbit Kanisius, Yogyakarta.
- Murray, R. K., Granner, D. K., dan Rodwell, V. W. 2009. "Biokimia Harper edisi ke-27 terjemahan dari *Harper's Biochemistry 27th*" Buku Kedokteran EGC, Jakarta.
- Nambiar, V. S. dan Matela, H. 2012. Potential functions of lemon grass (*Cymbopogon citratus*) in health and disease. *International Journal of Pharmaceutical & Biological Archives* 3(5): 1035-1043.
- Natisri, S., Mahattanatawe, K., dan Thaiudom, S. 2014. Improving the flavor of soy ice cream by adding lemongrass or pandan leaf extracts. *CMUJ NS Special Issue on Food and Applied Bioscience* 13(1): 469-482.
- Neswati dan Ismanto, S. D. 2018. Ekstraksi komponen bioaktif serbuk kayu secang (*Caesalpinia sappan*, L.) dengan metode ultrasonikasi. *Jurnal Teknologi Pertanian Andalas* 22(2): 187-194.
- Nirmal, N. P., Rajput, M. S., Prasad, R. G. S. V., dan Ahmad, M. 2015. Brazilin from *Caesalpinia sappan* heartwood and its pharmacological activities: A review. *Asian Pacific Journal of Tropical Medicine* 8(6): 421-430.
- Nishaa, S., Vishnupriya, M., Sasikumar, J. M., Christabel, H. P., dan Gopalakrishnan, V. K. 2012. Antioxidant activity of ethanolic extract of *Maranta arundinacea* L. tuberous rhizomes. *Asian Journal of Pharmaceutical and Clinical Research* 5(4): 85-88.
- Nivetha, G., Vishupriya, dan Gayathri, R. 2016. Comparative evaluation of anti-diabetic activity of lemon grass oil and tulasi oil. *International Journal of Pharmaceutical Sciences Review and Research* 39(1): 221-225.

- Nugroho. 2011. Ekstrak tanaman obat dalam minuman fungsional berbasis ekstrak. Artikel Biologi, Institut Pertanian Bogor.
- Oliveira, L. F. C., Edwards, H. G. M., Velozo, E. S. and Nesbitt, M. 2002. Vibrational spectroscopic study of brazilin and brazilin, the main constituents of brazilwood from Brazil. *Vibrational Spectroscopy* 28: 243–249.
- Ozcan, T., Akpinar-Bayazit, A., Yilmaz-Ersan, L., dan Delikanli, B. 2014. Phenolics in human health. *International Journal of Chemical Engineering and Applications* 5(5): 393-396.
- Palupi, M. R. dan Widyaningsih, T. D. 2015. Pembuatan minuman fungsional liang teh daun salam (*Eugenia polyantha*) dengan penambahan filtrat jahe dan filtrat kayu secang. *Jurnal Pangan dan Agroindustri* 3(4): 1458-1464.
- Patel, M. B. dan Mishra, S. M. 2012. Magnoflorine from *Tinospora cordifolia* stem inhibits α -glucosidase and is antiglycemic in rats. *J. Funct. Foods* 4: 79-86.
- Pereira, D. F., Cazarolli, L. H., Lavado, C., Mengatto, V., Figueiredo, M. S. R. B., Guedes, A., Pizzolatti, M. G. Silva, F. R. M. B. 2011. Effects of flavonoids on α -glucosidase activity: Potential targets for glucose homeostasis. *Nutrition* 27(11-12): 1161-1167.
- Pinto, G. dan Pollio, A. 2011. Plant polyphenols and their anti-cariogenic properties. *Molecules* 16: 1486-1507.
- Ponnusamy, S., Ravindran, R., Zinjarde, S., Bhargava, S. dan Kumar, A. R. 2011. Evaluation of traditional Indian antidiabetic medicinal plants for human pancreatic amylase inhibitory effect *in vitro*. *Evidence-based Complementary and Alternative Medicine*: 1-10.
- Poovitha, S., dan Parani, M. 2016. In Vitro and In Vivo α -amylase and α -glucosidase inhibiting activities of the protein extract from two varieties of bitter melon (*Momordica charantia* L.). *Journal BioMed Central Complementary and Alternative Medicine* 16(1).
- Prakash, I., Markosyan, A., dan Bunders, C. 2014. Development of next generation stevia sweetener: Rebaudioside M. *Foods* 3: 162-175.
- Proestos, C., Boziaris, I. S., Nychas, G., Komaitis, M. 2006. Analysis of flavonoid and phenolic acids in Greek aromatic plants: Investigation of their antioxidant capacity and antimicrobial activity. *Food Chem.* 95: 664-671.
- Purwatresna, E. 2012. Aktivitas antidiabetes ekstrak air dan etanol daun sirih secara *in vitro* melalui penghambatan enzim α -glukosidase. Skripsi, Institut Pertanian Bogor, Bogor.
- Puspaningrum, R. 2003. Pengaruh ekstrak kayu secang (*Caesalpinia sappan* L.) terhadap proliferasi sel limfosit limpa tius dan sel kanker K-562 (*Chronic myelogenous Leukimia*) secara *in vitro*. Skripsi, Institut Pertanian Bogor, Bogor.

Puspitayanti, I. R. 2017. Aktivitas penghambatan enzim alfa glukosidase oleh ekstrak etanol daun ubu jalar ungu (*Ipomoea batatas* L). Skripsi, Universitas Muhammadiyah Surakarta, Surakarta.

Rahayu, L., Zakir, L., dan Keban, S. A. 2013. The effect of rambutan seed (*Nephelium lappaceum* L.) infusion on blood glucose and pancreas histology of mice induced with alloxan. *Jurnal Ilmu Kefarmasian Indonesia* 11 (1): 28-35.

Rajesh, K. D., Vasantha, S., Rajesh, N. V., dan Paneerselvam, A. 2014. Qualitative and quantitative phytochemical analysis in four pteridophytes. *Int. J. Pharm. Sci. Rev. Res.* 27 (2): 408-412.

Rana, P.S., Puja, A., Dongsool, Y., Chapla, A., dan Agarwal, R. 2005. Acacetin inhibits cell growth and cell cycle progression, and induces apoptosis in human prostate cancer cells: Structure-activity relationship with linarin and linarin acetate. *Carcinogenesis* (26): 845-885.

Ranilla, L. G., Kwon, Y. I., Apostolidis, E., dan Shetty, K. 2010. Phenolic compounds, antioxidant activity and *in vitro* inhibitory potential against key enzymes relevant for hyperglycemia and hypertension of commonly used medicinal plants, herbs and spices in Latin America. *Bioresource Technology* 101: 4676-4689.

Rhyne, T. M. 2016. "Applying Color Theory to Digital Media and Visualization" CRC Press, New York.

Rice-Evans, C. A., Miller, N. J., dan Paganga, G. 1997. Antioxidant properties of phenolic compounds. *Trends in Plant Science* 2: 152-159.

Rina, O., Ibrahim, S., Dharma, A., Afrizal, Wirawati, C. U., dan Widodo, Y. R. 2017. Stabilities natural colorant of sappan wood (*Caesalpinia sappan* L) for food and beverages coloring in various pH, temperature, and matrices of food. *International Journal of ChemTech Research* 10(1): 98-103.

Risma, D. 2012. Isolasi dan karakterisasi enzim α -glukosidase dari beras lapuk (*Oryza sativa*). Skripsi, Universitas Indonesia, Depok.

Rohdiana, D. 2001. Aktivitas daya tangkap radikal polifenol dalam daun teh. *Majalah Jurnal Indonesia* 12(1): 53-58.

Ruddon, R. W. 2007. "Cancer Biology" 4th ed. Oxford University Press Inc., New York.

Safitri, G. I. 2009. Pengaruh kopigmentasi pewarna alami brazilein kayu secang (*Caesalpinia sappan* L.) dengan *sinapic acid* terhadap stabilitas warna pada model minuman. Skripsi, Institut Pertanian Bogor, Bogor.

Salmia. 2016. Analisis kadar flavonoid total ekstrak kulit batang kedondong Bangkok (*Spondias dulcis*) dengan metode Spektrofotometri UV-Vis. Skripsi, Universitas Negeri Alauddin Makassar, Makassar.

Sampoerno dan Fardiaz, D., 2001. Kebijakan dan pengembangan pangan fungsional dan suplemen di indonesia dalam L. Nuraida & R. D. Hariyadi (Eds),

Proceeding Seminar Nasional Pangan Tradisional sebagai Basis Industri Pangan Fungsional dan Suplemen Pusat Kajian Makanan Tradisional. Institut Pertanian Bogor.

Samson, Z. M. 2010. Senyawa golongan alkaloid ekstrak buah mahkota dewa sebagai inhibitor α -glukosidase. Skripsi, Institut Pertanian Bogor, Bogor.

Sangi, M., Runtuwene, M. R. J., Simbala, H. E. I., dan Makang, V. M. A. 2008. Analisis fitokimia tumbuhan obat di Kabupaten Minahasa Utara. *Chemistry Progress* 1(1): 47-53.

Sani, R. N., Nisa, F. C., Andriani, R. D., dan Maligan, J. M. 2014. Analisis rendemen dan skrining fitokimia ekstrak etanol mikroalga laut *Tetraselmis chuii*. *Jurnal Pangan dan Agroindustri* 2(2): 121-126.

Sari, R. dan Suhartati. 2016. Secang (*Caesalpinia sappan* L.): Tumbuhan herbal kaya antioksidan. *Info Teknis EBONI* 13(1): 57-67.

Sarker, S. D., Latif, Z., dan Gray, A. I. 2005. "Natural Products Isolation" 2nd ed. Humana Press Inc., New Jersey.

Saxena, M., Saxena, J., Nema, R., Singh, D., dan Gupta, A. 2013. Phytochemistry of medicinal plants. *Journal of Pharmacognosy and Phytochemistry* 1(6): 168-182.

Schuck, P., Dolivet, A., dan Jeantet, R. 2012. "Analytical Methods for Food and Dairy Powders" John Wiley & Sons, UK.

Sembiring, B. B. 2014. Minuman fungsional antioksidan berbasis tanaman obat. *Prosiding Seminar Nasional Pertanian Organik*, 451-460.

Septyaningsih, D. 2010. Isolasi dan identifikasi komponen utama ekstrak biji buah merah (*Pandanus conoideus Lamk*). Skripsi, Universitas Sebelas Maret, Surakarta.

Setyaningsih, D., Apriyanto, A., dan Sari, MP. 2010. Analisis sensori untuk industri pangan dan agro. Institut Pertanian Bogor Press, Bogor.

Shaaban, M., Fattah, A. E., Sree, A., Hassan, Y., Bayoum, H. M., dan Eissa, H. A. 2010. The use of lemongrass extracts as antimicrobial and food additive potential in yoghurt. *Journal of American Science* 6(11): 582-594.

Sharma, P., Chaturvedi, N., Upadhyay, M., dan Varma, S. 2013. Qualitative determination of total phenolic content in stem bark and leaves extracts of *Madhuca longifolia*. *International Journal of PharmTech Research* 5(3): 1150-1154.

Sinsawasdi, V. K. 2012. Sappanwood water extract: evaluation of color properties, functional properties, and toxicity. Program Doktor Filosofi, University of Florida, Florida.

Sinta, M. dan Sumaryono. 2016. Glikosida Steviol dan Turunannya, Penyebab Rasa Manis Pada Stevia. Available from: www.iribb.org. Diakses 5 Juli 2018.

Soegondo, S. 2009. "Penatalaksanaan Diabetes Mellitus Terpadu" FKUI, Jakarta.

Storey, K. B. 2004. "Functional Metabolism: Regulation and Adaptation" Wiley-Liss, New Jersey.

Strelow, J., Dewe, W., Iversen, P. W., Brooks, H. B., Radding, J. A., McGee, J., dan Weidner, J. 2012. Mechanism of Action Assays for Enzymes. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK92001/>. Diakses 11 Desember 2018.

Sugiwati, S., Setiasih, S., dan Afifah, E. 2009. Antihyperglycemic activity of the mahkota dewa [*Phaleria macrocarpa* (scheff.) Boerl.] leaf extracts as an alpha-glucosidase inhibitor. *Makara, Kesehatan* 13(2): 74-78.

Sultana, B., Anwar, F., dan Ashraf, M. 2009. Effect of extraction solvent/technique on the antioxidant activity of selected medicinal plant extracts. *Molecules* 14: 2167-2180.

Sutha, S., Devi, V. K. dan Mohan, V. R. 2012. GC-MS determination of bioactive components of *Alstonia venenata* R. Br. *Res. J. Pharmaceut. Biol. Chem. Sci.*, 3: 291-296.

Sutrisno, A.L. 2017. Studi aktivitas antidiabetes minuman herbal kayu manis (*Cinnamomum burmanni*), jahe (*Zingiber officinale*), dan jeruk nipis (*Citrus aurantifolia*) secara *in vitro*. Skripsi, Universitas Pelita Harapan, Tangerang.

Syafitri, N. E., Bintang, M., dan Falah, S. 2014. Kandungan fitokimia, total fenol, dan total flavonoid ekstrak buah harendong (*Melastoma affine* D. Don). *Current Biochemistry* 1(3): 105-115.

Syahid, S. F. dan Kristina, N. N. 2008. Multiplikasi tunas, aklimatisasi dan analisis mutu simplisia daun encok (*Plumbago zeylanica* L.) asal kultur *in vitro* periode panjang. *Bul. Litro*. 21(2): 117-128.

Tachakittirungrod, S., Okonogi, S., dan Chowwanapoonpohn, S. 2007. Study on antioxidant activity of certain plants in Thailand: Mechanism of antioxidant action of guava leaf extract. *J. Food Chem.* 103: 381-388.

Tadera, K., Minami, Y., Takamata, K., dan Matsuoka, T. 2006. Inhibition of α -glucosidase and α -amylase by flavonoids. *J. Nutr. Sci. Vitaminol* 52: 149-153.

Tezar, R., Aminah, S., Bain, A. 2008. Optimasi pemanfaatan stevia sebagai pemanis alami pada sari buah belimbing manis. *Jurnal Agriplus* 18(3): 178-185.

Tiwari, P., Kumar, B., Kaur, M., Kaur, G., dan Kaur, H. 2011. Phytochemical screening and extraction-A review. *Internationale Pharmaceutica Scientia* 1(1): 98-106.

Tjitrosoepomo, G. 2005. "Taksonomi Umum" Cetakan ke-3. Gajah Mada University, Press. Yogyakarta.

Torres, L., Velasquez, A., dan Brito-Arias, M. 2011. Ca-alginate spheres behavior in presence of some solvents and water solvent mixtures. *Advances in Bioscience and Biotechnology* 2(1): 8-12.

Treml, J. dan Smejkal, K. 2016. Flavonoids as potent scavengers of hydroxyl radicals. *Comprehensive Review in Food Science and Food Safety* 15: 720-738.

Umami, C. dan Afifah, D. N. 2015. Pengaruh penambahan ekstrak kayu secang dan ekstrak daun stevia terhadap aktivitas antioksidan dan kadar gula total pada yoghurt

sebagai alternatif minuman bagi penderita diabetes melitus tipe 2. *Journal of Nutrition College* 4(2): 645-651.

Uraku, A. J. 2015. Determination of chemical compositions of *Cymbopogon citratus* leaves by gas chromatography-mass spectrometry (GC-MS) method. *Research Journal of Phytochemistry* 9(4): 175-187.

Uraku, A. J., Offor, C. E., Itumoh, E. J., Ukpabi, C. E., Aja, P. M., Ebenyi, L. N., Azi, S. O., dan Emmanuel, T. F. 2015. Gas chromatography-mass spectrometry (GC-MS) analysis of essential oil from *Hyptis spicigera* leaves. *Am. J. Biol. Chem.*, 3: 45-56.

Wang, H., Du, Y. J., dan Song, H. C. 2010. α -glucosidase and amylase inhibitory activities of guava leaves. *Food Chem.* 123: 6-13.

Widaryanti, B., Pramatarim F. L. R., dan Nugrahani, A. 2014. Sereh (*Cymbopogon citratus*) sebagai antidiabetes pada tikus diabetes yang diinduksi aloksan. *Seminar Analisis Kesehatan Manggala*: 61-65.

Wijayakusuma. 2005. "Buku Ajar Fisiologi Kedokteran" EGC, Jakarta.

Wijoyo, P. M. 2009. "15 Ramuan Penyembuh Maag" Bee Media Indonesia, Jakarta.

Winarti, C. dan Nurdjanah, N. 2005. Peluang tanaman rempah dan obat sebagai sumber pangan fungsional. *Jurnal Litbang Pertanian* 24(2): 47-55.

Winata, H. 2011. Aktivitas antioksidan dan kandungan kimiawi ekstrak daun wungu (*Graptophyllum pictum* L. Griff.). Skripsi, Institut Pertanian Bogor, Bogor.

Won, H. S., Lee, J., Khil, L. Y., Chae, S. H., Ahn, M. Y., Lee, B. H., Chung, J. H., Kim, Y. C., dan Moon, C. K. 2004. Mechanism of action of brazilin on gluconeogenesis in isolated rat hepatocytes. *Planta Med.* 70:740-744.

Xu, D., Li, Y., Meng, X., Zhou, T., Zhou, Y., Zheng, J., Zhang, J. J., dan Li, H. 2017. Natural antioxidants in foods and medicinal plants: Extraction, assessment and resources. *International Journal of Molecular Sciences* 18(1): 1-32.

Yadav, S.K. dan Guleria, P. 2012. Steviol glycoside from stevia: Biosynthesis pathway review and their application in food and medicine. *Critical Rev. Food Sci. Nutrition* 52: 988-998.

Yemirta. 2010. Identifikasi kandungan senyawa antioksidan dalam kayu secang (*Caesalpinia sappan*). *Jurnal Kimia dan Kemasan* 32(2): 41-46.

Zhang, S. Q., Kumar, A., dan Kutowy, O. 2000. Membrane-based separation scheme for processing sweeteners from stevia leaves. *Food Research International* 33: 617-620.

Zhong, X., Wu, B., Pan, Y. J., Zheng, S. 2009. Brazilin inhibits survivin protein and mRNA expression and induces apoptosis in hepatocellular carcinoma HepG2 cells. *Neoplasma* 56(5): 387-392.

Zuraida, Sulistiyani, Sajuthi, D., dan Suparto, I. H. 2017. Fenol, flavonoid, dan aktivitas antioksidan pada ekstrak kulit batang pulai (*Alstonia scholaris* R. Br). Jurnal Penelitian Hasil Hutan 35(3): 211-219.

