

DAFTAR PUSTAKA

- Aristya, A.L., Legowo, A.M., Al-Baari, A.N. 2013. Karakteristik fisik, kimia, dan mikrobiologis kefir susu kambing dengan penambahan jenis dan konsentrasi gula yang berbeda. *Jurnal Aplikasi Teknologi Pangan*, 2(3): 139-143.
- Ayivi, R.D., Gyawali, R., Krastanov, A., Aljaloud, S.O., Worku, M., Tahergorabi, R., Da Silva, R.C., Ibrahim, S.A. 2020. Lactic acid bacteria: food safety and human health application. *Dairy*, 1(3): 202-232. DOI: <https://doi.org/10.3390/dairy1030015>.
- Azizah, R., Restuhadi, F., dan Rossi, E. 2014. Kajian penggunaan tween80TM pada pelbagai konsentrasi nira nipah kental dalam proses fermentasi bioetanol. *Journal Online Faculty of Agriculture Students*, 1(1): 1-8.
- Bryan, A., Hart, C., Howell, A., Wise, M., dan Roberts, B. 2018. Glucose concentrations effect on rate of fermentation in yeast. *Journal of Undergraduate Biology Laboratory Investigation*, 1-4.
- BSN. 2009. Minuman susu fermentasi berperisa. Badan Standarisasi Nasional, SNI 7552:2009.
- Burns, D.T., Johnston, E.L., dan Walker, M.J. 2020. Authenticity and the potability of coconut water - a critical review. *Journal of AOAC International*, 103(3): 800-806. DOI: 10.1093/jaoacint/qs008.
- CAC. 2003. CODEX standards for fermented milks. Codex Alimentarius Comission, CODEX STAN 243-2003.
- Da Costa, S.L., Rossi, N.P., dan Maldonado, R.R. 2013. Evaluation of lactose in milk and dairy products. *International Journal for Innovation Education and Research*, 1(3): 1-4.
- Dahunsi, A.T.A., Dahunsi, S.O., dan Olayanju, A. 2019. Synergistic microbial interactions between lactic acid bacteria and yeasts during production of Nigerian indigenous fermented foods and beverages. *Food Control*, 110: 1-30.
- Danilovic, B., Dordevic, N., dan Savic, D. 2019. Microbiological and chemical changes during two-phase fermentation of kefir. *Advanced Technologies*, 8(1): 5-9.
- Davani-Davari, D., Negahdaripour, M., Karimzadeh, I., Seifan, M., Mohkam, M., Masoumi, S.J., Berenjian, A., dan Ghaseimi, Y. 2019. Prebiotics: definition,

- types, sources, mechanisms, and clinical applications. *Foods*, 83(3): 92. DOI: 10.3390/foods8030092.
- Dertli, E., dan Con, A.H. 2017. Microbial diversity of traditional kefir grains and their role on kefir aroma. *LWT Food Science and Technology*, 85: 151-157.
- Dewi, A.C., Rahardjo, A.H.D., Setyawardani, T., dan Subagja, H. 2019. Study on kefir grain concentration and the different length of storage on the physicochemical of goat milk kefir. *Journal of Physics: Conference Science*, 1569: 1-5. DOI: 10.1088/1742-6596/1569/3/032001.
- FSANZ. 2015. Fermented milk products. Food Standards Australia New Zealand, ANZFS Code Standard 2.5.3.
- Guzel-Seydim, Z.B., Gokirmakli, C., dan Greene, A.K. 2021. A comparison of milk kefir and water kefir: physical, chemical, microbiological and functional properties. *Trends in Food Science and Technology*, 113: 42-53.
- Hecer, C., Ulusoy, B., dan Kaynarca, D. 2019. Effect of different fermentation conditions on composition of kefir microbiota. *International Food Research Journal*, 26(2): 401-409.
- Insani, H., Rizqiaty, H., dan Prataman, Y. 2018. Pengaruh variasi konsentrasi sukrosa terhadap total khamir, total padatan terlarut, kadar alkohol dan mutu hedonik pada water kefir buah naga merah (*Hylotreceus polyrhizus*). *Jurnal Teknologi Pangan*, 2(2): 90–95.
- Ismail, Y. S., Yulvizar, C. & Mazhitov, B. 2018. Characterization of lactic acid bacteria from local cow's milk kefir. *IOP Conference Series: Earth and Environmental Science*, 130: 1-8.
- JETRO.2011. Specifications and standards for foods, food additives, etc. under the food sanitation act. Japan External Trade Organization.
- KEBS. 2018. Fermented (cultured) milks – specification. Kenya Bureau of Standards, Kenya Standard DKS 941:2018.
- Kechagia, M., Basoulis, D., Konstanstopoulou, S., Dimitriadi, D., Gyftopoulou, K., Skarmoutsou, N., dan Fakiri, E.M. 2013. Health benefits of probiotics : a review. *ISRN Nutrition*, (481651):1-7. DOI: 1/2013/5402.10/org.doi.dx://http.
- Kopecka, J., Matoulkova., dan Nemeč, M. 2012. Yeast And Its Uses. *Kvasny Prum*, 58: 326-334. DOI:10.18832/kp2012029.
- Korukluoglu, M., Arik, G., Erdogan, C., dan Kocakoglu, S. 2017. Screening of antagonistic/synergistic effect between lactic acid bacteria (lab) and yeast

- strains isolated from kefir. *International Journal of Nutrition and Food Engineering*, 11(1): 282-288.
- Kurniati, T., Windayani, N., dan Listiawati, M. 2020. Total lactic acid, protein, fat, and carbohydrates in curd kefir and cow colostrum kefir. *Jurnal Biodjati*, 5(2): 271-280.
- Laureys, D., Aerts, M., Vandamme, P., Vuyst L.D. 2018. Oxygen and diverse nutrients influence the water kefir fermentation process, *Food Microbiology*, 75: 351-361. DOI: 10.1016/j.fm.2018.02.007.
- Laureys, D., dan Vuyst, LD. 2016. The water kefir grain inoculum determines the characteristics of the resulting water kefir fermentation process. *Journal of Applied Microbiology*, 122:719-732. DOI :10.1111/jam.1337.
- Laureys, D., Leroy, F., Haufmann, T., Raes, M., Aerts, M., Vandamme, P., dan Vuyst, L.D. 2021. The type and concentration of inoculum and substrate as well as the presence of oxygen impact the water kefir fermentation process. *Front. Microbiol.* 12(628599): 1-13. DOI: <https://doi.org/10.3389/fmicb.2021.628599>.
- Lynch, K.M., Wilkinson, S., Daenen, L., dan Arendt, E.K. 2021. An update on water kefir: Microbiology, composition and production. *International Journal of Food Microbiology*, 345(109128): 1-18. DOI:10.1016/j.ijfoodmicro.2021.109128.
- Magra, T.I., Antoniou, K.D., dan Psomas, E.I. 2012. Effect of milk fat, kefir grain inoculum and storage time on the flow properties and microbiological characteristics of kefir. *Journal of Texture Studies*, 43(4): 1-10. DOI: :10.1111/j.1745-4603.2011.00343.x.
- Margareth, L.L., Nurwantoro, dan Rizqiati, H. 2020. Effect of different kefir grain starter concentration on yield, ph, co₂ content, and organoleptic properties of buffalo milk kefir. *Journal of applied food technology*, 7(1): 15-18.
- Narayan, A., Bhattacharjee, K., dan Naganathan, A.N. 2019. Thermally versus chemically denatured protein states. *Biochemistry*, 58: 2519-2523.
- Nur'utami, D.A., Pertiwi, S.R.R., dan Syarifah, N. 2018. Formulasi kefir rendah lemak dari kacang bambara (*Vigna subterranae*) dengan variasi waktu fermentasi dan konsentrasi starter. *Jurnal Agroindustri Halal*, 4 (2): 192 – 199.
- Pertiwi, S.R.R., Novidahlia, N., dan Juliana, I. 2013. Perubahan sifat kimia kefir-air yang difermentasi pada berbagai suhu. *Jurnal Pertanian*, 4(1): 21-25. DOI: <https://doi.org/10.30997/jp.v4i1.65>.

- Pfeiffer, T., dan Morley, A. 2014. An evolutionary perspective on the Crabtree effect. *Fron. Mol. Biosc.* 1: 17. DOI: 10.3389/fmolb.2014.00017.
- Pourahmad, R., Moghimi, A., Dadkhah, S. dan Assadi, M.M. 2011. Evaluation of flavor and aroma compounds amounts in kefir from soymilk. *World Applied Science Journal*, 15(5): 673-676.
- Prastiwi, V.F., Bintoro, V.P., dan Rizqiati, H. 2018. Sifat mikrobiologi, nilai viskositas dan organoleptik kefir optima dengan penambahan high fructose syrup (HFS). *Jurnal Teknologi Pangan*, 2(1): 27-32.
- Prastujati, A.U., Hilmi, M., dan Khirzin, M.H. 2018. Pengaruh konsentrasi starter terhadap kadar alkohol, pH, dan total asam tertitiasi (TAT) whey kefir. *Jurnal Ilmu Peternakan Terapan*, 1(2): 63-69.
- Purba, A.P., Dwiloka, B, dan Riazqiati, H. 2018. Pengaruh lama fermentasi terhadap bakteri asam laktat (BAL), viskositas, aktivitas antioksidan, dan organoleptik water kefir anggur merah (*Vitis vinifera* L.). *Jurnal Teknologi Pangan*, 2(1): 49-51.
- Purbasari, A., Pramono, Y.B., dan Abduh, S.B.M. 2014. Nilai ph, kekentalan, citarasa asam, dan kesukaan pada susu fermentasi dengan perisa alami jambu air (*Syzygium sp*). *Jurnal Aplikasi Teknologi Pangan*, 3(4): 174-177.
- Randazzo, W., Corona, O., Guarcello, R., Francesca, N., Germana, M.A., Erten, H., Moschetti, G., dan Settani, L. 2016. Development of new non-dairy beverages from Mediterranean fruit juices fermented with water kefir microorganisms. *Food Microbiology*, 54: 40-51.
- Rizqiati, H., Mulyani, S., dan Ramadhanti, D.L. 2021. Pengaruh variasi konsentrasi sukrosa terhadap total bakteri asam laktat, ph, kadar alkohol dan hedonik water kefir belimbing manis (*Averrhoa carambola*). *Jurnal Ilmiah Sains*, 21(1): 54-62. DOI: <https://doi.org/10.35799/jis.21.1.2021.31160>.
- Rosiana, E., Nurliana, dan Armansyah, T. 2013. Kadar asam laktat dan derajat asam kefir susu kambing yang di fermentasi dengan penambahan gula dan lama inkubasi yang berbeda. *Jurnal Medika Veterinarian*, 7(2): 87-90.
- Safitri, M.F., dan Swarastuti, A. 2013. Kualitas kefir berdasarkan konsentrasi kefir grain. *Jurnal Aplikasi Teknologi Pangan*, 2(2): 87-92.
- Stadie, J., Gilitz, A., Ehrmann, M.A., dan Vogel, R.F. 2013. Metabolic activity and symbiotic interactions of lactic acid bacteria and yeasts isolated from water kefir. *Food Microbiology*, 35(2): 92-98. DOI: 10.1016/j.fm.2013.03.009.
- Suharman, Sutakwa, A., dan Nadia, L.S. Effects of sucrose addition to lactic acid concentrations and lactic acid bacteria population of butterfly pea (*Clitoria*

- Ternatea L.) yogurt. *Journal of Physics : Conference Science*, 1823: 1-5. DOI: 10.1088/1742-6596/1823/1/012038.
- Sulmiyati, Said, N.S., Fahrodis, D.U., Malaka, R., dan Maruddin, F. 2019. The physicochemical, microbiology, and sensory characteristics of kefir goat milk with different levels of kefir grain. *Tropical Animal Science Journal*, 42(2): 152-158. DOI: <https://doi.org/10.5398/tasj.2019.42.2.152>.
- Supriyono, T., Murwani, R., dan Nurrahman. 2014. Kandungan beta karoten, polifenol total dan aktifitas “merantas” radikal bebas kefir susu kacang hijau (*Vigna radiata*) oleh pengaruh jumlah starter (*Lactobacillus bulgaricus* dan *Candida kefir*) dan konsentrasi glukosa. *Jurnal Gizi Indonesia*, 2(2): 65-71.
- Surja, L.L., Dwiloka, B., dan Rizqiati, H. 2019. Effect of high fructose syrup (HFS) addition on chemical and organoleptic properties of green coconut water kefir. *Journal of applied food technology*, 6(1): 3-8.
- Torres, A.M., Abrocio, S.G., Del Orbe, P.H., Tanaca, L.V., dan Rodriguez. C.H. 2016. Inferring the role of microorganisms in water kefir fermentations. *International Journal of Food Science and Technology*, 2-12.
- Triwibowo, B., Wicaksono, R., Antika, Y., Ermi, S., Jarmiati, A., Setiadi, A.A., Syahriar, R. 2019. The effect of kefir grain concentration and fermentation duration on characteristics of cow milk-based kefir. *Journal of Physics: Conference Series*, 1444(012001): 1-6. DOI: 10.1088/1742-6596/1444/1/012001.
- Tsai, Y.L., Lin, T.L., Chang, C.J., Wu, T.R., Lai, W.F., Lu, C.C., dan Lai, H.C. 2019. Probiotics, prebiotics and amelioration of diseases. *Journal of Biomedical Science*, 26(3): 1-8.
- Wahono, S.K., Damayanti, E., Rosyida, V.T., Sadyastuti, E.I. 2011. Laju pertumbuhan *Saccharomyces cerevisiae* pada proses fermentasi pembentukan bioetanol dari biji sorgum (*Sorghum bicolor* L.). *Seminar Rekayasa Kimia Dan Proses*, 3-6.
- Walker, G.M., dan Stewart, G.G. 2016. *Saccharomyces cerevisiae* in the production of fermented beverages. *Beverages*, 2(30): 1-12. DOI: 10.3390/beverages2040030.
- Wang, Y., Wu, J., Lv, M., Shao, Z., Hungwe, M., Wang, J., Bai, X., Xie, J., Wang, Y., dan Geng, W. 2021. Metabolism characteristics of lactic acid bacteria and the expanding application in food industry. *Front. Bioeng. Biotechnol*, 9(612285): 1-14. DOI: <https://doi.org/10.3389/fbioe.2021.612285>.

- Worku, A dan Sahu, O. 2017. Significance of fermentation process on biochemical properties of *Phaseolus vulgaris* (red beans). *Biotechnol Rep (Amst)*, 16: 5-11.
- Yang, E., Fan, L., Yan, J., Jiang, Y., Doucette, C., Fillmore, S., dan Walker, B. 2018. Influence of culture media, pH and temperature on growth and bacteriocin production of bacteriocinogenic lactic acid bacteria. *AMB Express*, 8(10): 1-14. DOI: 10.1186/s13568-018-0536-0.
- Zenderboodi, F., Khorshidian, N., Mortazavian, A.M., dan Da Cruz., A.G. 2020. Probiotic: conceptualization from a new approach. *Current Opinion in Food Science*, 32: 103-123.

