

DAFTAR PUSTAKA

- Adebayo, O. L., James, A., Kasim, S. B., dan Jagri, O. P. 2014. Leaf extracts of *Vernonia amygdalina Del.* From northern ghana contain bioactive agents that inhibit the growth of some beta-lactamase producing bacteria in vitro. *British Journal of Pharmaceutical Research*, 4(2) : 192-202. DOI: 10.9734/BJPR/2014/3200.
- Afzali, F., dan Wong, W. 2017. In vitro screening of *Sonneratia alba* extract against the oomycete fish pathogen, *Aphanomyces invadans*. *Iranian Journal of Fisheries Sciences*, 16(4) : 1333-1340.
- Alexieva, I. N., Popova, A. T., dan Mihaylova, D. S. 2020. Trends in herbal usage – a survey study. *Food Research*, 4(2) : 500 – 506.
- Altunkaya, A. 2014. Partial purification and characterization of polyphenoloxidase from turkish tea leaf (*Camellia sinensis* L.). *International Journal of Food Properties*, 17 : 1490-1497. DOI: 10.1080/10942912.2012.752380.
- Aprilia, M., Wisaniyasa, N. W., dan Suter, I. K. 2020. Pengaruh suhu dan lama pelayuan terhadap karakteristik teh herbal daun kenikir (*Cosmos caudatus* Kunth.). *Jurnal Ilmu dan Teknologi Pangan*, 9(2) : 136-150.
- Ariffin, F., Chew, S. H., Bhupinder, K., Karim, A. A., dan Huda, N. 2011. Antioxidant capacity and phenolic composition of fermented *Centella asiatica* herbal teas. *Journal of The Science of Food and Agriculture*, 91(15) : 2731-2739. DOI: 10.1002/jsfa.4454.
- Aryal, S., Baniya, M. K., Danekhu, K., Kunwar, P., Gurung, R., dan Koirala, N. 2019. Total phenolic content, flavonoid content and antioxidant potential of wild vegetables from western Nepal. *Plants*, 8(96) : 1-12. DOI: 10.3390/plants8040096.
- Asmorowati, H., dan Lindawati, N. Y. 2019. Penetapan kadar flavonoid total buah alpukat biasa (*Persea americana* Mill.) dan alpukat mentega (*Persea americana* Mill.) dengan metode spektrofotometri UV-Vis. *Scientific Journal of Pharmacy*, 15(2) : 51-63. DOI: <https://doi.org/10.20885/jif.vol15.iss2.art1>.
- Augšpole, I., Dūma, M., dan Ozola, B. 2018. Bioactive compounds in herbal infusions. *Agronomy Research*, 16(S2) : 1322-1330. DOI: <https://doi.org/10.15159/AR.18.013>.

- Baharuddin, N. A. F., Nordin, M. F. M., Morad, N. A., Aris, N. I. A., dan Yunus, M. A. C. 2018. Total phenolic, flavonoid content and antioxidant activity of *clinacanthus nutans* leaves by water-based ultrasonic assisted extraction. *Malaysian Journal of Analytical Sciences*, 22(4) : 659-666. DOI: 10.17576/mjas-2018-2204-12.
- Bambang, B. S., Titik, D. S., dan Dearta, D. 2020. Pengaruh suhu dan waktu penyeduhan teh hijau *Sonneratia alba* terhadap aktivitas antioksidannya. *Journal of Fisheries and Marine Research*, 4(1) : 109-115.
- Bassani, D. C., Nunes, D. S., dan Granato, D. 2014. Optimization of phenolics and flavonoids extraction conditions and antioxidant activity of roasted yerbamate leaves (*Ilex paraguariensis* A. St.-Hil., Aquifoliaceae) using response surface methodology. *Anais da Academia Brasileira de Ciências*, 86(2) : 923-933. DOI: <http://dx.doi.org/10/1590/0001-3765201420130019>.
- Bondonno, N. P., Dalgaard, F., Kyrø, C., Murray, K., Bondonno, C. P., Lewis, J. R., Croft, K. D., Gislason, G., Scalbert, A., Cassidy, A., Tjønneland, A., Overvad, K., dan Hodgson, J. M. 2019. Flavonoid intake is associated with lower mortality in the danish diet cancer and health cohort. *Nature Communications*, 10(1) : 1-10. DOI: <https://doi.org/10.1038/s41467-019-11622-x>.
- BSN. 2013. SNI 3836 : 2013. Teh Kering Dalam Kemasan. Jakarta : Badan Standarisasi Nasional.
- Builders, P. F., Mohammed, B. B., dan Sule, Y. Z. 2020. Preparation and characterization of a poly-herbal tea with effective antioxidant properties. *Science World Journal*, 15(4) : 29-34.
- Buratti, S., Cappa, C., Benedetti, S., dan Giovanelli, G. 2020. Influence of cooking conditions on nutritional properties and sensory characteristics interpreted by e-senses: case-study on selected vegetables. *Foods*, 9(5) : 1-17. DOI: <https://doi.org/10.3390/foods9050607>.
- Calinoiu, L. F., dan Vodnar, D. C. 2020. Thermal processing for the release of phenolic compounds from wheat and oat bran. *Biomolecules*, 10(21) : 1-14. DOI: <https://doi.org/10.3390/biom10010021>.
- Cao, Y., Fang, S., Fu, X., Shang, X., dan Yang, W. 2019. Seasonal variation in phenolic compounds and antioxidant activity in leaves of *Cyclocarya paliurus* (Batal.) Iljinskaja. *Forests*, 10(624): 1-17. DOI: <https://doi.org/10.3390/f10080624>.
- Castiglioni, S., Damiani, E., Astolfi, P., dan Patricia, C. 2015. Influence of steeping conditions (time, temperature, and particle size) on antioxidant properties

- and sensory attributes of some white and green teas. *International Journal of Food Sciences and Nutrition*, 66(5): 491-497. DOI: 10.3109/09637486.2015.1042842.
- Cheng, S. H. 2017. Wonder of the world, evidence-based functional foods in health and disease. Serdang : Universiti Putra Malaysia Press.
- Cherrak, S. A., Mokhtari-Soulimane, N., Berroukeche, F., Bensenane, B., Cherbonnel, A., Merzouk, H., dan Elhabiri, M. 2016. In vitro antioxidant versus metal ion chelating properties of flavonoids: a structure-activity investigation. *PloS One*, 11(10) : 1-21. DOI: 10.1371/journal.pone.0165575.
- Chong, K. L., dan Lim, Y. Y. 2011. Effects of drying on the antioxidant properties of herbal tea from selected vitex species. *Journal of Food Quality*, 35 : 51-59. DOI: 10.1111/j.1745-4557.2011.00422.x.
- Chong, Y., dan Nyam, K. 2021. Effect of brewing time and temperature on the physical properties, antioxidant activities and sensory of the kenaf leaves tea. *Journal of Food Science and Technology*. DOI: <https://doi.org/10.1007/s13197-021-05034-3>.
- Costa, G., Grangiea, H., Figueirinha, A., Figueiredo, I. V., dan Batista, M. T. 2016. Influence of harvest date and material quality on polyphenolic content and antioxidant activity of *Cymbopogon citratus* infusion. *Industrial Crops and Products*, 83:738-745. DOI: <https://doi.org/10.1016/j.indcrop.2015.12.008>.
- Deuschla, V. C. N., Cruz, R. D., Flores, V. C., dan Benardi, L. B. 2019. *Persea americana*: phenolic profile, antioxidant potential, antimicrobial activity and in silico prediction of pharmacokinetic and toxicological properties. *Indian Journal of Pharmaceutical Sciences*, 81(4): 766-775. DOI: 10.36468/pharmaceutical-sciences.568.
- Dewata, I. P., Wipradnyadewi, P. A. S., dan Widarta, I. W. R. 2017. Pengaruh suhu dan lama penyeduhan terhadap aktivitas antioksidan dan sifat sensoris teh herbal daun alpukat (*Persea americana* Mill.). *Jurnal Ilmu dan Teknologi Pangan*, 6(2) : 30-39.
- Dhurnania, C. E., dan Novianto, A. 2018. Uji kandungan fenolik total dan pengaruhnya terhadap aktivitas antioksidan dari berbagai bentuk sediaan sarang semut (*Myrmecodia pendens*). *Jurnal Farmasi dan Ilmu Kefarmasian Indonesia*, 5(2) : 62-68.
- Dian-Nashiela, F., Noriham, A., Nooraain, H., dan Azizah, A. H. 2015. Antioxidant activity of herbal tea prepared from *Cosmos caudatus* leaves at different maturity stages. *International Food Research Journal*, 22(3) : 1189-1194.

- Dian-Nashiela, F., Abdullah, N., Hashim, N., dan Hamid, A. A. 2018. Antioxidant and mutagenic activity of herbal tea prepared from *Cosmos caudatus* leaves at different maturity stages. *Sains Malaysiana*, 47(4): 725-730. DOI: 10.17576/jsm-2018-4704-10.
- Ditjen PKH (Direktorat Jenderal Peternakan dan Kesehatan Hewan Kementerian Pertanian). 2017. Rumput odot. Jakarta : Sub Direktorat Pakan Hijauan.
- FAO. 2015. World tea production and trade current and future development. Roma : Food and Agriculture Organization.
- Fatimah, N., dan Sundu, R. 2020. Uji aktivitas antioksidan fraksi n-heksan daun afrika (*Vernonia amygdalina* del.) dengan metode DPPH. *Jurnal Ilmiah Ibnu Sina*, 5(2) : 250-257.
- Felicia, N., Widarta, I. W. R., dan Yusasrini, N. L. A. 2016. Pengaruh ketuaan daun dan metode pengolahan terhadap aktivitas antioksidan dan karakteristik sensoris teh herbal bubuk daun alpukat (*Persea americana* Mill.). *Jurnal Ilmu dan Teknologi Pangan*, 5(2) : 85-94.
- Gai, F., Peiretti, P. G., Karamać, M., dan Amarowicz, R. 2017. Changes in the total polyphenolic content and antioxidant capacities of perilla (*Perilla frutescens* L.) plant extracts during the growth cycle. *Journal of Food Quality*, 2 : 1-8. DOI: 10.1155/2017/7214747.
- Gan, P. T., dan Ting, A. S. Y. 2019. Our tea-drinking habits: effects of brewing cycles and infusion time on total phenol content and antioxidants of common teas. *Journal of Culinary Science and Technology*, 17(11) : 1-14. DOI: 10.1080/15428052.2017.1409673.
- Guest, D., dan Keane, P. 2018. Achieving sustainable cultivation of cocoa. Cambridge : Burleigh Dodds Science Publishing.
- Gunathilake, K. D. P. P., Ranaweera, K., dan Rupasinghe, H. P. V. 2018. Effect of different cooking methods on polyphenols, carotenoids and antioxidant activities of selected edible leaves. *Antioxidants*, 7(9) : 1-12. DOI: 10.3390/antiox7090117.
- Haw, Y. T., Sim, Y. Y., dan Nyam, K. L. 2020. Effect of steam blanching and high temperature drying on the physicochemical properties, antioxidant activities and consumer acceptability of *Hibiscus cannabinus* leaves tea. *Journal of Food Science and Technology*, 57: 4588-4598. DOI: <https://doi.org/10.1007/s13197-020-04497-0>.
- Horbowicz, M., Dębski, H., Wiczkowski, W., Szawara-Nowak, D., Koczkodaj, D., Mitrus, J., dan Sytykiewicz, H. 2013. The impact of short-term exposure to

- Pb and Cd on flavonoid composition and seedling growth of common buckwheat cultivars. *Polish Journal of Environmental Studies*, 22(6) : 1723-1730.
- Hui, C. K., Majid, N. I., Zainol, M. K .M., Mohamad, H., dan Zin, Z. M. 2018. Preliminary phytochemical screening and effect of hot water extraction conditions on phenolic contents and antioxidant capacities of *Morinda citrifolia* leaf. *Malaysian Applied Biology*, 47(4) : 13-24.
- Hunaefi, D., dan Smetanska, I. 2013. The effect of tea fermentation on rosmarinic acid and antioxidant properties using selected in vitro sprout culture of *Orthosiphon aristatus* as a model study. *SpringerPlus*, 2(1) : 1-14. DOI: 10.1186/2193-1801-2-167.
- Huyut, Z., Beydemir, S., dan Gulcin, I. 2017. Antioxidant and antiradical properties of selected flavonoids and phenolic compounds. *Biochemistry Research International*. 1-10. DOI: <https://doi.org/10.1155/2017/7616791>.
- Islam, S. N., Farooq, S., dan Sehgal, A. 2017. Effect of consecutive steeping on antioxidant potential of green, oolong and black tea. *International Journal of Food Science and Technology*, 53(1) : 1-6. DOI: 10.1111/ijfs.13572.
- Ismanto, S. D., Rahmi, I. D., dan Febrian, A. 2016. The influence of drying temperature on chemical components of herbal tea leaves (*Spondias dulcis*, soland). *IOP Conference Series Earth and Environmental Science*, 583. DOI: 10.1088/1755-1315/583/1/012030.
- Jabbar, A., Wahyuni, Malaka, M. H., dan Apriliani. 2019. Aktivitas antioksidan ekstrak etanol buah, daun, batang, dan rimpang pada tanaman *wualae* (*Etingera elatior* (Jack) R.M Smith). *Jurnal Farmasi Galenika (Galenika Journal of Pharmacy)*, 5(2) : 189-197. DOI: 10.22487/j24428744.2019.v5.i2.13671.
- Kelebek, H. 2016. LC-DAD-ESI-MS/MS Characterization of phenolic constituents in turkish black tea: effect of infusion time and temperature. *Food Chemistry*, 204: 227-238. DOI: <https://doi.org/10.1016/j.foodchem.2016.02.132>.
- Kumar, S., Das, G., Patra, J. K. 2016. *Passiflora foetida* L. : An exotic ethnomedicinal plant of odisha, india. *Journal of Pharma and Pharmaceutical Sciences*, 1(4) : 7-9.
- Kusuma, I. G. N. S., Putra, I. N. K., dan Darmayanti, L. P. T. 2019. Pengaruh suhu pengeringan terhadap aktivitas antioksidan teh herbal kulit kakao (*Theobroma cacao* L.). *Jurnal Ilmu dan Teknologi Pangan*, 8(1) : 85-93. DOI: <https://doi.org/10.24843/itepa.2019.v08.i01.p10>.

- Kusumawati, I. G. A. W., Reyunika, I. N., Yogeswara, I. B. A., Mustika, I. G., Putra, I. M. W. A. P., Santoso, U., dan Marsono, Y. 2019. Effect of loloh sembung (*Blumea balsamifera*) maturity stage on antioxidant activity. *Indonesian Journal of Nutrition and Dietetics*, 6(1) : 1-6. DOI: [http://dx.doi.org/10.21927/ijnd.2018.6\(1\).1-6](http://dx.doi.org/10.21927/ijnd.2018.6(1).1-6).
- Latiff, N. A., Ong, P. Y., Rashid, S. N. A. A., Abdullah, L. C., Amin, N. A. M., dan Fauzi, N. A. M. 2021. Enhancing recovery of bioactive compounds from *Cosmos caudatus* leaves via ultrasonic extraction. *Scientific Reports*, 17297 (11). DOI: <https://doi.org/10.1038/s41598-021-96623-x>.
- Lafarga, T., Bobo, G., Viñas, I., Zudaire, L., Simó, J., dan Aguiló-Aguayo, I. 2018. Steaming and sous-vide : effects on antioxidant activity, vitamin c, and total phenolic content of brassica vegetables. *International Journal of Gastronomy and Food Science*, 13: 134-139. DOI: <https://doi.org/10.1016/j.ijgfs.2018.05.007>.
- Lee, C. Y., Nanah, C., Held, R. Clark, A. Huynh, U., Maraskine, M. C., Uzarski, R. L., McCracken, J. dan Sharma, A. 2015. Effect of electron donating groups on polyphenol-based antioxidant dendrimers. *Biochimie*, 111 : 125-134. DOI: [10.1016/j.biochi.2015.02.001](https://doi.org/10.1016/j.biochi.2015.02.001).
- Lodolini, E. M., Ferlito, F., dan Neri, D. 2019. Pruning fig (*Ficus carica* L.) during the early stages after planting. *Conference : VI International Symposium on Fig.*
- Maharjan, S. 2019. *Ocimum sanctum* (Linn.); the queen of herbs. *European Journal of Biomedical and Pharmaceutical Sciences* 6(8) : 106-109.
- Matita, I. C., Mastuti, T. S., dan Maitri, S. 2020. Antioxidant properties of different types of torbangun herbal tea. *Reaktor*, 20(1) : 18-25.
- Montagnini, F., Eibl, B., dan Barth, S. R. 2011. Organic yerba mate : an environmentally, socially and financially suitable agroforestry system. *Bois et Forets des Tropiques*, 308 (2) : 59 – 74.
- Muhamad, I. I., Hassan, N. D., Mamat, S. N. H., Nawi, N. M., Rashid, W. A., dan Tan, N. A. 2017. Ingredients extraction by physicochemical methods in food. Amsterdam : Elsevier Science.
- Mutmainnah, N., Chadijah, S., dan Qaddafi, M. 2018. Penentuan suhu dan waktu optimum penyeduhan batang teh hijau (*Camelia sinensis* L.) terhadap kandungan antioksidan kafein, tanin dan katekin. *Lantanida Journal*, 6(1) : 1-11. DOI: [10.22373/lj.v6i1.1984](https://doi.org/10.22373/lj.v6i1.1984).

- Nathaniel, A. N., Putra, I. N. K., dan Wiadnyani, A. A. I. S. 2020. Pengaruh suhu dan waktu pengeringan terhadap aktivitas antioksidan dan sifat sensoris teh herbal celup daun rambusa (*Passiflora foetida* L.). *Jurnal Ilmu dan Teknologi Pangan*, 9(3) : 308-320.
- ^aNg, K. S., Mohd, Z. Z., Mohd, M. N., Abdullah, M. A. A., dan Zainol, M. K. 2020. Effect of steaming time on antioxidant properties of napier grass herbal tea by green tea processing method. *Food Research*, 4(1) : 175-183. DOI: [https://doi.org/10.26656/fr.2017.4\(1\).263](https://doi.org/10.26656/fr.2017.4(1).263).
- ^bNg, K. S., Mohd, Z. Z., Mohd, M. N., dan Zainol, M. K. 2020. The ramification of fermentation time on antioxidant properties of napier grass herbal tea by black tea processing method. *Food Research*, 4(2) : 349-357.
- Ng, K. S., Mohd, Z. Z., Mohd, M. N., Mamat, H., Juhari, N. H., dan Zainol, M. K. 2021. High-perfomance liquid chromatography (HPLC) analysis for flavonoid profiling of napier grass herbal tea. *Food Research*, 5(1) : 65-71. DOI: [https://doi.org/10.26656/fr.2017.5\(1\).311](https://doi.org/10.26656/fr.2017.5(1).311).
- Nurhayati, Marseno, D. W., Setyabudi, F. M. C. S., dan Supriyanto. 2018. Pengaruh steam blanching terhadap aktivitas polifenol oksidase, total polifenol dan aktivitas antioksidan biji kakao. *Jurnal Aplikasi Teknologi Pangan*, 7(3) : 95-103. DOI: 10.17728/jatp.2314.
- Orimadegun, B. E., Bolajoko, E. B., Onyeaghala, A. A., dan Ademola-Aremu, O. O. 2018. Quantitative analyses of phytochemical and trace elements contents of daily detox, herbal tea consumed in Nigeria. *Journal of Medicinal Plant Research*, 12(20) : 289-295. DOI: 10.5897/JMPR2018.6578.
- Paciulli, M., Dall'Asta, C., Rinaldi, M., Pellegrini, N., Pugliese, A., dan Chiavaro, E. 2018. Application and optimization of air-steam cooking on selected vegetables: impact on physical and antioxidant properties. *Journal of The Science of Food and Agriculture*, 98(6) : 2267-2276. DOI: 10.1002/jsfa.8715.
- Pakpahan, S., dan Sianturi, E. 2021. *Efektifitas larutan ekstrak daun bangun-bangun (*Coleus amboinicus*) terhadap pengurangan nyeri dan penyembuhan laserasi perineum*. Bandung : Media Sains Indonesia.
- Paramawati, R., dan Dumilah, H. D. R. 2016. Khasiat ajaib daun avokad. Jakarta : Penebar Swadaya.
- Phung, H. M., Lee, H., Lee, S., Jang, D., Kim, C. E., Kang, K. S., Seo, C. S., dan Choi, Y. K. 2021. Analysis and anticancer effects of active compounds from *Spatholobi caulis* in human breast cancer cells. *Processes*, 8(9) : 1-16. DOI: <https://doi.org/10.3390/pr8091193>.

- Phuyal, N., Jha, P. K., Raturi, P. P., dan Rajbhandary, S. 2020. Total phenolic, flavonoid contents, and antioxidant activities of fruit, seed, and bark extracts of *Zanthoxylum armatum* DC. *The Scientific World Journal*, 2020 : 1-7.
- Pursetyo, K. T., Tjahjaningsih, W., dan Andriyono, S. 2013. Analisis potensi *Sonneratia* sp. di wilayah pesisir pantai timur surabaya melalui pendekatan ekologi dan sosial-ekonomi. *Jurnal Ilmiah Perikanan dan Kelautan*, 5(2) : 129-137.
- Putri, K. D., Yusasrini, N. L. A., dan Nocianitri, K. A. 2021. Pengaruh metode pengolahan terhadap aktivitas antioksidan dan karakteristik teh herbal bubuk daun afrika (*Vernonia amygdalina* Delile). *Jurnal Ilmu dan Teknologi Pangan*, 10(1) : 77-96.
- Pakpahan, S., dan Sianturi, E. 2021. *Efektifitas larutan ekstrak daun bangun-bangun (Coleus amboinicus)* terhadap pengurangan nyeri dan penyembuhan laserasi perineum. Bandung : Media Sains Indonesia.
- Rana, S., dan Rana, K. K. 2014. Review on medicinal usefulness of *Vitex negundo* Linn. *Open Access Library Journal* : 1-13. DOI: . <http://dx.doi.org/10.4236/oalib.1100508>.
- Rabeta, M. S., dan Lai, S. Y. 2013. Effects of drying, fermented and unfermented tea of *Ocimum Tenuiflorum* Linn. on the antioxidant capacity. *International Food Research Journal*, 20(4) : 1601-1608.
- Resti, P. V., Utami, S., dan Arsyad. 2020. Antioxidant activity potential of red pomegranate (*Punica granatum* L.) peel as herbal tea. *Mutiara Medika : Jurnal Kedokteran dan Kesehatan*, 20(2) : 79-84.
- Reubun, Y. T. A., Kumala, S. K., Setyahadi, S., dan Simanjuntak, P. 2020. Penghambatan enzim asetilkolinesterase dari ekstrak herba pegagan (*Centella asiatica* (L.) Urb), ekstrak daun kelor (*Moringa oleifera* Lam.) dan kombinasinya. *PHARMACY : Jurnal Farmasi Indonesia (Pharmaceutical Journal of Indonesia)*, 17(2) : 451-458.
- Rollando, dan Monica, E. 2018. Penetapan kandungan fenolik total dan uji aktivitas antioksidan fraksi air ekstrak metanol kulit batang faloak (*Sterculia quadrifida* R.). *Scientia Jurnal Farmasi dan Kesehatan*, 8(1) : 29-36. DOI: 10.36434/scientia.v8i1.119.
- Romero-Tejeda, M. L., Martínez-Damián, M. T., dan Rodríguez-Pérez, J. E. 2015. Effect of storage temperature on enzyme activity and antioxidant capacity in *Salvia officinalis* L. shoots. *Revista Chapingo Serie Horticultura*, 21(3) : 199-213. DOI:10.5154/r.rchsh.2015.01.003.

- Russell, D. P., dan Byrd, J. D. 2015. *Perilla mint (Perilla frutescens)*. Starkville : Mississippi State University.
- Santana, P. M., Quijano-Aviles, M., Chóez-Guaranda, I., Lucas, A. B., Espinoza, R. V., Martinez, D., Camacho, C., dan Martínez, M. M. 2018. Effect of drying methods on physical and chemical properties of *Ilex guayusa* leaves. *Revista Facultad Nacional de Agronomia Medellin*, 71(3) : 8617-8622. DOI: 10.15446/rfnam.v71n3.71667.
- Sari, D. K., Affandi, D. R., dan Prabawa, S. 2019. Pengaruh waktu dan suhu pengeringan terhadap karakteristik teh daun tin (*Ficus carica* L.). *Jurnal Teknologi Hasil Pertanian*, 12(2) : 68-77.
- Sengül, M., Yıldız, H., dan Kavaz, A. 2014. The effect of cooking on total polyphenolic content and antioxidant activity of selected vegetables. *International Journal of Food Properties*, 17(3): 481-490. DOI: 10.1080/10942912.2011.619292.
- Setiawan, F., Yunita, O., dan Kurniawan, A. 2018. Uji aktivitas antioksidan ekstrak etanol kayu secang (*Caesalpinia sappan*) menggunakan metode DPPH, ABTS, dan FRAP. *Media Pharmaceutica Indonesiana*, 2(2) : 82-89.
- Shanaida, M., Golembiovská, O., Hudz, N., dan Wieczorek, P. P. 2018. Phenolic compounds of herbal infusions obtained from some species of *Lamiceae* family. *Current Issues in Pharmacy and Medical Sciences*, 31(4): 194-199. DOI: <https://doi.org/10.1515/cipms-2018-0036>.
- Shannon, E., Jaiswal, A. K., dan Abu-Ghannam, N. 2018. Polyphenolic content and antioxidant capacity of white, green, black, and herbal teas : a kinetic study. *Food Research*, 2(1): 1-11. DOI: [https://doi.org/10.26656/fr.2017.2\(1\).117](https://doi.org/10.26656/fr.2017.2(1).117).
- Shen, J., Rana, M. M., Liu, G., Ling, T., Gruber, M. Y., dan Wei, S. 2017. Differential contribution of Jasmine Floral Volatiles to the Aroma of Scented Green Tea. *Journal of Food Quality*, 3 : 1-10. DOI: 10.1155/2017/5849501.
- Silva-Ramírez, K. A., Álvarez-Bernal, D., Oregel-Zamudio, E., Guízae-González, C., dan Medina-Medrano, J. R. 2020. Effect of drying and steeping temperatures on the phenolic content, antioxidant activity, aromatic compounds and sensory properties of *Cunila polyantha* benth. infusions. *Processes*, 8(1378) : 1-20. DOI: 10.3390/pr8111378.
- Sim, Y. Y., dan Nyam, K. L. 2021. *Hibiscus cannabinus* L. (kenaf) studies: Nutritional composition, phytochemistry, pharmacology, and potential

applications. *Food Chemistry*, 344. DOI:
<https://doi.org/10.1016/j.foodchem.2020.128582>.

Srinivas, S. G., dan Krishnamurthy, Y. L. 2016. Diversity and distribution of litsea in chikkamagaluru, karnataka. *Tropical Plant Research*, 3(3) : 564-568. DOI: 10.22271/tpr.2016.v3.i3.074.

Sukweenadhi, J., Yunita, O., Setiawan, F., Kartini, Siagian, M. T., Danduru, A. P., dan Avanti, C. 2020. Antioxidant activity screening of seven indonesian herbal extract. *Biodiversitas*, 21(5) : 2062-2067. DOI: 10.13057/biodiv/d210532.

Supriyanto, Darmadji, P., dan Susanti, I. 2014. Studi pembuatan teh daun tanaman kakao (*Theobroma cacao L*) sebagai minuman penyegar. *Agritech*, 34(4) : 422-429.

Tafzi, F., Andarwulan, N., Giriwonob, P. E., Dewid, F. N. A. 2017. Uji efikasi ekstrak metanol daun torbangun (*Plectranthus amboinicus*) pada sel epitel kelenjar susu manusia MCF-12A. *Jurnal Ilmu Kefarmasian Indonesia*, 15(1) : 17-24.

Taufik, Y., Widiantara, T., dan Garnida, Y. 2016. The effect of drying temperature on the antioxidant activity of black mulberry leaf tea (*Morus nigra*). *Rasayan Journal of Chemistry*, 9(4) : 889-895.

Theppakorn, T. 2016. Stability and chemical changes of phenolic compounds during oolong tea processing. *International Food Research Journal*, 23(2) : 564-574.

Thi, N. D., dan Hwang, E. 2014. Bioactive compound contents and antioxidant activity in aronia (*Aronia melanocarpa*) leaves collected at different growth stages. *Preventive Nutrition and Food Science*, 19(3) : 204-212. DOI: 10.3746/pnf.2014.19.3.204

Thuy, N. M., Ha, H. T. N., dan Tai, N. V. 2020. Kinetics of ascorbic acid loss during thermal treatment in different pH buffer solutions and the presence of oxygen. *Food Research*, 4(5): 1513-1519. DOI: 10.26656/fr.2017.4(5).130.

Tjahjani, N. P., Chairunnisa, A., dan Handayani, H. 2021. Analisis perbedaan kadar kafein pada kopi bubuk hitam dan kopi bubuk putih instan secara spektrofotometri UV-Vis. *Cendekia Journal of Pharmacy*, 5(1) : 52-62.

Udochukwu, U., Omeje, F. I., Uloma, I. S., dan Oseiwe, F. D. 2015. Phytochemical analysis of *Vernonia amygdalina* and *Ocimum gratissimum* extracts and their antibacterial activity on some drug resistant bacteria. *American Journal of Research Communication*, 3(5) : 1-11.

- Utomo, D. S., Kristiani, E. B. E., dan Mahardhika, A. 2020. Pengaruh lokasi tumbuh terhadap kadar flavonoid, fenolik, klorofil, karotenoid dan aktivitas antioksidan pada tumbuhan pecut kuda (*Stachytarpheta jamaicensis*). *Bioma (Berkala Ilmu Biologi)*, 22(2) : 143-149.
- Venkatachalam. S. K., Vellingri, A. T., dan Selvaraj, V. 2020. Low-temperature drying characteristics of mint leaves in a continuous-dehumidified air drying system. *Journal of Food Process Engineering*, 43(4) : 1-15. DOI: 10.1111/jfpe.13384.
- Vinolina, N. S. 2021. Pegagan (*Centella asiatica* L. Urban) dan metabolit sekundernya. Medan : Yayasan Kita Menulis.
- Vu, D. C., Vo, P. H., Coggeshall, M. V., dan Lin, C. H. 2018. Identification and characterization of phenolic compounds in black walnut kernels. *Journal of Agricultural and Food Chemistry*, 66(17) : 4503-4511. DOI: <https://doi.org/10.1021/acs.jafc.8b01181>.
- Widarta, I. W. R., Permana, I. D. G. M., dan Wiadnyani, A. A. I. S. 2018. Kajian waktu dan suhu pelayuan daun alpukat dalam upaya pemanfaatannya sebagai teh herbal. *Jurnal Aplikasi Teknologi Pangan*, 7(2) : 55-61. DOI: <https://doi.org/10.17728/jatp.2163>.
- Widhiantara, I. G., dan Jawi, I. M. 2021. Phytochemical composition and health properties of sembung plant (*Blumea balsamifera*) : a review. *Veterinary World*, 14(5) : 1185-1196. DOI: 10.14202/vetworld.2021.1185-1196.
- Widowati, W., Herlina, T., Ratnawati, H., Constantia, G., Deva, I. D. G. S., dan Maesaroh, M. 2015. Antioxidant potential of black, green and oolong tea methanol extracts. *Biology, Medicine, & Natural Product Chemistry*, 4(2) : 35-39. DOI: 10.14421/biomedich.2015.42.35-39.
- Yadav, K. C., Parajuli, A., Khatri, B. B., dan Shiwakoti, L. D. 2020. Phytochemicals and quality of green and black teas from different clones of tea plant. *Journal of Food Quality*, 6 : 1-13. DOI: 10.1155/2020/8874271.
- Yuan, M., Jia, X., Ding, C., Yuan, S., Zhang, Z., dan Chen, Y. 2014. Comparative studies on bioactive constituents in hawk tea infusions with different maturity degree and their antioxidant activities. *The Scientific World Journal*. DOI: 10.1155/2014/838165.
- Yun, U. J., Yang, S., Lee, H., Hong, C., dan Lee, K. 2012. Optimal roasting conditions for maximizing the quality of tea leached from high functional *perilla frutescens* leaves. *Korean Journal of Food Science and Technology*, 44(1) : 34-40. DOI: 10.9721/KJFST.2012.44.1.034.

Zhao, C., Yang, G., Cao, S., Xu, X., Gan, R., Liu, Q., Mao, Q., Shang, A., dan Li, H. 2019. Phenolic profiles and antioxidant activities of 30 tea infusions from green, black, oolong, white, yellow and dark teas. *Antioxidants*, 8(7) : 1-14. DOI: <https://doi.org/10.3390/antiox8070215>.

