

## DAFTAR PUSTAKA

- Alderson, A., & Alderson, K. L. (2007). Auxetic Materials. *Proceedings of the Institution of Mechanical Engineers, Part G: Journal of Aerospace Engineering*, 221(4), 565–575. <https://doi.org/10.1243/09544100JAERO185>
- Aluminium Magnesium Alloy.* (2017). <https://www.americanelements.com/aluminum-magnesium-alloy-12604-68-1>
- Astarita, T., & Carlomagno, G. M. (2013). Infrared Thermography for Thermo-Fluid-Dynamics. In *Infrared Thermography for Thermo-Fluid-Dynamics*. Springer. <https://doi.org/10.1007/978-3-642-29508-9>
- Blaber, J., Adair, B., & Antoniou, A. (2015). Ncorr: Open-Source 2D Digital Image Correlation Matlab Software. *Experimental Mechanics*, 55(6), 1105–1122. <https://doi.org/10.1007/s11340-015-0009-1>
- Blenkinsop, T. (2002). Deformation Microstructures and Mechanisms in Mineral and Rocks. In *Deformation Microstructures and Mechanisms in Minerals and Rocks*. Kluwer Academic. [https://doi.org/10.1007/0-306-47543-x\\_2](https://doi.org/10.1007/0-306-47543-x_2)
- Blumenfeld, R. (2005). Auxetic Strains: Insight From Iso-auxetic Materials. *Molecular Simulation*, 31(13), 867–871. <https://doi.org/10.1080/08927020500295044>
- Blumenfeld, R., & Edwards, S. F. (2012). Theory of Strains In Auxetic Materials. *Journal of Superconductivity and Novel Magnetism*, 25(3), 565–571. <https://doi.org/10.1007/s10948-012-1464-x>
- Boakye, A., Raji, R. K., Ma, P., & Cong, H. (2020). Compressive Property of an Auxetic-Knitted Composite Tube under Quasi-Static Loading. *Autex Research Journal*, 20(2), 101–109. <https://doi.org/10.2478/aut-2019-0020>
- Bramson, M. A. (1968). Infrared Radiation A Handbook for Applications. In *Science* (Vol. 95, Issue 2477). Springer Science+Business Media. <https://doi.org/10.1126/science.95.2477.614>
- Carneiro, V. H., Meireles, J., & Puga, H. (2013). Auxetic materials - A review. In *Materials Science- Poland* (Vol. 31, Issue 4, pp. 561–571). <https://doi.org/10.2478/s13536-013-0140-6>
- Chekkal, I., Remillat, C., & Scarpa, F. (2012). Acoustic Properties of Auxetic Foams. *WIT Transactions on the Built Environment*, 124, 119–129. <https://doi.org/10.2495/HPSM120111>

- Chinda, P., & Brault, P. (2012). Tortuosity Model of a Three-Dimensional Stacked Cylindrical Particles Porous Medium for Using with the Thin Film Solid Oxide Fuel Cell Electrodes. *Thammasat International Journal of Science and Technology*, 17(1), 42–53. [http://tijsat.tu.ac.th/issues/2012/no1/2012\\_V17\\_No1\\_4.pdf](http://tijsat.tu.ac.th/issues/2012/no1/2012_V17_No1_4.pdf)
- Christian, M. F. (2021). *Analisis Regangan Pada Material Berperilaku Auxetic Dengan Metode Digital Image Correlation*. Univeristas Pelita Harapan.
- Clifford, M., Brooks, R., Howe, A., Kennedy, A., McWilliam, S., Pickering, S., Shayler, P., Shipway, & Philip. (2005). An Introduction To Mechanical Therapeutics. *Clinical Skills in Treating the Foot*, 211–230. <https://doi.org/10.1016/B978-0-443-07113-3.50014-7>
- Clifford, M., Simmons, K., & Shipway, P. (2006). *An Introduction To Mechanical Engineering Part 1*. Hodder Education.
- Colgren, R. (2014). Introduction to MATLAB. In *Basic MATLAB®, Simulink®, and Stateflow®*. Tutorials Point. <https://doi.org/10.2514/5.9781600861628.0001.0042>
- Commission, C. N. S. (2012). *Introduction to Radiation*. Canadian Nuclear Safety Commission. [https://doi.org/10.1007/978-3-319-99684-4\\_36](https://doi.org/10.1007/978-3-319-99684-4_36)
- Corell, H. (2012). *Applications of Ocean Transport Modelling*. Stockholm University.
- De Rossi, D. (1996). Biomimetic Materials and Structures. In *3rd International Conference on Intelligent Materials and 3rd European Conference on Smart Structures and Materials* (Vol. 2779). <https://doi.org/10.1111/12.237109>
- Engineering, M. I. of T. D. of M. (2006). *Marine Hydrodynamics Chapter 1 - Basic Equations*. <http://web.mit.edu/13.021/demos/lectures/lecture2.pdf>
- Evans, K. E., & Alderson, A. (2000). Auxetic Materials: Functional Materials And Structures From Lateral Thinking! *Advanced Materials*, 12(9), 617–628. [https://doi.org/10.1002/\(SICI\)1521-4095\(200005\)12:9<617::AID-ADMA617>3.0.CO;2-3](https://doi.org/10.1002/(SICI)1521-4095(200005)12:9<617::AID-ADMA617>3.0.CO;2-3)
- Friis, E. A., Lakes, R. S., & Park, J. B. (1988). Negative Poisson's ratio Polymeric And Metallic Foams. *Journal of Materials Science*, 23(12). <https://doi.org/10.1007/BF00551939>
- Giuliodori, M. J., Lujan, H. L., Briggs, W. S., Palani, G., & DiCarlo, S. E. (2009). Hooke's law: Applications of A Recurring Principle. *American Journal of*

- Physiology - Advances in Physiology Education*, 33(4), 293–296.  
<https://doi.org/10.1152/advan.00045.2009>
- Grima, J. N. (2010). *Auxetic Metamaterials*. [http://esc.u-strasbg.fr/docs/2010/lectures/AUXETIC-METAMATERIALS\\_FIN.pdf](http://esc.u-strasbg.fr/docs/2010/lectures/AUXETIC-METAMATERIALS_FIN.pdf)
- Gupta, K. M. (2015). *Engineering Materials: Research, Applications, and Advances*. CRC Press. <https://doi.org/10.4324/9780080962146-5>
- Hearn, E. J. (1997). *Mechanics of Materials 1: The Mechanics of Elastic and Plastic Deformation of Solids And Structural Materials* (Third). Butterworth-Heinemann.
- Jamaludin, J., Rahim, R. A., Rahim, H. A., Rahiman, H. F., Muji, S. Z. M., Fadzil, N. S. M., Ling, L. P., Jumaah, F., Ahmad, A., Ayob, N. M. N., & Hong, L. E. (2015). Introducing An Application of A Charged Coupled Device (CCD) In An Optical Tomography System. *Jurnal Teknologi*, 73(3), 97–102. <https://doi.org/10.11113/jt.v73.4253>
- Jung, A., Majthoub, K. Al, Jochum, C., & Kirsch, S. (2018). Monitoring of The Mesoscopic Deformation Behaviour of Metal/Polymer Hybrid Foams By A Full-field Thermomechanical Analysis Using Digital Image
- Kakani, S. L., & Kakani, A. (2004). *Material Science*. New Age International.
- Kalter, L. R. (2019). *Master of Science Thesis Characterisation of damage in composite materials using infrared thermography*. University od Twente.
- Kim, J. (2019). Non-Destructive Characterization of Railway Materials and Components with Infrared Thermography Technique. *Materials*, 12(24). <https://doi.org/10.3390/ma1224077>
- Korner, C., & Liebold-Ribeiro, Y. (2015). A Systematic Approach To Identify Cellular Auxetic Materials. *Smart Materials and Structures*, 24(2), 25013. <https://doi.org/10.1088/0964-1726/24/2/025013>
- Lakes, R. S. (2017). Negative-Poisson's-Ratio Materials: Auxetic Solids. *Annual Review of Materials Research*, 47(February), 63–81. <https://doi.org/10.1146/annurev-matsci-070616-124118>
- Lim, T.-C. (2015). *Engineering Materials Auxetic Materials and Structures*. Springer. <https://doi.org/10.1007/978-981-287-275-3>
- Liu, Q. (2006). Materials with Negative Poisson's ratios and Potential Applications to Aerospace and Defence. *Literature Review*:

<http://oai.dtic.mil/oai/oai?verb=getRecord&metadataPrefix=html&identifier=ADA460791>

Mazaev, A. V., Ajeneza, O., & Shitikova, M. V. (2020). Auxetics Materials: Classification, Mechanical Properties and Applications. *IOP Conference Series: Materials Science and Engineering*, 747(1). <https://doi.org/10.1088/1757-899X/747/1/012008>

McCormick, N., & Lord, J. (2014). Digital Image Correlation. *Materials Today*, 13(12), 52–54. [https://doi.org/10.1016/S1369-7021\(10\)70235-2](https://doi.org/10.1016/S1369-7021(10)70235-2)

Nežerka, V., Antoš, J., Litoš, J., Tesárek, P., & Zeman, J. (2016). An Integrated Experimental-Numerical Study of The Performance of Lime-Based Mortars In Masonry Piers Under Eccentric Loading. *Construction and Building Materials*, 114, 913–914.

Nežerka, V., Antoš, J., Litoš, J., Tesárek, P., & Zeman, J. (2016). An Integrated Experimental-Numerical Study of The Performance of Lime-Based Mortars in Masonry Piers Under Eccentric Loading. *Construction and Building Materials*, 114, 913–924. <https://doi.org/10.1016/j.conbuildmat.2016.04.013>

Prawoto, Y. (2012). Seeing Auxetic Materials From The Mechanics Point of View: A Structural Review On The Negative Poisson's ratio. *Computational Materials Science*, 58, 140–153. <https://doi.org/10.1016/j.commatsci.2012.02.012>

Price, J. F. (2004). *Lagrangian and Eulerian Representations of Fluid Flow : Kinematics and the Equations of Motion*.

Ravichandran, G., Rosakis, Ares J.Hodowany, J., & Rosakis, P. (2003). *On the Conversion of Plastic Work into Heat During High-Strain-Rate Deformation*. 557–562. <https://doi.org/10.1063/1.1483600>

Roylance, D. (2001). *Stress-Strain Curves*. 14. <https://doi.org/10.31399/asm.tb.aacppa.t51140193>

Sanami, M. (2015). Auxetic Materials For Biomedical Applications (Issue September).

Sanami, M., Ravirala, N., Alderson, K., & Alderson, A. (2014). Auxetic Materials For Sports Applications. *Procedia Engineering*, 72, 453–458. <https://doi.org/10.1016/j.proeng.2014.06.079>

Sarturi, G. (2020). *Fluid Dynamics — Difference between Eulerian and Lagrangian Formulations*. <https://medium.com/@gustavosarturi/fluid->

dynamics-difference-between-eulerian-and-lagrangian-formulations-9bbd39e2ebad

Vignola, F., Joseph Michalsky, & Stoffel, T. (2012). Solar and Infrared Radiation Measurements. In *Solar and Infrared Radiation Measurements*. CRC Press.

Yang, L., Harrysson, O., West, H., & Cormier, D. (2013). A Comparison of Bending Properties for Cellular Core Sandwich Panels. *Materials Sciences and Applications*, 04(08), 471–477. <https://doi.org/10.4236/msa.2013.48057>

Yang, W., Li, Z. M., Shi, W., Xie, B. H., & Yang, M. B. (2004). On Auxetic Materials. *Journal of Materials Science*, 39(10), 3269–3279. <https://doi.org/10.1023/B:JMSC.0000026928.93231.e0>

Yoneyama, S., & Murasawa, G. (2009). *Digital Image Correlation*.

Zhou, W., Ji, X. long, Yang, S., Liu, J., & Ma, L. hua. (2021). Review on the performance improvements and non-destructive testing of patches repaired composites. *Composite Structures*, 263(January), 113659. <https://doi.org/10.1016/j.compstruct.2021.113659>

Zhu, S.-S., Kan, H.-M., Feng, X.-J., Zhang, N., & Sun, H. (2016). *The Preparation Method of Aluminium-magnesium Alloys*. Ame, 299–305.

Zwinkels, J. C. (2015). Light, Electromagnetic Spectrum. *Encyclopedia of Color Science and Technology*. <https://doi.org/10.1007/978-3-642-27851-8>