

DAFTAR PUSTAKA

- Alsayadi, M., Al jawfi, Y., Belarbi, M., & Sabri, F. Z. (2013). Antioxidant Potency of Water Kefir. *Journal of Microbiology, Biotechnology and Food Sciences*, 2(6), 2444–2447.
- Alsayadi, M., Jawfi, Y. Al, Belarbi, M., & Soualem-mami, Z. (2014). Evaluation of Anti-Hyperglycemic and Anti-Hyperlipidemic Activities of Water Kefir as Probiotic on Streptozotocin-Induced Diabetic Wistar Rats. *Journal of Diabetes Mellitus*, 4(2), 85–95. DOI: <https://doi.org/10.4236/jdm.2014.42015>
- Alves, V., Scapini, T., Camargo, A. F., Bonatto, C., Stefanski, F. S., Pompeu de Jesus, E., Techi Diniz, L. G., Bertan, L. C., Maldonado, R. R., & Treichel, H. (2021). Development of Fermented Beverage with Water Kefir in Water-Soluble Coconut Extract (*Cocos nucifera* L.) with Inulin Addition. *LWT*, 145, 111364. DOI: <https://doi.org/10.1016/j.lwt.2021.111364>
- Andaru, D. P., Rizqiati, H., & Nurwantoro. (2019). Pengaruh Lama Fermentasi Berbeda terhadap Total Bakteri Asam Laktat, Total Asam, Kadar Alkohol, dan Organoleptik Kefir Whey Susu Sapi. *Jurnal Teknologi Pangan*, 3(2), 199–203. DOI: <https://doi.org/10.14710/jtp.3.2.199-203>
- Anggraini, A., Yuningsih, S., & Sota, M. M. (2017). Pengaruh pH Terhadap Kualitas Produk Etanol. *Reka Buana: Jurnal Ilmiah Teknik Sipil Dan Teknik Kimia*, 2(2), 99–105. DOI: <https://doi.org/10.33366/rekabuana.v2i2.725>
- Aristya, A. L., Legowo, A. M., & Al-baarri, A. N. (2013). Total Asam, Total Yeast, dan Profil Proten Kefir Susu Kambing dengan Penambahan Jenis dan Konsentrasi Gula yang Berbeda. *Jurnal Pangan Dan Gizi*, 04(07), 01. DOI: <https://doi.org/10.26714/jpg.4.1.2013.%p>
- Arslan, S. (2015). A Review: Chemical, Microbiological and Nutritional Characteristics of Kefir. *CyTA - Journal of Food*, 13(3), 340–345. DOI: <https://doi.org/10.1080/19476337.2014.981588>
- Astuti, A., Rochmayani, M., & Aulia, R. (2018). Nawake (*Nira Water Kefir*): Pemanfaatan Nira Aren sebagai Minuman Fungsional Kaya Probiotik. *Agritech*, XX(1), 7–12. DOI: <https://doi.org/10.30595/agritech.v20i1.3416>
- Barukčić, I., Gracin, L., Režek Jambrak, A., & Božanić, R. (2017). Comparison of chemical, rheological and sensory properties of kefir produced by kefir grains and commercial kefir starter. *Mljekarstvo: časopis za unaprjeđenje proizvodnje i prerade mlijeka*, 67(3), 169-176. DOI: <https://doi.org/10.15567/mljekarstvo.2017.0301>
- Brasil, G. A., Andrade Moraes, F. S., Prucoli Falsoni, R. M., Resende, M. S., Andrade, T. U., & Lima, E. M. (2019). Pretreatment With Water Kefir Promotes A Decrease In Ulcer Development In An Ethanol-Acidified Ulcer Model. *The FASEB Journal*, 33(S1), 760-2. DOI:

https://doi.org/10.1096/fasebj.2019.33.1_supplement.760.2

- BSN, B. S. N. (2009). *SNI 7552: 2009 Minuman Susu Fermentasi Berperisa*. Jakarta: Badan Standarisasi Nasional.
- Bulat, T., & Topcu, A. (2021). Influences of Oxidation-Reduction Potential on Kefir: Microbial Counts, Organic Acids, Volatile Compounds and Sensory Properties. *LWT - Food Science and Technology*, *144*, 111195. DOI: <https://doi.org/10.1016/j.lwt.2021.111195>
- Chen, H., Ju, H., Wang, Y., Du, G., Yan, X., Cui, Y., Yuan, Y., & Yue, T. (2021). Antifungal Activity and Mode of Action of Lactic Acid Bacteria Isolated from Kefir Against *Penicillium Expansum*. *Food Control*, *130*, 108274. DOI: <https://doi.org/10.1016/j.foodcont.2021.108274>
- Chen, J., Zhao, K. N., & Vitetta, L. (2019). Effects of intestinal microbial-elaborated butyrate on oncogenic signaling pathways. *Nutrients*, *11*(5), 1026. DOI: <https://doi.org/10.3390/nu11051026>
- Choi, J., Kang, H. W., Lim, W., Kim, M., Lee, I., & Cho, H. (2017). Kefir Prevented Excess Fat Accumulation in Diet-Induced Obese Mice. *Bioscience, Biotechnology, and Biochemistry*, *81*(5), 1–8. DOI: <https://doi.org/10.1080/09168451.2016.1258984>
- Codex Alimentarius Commission. (2003). *Codex Standard for Fermentation Milks: Codex Stan 243-2003*. London: FAO United Nations.
- Corona, O., Randazzo, W., Miceli, A., Guarcello, R., Francesca, N., Erten, H., Moschetti, G., & Settanni, L. (2016). Characterization of Kefir-Like Beverages Produced from Vegetable Juices. *LWT - Food Science and Technology*, *66*, 572–581. DOI: <https://doi.org/10.1016/j.lwt.2015.11.014>
- Davidović, S. Z., Miljković, M. G., Antonović, D. G., Rajilić-Stojanović, M. D., & Dimitrijević-Branković, S. I. (2015). Water Kefir grain as a source of potent dextran producing lactic acid bacteria. *Hemijska industrija*, *69*(6), 595-604. DOI: <https://doi.org/10.2298/HEMIND140925083D>
- de Paula Melo, A. F., Mendonça, M. C. P., & de Mendonça Rosa-castro, R. (2018). The Protective Effects of Fermented Kefir Milk on Azoxymethane-Induced Aberrant Crypt Formation in Mice Colon. *Tissue and Cell*, *52*(January), 51–56. DOI: <https://doi.org/10.1016/j.tice.2018.03.013>
- Dertli, E., & Çon, A. H. (2017). Microbial Diversity of Traditional Kefir Grains and Their Role on Kefir Aroma. *LWT - Food Science and Technology*, *85*, 151–157. DOI: <https://doi.org/10.1016/j.lwt.2017.07.017>
- Devita, M., Rizqiati, H., & Pramono, Y. B. (2019). Pengaruh Lama Fermentasi Terhadap Kadar Alkohol, Lemak, Nilai pH, dan Total BAL Kefir Prima Susu Kambing. *Jurnal Teknologi Pangan*, *3*(2), 204–208. DOI: <https://doi.org/10.14710/jtp.3.2.204-208>

- Dewi, A. C., Rahardjo, A. H. D., Setyawardani, T., & Subagja, H. (2020). Study on Kefir Grain Concentration and the Different Length of Storage on the Physicochemical of Goat Milk Kefir. *Journal of Physics: Conference Series*, 1569(3). DOI: <https://doi.org/10.1088/1742-6596/1569/3/032001>
- dos Santos, D. C., de Oliveira Filho, J. G., Santana, A. C. A., de Freitas, B. S. M., Silva, F. G., Takeuchi, K. P., & Egea, M. B. (2019). Optimization of soymilk fermentation with kefir and the addition of inulin: Physicochemical, sensory and technological characteristics. *Lwt*, 104, 30-37. DOI: <https://doi.org/10.1016/j.lwt.2019.01.030>
- Düven, G., Kumcuoğlu, S., & Kışla, D. (2021). Ultrasonication-Assisted Kefir Production and Its Effect on Fermentation Time and EPS Production. *Food Bioscience*, 42(January). DOI: <https://doi.org/10.1016/j.fbio.2021.101059>
- Erdogan, F. S., Ozarslan, S., Guzel-Seydim, Z. B., & Kök Taş, T. (2019). The Effect of Kefir Produced from Natural Kefir Grains on the Intestinal Microbial Populations and Antioxidant Capacities of Balb/Mice. *Food Research International*, 115, 408–413. DOI: <https://doi.org/10.1016/j.foodres.2018.10.080>
- FAO/WHO. (2002). *Guidelines for the Evaluation of Probiotics in Food*. 1–11.
- Fiorda, F. A., de Melo Pereira, G. V., Thomaz-Soccol, V., Medeiros, A. P., Rakshit, S. K., & Soccol, C. R. (2016). Development of kefir-based probiotic beverages with DNA protection and antioxidant activities using soybean hydrolyzed extract, colostrum and honey. *LWT - Food Science and Technology*, 68, 690–697. DOI: <https://doi.org/10.1016/j.lwt.2016.01.003>
- Fiorda, F. A., De Melo Pereira, G. V., Thomaz-Soccol, V., Rakshit, S. K., & Soccol, C. R. (2016). Evaluation of a Potentially Probiotic Non-Dairy Beverage Developed with Honey and Kefir Grains: Fermentation Kinetics and Storage Study. *Food Science and Technology International*, 22(8), 732–742. DOI: <https://doi.org/10.1177/1082013216646491>
- Fiorda, F. A., de Melo-Pereira, G. V., Thomaz-Soccol, V., Rakshit, S. K., Pagnoncelli, M. G. B., de Souza Vandenberghe, L. P., & Soccol, C. R. (2017). Microbiological, biochemical, and functional aspects of sugary kefir fermentation-A review. *Food Microbiology*, 66, 86–95. DOI: <https://doi.org/10.1016/j.fm.2017.04.004>
- FSANZ, F. S. A. N. Z. (2015). *Food Standard Code Standard 2.5.3 (Fermented Milk Products)* (p. 49). Food Standard Australia New Zealand Act 1991.
- Garofalo, C., Osimani, A., Milanović, V., Aquilanti, L., De Filippis, F., Stellato, G., Di Mauro, S., Turchetti, B., Buzzini, P., Ercolini, D., & Clementi, F. (2015). Bacteria and Yeast Microbiota in Milk Kefir Grains from Different Italian Regions. *Food Microbiology*, 49(1), 123–133. DOI: <https://doi.org/10.1016/j.fm.2015.01.017>

- Grønnevik, H., Falstad, M., & Narvhus, J. A. (2011). Microbiological and Chemical Properties of Norwegian Kefir During Storage. *International Dairy Journal*, 21(9), 601–606. DOI: <https://doi.org/10.1016/j.idairyj.2011.01.001>
- Grumezescu, A., & Holban, A. M. (Eds.). (2019). *Fermented Beverages: Volume 5. The Science of Beverages*. p20-21. Duxford: Woodhead Publishing.
- Gul, O., Mortas, M., Atalar, I., Dervisoglu, M., & Kahyaoglu, T. (2015). Manufacture and Characterization of Kefir Made from Cow and Buffalo Milk, Using Kefir Grain and Starter Culture. *Journal of Dairy Science*, 98(3), 1517–1525. DOI: <https://doi.org/10.3168/jds.2014-8755>
- Gulitz, A., Stadie, J., Wenning, M., Ehrmann, M. A., & Vogel, R. F. (2011). International Journal of Food Microbiology The Microbial Diversity of Water Kefir. *International Journal of Food Microbiology*, 151, 284–288. DOI: <https://doi.org/10.1016/j.ijfoodmicro.2011.09.016>
- Gut, A. M., Vasiljevic, T., Yeager, T., & Donkor, O. N. (2022). Antimicrobial Properties of Traditional Kefir: An in Vitro Screening for Antagonistic Effect on Salmonella Typhimurium and Salmonella Arizonae. *International Dairy Journal*, 124, 105180. DOI: <https://doi.org/10.1016/j.idairyj.2021.105180>
- Guzel-Seydim, Z. B., Gökırmaklı, Ç., & Greene, A. K. (2021). A Comparison of Milk Kefir and Water Kefir: Physical, Chemical, Microbiological and Functional Properties. *Trends in Food Science and Technology*, 113, 42–53. DOI: <https://doi.org/10.1016/j.tifs.2021.04.041>
- Guzel-Seydim, Z., Greene, A. K., Seydim, A. C., & Kok-Tas, T. (2017). Effects of fermented dairy products against cancer, pathogens and other health issues. *Functional foods and cancer: Functional foods in integrative oncology*, 35–61.
- Guzel-Seydim, Z., Kok-Tas, T., Ertekin-Filiz, B., & Seydim, A. C. (2011). Effect of Different Growth Conditions on Biomass Increase in Kefir Grains. *Journal of Dairy Science*, 94(3), 1239–1242. DOI: <https://doi.org/10.3168/jds.2010-3349>
- Hansen, Y. B. L. (2019). Recommendations on measurement units—why and how. *EJIFCC*, 30(3), 250. DOI: <https://doi.org/10.1016/j.cca.2019.03.1567>
- Hawusiwa, E. S., Wardani, A. K., & Ningtyas, D. W. (2015). Pengaruh Konsentrasi Pasta Singkong (*Manihot esculenta*) dan Lama Fermentasi pada Proses Pembuatan Minuman Wine Singkong. *Jurnal Pangan dan Agroindustri*, 3(1), 147-155.
- Hernández-Hernández, O., Muthaiyan, A., Moreno, F. J., Montilla, A., Sanz, M. L., & Rieke, S. C. (2012). Effect of prebiotic carbohydrates on the growth and tolerance of Lactobacillus. *Food microbiology*, 30(2), 355-361. DOI: <https://doi.org/10.1016/j.fm.2011.12.022>
- Hidayat, I. R., Kusrahayu, & Mulyani, S. (2013). Total Lactic Acid Bacteria, pH

- Value and Organoleptic Properties of Drink Yoghurt from Cow Milk Containing Mango Extract. *Animal Agriculture Journal*, 2(1), 160–167.
- Ismail, A. A., Ghaly, M. F., & El-Naggar, A. K. (2011). Some Physicochemical Analyses of Kefir Produced Under Different Fermentation Conditions. *Journal of Scientific and Industrial Research*, 70(5), 365–372.
- Jessica, M., Deasy, A., Dewi, R., & Pantjajani, T. (2020). Pengaruh Komposisi Beras dan Lama Fermentasi terhadap Water Kefir Beras Hitam (*Oryza Sativa* L.). *CALYPTRA*, 9(1).
- JETRO. (2011). *Specifications and Standards for Foods, Food Additives, etc. Under the Food Sanitation Act (Abstract) 2010* (Issue April 2011). Japan External Trade Organization.
- Kartikasari, D. I., & Nisa, F. C. (2014). Pengaruh Penambahan Sari Buah Sirsak dan Lama Fermentasi terhadap Karakteristik Fisik dan Kimia Yoghurt. *Jurnal Pangan Dan Agroindustri*, 2(4), 239–248.
- KEBS. (2018). *Fermented (Cultured) Milks – Specification DKS 941:2018*. Kenya Bureau of Standards.
- Kinteki, G. A., Rizqiati, H., & Hintono, A. (2018). Pengaruh Lama Fermentasi Kefir Susu Kambing terhadap Mutu Hedonik, Total Bakteri Asam Laktat (BAL), Total Khamir, dan pH. *Jurnal Teknologi Pangan*, 3(1), 42–50. DOI: <https://doi.org/10.14710/jtp.3.1.42-50>
- Koh, W. Y., Utra, U., Ahmad, R., Rather, I. A., & Park, Y. H. (2018). Evaluation of Probiotic Potential and Anti-Hyperglycemic Properties of A Novel Lactobacillus Strain Isolated from Water Kefir Grains. *Food Science and Biotechnology*, 27(5), 1369–1376. DOI: <https://doi.org/10.1007/s10068-018-0360-y>
- Kök-Taş, T., Seydim, A. C., Özer, B., & Guzel-Seydim, Z. B. (2013). Effects of Different Fermentation Parameters on Quality Characteristics of Kefir. *Journal of Dairy Science*, 96(2), 780–789. DOI: <https://doi.org/10.3168/jds.2012-5753>
- Kusmawati, S., Rizqiati, H., & Susanti, S. (2017). Analisis Kadar Alkohol, Nilai pH, Viskositas dan Total Khamir pada *Water Kefir* Semangka dengan Variasi Konsentrasi Sukrosa. *Jurnal Teknologi Pangan*, 4(2), 127–130. DOI: <https://doi.org/10.14710/jtp.4.2.127-130>
- Laureys, D., Aerts, M., Vandamme, P., & De Vuyst, L. (2018). Oxygen and Diverse Nutrients Influence the Water Kefir Fermentation Process. *Food Microbiology*, 73, 351–361. DOI: <https://doi.org/10.1016/j.fm.2018.02.007>
- Laureys, D., Aerts, M., Vandamme, P., & De Vuyst, L. (2019). The Buffer Capacity and Calcium Concentration of Water Influence the Microbial Species Diversity, Grain Growth, and Metabolite Production During Water Kefir Fermentation. *Frontiers in Microbiology*, 10, 1–11. DOI: <https://doi.org/10.3389/fmicb.2019.01001>

<https://doi.org/10.3389/fmicb.2019.02876>

- Laureys, D., & De Vuyst, L. (2014). Microbial Species Diversity, Community Dynamics, and Metabolite Kinetics of Water Kefir Fermentation. *Applied and Environmental Microbiology*, 80(8), 2564–2572. DOI: <https://doi.org/10.1128/AEM.03978-13>
- Laureys, D., & De Vuyst, L. (2017). The Water Kefir Grain Inoculum Determines the Characteristics of the Resulting Water Kefir Fermentation Process. *Journal of Applied Microbiology*, 122(3), 719–732. DOI: <https://doi.org/10.1111/jam.13370>
- Laureys, D., Leroy, F., Hauffman, T., Raes, M., Aerts, M., Vandamme, P., & De Vuyst, L. (2021). The Type and Concentration of Inoculum and Substrate as Well as the Presence of Oxygen Impact the Water Kefir Fermentation Process. *Frontiers in Microbiology*, 12(February), 1–13. DOI: <https://doi.org/10.3389/fmicb.2021.628599>
- Laureys, D., Van Jean, A., Dumont, J., & De Vuyst, L. (2017). Investigation of the Instability and Low Water Kefir Grain Growth During an Industrial Water Kefir Fermentation Process. *Applied Microbiology and Biotechnology*, 101(7), 2811–2819. DOI: <https://doi.org/10.1007/s00253-016-8084-5>
- Leite, A. M. O., Leite, D. C. A., Del Aguila, E. M., Alvares, T. S., Peixoto, R. S., Miguel, M. A. L., Silva, J. T., & Paschoalin, V. M. F. (2013). Microbiological and Chemical Characteristics of Brazilian Kefir During Fermentation and Storage Processes. *Journal of Dairy Science*, 96(7), 4149–4159. DOI: <https://doi.org/10.3168/jds.2012-6263>
- Lestari, M. W., Priyo Bintoro, V., & Rizqiati, H. (2018). Pengaruh Lama Fermentasi terhadap Tingkat Keasaman, Viskositas, Kadar Alkohol, dan Mutu Hedonik Kefir Air Kelapa Effect of Fermentation Time on Acidity, Viscosity, Alcohol Concentration, and Hedonic Quality of Coconut (*Cocos nucifera*) Water Kefir. *Jurnal Teknologi Pangan*, 2(1), 8–13. DOI: <https://doi.org/10.14710/jtp.2.1.%p>
- Lindawati, S. A., Sriyani, N. L. P., Hartawan, M., & Suranjaya, I. G. (2015). Study Mikrobiologis Kefir Dengan Waktu Simpan Berbeda. *Majalah Ilmiah Peternakan*, 18(3), 95–99. DOI: <https://doi.org/10.24843/mip.2015.v18.i03.p03>
- Lin, H., & Peddada, S. D. (2020). Analysis of microbial compositions: a review of normalization and differential abundance analysis. *NPJ biofilms and microbiomes*, 6(1), 1-13. DOI: <https://doi.org/10.1038/s41522-020-00160-w>
- Łopusiewicz, Ł., Drozłowska, E., Siedlecka, P., Mężyńska, M., Bartkowiak, A., Sienkiewicz, M., Zielińska-Bliźniewska, H., & Kwiatkowski, P. (2019). c. *Foods*, 8(11), 8–11. DOI: <https://doi.org/10.3390/foods8110544>
- Lynch, K. M., Wilkinson, S., Daenen, L., & Arendt, E. K. (2021). An Update on

- Water Kefir: Microbiology, Composition and Production. *International Journal of Food Microbiology*, 345, 109128. DOI: <https://doi.org/10.1016/j.ijfoodmicro.2021.109128>
- Macori, G., & Cotter, P. D. (2018). Novel Insights into the Microbiology of Fermented Dairy Foods. *Current Opinion in Biotechnology*, 49, 172–178. DOI: <https://doi.org/10.1016/j.copbio.2017.09.002>
- Magalhães, K. T., de Melo Pereira, G. V., Campos, C. R., Dragone, G., & Schwan, R. F. (2011). Brazilian Kefir: Structure, Microbial Communities and Chemical Composition. *Brazilian Journal of Microbiology*, 42(2), 693–702. DOI: <https://doi.org/10.1590/S1517-83822011000200034>
- Mann, S., Mukesh, M., Shandilya, U., Kumar, P., & Mohanty, A. (2016). Determination of Antioxidant Capacity and Free Radical Scavenging Activity of Milk from Native Cows (*Bos Indicus*), Exotic Cows (*Bos Taurus*), and Riverine Buffaloes (*Bubalus Bubalis*) Across Different Lactation Stages. *International Journal of Dairy Science & Processing*, 3(4), 66–70. DOI: <https://doi.org/10.19070/2379-1578-1600013>
- Martínez-Torres, A., Gutiérrez-Ambrocio, S., Heredia-del-Orbe, P., Villa-Tanaca, L., & Hernández-Rodríguez, C. (2017). Inferring the role of microorganisms in water kefir fermentations. *International Journal of Food Science and Technology*, 52(2), 559–571. DOI: <https://doi.org/10.1111/ijfs.13312>
- Mert, H., Yilmaz, H., Irak, K., Yildirim, S., & Mert, N. (2018). Investigation of the Protective Effect of Kefir Against Isoproterenol Induced Myocardial Infarction in Rats. *Korean Journal for Food Science of Animal Resources*, 38(2), 259–272. DOI: <https://doi.org/10.5851/kosfa.2018.38.2.259>
- Mubin, & Zubaidah. (2016). Studi Pembuatan Kefir Nira Siwalan (*Borassus flabellifer* L.) (Pengaruh Pengenceran Nira Siwalan dan Metode Inkubasi). *Jurnal Pangan Dan Agroindustri*, 4(1), 291–301.
- Muizuddin, M., & Zubaidah, E. (2015). Studi Aktivitas Antibakteri Kefir Teh Daun Sirsak (*Annona Muricata* linn.) dari Berbagai Merk Teh Daun Sirsak Dipasaran. *Jurnal Pangan Dan Agroindustri*, 3(4), 1662–1672.
- Musdholifah, & Zubaidah, E. (2016). Studi Aktivitas Antioksidan Kefir The Daun Sirsak dari Berbagai Merk Dipasaran. *Jurnal Pangan Dan Agroindustri*, 4(1), 29–39.
- Nguyen, H. T., Kim, S., Yu, N. H., Park, A. R., Yoon, H., Bae, C. H., Yeo, J. H., Kim, I. S., & Kim, J. C. (2019). Antimicrobial activities of an oxygenated cyclohexanone derivative isolated from *Amphirosellinia nigrospora* JS-1675 against various plant pathogenic bacteria and fungi. *Journal of applied microbiology*, 126(3), 894-904. <https://doi.org/10.1111/jam.14138>
- Özcelik, S., Kuley, E., & Özogul, F. (2016). Formation of lactic, acetic, succinic, propionic, formic and butyric acid by lactic acid bacteria. *LWT*, 73, 536-542.

DOI: <https://doi.org/10.1016/j.lwt.2016.06.066>

- Pawliszyn, J. (2012). Theory of solid-phase microextraction. *Handbook of solid phase microextraction*. p13-59. London: Elsevier.
- Pertiwi, S. R. R., Novidahlia, N., Juliana, I. (2013). Perubahan Sifat Kimia Kefir-Air yang Difermentasi pada Berbagai Suhu. *Jurnal Pertanian*, 4(1), 21-25. DOI: <https://doi.org/10.30997/jp.v4i1.65>
- Prado, F. C., De Dea Lindner, J., Inaba, J., Thomaz-Soccol, V., Kaur Brar, S., & Soccol, C. R. (2015). Development and Evaluation of a Fermented Coconut Water Beverage with Potential Health Benefits. *Journal of Functional Foods*, 12, 489–497. DOI: <https://doi.org/10.1016/j.jff.2014.12.020>
- Puerari, C., Magalhães, K. T., & Schwan, R. F. (2012). New Cocoa Pulp-Based Kefir Beverages: Microbiological, Chemical Composition and Sensory Analysis. *Food Research International*, 48(2), 634–640. DOI: <https://doi.org/10.1016/j.foodres.2012.06.005>
- Randazzo, W., Corona, O., Guarcello, R., Francesca, N., Germanà, M. A., Erten, H., Moschetti, G., & Settanni, L. (2016). Development of New Non-Dairy Beverages from Mediterranean Fruit Juices Fermented with Water Kefir Microorganisms. *Food Microbiology*, 54, 40–51. DOI: <https://doi.org/10.1016/j.fm.2015.10.018>
- Rattray, F. P., & O'Connell, M. J. (2011). Fermented Milks Kefir. *Encyclopedia of Dairy Sciences* (2nd ed). p518-524. San Diego: Academic Press.
- Rizqiati, H., Mulyani, S., & Ramadhanti, L. (2021). Pengaruh Variasi Konsentrasi Sukrosa Terhadap Total Bakteri Asam Laktat , pH , Kadar Alkohol dan Hedonik Water Kefir Belimbing Manis (*Averrhoa carambola*) The Effect of Variation Sucrose Concentration on Total Lactic Acid Bacteria, pH, Alcohol Content. *Jurnal Ilmiah Sains*, 21(1), 54–62. DOI: <https://doi.org/10.35799/jis.21.1.2021.31160>
- Rizqiati, H., Nurwantoro, N., Susanti, S., Al-Baarri, A. N., & Prayoga, M. I. Y. (2020). Karakteristik Fisik dan Total Bakteri Kefir Susu Kerbau yang Diproduksi pada Suhu Ruang. *Jurnal Aplikasi Teknologi Pangan*, 9(4), 163–166. DOI: <https://doi.org/10.14710/jtp.3.1.142-146>
- Rizqiati, H., Susanti, S., Nurwantoro, N., Albaari, A. N., & Slamet, Y. B. (2021). Pengaruh Waktu Fermentasi terhadap Sifat Fisiko Kimia Kefir Whey dari Susu Kambing. *Warta Industri Hasil Pertanian*, 38(1), 54–60. DOI: <https://doi.org/10.32765/wartaihp.v38i1.6404>
- Rocha-gomes, A., Escobar, A., Soares, J. S., da Silva, A. A., Dessimoni-Pinto, N. A. V. D.-P., & Riul, T. R. (2018). Chemical Composition and Hypocholesterolemic Effect of Milk Kefir and Water Kefir in Wistar Rats. *Revista de Nutrição*, 31(2), 137–145.
- Rohman, A., Dwiloka, B., & Rizqiati, H. (2019). Pengaruh Lama Fermentasi

- Terhadap Total Asam , Total Bakteri Asam Laktat , Total Khamir dan Mutu Hedonik Kefir Air Kelapa Hijau (*Cocos nucifera*). *Jurnal Teknologi Pangan*, 3(1), 127–133. DOI: [https://doi.org/10.14710/jtp.3.1.127–133](https://doi.org/10.14710/jtp.3.1.127-133)
- Rosa, D. D., Dias, M. M., Grzeskowiak, Ł. M., Reis, S. A., Conceição, L. L., & Maria do Carmo, G. P. (2017). Milk kefir: nutritional, microbiological and health benefits. *Nutrition research reviews*, 30(1), 82-96. DOI: <https://doi.org/10.1017/S0954422416000275>
- Rossi, E., Hamzah, F., & Febriyani, F. (2016). Perbandingan susu kambing dan susu kedelai dalam pembuatan kefir. *Jurnal Peternakan Indonesia (Indonesian Journal of Animal Science)*, 18(1), 13-20. DOI: <https://doi.org/10.25077/jpi.18.1.13-20.2016>
- Sabokbar, N., Moosavi-Nasab, M., & Khodaiyan, F. (2015). Preparation and Characterization of an Apple Juice and Whey Based Novel Beverage Fermented Using Kefir Grains. *Food Science and Biotechnology*, 24(6), 2095–2104. DOI: <https://doi.org/10.1007/s10068-015-0278-6>
- Satir, G., & Guzel-Seydim, Z. B. (2015). Influence of Kefir Fermentation on the Bioactive Substances of Different Breed Goat Milks. *LWT - Food Science and Technology*, 63(2), 852–858. DOI: <https://doi.org/10.1016/j.lwt.2015.04.057>
- Setiawati, L., Rizqiati, H., & Susanti, S. (2019). Analisis Rendemen, Kadar Alkohol, Nilai pH, dan Total BAL pada Kefir *Whey* Susu Kambing dengan Lama Fermentasi yang Berbeda. *Jurnal Teknologi Pangan*, 3(1), 142–146. DOI: [https://doi.org/10.14710/jtp.3.1.142–146](https://doi.org/10.14710/jtp.3.1.142-146)
- Shahabi-Ghahfarrokhi, I., Khodaiyan, F., Mousavi, M., & Yousefi, H. (2015). Effect of γ -Irradiation on the Physical and Mechanical Properties of Kefiran Biopolymer Film. *International Journal of Biological Macromolecules*, 74, 343–350. DOI: <https://doi.org/10.1016/j.ijbiomac.2014.11.038>
- Shu, G., Ma, L., Chen, L., Guo, M., Guo, Y., & Chen, H. (2020). Goat Milk Kefir with ACE Inhibitory Activity: Preparation and Storage Stability Evaluation. *Journal of Food Processing and Preservation*, 44(5), 1–9. DOI: <https://doi.org/10.1111/jfpp.14417>
- Stewart, L. K., Smoak, P., Hydock, D. S., Hayward, R., Brien, K. O., Lisano, J. K., Boeneke, C., Christensen, M., & Mathias, A. (2019). Milk and Kefir Maintain Aspects of Health during Doxorubicin Treatment in Rats. *Journal of Dairy Science*, 102(3), 1910–1917. DOI: <https://doi.org/10.3168/jds.2018-15576>
- Sutedjo, K. S. D., & Nisa, F. C. (2015). Konsentrasi Sari Belimbing (*Averrhoa carambola* L.) dan Lama Fermentasi Terhadap Karakteristik Fisiko-Kimia dan Mikrobiologi Yoghurt. *Jurnal Pangan Dan Agroindustri*, 3(2), 582–593.
- Syrokou, M. K., Papadelli, M., Ntaikou, I., Paramithiotis, S., & Drosinos, E. H.

- (2019). Sugary Kefir: Microbial Identification and Biotechnological Properties. *Beverages*, 5(61), 1–18. DOI: <https://doi.org/10.3390/beverages5040061>
- Taheur, F. Ben, Mansour, C., & Chaieb, K. (2020). Inhibitory Effect of Kefir on *Aspergillus* Growth and Mycotoxin Production. *Euro-Mediterranean Journal for Environmental Integration*, 5(1), 1–8. DOI: <https://doi.org/10.1007/s41207-020-0141-x>
- Tu, C., Azi, F., Huang, J., Xu, X., Xing, G., & Dong, M. (2019). Quality and Metagenomic Evaluation of a Novel Functional Beverage Produced from Soy Whey Using Water Kefir Grains. *LWT - Food Science and Technology*, 113, 108258. DOI: <https://doi.org/10.1016/j.lwt.2019.108258>
- Vinicius, G., Pereira, D. M., Assumpç, F., Thomaz-soccol, V., Kumar, S., Giovana, M., Pagnoncelli, B., Porto, L., Vandenberghe, D. S., & Ricardo, C. (2017). Microbiological, Biochemical, and Functional Aspects of Sugary Kefir Fermentation - A Review. *Food Microbiology*, 66, 86–95. DOI: <https://doi.org/10.1016/j.fm.2017.04.004>
- Walsh, A. M., Crispie, F., Kilcawley, K., O’Sullivan, O., O’Sullivan, M. G., Claesson, M. J., & Cotter, P. D. (2016). Microbial succession and flavor production in the fermented dairy beverage kefir. *Msystems*, 1(5), e00052-16. DOI: <https://doi.org/10.1128/mSystems.00052-16>
- Wang, H., Sun, X., Song, X., & Guo, M. (2021). Effects of Kefir Grains from Different Origins on Proteolysis and Volatile Profile of Goat Milk Kefir. *Food Chemistry*, 339, 128099. DOI: <https://doi.org/10.1016/j.foodchem.2020.128099>
- Xu, D., Bechtner, J., Behr, J., Eisenbach, L., Geißler, A. J., & Vogel, R. F. (2019). Lifestyle of *Lactobacillus hordei* isolated from water kefir based on genomic, proteomic and physiological characterization. *International Journal of Food Microbiology*, 290 (September 2018), 141–149. DOI: <https://doi.org/10.1016/j.ijfoodmicro.2018.10.004>