

BIBLIOGRAPHY

- Adefegha, S. A., Olasehinde, T. A., & Oboh, G. 2018. Pasting alters glycemic index, antioxidant activities, and starch-hydrolyzing enzyme inhibitory properties of whole wheat flour. *Food Science & Nutrition*, 6(6), 1591-1600.
- American Association of Cereal Chemist International (AACC International). 2010. Approved Methods of Analysis 11th Edition. AACC International, USA
- Amr, A., & Ajo, R. 2005. Production of Two Types of Pocket-Forming Flat Bread by the Sponge and Dough Method. *Cereal Chemistry Journal*, 82(5), 499-503.
- Anwar, S. H., Ginting, B. M., Aisyah, Y., & Safriani, N. 2017. Pemanfaatan Tepung Porang (*Amorphophallus oncophyllus*) Sebagai Penstabil Emulsi M/A Dan Bahan Penyalut Pada Mikrokapsul Minyak Ikan. *Jurnal Teknologi Industri Pertanian*, 27(1), 76-88.
- Araujo, R. G. O., Macedo, S. M., Korn, M. das G. A., Pimentel, M. F., Bruns, R. E., & Ferreira, S. L. C. 2008. Mineral composition of wheat flour consumed in Brazilian cities. *Journal of the Brazilian Chemical Society*, 19(5), 935–942.
- Ariyantoro, A. R., Amanto, B. S., & Kiswuri. 2020. Effect of Heat Moisture Treatment (HMT) on Physicochemical Characteristics of Sorghum Flour (*Sorghum Bicolor L. moench*). *IOP Conference Series: Earth and Environmental Science*.
- Association of Official Analytical Chemists (AOAC). 2005. Official Methods of Analysis of the Association Analytical Chemists. AOAC International, Washington DC.
- Astuti, R. D., Prastowo, A., & Aprilia, V. 2018. Porang flour with and without soaking of keji beling extract increased ureum level on toxicity test. *Jurnal Gizi Dan Dietetik Indonesia (Indonesian Journal of Nutrition and Dietetics)*, 5(3), 93.
- Atwell, W and Finnie, S. 2016. Products from Hard Wheat Flour. *Wheat Flour*. 91-110.
- Brennan, C. S. and Abboud A. 2012. Bread wheat quality: some physical, chemical, and rheological characteristics of syrian and english bread wheat samples. *Foods* 1: 1-37.
- Badan Standardisasi Nasional. 1995. Roti. SNI 01-3840-1995. Jakarta: BSN.

- Badan Standardisasi Nasional. 2020. Umbi porang (*Amorphophallus muelleri* Blume) sebagai bahan baku. SNI 7938-2020. Jakarta: BSN.
- Cappelli, A., Oliva, N., & Cini, E. 2020. A systematic review of gluten-free dough and bread: Dough rheology, bread characteristics, and improvement strategies. *Applied Sciences*, 10(18), 6559.
- Cauvain, S. P. 2003. *Bread Making*. Woodhead Publishing.
- Cordeiro, M. J., Veloso, C. M., Santos, L. S., Bonomo, R. C., Caliari, M., & Fontan, R. D. 2018. The Impact of Heat-moisture Treatment on Properties of *Musa paradisiaca* L. Starch, and Optimization of Process Variables. *Food Technology and Biotechnology*, 56(4).
- Cornejo-Ramírez, Y. I., Martínez-Cruz, O., Toro-Sánchez, C. L., Wong-Corral, F. J., Borboa-Flores, J., & Cinco-Moroyoqui, F. J. 2018. The structural characteristics of starches and their functional properties. *CyTA - Journal of Food*, 16(1), 1003-1017.
- Chairiyah, N., Harijati, N., & Mastuti, R. 2021. The dynamic of calcium oxalate (Ca_{ox}) in porang corms (*Amorphophallus muelleri* Blume) at different harvest time. *Journal of Tropical Life Science*, 11(1), 33–44.
- Christy, F. 2021. Effect Of Partial Substitution With Heat Moisture-Treated Sweet Potato (*Ipomoea Batatas* L.) Flour On Physicochemical And Organoleptic Characteristics Of Pan Bread.
- Dudu, O. E., Ma, Y., Adelekan, A., Oyediji, A. B., Oyeyinka, S. A., & Ogungbemi, J. W. 2020. Bread-making potential of heat-moisture treated cassava flour-additive complexes. *LWT*, 130, 109477.
- Fan, Y., & Picchioni, F. 2020. Modification of starch: A review on the application of “green” solvents and controlled functionalization. *Carbohydrate Polymers*, 241.
- Faridah, A., Widjanarko, S. B., & Sutrisno, A. 2011. Optimasi Peningkatan Kadar Glukomanan Dan Penurunan Kalsium Oksalat Pada Proses Penepungan Dari Chip Porang (*Amorphophallus Oncophyllus*) Dengan Metode Mekanis. *Seminar Nasional PATPI*.
- Faridah, D. N., Damaiyanti, S., Indrasti, D., Jayanegara, A., & Afandi, F. A. 2022. Effect of heat moisture treatment on resistant starch content among carbohydrate sources: A meta-analysis. *International Journal of Food Science & Technology*, 57(4), 1965–1974.
- Ferdian, M. A., and R. G. Perdana. 2021. Processing Technology of Porang Flour Modified with the Variations of Milling Methods and Long Fermentation . *Jurnal Agroindustri*, 23-32.

- Garnida, Y. 2019. Modifikasi tepung ganyong (*Canna edulis* Kerr.) metode heat moisture treatment pada suhu dan waktu pemanasan berbeda dan aplikasi tepung pada pembuatan cookies. *Pasundan Food Technology Journal*, 6(1), 65.
- Gunaratne, A., & Hoover, R. 2002. Effect of heat-moisture treatment on the structure and physicochemical properties of tuber and root starches. *Carbohydrate Polymers*, 49(4), 425-437.
- Hoover, R. (2010). The impact of heat-moisture treatment on molecular structures and properties of starches isolated from different botanical sources. *Critical Reviews in Food Science and Nutrition*, 50(9), 835-847.
- Hakiim, A., & Sistihapsari, F. 2011. Modifikasi Fisik-Kimia Tepung Sorgum Berdasarkan Karakteristik Sifat Fisikokimia Sebagai Substituen Tepung Gandum. Universitas Diponegoro.
- Haeria, H. H., Dhuha, N. S., & Azhariyani, A. R. 2017. Potensi Pati Umbi Tire (*Amorphophallus onchopyllus*) Pregelatinasi Paut Silang Sebagai Bahan Tambahan Tablet Kempa Langsung. *Jurnal Ilmiah Farmasi Farmasyifa*, 1(1), 52-61.
- Indriani, I. T., A., & Fardilla, R. F. 2019. Karakteristik Tepung Suweg (*Amorphophallus paeoniifolius*) Termodifikasi Heat Moisture Treatment (HMT) Pada Produk Mie Kaya Serat. *Jurnal Sains Dan Teknologi Pangan*, 4, 2271-2272.
- Ishida, P. M., & Steel, C. J. 2014. Physicochemical and sensory characteristics of pan bread samples available in the Brazilian market. *Food Science and Technology (Campinas)*, 34(4), 746-754.
- Kong, F., & Singh, R. 2016. Chemical Deterioration and Physical Instability of Foods and Beverages. *The Stability and Shelf Life of Food*, 43-76.
- Korus, J., Chmielewska, A., Witczak, M., Ziobro, R., & Juszczak, L. 2021. Rapeseed protein as a novel ingredient of gluten-free bread. *European Food Research and Technology*, 247(8), 2015-2025.
- Kristinah, H., Suharto, & Suryanto. 2016. Production of Chips of Porang (*Amorphophallus Oncophyllus*) by Slicing Machine With Rotating Double Cutters. *Journal Ijirae*.
- Kumoro, A. C., Yuganta, T. H. A., Ratnawati, R., & Retnowati, D. S. 2017. Effect of catalyst concentration and reaction time on the extraction of glucomannan from porang (*amorphophallus oncophyllus*) flour via acid hydrolysis. *IOP Conference Series: Materials Science and Engineering*, 162(1).

- Kusumayanti, H., Handayani, N. A. and Herry S. 2015. Swelling power and water solubility of cassava and sweet potatoes flour. *Procedia Environmental Sciences* (23): 164-167.
- Liu, C. , J. Hong, and X. Zheng. 2017. Effect of heat-moisture treatment on morphological, structural and functional characteristics of ball-milled wheat starches. *Starch/Starke*.
- Lotfy, L. M., & Bayomy, H. M. 2017. Quality of Pan Bread as Affected by the Incorporation of Sweet Potato Flour. *Egypt Journal of Food Science*. Retrieved October 26, 2021.
- Machine, A. P., Massingue, A. A., Ngome, M. T., Balane, S. G., Munguambe, A. A., Armando, E. J., & Asaam, S. 2020. Physicochemical and sensory properties of bread with sweet potato flour (*Ipomea batatas* L.) as partial replacer of wheat flour supplemented with okra hydrocolloids. *African Journal of Food Science*, 14(11), 385-394.
- Mahirdini, S., & Afifah, D. N. 2016. Pengaruh substitusi tepung terigu dengan tepung porang (*Amorphophallus oncophyllus*) terhadap kadar protein, serat pangan, lemak, dan tingkat penerimaan biskuit. *Jurnal Gizi Indonesia (The Indonesian Journal of Nutrition)*, 5(1), 42–49.
- Masamba, K., & Jinazali, H. 2014. Effect of cassava flour processing methods and substitution level on proximate composition, sensory characteristics and overall acceptability of bread made from wheat- cassava flour blends. *African Journal of Food, Agriculture, Nutrition and Development*, 14(66), 9390–9403.
- Mathobo, V. M., Silungwe, H., Ramashia, S. E., & Anyasi, T. A. (2021). Effects of heat-moisture treatment on the thermal, functional properties and composition of cereal, legume and tuber starches—A review. *Journal of Food Science and Technology*, 58(2), 412–426.
- Mitiku, D. H., Abera, S., & Bussa, N. 2018. Evaluation of physicochemical properties and sensory attributes of leavened bread produced from composite flours of wheat (*triticum aestivum* l.) And sweet potato (*ipomoea batatas* l.) . *Science, Technology and Arts Research Journal*, 5(1), 95.
- Mudau, M., Ramashia, S. E., Mashau, M. E., & Silungwe, H. 2021. Physicochemical characteristics of bread partially substituted with finger millet (*Eleusine corocana*) flour. *Brazilian Journal of Food Technology*, 24.
- Muthoharoh, D. F., and A. Sutrisno. 2017. The Making of Gluten-Free Bread of Arrowroot Flour, Rice Flour, and Corn Flour (Study of Glucomannan Concentration and Proofing Time). *Jurnal Pangan dan Agroindustri*: 34- 44.

- Nasir, S., Allai, F. M., Gani, M., Ganaie, S., Gul, K., Jabeen, A., & Majeed, D. 2020. Physical, textural, rheological, and sensory characteristics of amaranth-based wheat flour bread. *International Journal of Food Science*, 2020, 1–9.
- Nawaz, H., Waheed, R., Nawaz, M., & Shahwar, D. 2020. Physical and Chemical Modifications in Starch Structure and Reactivity. *Chemical Properties of Starch*.
- Ndlala, F. N., Onipe, O. O., Mokhele, T. M., Anyasi, T. A., & Jideani, A. I. O. 2019. Effect of wheat bran incorporation on the physical and sensory properties of a south african cereal fried dough. *Foods*, 8(11), 559.
- Nielsen, S. S. 2010. Food Analysis Laboratory Manual. *Springer Science+Business Media*, LLC, New York.
- Nkafamiya, I. I., H. M. Maina, S. A. Osemeahon, and U. U. Modibbo. 2010. Percentage Oil Yield and Physiochemical Properties of Different Groundnut Species (*Arachis Hypogaea*). *African Journal of Food Science*, 47, 418-27.
- Nugraheni, B. S., P, A. D., & Advistasari, Y. U. 2018. Analisis Kimia, Makronutrien Dan Kadar Glukomanan Pada Tepung Umbi Porang (*Amorphophallus konjac* K. Koch) Setelah Dihilangkan Kalsium Oksalatnya Menggunakan NaCl 10%. *JIFFK: Jurnal Ilmu Farmasi Dan Farmasi Klinik*, 15(2), 77.
- Nur'Aini, Dari, I. W., Setiawan, A. A., & Laksmiawati, D. R. 2021. Macronutrients Analysis of Porang Tubers (*Amorphophallus muelleri* Blume) Fermentation With *Lactobacillus Bulgaricus* Bacteria. *Proceedings of the 4th International Conference on Sustainable Innovation 2020–Health Science and Nursing*.
- Onyango, C. 2013. Effect of heat-moisture-treated cassava starch and amaranth malt on the quality of sorghum-cassava-amaranth bread. *African Journal of Food Science*, 7(5), 80–86.
- Onyango, C. (2016). Starch and modified starch in bread making: A review. *African Journal of Food Science*, 10(12), 344–351.
- Ouazib, M., Dura, A., Zaidi, F., & Rosell, C. 2016. Effect of partial substitution of wheat flour by processed (Germinated, toasted, cooked) chickpea on bread quality. *International Journal of Agricultural Science and Technology*, 4(1), 8–18.
- Panjaitan, T. W. S., Rosida, D. A., & Widodo, R. 2019. ASPEK MUTU DAN TINGKAT KESUKAAN KONSUMENTERHADAP PRODUK MIE BASAHDENGAN SUBSTITUSI TEPUNG PORANG. *Jurnal Teknik Industri HEURISTIC*, 14(1).

- Parwiyanti, P., F., Wijaya, A., & Malahayati, N. 2016. Profil pasting pati ganyong termodifikasi dengan heat moisture treatment dan gum xanthan untuk produk roti. *Jurnal Teknologi Dan Industri Pangan*, 27(2), 185–192.
- Pimentel, T. C., A. Gomes Da Cruz, and R. Deliza. 2021. Sensory Evaluation: Sensory Rating and Scoring Methods. *Encyclopedia of Food and Health*, 744-49.
- Pokatong, W. D. R., & Julista, E. P. 2022. Heat-moisture treatment to sweet potato (*Ipomoea batatas* L.) flour increased volume expansion and other characteristics of pan bread prepared with wheat flour partially substituted. *GCISTEM Proceeding*, 1, 74–87.
- Pratama, M. Z., Agustina, R., dan Munawar, A. A. 2020. Kajian Pengerian Porang (*Amorphophallus oncophyllus*) Berdasarkan Variasi Ketebalan Lapisan Menggunakan Tray Dryer. *Jurnal Ilmiah Mahasiswa Pertanian*, 5(1), 351–360.
- Rathnayake, H. A., Navaratne, S. B., & Navaratne, C. M. 2018. Porous crumb structure of leavened baked products. *International Journal of Food Science*, 2018, 1–15.
- Rayas-Duarte, P., & Mulvaney, S. 2012. Bread staling. In *Breadmaking* (pp. 580–596).
- Rehman, S., Paterson, A., Hussain, S., Anjum Murtaza, M., & Mehmood, S. 2007. Influence of partial substitution of wheat flour with vetch (*Lathyrus sativus* L) flour on quality characteristics of doughnuts. *LWT - Food Science and Technology*, 40(1), 73–82.
- Robles-Ramírez, M. D. C., Flores-Morales, A., & Mora-Escobedo, R. 2012. Corn tortillas: Physicochemical, structural and functional changes. In *Maize: Cultivation, Uses and Health Benefits*. 89-111.
- Rosell, C. M. 2011. The Science of Doughs and Bread Quality. *Flour and Breads and Their Fortification in Health and Disease Prevention*, 3-14.
- Sadek, D. A., Shaltot, O. E., Abdelsalam, N. R., Sharf, M. M., & Amara, A. A. 2018. The Development Fortified Pan Bread by Increasing Its Protein Content with High Levels of Live Yeast cells *Saccharomyces Cerevisiae*. *GEBRI*, 1(2).
- Santosa, H., Handayani, N. A., Bastian, H. A., & Kusuma, I. M. 2015. Modifikasi Tepung Ubi Jalar Ungu (*Ipomoea Batatas* L. Poir) Dengan Metode Heat Moisture Treatment (Hmt) Sebagai Bahan Baku Pembuatan Mi Instan. *METANA*, 11(1).

- Sardiman, S., Ansharullah, A., & Hermanto, H. 2021. Modifikasi dan karakterisasi tepung biji nangka (*Artocarpus heterophyllus*) termodifikasi hmt(Heat moisture treatment). *Edible: Jurnal Penelitian Ilmu-Ilmu Teknologi Pangan*, 9(1), 24.
- Sari, R., & Suhartati. 2015. Tumbuhan Porang: Prospek Budidaya Sebagai Salah Satu Sistem Agroforestry. *Info Teknis EBONI*, 12, 97-110.
- Schafranski, K., Ito, V. C., & Lacerda, L. G. 2021. Impacts and potential applications: A review of the modification of starches by heat-moisture treatment (Hmt). *Food Hydrocolloids*, 117, 106690.
- Senanayake, S., Gunaratne, A., Ranaweera, K., & Bamunuarachchi, A. 2013. Effect of heat moisture treatment conditions on swelling power and water soluble index of different cultivars of sweet potato (*Ipomea batatas* (L). Lam) starch. *ISRN Agronomy*.
- Setiyoko, A., Nugraeni, N., & Hartutik, S. 2018. Karakteristik Mie Basah Dengan Substitusi Tepung Bengkuang Termodifikasi Heat Moisture Treatment (Hmt). *Jurnal Teknologi Pertanian Andalas*, 22(2), 102.
- Shen, Y., Tebben, L., Chen, G., & Li, Y. 2018. Effect of amino acids on Maillard reaction product formation and total antioxidant capacity in white pan bread. *International Journal of Food Science & Technology*, 54.
- Skendi, A., Papageorgiou, M., & Varzakas, T. 2021. High protein substitutes for gluten in gluten-free bread. *Foods*, 10(9), 1997.
- Sodhi, N. S., & Singh, N. 2005. Characteristics of acetylated starches prepared using starches separated from different rice cultivars. *Journal of Food Engineering*, 70(1), 117-127.
- Subroto, E., R. Indiarso, H. Marta, and S. Shalihah. 2019. Effect of heat-moisture treatment on functional and pasting properties of potato (*Solanum tuberosum* L. var. Granola) starch. *Food Research*. 496-476.
- Tanak, Y. 2016. Modifikasi Secara Heat Moisture Treatment Pada Pati Ubi Jalar Ungu Untuk Pangan Fungsional. *Jurnal Sains Dan Teknologi Tadulaka*, 39-49.
- Ulfa, D. A., & Nafi'Ah, R. 2018. Pengaruh Perendaman NaCl Terhadap Kadar Glukomanan dan Kalsium Oksalat Tepung les-Iles (*Amorphophallus variabilis* Bi). *Cendekia Journal of Pharmacy*, 2(2), 124-133.
- Villarino, C. B., Jayasena, V., Coorey, R., Chakrabarti-Bell, S., & Johnson, S. 2014. The effects of bread-making process factors on Australian sweet lupin-wheat bread quality characteristics. *International Journal of Food Science & Technology*, 49(11), 2373-2381.

- Wahjuningsih, S. B., & Kunarto, B. 2011. PENGARUH BLANCHING DAN UKURAN PARTIKEL (MESH) TERHADAP KADAR GLUKOMANAN, KALSIMUM OKSALAT DAN SERAT MAKAN TEPUNG UMBI PORANG (*Amorphophallus onchophyllus*). *Jurnal Litbang Provinsi Jawa Tengah*, 9(2), 117–123.
- Wang, X., Lao, X., Bao, Y., Guan, X., & Li, C. 2021. Effect of whole quinoa flour substitution on the texture and in vitro starch digestibility of wheat bread. *Food Hydrocolloids*, 119, 106840.
- Wardani, R. K., & Handrianto, P. 2019. Pengaruh perendaman umbi porang dalam larutan sari buah belimbing wuluh terhadap penurunan kadar kalsium oksalat. *IPTEK Journal of Proceedings Series*, 4, 1–4.
- Wardani, I. B., & Harijati, N. 2020. Selecting Seeding Techniques and Plant Media To Produce Generation Zero (G0) Tubers Of Porang (*Amorphophallus Muelleri* Blume). *Journal of Environmental Engineering & Sustainable Technology*, 7, 21-25.
- Widodo, R., Harijanto, S. D., & Rosida, D. A. 2014. Aspek Mutu Produk Roti Tawar Untuk Diabetesi Berbahan Baku Tepung Porang Dan Tepung Suweg. *Jurnal Agroknow*, 2.
- Yasin, I., Suwardji, Kusnarta, Bustan, & Fahrudin. 2021. Menggali Potensi Porang Sebagai Tanaman Budidaya Di Lahan Hutan Kemasyarakatan Di Pulau Lombok. *LPPM Universitas Mataram*, 3, 70-77.
- Yudhistira, B. (2021). Bright Prospect of Porang Cultivation. Faculty of Agriculture Sebelas Maret University.
- Zaini, C., Meftah, H., & Agbaje, R. 2015. Physicochemical and Textural Properties of White Bread Made From Different Commercial Brands of High Gluten Flours. *International Journal of Review in Applied and Social Sciences*, 1(8).