

DAFTAR PUSTAKA

- A Agbor, G., Vinson, J. A., & Donnelly, P. E. (2014). Folin-Ciocalteau reagent for polyphenolic assay. *International Journal of Food Science, Nutrition and Dietetics*, 147–156. <https://doi.org/10.19070/2326-3350-1400028>
- Abdulwahid Ali Almarie, A. (2020). Roles of terpenoids in essential oils and its potential as natural weed killers: Recent developments. *Essential Oils - Bioactive Compounds, New Perspectives and Applications*. <https://doi.org/10.5772/intechopen.91322>
- Acevedo-Rodriguez, P. and Strong, M., (2012). Catalogue of Seed Plants of the West Indies. *Smithsonian Contributions to Botany*, 98(1), p.201.
- Adawiah, Sukandar, D., dan Muawanah, A. (2015). Aktivitas Antioksidan dan Kandungan Komponen Bioaktif Sari Buah Namnam. *Jurnal Kimia VALENSI* 1(2): 130-136.
- Afoulous, S., Ferhout, H., Raoelison, E. G., Valentin, A., Moukarzel, B., Couderc, F., & Bouajila, J. (2013). Chemical composition and anticancer, antiinflammatory, antioxidant and antimalarial activities of leaves essential oil of Cedrelopsis Grevei. *Food and Chemical Toxicology*, 56, 352–362. <https://doi.org/10.1016/j.fct.2013.02.008>
- Agustiana L, Purbowatiningrum R. dan N. Aminin. (2017). Antioxidant from turmeric fermentation products (*Curcuma longa*) by *Aspergillus orzae*. *Journal of Scientific and Applied Chemistry*, 21(1), 13-18.
- Akoglu, H. (2018). User's Guide to Correlation Coefficients. *Turkish Journal of Emergency Medicine*, 18(3), 91–93. <https://doi.org/10.1016/j.tjem.2018.08.001>
- Algoblan, A., Alalfi, M., & Khan, M. (2014). Mechanism linking diabetes mellitus and obesity. *Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy*, 587. <https://doi.org/10.2147/dmso.s67400>
- Ali, M. A., Yusof, Y. A., Chin, N. L., Ibrahim, M. N., & Basra, S. M. A. (2014). Drying kinetics and colour analysis of *Moringa oleifera* leaves. *Agriculture and Agricultural Science Procedia*, 2, 394–400. <https://doi.org/10.1016/j.aaspro.2014.11.055>

- Almeida, D. T., Viana, T. V., Costa, M. M., Silva C. de, & Feitosa A, S. (2019). Effects of different storage conditions on the oxidative stability of crude and refined palm oil, Olein and stearin (*elaeis guineensis*). *Food Science and Technology*, 39(suppl 1), 211–217. <https://doi.org/10.1590/fst.43317>
- Alqahtani, A. S., Hidayathulla, S., Rehman, M. T., ElGamal, A. A., Al-Massarani, S., Razmovski-Naumovski, V., Alqahtani, M. S., El Dib, R. A., & AlAjmi, M. F. (2019). Alpha-amylase and alpha-glucosidase enzyme inhibition and antioxidant potential of 3-oxolupenal and katononic acid isolated from *Nuxia oppositifolia*. *Biomolecules*, 10(1), 61. <https://doi.org/10.3390/biom10010061>
- Ambrose, D., Manickavasagan, A. and Naik, R., (2016). *Leafy Medicinal Herbs*. 1st ed. Coimbatore, Tamil Nadu: Centre for Agriculture and Bioscience International, p.125.
- Andayani, R., Maimunah, dan Lisawati, Y. (2008). Penentuan Aktivitas Antioksidan, Kadar Fenolat Total, dan Likopen pada Buah Tomat (*Solanum lycopersicum L*). *Jurnal Sains dan Teknologi Farmasi*. 13(1): 31-37.
- Andersson, T., Broo, A., & Evertsson, E. (2014). Prediction of drug candidates' sensitivity toward autoxidation: Computational estimation of C-H dissociation energies of carbon-centered radicals. *Journal of Pharmaceutical Sciences*, 103(7), 1949–1955. <https://doi.org/10.1002/jps.23986>
- AOAC. (2005). Official Methods of Analysis of AOAC International. AOAC Inc., United States.
- Aschmann, S. M., Arey, J., & Atkinson, R. (2011). Formation of P-cymene from $\text{oh} + \gamma\text{-terpinene}$: H-atom abstraction from the cyclohexadiene ring structure. *Atmospheric Environment*, 45(26), 4408–4411. <https://doi.org/10.1016/j.atmosenv.2011.05.044>
- Asghari, J. (2012). Comparison of the microwave-assisted hydrodistillation with the traditional hydrodistillation method in the extraction of essential oils from *Ferulago angulata* (Schelcht.) boiss. *European Journal of Medicinal Plants*, 2(4), 324–334. <https://doi.org/10.9734/ejmp/2012/1488>
- Awouafack, M. D., Tane, P., & Morita, H. (2017). Isolation and structure characterization of flavonoids. *Flavonoids - From Biosynthesis to Human Health*. <https://doi.org/10.5772/67881>

- Babu, A. K., Kumaresan, G., Raj, V. A., & Velraj, R. (2018). Review of leaf drying: Mechanism and influencing parameters, drying methods, nutrient preservation, and mathematical models. *Renewable and Sustainable Energy Reviews*, 90, 536–556. <https://doi.org/10.1016/j.rser.2018.04.002>
- Baccouri, B., & Rajhi, I. (2021). Potential antioxidant activity of terpenes. *Terpenes and Terpenoids Recent Advances*. <https://doi.org/10.5772/intechopen.96638>
- Banjarnahor, S.D.S., dan Artanti, N. (2014). Antioxidant properties of flavonoids. *Medical Journal of Indonesia* 23(4): 239-244.
- Bel Hadj Salah, K., Mahjoub, M. A., Chaumont, J. P., Michel, L., Millet-Clerc, J., Chraeif, I., Ammar, S., Mighri, Z., & Aouni, M. (2006). Chemical composition Andin Vitroantifungal and antioxidant activity of the essential oil and methanolic extract of *eucrarium Sauvageile Houerou*. *Natural Product Research*, 20(12), 1089–1097. <https://doi.org/10.1080/14786410600704748>
- Benbelaid, F., Abdoune, M. A., Khadir, A., & Bendahou, M. (2013). Drying effect on yield and antimicrobial activity of essential oils. *International Journal of Medicinal and Aromatic Plants*, 3(1), 93–100.
- Boczkaj, G., Makoś, P., & Przyjazny, A. (2016). Application of dynamic headspace and gas chromatography coupled to mass spectrometry (DHS-GC-MS) for the determination of oxygenated volatile organic compounds in refinery effluents. *Analytical Methods*, 8(17), 3570–3577. <https://doi.org/10.1039/c5ay03043a>
- Boukhatem, M. N., Ferhat, M. A., Kameli, A., Saidi, F., Walid, K., & Mohamed, S. B. (2014). Quality Assessment of the essential oil from *Eucalyptus globulus* labill of Blida (Algeria) origin. *International Letters of Chemistry, Physics and Astronomy*, 36, 303–315. <https://doi.org/10.18052/www.scipress.com/ilcpa.36.303>
- Boveiri Dehsheikh, A., Mahmoodi Sourestani, M., Boveiri Dehsheikh, P., Vitalini, S., Iriti, M., & Mottaghipisheh, J. (2019). A comparative study of essential oil constituents and phenolic compounds of Arabian lilac (*Vitex trifolia* var. *purpurea*): An evidence of season effects. *Foods*, 8(2), 52. <https://doi.org/10.3390/foods8020052>
- Brown, A., Anderson, D., Racicot, K., Pilkenton, S. and Apostolidis, E., (2017). Evaluation of Phenolic Phytochemical Enriched Commercial Plant Extracts on the In Vitro Inhibition of α -glucosidase. *Frontiers in Nutrition*, 4(56), pp.1-8.

- BSN. (2016). Minyak Nilam. SNI 06-2385-2016. Badan Standardisasi Nasional. Jakarta.
- Burareah, Hakim. (2010). Analisis Faktor Risiko Diabetes Melitus tipe 2 di Puskesmas Tanrutedong, Sidenreg Rappan, *Jurnal Ilmiah Nasional*.
- Cabrera, A., (2016). Inflammatory Oxidative Aging: A New Theory of Aging. *Malaysian Orthopaedic Journal: Immunology*, 3(5), pp.40-42.
- Cajka, T. (2013). Gas chromatography-time-of-flight mass spectrometry in food and environmental analysis. *Advanced Techniques in Gas Chromatography–Mass Spectrometry (GC–MS–MS and GC–TOF–MS) for Environmental Chemistry*, 271–302. <https://doi.org/10.1016/b978-0-444-62623-3.00012-5>
- Cannon, J. B., Cantrell, C. L., Astatkie, T., & Zheljazkov, V. D. (2013). Modification of yield and composition of essential oils by distillation time. *Industrial Crops and Products*, 41, 214–220. <https://doi.org/10.1016/j.indcrop.2012.04.021>
- Capetti, F., Cagliero, C., Marengo, A., Bicchi, C., Rubiolo, P., & Sgorbini, B. (2020). Bio-guided fractionation driven by in vitro α -glucosidase inhibition assays of essential oils bearing specialized metabolites with potential hypoglycemic activity. *Plants*, 9(9), 1242. <https://doi.org/10.3390/plants9091242>
- Casiglia, S., Bruno, M., Bramucci, M., Quassinti, L., Lupidi, G., Fiorini, D., & Maggi, F. (2017). Kundmannia Sicula (L.) DC: A rich source of Germacrene D. *Journal of Essential Oil Research*, 29(6), 437–442. <https://doi.org/10.1080/10412905.2017.1338625>
- Chamorro, E. R., Zambon, S. N., Morales, W., Sequeira, A., & Velasco, G. A. (2012). Study of the chemical composition of essential oils by gas chromatography. *Gas Chromatography in Plant Science, Wine Technology, Toxicology and Some Specific Applications*. <https://doi.org/10.5772/33201>
- Chandran, J., Nayana, N., Roshini, N., & Nisha, P. (2016). Oxidative stability, thermal stability and acceptability of coconut oil flavored with essential oils from black pepper and ginger. *Journal of Food Science and Technology*, 54(1), 144–152. <https://doi.org/10.1007/s13197-016-2446-y>
- Chen, C., Chan, H., Chu, Y., Ho, H., Chen, P., Lee, T. and Lee, C., (2009). Antioxidant Activity of Some Plant Extracts Towards Xanthine Oxidase, Lipoxygenase and Tyrosinase. *Molecules*, 14(8), pp.2947-2958.

- Cicchetti, E., Merle, P., & Chaintreau, A. (2008). Quantitation in gas chromatography: Usual practices and performances of a response factor database. *Flavour and Fragrance Journal*, 23(6), 450–459. <https://doi.org/10.1002/ffj.1906>
- Christopoulou, S. D., Androutsopoulou, C., Hahalis, P., Kotsalou, C., Vantarakis, A., & Lamari, F. N. (2021). Rosemary extract and essential oil as drink ingredients: An evaluation of their chemical composition, genotoxicity, antimicrobial, antiviral, and antioxidant properties. *Foods*, 10(12), 3143. <https://doi.org/10.3390/foods10123143>
- D'Adamo, E. and Caprio, S., (2011). Type 2 Diabetes in Youth: Epidemiology and Pathophysiology. *Diabetes Care*, 34(Supplement_2), 161-S165.
- Dabelea, D., Stafford, J. M., Mayer-Davis, E. J., D'Agostino, R., Dolan, L., Imperatore, G., Linder, B., Lawrence, J. M., Marcovina, S. M., Mottl, A. K., Black, M. H., Pop-Busui, R., Saydah, S., Hamman, R. F., & Pihoker, C. (2017). Association of type 1 diabetes vs type 2 diabetes diagnosed during childhood and adolescence with complications during teenage years and young adulthood. *Journal of the American Medical Association*, 317(8), 825. <https://doi.org/10.1001/jama.2017.0686>
- Dall'Oglio, F., Milani, M., & Micali, G. (2018). Effects of oral supplementation with fos and Gos Prebiotics in women with adult acne: The “s.o. sweet” study: A proof-of-concept pilot trial. *Clinical, Cosmetic and Investigational Dermatology*, Volume 11, 445–449. <https://doi.org/10.2147/ccid.s179627>
- De Falco, E., Mancini, E., Roscigno, G., Mignola, E., Taglialatela-Scafati, O., & Senatore, F. (2013). Chemical composition and biological activity of essential oils of *Origanum vulgare* l. subsp. *vulgare* L. under different growth conditions. *Molecules*, 18(12), 14948–14960. <https://doi.org/10.3390/molecules181214948>
- Devi Susilayani, N., (2017). Pengembangan Alat Ukur Indeks Bias Menggunakan Prisma Berongga dari Lembaran Kaca Komersial Biasa dan Laser He-Ne untuk Pengujian Kualitas Minyak Goreng. *Risalah Fisika*, 1(2), pp.39-46.
- Dewan Atsiri Indonesia, (2010). *Minyak Atsiri Indonesia*. 1st ed. Bogor: IPB Press.
- Do, T. K., Hadji-Minaglou, F., Antoniotti, S., & Fernandez, X. (2015). Authenticity of essential oils. *TrAC Trends in Analytical Chemistry*, 66, 146–157. <https://doi.org/10.1016/j.trac.2014.10.007>
- Dosoky, N., Satyal, P., Gautam, T. and Setzer, W., (2016). Composition and Biological Activities of *Murraya paniculata* (L.) Jack Seed Essential Oil from Nepal. *Medicines*, 3(1), p.7.

- Dougall, I. G., & Unitt, J. (2015). Evaluation of the biological activity of compounds. *The Practice of Medicinal Chemistry*, 15–43. <https://doi.org/10.1016/b978-0-12-417205-0.00002-x>
- Duarte, A., Luís, Â., Oleastro, M., & Domingues, F. C. (2016). Antioxidant properties of coriander essential oil and linalool and their potential to control *Campylobacter* spp.. *Food Control*, 61, 115–122. <https://doi.org/10.1016/j.foodcont.2015.09.033>
- Duarte, M., Duarte, R., Rodrigues, R. and Rodrigues, M., (2017). Essential Oils and Their Characteristics. *Essential Oils in Food Processing*, 2(1), pp.1-19.
- Eliazar, T. and Aziz, S., (2015). Guano and Rice-Hull Ash Application for Flowering Induction on Orange Jessamine (*Murraya paniculata* (L.) Jack). *Journal of Tropical Crop Science*, 2(3), pp.14-21.
- Elya, B., Basah, K., Munim, A., Yulitututti, W., Bangun, A., dan Septiana, E.K. (2012). Screening of α -glucosidase Inhibitory Activity from some Plants of Apocynaceae, Clusiaceae, Euphorbiceae, and Rubiaceae. *Journal of Biomedicine and Biotechnology* 3(1): 60-65.
- Elya, B., Handayani, R., Sauriasari, R., A., Hasyyati, U. S., Permana, I. T., & Permatasar, Y. I. (2015). Antidiabetic activity and phytochemical screening of extracts from Indonesian plants by inhibition of alpha amylase, alpha glucosidase and dipeptidyl peptidase IV. *Pakistan Journal of Biological Sciences*, 18(6), 279–284. <https://doi.org/10.3923/pjbs.2015.279.284>
- Esfarjani, F., Khoshtinat, K., Zargaraan, A., Mohammadi-Nasrabadi, F., Salmani, Y., Saghabi, Z., Hosseini, H., & Bahmaei, M. (2019). Evaluating the rancidity and quality of discarded oils in fast food restaurants. *Food Science & Nutrition*, 7(7), 2302–2311. <https://doi.org/10.1002/fsn3.1072>
- Farida, Y., Qodriah, R., Widyana, A. P., & Ifani, Z. (2021). Uji Aktivitas Antioksidan, Uji Antikolesterol, dan Toksisitas dari Ekstrak Etanol Daun Kemuning (*Murraya Paniculata* L.Jack). *Majalah Farmasetika*, 6, 24–31. <https://doi.org/10.24198/mfarmasetika.v6i0>
- Fitriana, M. Djafar, Dani S. dan Asri G. (2010). Pengaruh Ukuran Partikel, SF Rasio dan Waktu Proses Terhadap Rendemen Pada Hidrodistilasi Minyak Jahe. *Jurnal Hasil Penelitian Industri* Volume 23(2)
- Foti, M. C., & Ingold, K. U. (2003). Mechanism of inhibition of lipid peroxidation by γ -terpinene, an unusual and potentially useful hydrocarbon antioxidant. *Journal of Agricultural and Food Chemistry*, 51(9), 2758–2765. <https://doi.org/10.1021/jf020993f>

- Fairez, I., Denny, C., Benso, B., de Alencar, S., & Rosalen, P. (2015). Antibacterial activity of essential oils and their isolated constituents against cariogenic bacteria: A systematic review. *Molecules*, 20(4), 7329–7358. <https://doi.org/10.3390/molecules20047329>
- Gautam, M., Gupta, A., Vijaykumar, M., Rao, C. and Goel, R., (2012). Studies on the hypoglycemic effects of *Murraya paniculata* Linn. extract on alloxan-induced oxidative stress in diabetic and non-diabetic models. *Asian Pacific Journal of Tropical Disease*, 2, pp. 186-191.
- GCC Standardization Organization. (2016). Essential oils. GSO 05/FDS/ 2016. Retrieved from <https://members.wto.org/>
- Giorgi, A, Bombelli, R, Luini, A, Speranza, G, Cosentino, M, Lecchini, S & Cocucci, M (2009). Antioxidant and cytoprotective properties of infusions from leaves and inflorescences of *Achillea collina* Becker ex Rchb'. *Phytotherapy Research*. 23(4), pp. 540–545.
- Glas, J., Schimmel, B., Alba, J., Escobar-Bravo, R., Schuurink, R., & Kant, M. (2012). Plant glandular trichomes as targets for breeding or engineering of resistance to herbivores. *International Journal of Molecular Sciences*, 13(12), 17077–17103. <https://doi.org/10.3390/ijms131217077>
- Goda, T., Yamada, K., Sugiyama, M., MORIUCHI, S., & HOSOYA, N. (1982). Effect of sucrose and acarbose feeding on the development of streptozotocin-induced diabetes in the rat. *Journal of Nutritional Science and Vitaminology*, 28(1), 41–56. <https://doi.org/10.3177/jnsv.28.41>
- Guenther, E., (2006), Minyak Atsiri Jilid IV, Ketaren, S. (alih bahasa), UI Press, Jakarta.
- Gul, M., Attuluri, V., Qureshi, I. dan Ghazi, I., (2012). Antioxidant and α -glucosidase inhibitory activities of *Murraya koenigii* leaf extracts. *Pharmacognosy Journal*, 4(32), pp.65-72.
- Guo, L. P., T. F. Jiang, Lv, Z. H dan Y. H. Wang. (2010). Screening Alpha-Glucosidase Inhibitors from Traditional Chinese Drugs by Capillary Electrophoresis with Electro Phoretically Mediated Microanalysis. *Journal of Pharmaceutical and Biomedical Analysis*.
- Guo, Y., Baschieri, A., Amorati, R., & Valgimigli, L. (2021). SYNERGIC antioxidant activity of γ -terpinene with phenols and polyphenols enabled by hydroperoxy radicals. *Food Chemistry*, 345, 128468. <https://doi.org/10.1016/j.foodchem.2020.128468>

- Hafsa, J., Smach, M. ali, Ben Khedher, M. R., Charfeddine, B., Limem, K., Majdoub, H., & Rouatbi, S. (2016). Physical, antioxidant and antimicrobial properties of chitosan films containing eucalyptus globulus essential oil. *LWT - Food Science and Technology*, 68, 356–364. <https://doi.org/10.1016/j.lwt.2015.12.050>
- Haile, T., Cardoso, S. M., de Oliveira Raphaelli, C., Pereira, O. R., Pereira, E. dos, Vizzotto Márcia, Nora, L., Asfaw, A. A., Periasamy, G., & Karim, A. (2021). Chemical composition, antioxidant potential, and blood glucose lowering effect of aqueous extract and essential oil of thymus serrulatus Hochst. Ex Benth. *Frontiers in Pharmacology*, 12. <https://doi.org/10.3389/fphar.2021.621536>
- Halliwell, B., 2015. How to characterize an antioxidant: an update. *Biochemical Society Symposia*, 61(1), pp.73-101.
- Hamdan, I. I., & Afifi, F. U. (2008). Screening of Jordanian flora for α -amylase inhibitory activity. *Pharmaceutical Biology*, 46(10-11), 746–750. <https://doi.org/10.1080/13880200802316053>
- Hamed, S. F., Sadek, Z., & Edris, A. (2012). Antioxidant and antimicrobial activities of clove bud essential oil and eugenol nanoparticles in alcohol-free microemulsion. *Journal of Oleo Science*, 61(11), 641–648. <https://doi.org/10.5650/jos.61.641>
- Hammes, H., Feng, Y., Pfister, F. and Brownlee, M., 2010. Diabetic Retinopathy: Targeting Vasoregression. *Diabetes*, 60(1), pp.9-16.
- Harman-Ware, A. E., Sykes, R., Peter, G. F., & Davis, M. (2016). Determination of terpenoid content in pine by organic solvent extraction and fast-GC analysis. *Frontiers in Energy Research*, 4. <https://doi.org/10.3389/fenrg.2016.00002>
- Hartati, S., B. Elya, dan A. Najib. 2010. n-Buthanol Fraction of Acorus calamus Rhizome Extract To Inhibit The Activity of Alpha-glukosidase. *Journal of Tropical Medicine Plants*. 11 (2).
- Hasmita, I., Adisalamun, A., Nurul Alam, P., Satriana, S., Mahlinda, M., & Supardan, M. D. (2015). Effect of drying and hydrodistillation time on the amount of Ginger Essential Oil. *International Journal on Advanced Science, Engineering and Information Technology*, 5(5), 300. <https://doi.org/10.18517/ijaseit.5.5.567>
- Hong, C., Kim, K. and Na-Young, A., 2011. The effect of acute and prolonged endurance swim exercise on antioxidant and mitochondrial enzymes in rat skeletal muscle. *Exercise Science*, 20(4), pp.359-366.

- Husni, A., Madalena, M., dan Ustadi. 2015. Aktivitas Antioksidan dan Tingkat Penerimaan Konsumen pada Yoghurt yang Diperkaya dengan Ekstrak Sargassum polycystum. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 18(2): 108-118.
- IOTF, WHO. 2000. Klasifikasi Berat Badan berdasarkan BMI pada Penduduk Asia-Dewasa.
- Jansen, P., 2013. *Plant Resources Of Tropical Africa*. 2nd ed. Wageningen, Netherlands: PROTA Foundation, p.11.
- Jaouadi, I., Cherrad, S., Bouyahya, A., Koursaoui, L., Satrani, B., Ghanmi, M., & Chaouch, A. (2021). Chemical variability and antioxidant activity of *Cedrus atlantica* manetti essential oils isolated from wood tar and Sawdust. *Arabian Journal of Chemistry*, 14(12), 103441. <https://doi.org/10.1016/j.arabjc.2021.103441>
- Jayanudin, J., 2018. Komposisi kimia minyak atsiri daun cengkeh dari proses penyulingan uap. *Jurnal Teknik Kimia Indonesia*, 10(1), p.37.
- Jeon, Y. and Lee, H., 2016. Chemical Composition and Acaricidal Activities of Essential Oils of *Litsea cubeba* Fruits and *Mentha arvensis* Leaves Against House Dust and Stored Food Mites. *Journal of Essential Oil Bearing Plants*, 19(7), pp.1721-1728.
- Jian Qin, C. (2003). Spices and flavoring (flavouring) crops | properties and analysis. *Encyclopedia of Food Sciences and Nutrition*, 5491–5501. <https://doi.org/10.1016/b0-12-227055-x/01126-3>
- Joy, N., Berle, D., Affolter, J., & Pegg, R. B. (2020). Employing predicted response factors and a validated chromatographic method for the relative quantitation of Holy Basil Essential Oils. *Journal of Essential Oil Research*, 32(5), 407–418. <https://doi.org/10.1080/10412905.2020.1772135>
- Jung, M., Park, M., Lee, H.C., Kang, Y.H., Kang, E.S., dan Kim, S.K. (2006). Antidiabetic Agents from Medicinal Plants. *Current Medicinal Chemistry* 13(10): 1203-18.
- Jung, M., Park, M., Lee, H.C., Kang, Y.H., Kang, E.S., dan Kim, S.K. 2006. Antidiabetic Agents from Medicinal Plants. *Current Medicinal Chemistry* 13(10): 1203-18.
- Khairurrasyidin, K., Murlida, E., & Patria, A. (2019). Pengaruh lama Fermentasi Tangkai Dan Daun nilam menggunakan jerami padi terhadap Rendemen Dan Kualitas Minyak Nilam. *Jurnal Ilmiah Mahasiswa Pertanian*, 4(1), 527–537. <https://doi.org/10.17969/jimfp.v4i1.6509>

- Koşar, Müberra; Göger, Fatih; Başer, K. Hüsnü Can (2011). In vitro antioxidant properties and phenolic composition of *Salvia halophila* Hedge from Turkey“. In: *Food Chemistry*. 129 (2), pp. 374–379.
- Kumar, S., Narwal, S., Kumar, V. dan Prakas. O. 2011. α -Glucosidase Inhibitors from Plants: A Natural Approach to Treat Diabetes. *Pharmacogn Rev* 5(9): 19-29.
- Kunyanga, C.N., Imungi, J.K., Okoth, M., Momanyi, C., Biesalski, H.K., dan Vadivel, V. 2011. Antioxidant and Antidiabetic Properties of Condensed Tannins in Acetonic Extract of Selected Raw and Processed Indigenous Food Ingredients from Kenya. *Journal of Food Science* 76(4): C560-C567.
- Kurutas, E. B. (2015). The importance of antioxidants which play the role in cellular response against oxidative/nitrosative stress: Current State. *Nutrition Journal*, 15(1). <https://doi.org/10.1186/s12937-016-0186-5>
- Lawley, R., Curtis, L., dan Davis, J. 2012. The Food Safety Hazard Guidebook 2nd ed. The Royal Society of Chemistry, Cambridge.
- Lee, C. Y., Sharma, A., Semenza, J., Anamoah, C., Chapman, K. N., & Barone, V. (2020). Computational study of ortho-substituent effects on antioxidant activities of phenolic dendritic antioxidants. *Antioxidants*, 9(3), 189. <https://doi.org/10.3390/antiox9030189>
- Lenny S. 2006. Senyawa Flavonoid, Fenilpropanoida dan Alkaloida. Fakultas MIPA, USU, Medan.
- Leopoldini, M., Russo, N., & Toscano, M. (2011). The molecular basis of working mechanism of natural polyphenolic antioxidants. *Food Chemistry*, 125(2), 288–306. <https://doi.org/10.1016/j.foodchem.2010.08.012>
- Li, Y., Chen, Y., Xiao, C., Chen, D., Xiao, Y., & Mei, Z. (2014). Rapid screening and identification of α -amylase inhibitors from *garcinia xanthochymus* using enzyme-immobilized magnetic nanoparticles coupled with HPLC and MS. *Journal of Chromatography B*, 960, 166–173. <https://doi.org/10.1016/j.jchromb.2014.04.041>
- Lorefice, S., Romeo, R., Santiano, M., & Capelli, A. (2014). Original pycnometers for volatile liquid density over wide ranges of temperature and pressure: Practical example. *Metrologia*, 51(3), 154–160. <https://doi.org/10.1088/0026-1394/51/3/154>

Luthfi, M., Winarso, R. and Wibowo, R., (2018). Rancang Bangun Boiler Dan Tangki Penguapan Minyak Atsiri Pada Mesin Destilator Dengan Metode Uap Berbahan Baku Daun Serai (*Cymbopogon Nardus*). *JURNAL CRANKSHAFT*, 1(1).

Madushani, W & L M, Rifnas & Weerasinghe, S. (2020). LEAF MORPHOLOGY VARIATION OF *Murraya paniculata*.

Mahulette, A. S., Hariyadi, Yahya, S., & Wachjar, A. (2020). Physico-chemical properties of clove oil from three forest clove accession groups in Maluku. *IOP Conference Series: Earth and Environmental Science*, 418, 012028. <https://doi.org/10.1088/1755-1315/418/1/012028>

Manaharan, T., Appleton, D., Cheng, H. M., & Palanisamy, U. D. (2012). Flavonoids isolated from *Syzygium aqueum* leaf extract as potential antihyperglycemic agents. *Food Chemistry*, 132(4), 1802–1807. <https://doi.org/10.1016/j.foodchem.2011.11.147>

Mandal, S., Nayak, A., Kar, M., Banerjee, S., Das, A., Upadhyay, S., Singh, R., Banerji, A. and Banerji, J., 2010. Antidiarrhoeal activity of carbazole alkaloids from *Murraya koenigii* Spreng (Rutaceae) seeds. *Fitoterapia*, 81(1), pp.72-74.

Marnett, L. J. (2000). Oxyradicals and DNA damage. *Carcinogenesis*, 21(3), 361–370. <https://doi.org/10.1093/carcin/21.3.361>

Mašán, V., Burg, P., Rutkowski, K., Burgová, J., Lampíř, L., & Višacki, V. (2017). Seed oil content and selected qualitative parameters of oils from grape seeds. *Potravinárstvo Slovak Journal of Food Sciences*, 11(1), 629–633. <https://doi.org/10.5219/810>

Mastelić, J., Politeo, O., & Jerković, I. (2008). Contribution to the analysis of the essential oil of *Helichrysum italicum* (Roth) G. Don. – determination of ester bonded acids and phenols. *Molecules*, 13(4), 795–803. <https://doi.org/10.3390/molecules13040795>

Matsumoto, K., Takemata, K., Takayama, K., Abesundara, K. J. M., Matsui, T., and Katayama, T. 2003. A Novel Method For The Assay Of α -Glukosidase Inhibitory Activity Using A Multi-channel Oxygen Sensor. *Analytical Sciences*, 18(12).

Mayuni. 2006. Teknologi dan Analisis Minyak Atsiri. *Andalas University Press*. Padang

- Mérillon Jean-Michel, & Ramawat, K. G. (2019). 20/Neuroprotective and Antiaging Essential Oils and Lipids in Plants. In *Bioactive molecules in food* (pp. 588–590). essay, Springer International Publishing.
- Mieso, B., & Befa, A. (2020). Physical characteristics of the essential oil extracted from released and improved lemongrass varieties, palmarosa and citronella grass. *Agriculture and Food Sciences Research*, 7(1), 65–68. <https://doi.org/10.20448/journal.512.2020.71.65.68>
- Miguel, M. G. (2010). Antioxidant and anti-inflammatory activities of essential oils: A short review. *Molecules*, 15(12), 9252–9287. <https://doi.org/10.3390/molecules15129252>
- Mollica, F., Gelabert, I., & Amorati, R. (2022). Synergic antioxidant effects of the essential oil component γ -terpinene on high-temperature oil oxidation. *ACS Food Science & Technology*, 2(1), 180–186. <https://doi.org/10.1021/acsfoodscitech.1c00399>
- Molyneux, P. 2004. The use of the stable free radical diphenylpicrylhydrazyl (DPPH) for estimating antioxidant activity. *Songklanakarin Journal of Science and Technology*. 26(2), 211-219.
- Monir, T., Afroz, S., Jahan, I. and Hossain, T., 2020. Phytochemical Study and Antioxidant Properties of Aqueous Extracts of *Murraya paniculata* Leaf. *Journal of Applied Life Sciences International*, 3(8), pp.1-8.
- Moon, Y., Lee, H. and Lee, S., 2018. Inhibitory effects of three monoterpenes from ginger essential oil on growth and aflatoxin production of *Aspergillus flavus* and their gene regulation in aflatoxin biosynthesis. *Applied Biological Chemistry*, 61(2), pp.243-250.
- Moshi, M., Innocent, E., Magadula, J., Otieno, D., Weisheit, A., Mbabazi, P., dan Nondo, R. 2010. Brine shrimp toxicity of some plants used as traditional medicines in Kagera Region, northwestern Tanzania. *Tanzania Journal of Health Research*, 12(1):1-6.
- Mtewa, A. G. K. 2017. Antibacterial potency stability, pH and phytochemistry of some Malawian ready-to-serve aqueous herbal formulations used against enteric diseases. *International Journal of Herbal Medicine* Vol. 5(3): 1-5.
- Mulyaningsih, S., Youns, M., El-Readi, M. Z., Ashour, M. L., Nibret, E., Sporer, F., Herrmann, F., Reichling, J., & Wink, M. (2010). Biological activity of the essential oil of *Kadsura longipedunculata* (Schisandraceae) and its major components. *Journal of Pharmacy and Pharmacology*, 62(8), 1037–1044. <https://doi.org/10.1111/j.2042-7158.2010.01119.x>

- Munisa, A., Wresdiyati, T., Kusunorinin, N., dan Manalu, W. (2012). Aktivitas Antioksidan Ekstrak Daun Cengkeh. *Jurnal Veteriner*. 13(3): 272-277.
- Murni, Ir., MT, S., Setyoningrum, T. and Haryono, G., (2020). Destilasi Uap Minyak Atsiri dari Tanaman Serai Dapur (*Cymbopogon citratus*) dengan Pretreatment menggunakan Microwave. *Eksbergi*, 17(1), p.15.
- Murray, R.K., Granner, D.K., dan Rodwell, V.W. (2009). Biokimia Harper edisi 27. Jakarta: EGC.
- Narkhede, Mahesh Ajmire, P.V. Wagh, A.E. (2012). Evolutions of antinociceptive and anti-inflammatory activity of ethanol extract of *Murraya paniculata* leaves in experimental rodents. *International Journal of Pharmacy and Pharmaceutical Sciences*. 4. 247-250.
- Naseem, M., Younis, A., Khan, M.A., & Ahmad, R. (2015). Gas chromatography-mass spectrometry of *Murraya exotica* essential oil extracted through different extraction techniques. *Journal of Animal and Plant Sciences*, 25(2), pp 1730-1736.
- Nasoetion, R. dan Sastrapraja, S., 1980. *Tanaman Hias*. Jakarta: PN Balai Pustaka.
- National Center for Biotechnology Information (2021). PubChem Compound Summary for CID6654, alpha-Pinene. Retrieved November 10, 2021 from <https://pubchem.ncbi.nlm.nih.gov/compound/alpha-Pinene>.
- National Center for Biotechnology Information (2021). PubChem Compound Summary for CID 14896,beta-Pinene. Retrieved November 10, 2021 from <https://pubchem.ncbi.nlm.nih.gov/compound/beta-Pinene>.
- National Center for Biotechnology Information (2021). PubChem Compound Summary for CID 31253, Myrcene. Retrieved November 10, 2021 from <https://pubchem.ncbi.nlm.nih.gov/compound/Myrcene>.
- National Center for Biotechnology Information (2021). PubChem Compound Summary for CID 637566, Geraniol. Retrieved November 10, 2021 from <https://pubchem.ncbi.nlm.nih.gov/compound/Geraniol>.
- National Center for Biotechnology Information (2021). PubChem Compound Summary for CID 1183, Vanillin. Retrieved November 10, 2021 from <https://pubchem.ncbi.nlm.nih.gov/compound/Vanillin>.
- National Center for Biotechnology Information (2021). PubChem Compound Summary for CID 5144, Safrole. Retrieved November 10, 2021 from <https://pubchem.ncbi.nlm.nih.gov/compound/Safrole>.

National Center for Biotechnology Information (2021). PubChem Compound Summary for CID 637511, Cinnamaldehyde. Retrieved November 10, 2021 from <https://pubchem.ncbi.nlm.nih.gov/compound/Cinnamaldehyde>.

National Center for Biotechnology Information (2021). PubChem Compound Summary for CID 3314, Eugenol. Retrieved November 10, 2021 from <https://pubchem.ncbi.nlm.nih.gov/compound/Eugenol>.

National Center for Biotechnology Information (2021). PubChem Compound Summary for CID 7501, Styrene. Retrieved November 10, 2021 from <https://pubchem.ncbi.nlm.nih.gov/compound/Styrene>.

National Center for Biotechnology Information (2021). PubChem Compound Summary for CID 1140, Toluene. Retrieved November 10, 2021 from <https://pubchem.ncbi.nlm.nih.gov/compound/Toluene>.

National Center for Biotechnology Information (2021). PubChem Compound Summary for CID 7734, 1,4-Diethylbenzene. Retrieved November 10, 2021 from https://pubchem.ncbi.nlm.nih.gov/compound/1_4-Diethylbenzene.

National Center for Biotechnology Information (2021). PubChem Compound Summary for CID 637563, Anethole. Retrieved November 10, 2021 from <https://pubchem.ncbi.nlm.nih.gov/compound/Anethole>.

National Center for Biotechnology Information (2021). PubChem Compound Summary for CID 14257, Undecane. Retrieved November 10, 2021 from <https://pubchem.ncbi.nlm.nih.gov/compound/Undecane>.

Ndisang, J. F., Vannacci, A., & Rastogi, S. (2017). Insulin resistance, type 1 and type 2 diabetes, and related complications 2017. *Journal of Diabetes Research*, 2017, 1–3. <https://doi.org/10.1155/2017/1478294>

Nelson, D.L., dan Cox, M.M. (2017). Lehninger: Principles of Biochemistry 7th edition. Macmillan Learning: New York.

Nordberg, J., & Arnér, E. S. J. (2001). Reactive oxygen species, antioxidants, and the mammalian thioredoxin System1 1this review is based on the Licentiate thesis “thioredoxin reductase—interactions with the redox active compounds 1-chloro-2,4-dinitrobenzene and lipoic acid” by Jonas Nordberg, 2001, Karolinska Institute, Stockholm, ISBN 91-631-1064-4. *Free Radical Biology and Medicine*, 31(11), 1287–1312. [https://doi.org/10.1016/s0891-5849\(01\)00724-9](https://doi.org/10.1016/s0891-5849(01)00724-9)

Nurhadianty, V., Cahyani, C., Dewi, L., Triani, L. and Putri, R., (2016). Improving Yield of Ginger Oil Distillation by Fermentation of Red Ginger (*Zingiber Officinale* Var Rubrum) using *Trichoderma Harzianum*. *Indonesian Journal of Essential Oil*, 1(1), pp.53-62.

- Oboh, G., Olasehinde, T. A., & Ademosun, A. O. (2017). Inhibition of enzymes linked to type-2 diabetes and hypertension by essential oils from peels of Orange and Lemon. *International Journal of Food Properties*, 20(sup1). <https://doi.org/10.1080/10942912.2017.1303709>
- Olawore, N., Ogunwande, I., Ekundayo, O. and Adeleke, K., (2004). Chemical composition of the leaf and fruit essential oils of *Murraya paniculata* (L.) Jack. (Syn.*Murraya exotica* Linn.). *Flavour and Fragrance Journal*, 20(1), pp.54-56.
- Palanuvej, C., (2009). In Vitro Glucose Entrapment and Alpha-Glucosidase Inhibition of Mucilaginous Substances from Selected Thai Medicinal Plants. *Scientia Pharmaceutica*, 77, pp.837-849.
- Panche, A. N., Diwan, A. D., & Chandra, S. R. (2016). Flavonoids: An overview. *Journal of Nutritional Science*, 5. <https://doi.org/10.1017/jns.2016.41>
- Paniagua-Zambrana, N. Y., & Bussmann, R. W. (2020). *Satureja boliviiana* (Benth.) briq. *Satureja pulchella* (HBK) briquet. *Satureja sericea* (C. Presl. Ex Benth.) briq. Lamiaceae. *Ethnobotany of Mountain Regions*, 1–5. https://doi.org/10.1007/978-3-319-77093-2_261-1
- Park, B. S., Lee, K. G., Shibamoto, T., Lee, S. E., dan Takeoka, G. R. (2003). Antioxidant activity and characterization of volatile constituents of Taheebo (*Tabebuia impetiginosa* Martius ex DC). *Journal of Agricultural and Food Chemistry*. 51 (1): 295–300.
- Patil, P., Mandal, S., Tomar, S. K., & Anand, S. (2015). Food protein-derived bioactive peptides in management of type 2 diabetes. *European Journal of Nutrition*, 54(6), 863–880. <https://doi.org/10.1007/s00394-015-0974-2>
- Pereira, C., Barros, L., Villas-Boas, M., dan Ferreira, I.C. (2012). Potentiating effects of honey on antioxidant properties of lemon-flavoured black tea. *International Journal of Food Sciences and Nutrition*, 2012: 1–5.
- Petersen, M. C., Vatner, D. F., & Shulman, G. I. (2017). Regulation of hepatic glucose metabolism in health and disease. *Nature Reviews Endocrinology*, 13(10), 572–587. <https://doi.org/10.1038/nrendo.2017.80>
- Phaniendra, A., Jestadi, D. B., & Periyasamy, L. (2014). Free radicals: Properties, sources, targets, and their implication in various diseases. *Indian Journal of Clinical Biochemistry*, 30(1), 11–26. <https://doi.org/10.1007/s12291-014-0446-0>

- Philippe, M.-F., Benabadji, S., Barbot-Trystram, L., Vadrot, D., Boitard, C., & Larger, E. (2011). Pancreatic volume and endocrine and exocrine functions in patients with diabetes. *Pancreas*, 40(3), 359–363. <https://doi.org/10.1097/mpa.0b013e3182072032>
- Pokorny, J., Yanishlieva, N., dan Gordon, M., (2001), Antioxidan in food; practical application, CRC Press, New York, 147-155.
- Polatoğlu, K., Demirci, B., Çalış, İ., & Başer, K. H. (2016). Essential oil composition of *Helichrysum conglobatum* from cyprus. *Natural Product Communications*, 11(10). <https://doi.org/10.1177/1934578x1601101024>
- Popović, M., Jukić Špika, M., Veršić Bratinčević, M., Ninčević, T., Matešković, A., Mandušić, M., Vitanović, E. (2021). Essential Oil Volatile Fingerprint Differentiates Croatian cv. Oblica from Other *Olea europaea* L. Cultivars. *Molecules*, 26(12), 3533. doi:10.3390/molecules26123533
- Prasad, S. N., & Muralidhara, M. (2017). Analysis of the antioxidant activity of geraniol employing various in-vitro models: Relevance to neurodegeneration in diabetic neuropathy. *Asian Journal of Pharmaceutical and Clinical Research*, 10(7), 101. <https://doi.org/10.22159/ajpcr.2017.v10i7.18564>
- Preedy, VR (ed.), Stratakos, AC & Koidis, A (2016). Chapter 4 - Methods for Extracting Essential Oils. in VR Preedy (ed.), *Essential Oils in Food Preservation, Flavor and Safety*. Essential Oils in Food Preservation, Flavor and Safety, Irish Academic Press, San Diego, pp. 31-38.
- Priya, M., Beautlin, B. and Selvaraj, N., (2015). Chemical composition, antibacterial and antioxidant profile of essential oil from *Murraya koenigii* (L.) leaves. *Avicenna Journal of Phytomedicine*, 4(3), pp.200-214.
- Proença Barros, F. dan Rodrigues-Filho, E., (2005). Four spiroquinazoline alkaloids from Eupenicillium sp. isolated as an endophytic fungus from leaves of *Murraya paniculata* (Rutaceae). *Biochemical Systematics and Ecology*, 33(3), pp.257-268.
- Quattrocchi, U., (2012). *CRC World Dictionary Of Palms*. 1st ed. Boca Raton, Florida: CRC Press, p.1747.
- Qusti, S.Y., Abo-khatwa, A.N., dan Lahwa. (2010). Screening of Antioxidant Activity and Phenolic Content of Selected Food Items Cited in the Holy Quran. *European Journal of Biological Sciences*, 2 (1): 40-51.

- Radünz, M., Mota Camargo, T., Santos Hackbart, H. C., Inchauspe Correa Alves, P., Radünz, A. L., Avila Gandra, E., & da Rosa Zavareze, E. (2021). Chemical composition and in vitro antioxidant and antihyperglycemic activities of clove, thyme, oregano, and Sweet Orange Essential Oils. *Lebensmittel-Wissenschaft & Technologie*, 138, 110632. <https://doi.org/10.1016/j.lwt.2020.110632>
- Rafsanjani, M.K, dan Widya, D.R.P. (2015). Karakteristik Ekstrak Kulit Jeruk Bali Menggunakan Metode Ultrasonic Bath (Kajian Perbedaan Pelarut dan Lama Ekstraksi). *Jurnal Pangan dan Agroindustri* 3(4): 1473-1480.
- Rahman, Md Hasanuzzaman, Md & Uddin, Nazim Shahid, Iz. (2010). Antidiarrhoeal and Anti-Inflammatory Activities of *Murraya paniculata* (L.) Jack. *Pharmacologyonline*. 3.pp. 768-776.
- Rajakan, N. I. M., Balakrishnan, M., Karthikeyan, R., dan Jagadheesan, V. (2014). Screening of Antibacterial Activity, Qualitative and Quantitative Analysis of Phytochemical in Vitex Trifolia. *International Journal of Research and Development in Pharmacy and Life Sciences* Vol. 3(4): 1085-1088.
- Rajesh, K. D., Vasantha, S., Rajesh, N. V., dan Panneerselvam, A. (2014). Qualitative and Quantitative Phytochemical Analysis in Four Pteridophytes. *International Journal of Pharmaceutics*. Vol. 27(2): 408-412.
- Rajeswara Rao, B. R., Kaul, P. N., Mallavarapu, G. R., & Ramesh, S. (1999). Comminution of plant material and its effect on the quality of rose-scented geranium (*pelargoniumspecies*) oil. *Journal of Essential Oil Research*, 11(5), 589–592. <https://doi.org/10.1080/10412905.1999.9701219>
- Rajnikant, S., Chattree, A. and Kumar, A., (2015). Antioxidant and Antifungal Potential of *Murraya koenigii* Leaves Extracts (Crude) and Essential Oil. *Chemical Science Transactions*, 4(1), pp.222-226.
- Ren, J.-N., Zhang, Y., Fan, G., Wang, M.-P., Zhang, L.-L., Yang, Z.-Y., & Pan, S.-Y. (2018). Study on the optimization of the decolorization of Orange Essential Oil. *Food Science and Biotechnology*, 27(4), 929–938. <https://doi.org/10.1007/s10068-018-0354-9>
- Rodanant, Pirasut Khetkam, Pichit Suksamrarn, Apichart dan Kuvatanasuchati Jintakorn. (2015). Coumarins and flavonoid from *Murraya paniculata* (L.) Jack: Antibacterial and anti-inflammation activity. *Pakistan journal of pharmaceutical sciences*. 28(6). pp. 1947-1951.

- Rodríguez, E. J., Saucedo-Hernández, Y., Heyden, Y. V., Simó-Alfonso, E. F., Ramis-Ramos, G., Lerma-García, M. J., Monteagudo, U., Bravo, L., Medinilla, M., de Armas, Y., & Herrero-Martínez, J. M. (2013). Chemical analysis and antioxidant activity of the essential oils of three Piperaceae species growing in the central region of Cuba. *Natural Product Communications*, 8(9). <https://doi.org/10.1177/1934578x1300800935>
- Rodríguez, E. J., Saucedo-Hernández, Y., Heyden, Y. V., Simó-Alfonso, E. F., Ramis-Ramos, G., Lerma-García, M. J., Monteagudo, U., Bravo, L., Medinilla, M., de Armas, Y., & Herrero-Martínez, J. M. (2013). Chemical analysis and antioxidant activity of the essential oils of three Piperaceae species growing in the central region of Cuba. *Natural Product Communications*, 8(9). <https://doi.org/10.1177/1934578x1300800935>
- Rohdiana, D., dan Shabri. (2012). Aktivitas penangkapan radikal bebas DPPH (1,1-diphenyl-2-picrylhidrazyl) beberapa minuman teh dalam kemasan. *Jurnal Penelitian Teh dan Kina*. 15(2): 89-93.
- Rohman A, Sugeng R .(2005). Antioxidant potency of ethanolic extract of Kemuning leaves (*Murraya paniculata* (L) Jack) in vitro. *Majalah Farmasi Indonesia* 16(1). pp. 136-140.
- Rohman, A., Sugeng R., Rizka D., dan Dimas B.P. (2009). Penangkapan Radikal 2,2-Difenil-1-Pikril Hidrasil oleh Ekstrak Buah *Psidium guajava* L dan *Averrhoa carambolla* L., *Jurnal Ilmu Kefarmasian Indonesia*. 7 (1), 1-5.
- Rorong, J. A., & Pontoh, J. (2013). Aktivitas inhibitor α -glukosidase ekstrak kulit batang matoa (*Pometia pinnata*. spp.) sebagai agen antihiperglikemik. *Jurnal MIPA*, 2(2).
- Rout, P., Rao, Y. and Naik, S., (2010). Liquid CO₂ extraction of *Murraya paniculata* Linn. flowers. *Industrial Crops and Products*, 32(3), pp.338-342.
- Rubab, M., Chelliah, R., Saravanakumar, K., Barathikannan, K., Wei, S., Kim, J.-R., Yoo, D., Wang, M.-H., & Oh, D.-H. (2020). Bioactive potential of 2-methoxy-4-vinylphenol and benzofuran from *Brassica oleracea* L. var. Capitate F, rubra (red cabbage) on oxidative and microbiological stability of Beef Meat. *Foods*, 9(5), 568. <https://doi.org/10.3390/foods9050568>
- Ruberto, G., & Baratta, M. T. (2000). Antioxidant activity of selected essential oil components in two lipid model systems. *Food Chemistry*, 69(2), 167–174. [https://doi.org/10.1016/s0308-8146\(99\)00247-2](https://doi.org/10.1016/s0308-8146(99)00247-2)

- Ruiz-Ciau, D., Cuevas-Glory, L., Quijano, L., & Sauri-Duch, E. (2017). Chemical composition and antioxidant DPPH activity of the floral and leaves essential oils of cMontanoa speciosa DC. *American Journal of Plant Sciences*, 08(04), 745–753. <https://doi.org/10.4236/ajps.2017.84052>
- Rusli, M. (2010). “Sukses Memproduksi Minyak Atsiri”. Argo Media Pustaka: Jakarta.
- Ruzicka, L., Ruzicka, L., & Ruzicka, L. (1953). The isoprene rule and the biogenesis of Terpenic Compounds. Birkhäuser.
- Salehi, B., Upadhyay, S., Erdogan Orhan, I., Kumar Jugran, A., L.D. Jayaweera, S., A. Dias, D., Sharopov, F., Taheri, Y., Martins, N., Baghalpour, N., C. Cho, W., & Sharifi-Rad, J. (2019). Therapeutic potential of α - and β -pinene: A miracle gift of nature. *Biomolecules*, 9(11), 738. <https://doi.org/10.3390/biom9110738>
- Samadi, M., Abidin, Z. Z., Yunus, R., Awang Biak, D. R., Yoshida, H., & Lok, E. H. (2017). Assessing the kinetic model of hydro-distillation and chemical composition of *Aquilaria malaccensis* leaves essential oil. *Chinese Journal of Chemical Engineering*, 25(2), 216–222. <https://doi.org/10.1016/j.cjche.2016.09.006>
- Sarastani, D., Soekarto, S. T., Muchtadi, T. R., Fardiaz, D. dan Apriyantono, A. (2002). Aktivitas Antioksidan Ekstrak dan Fraksi Ekstrak Biji Atung. *Jurnal Teknologi dan Industri Pangan*. 13(2):149-156.
- Sawangjaroen, N., Phongpaichit, S., Subhadhirasakul, S., Visutthi, M., Srisuwan, N. and Thammapalerd, N., (2006). The anti-amoebic activity of some medicinal plants used by AIDS patients in southern Thailand. *Parasitology Research*, 98(6), pp.588-592.
- Saxena, M., Saxena, J., Nema, R., Singh, D., dan Gupta, A. (2013). Phytochemistry of Medicinal Plants. *Journal of Pharmacognosy and Phytochemistry* 1(6): 168-182.
- Sayar, K., (2014). Pharmacological Properties and Chemical Constituents of *Murraya paniculata* (L.) Jack. *Medicinal & Aromatic Plants*, 03(04), pp.1307–1312.
- Seidemann, J., (2011). *World Spice Plants Economic Usage, Botany, Taxonomy*. 3rd ed. Berlin: Springer, p.5.
- Semarayani, C., Aziz, S. and Melati, M., (2018). Essential oil production of *Murraya paniculata* (L.) Jack at different harvest times. *Advances in Horticultural Science*, 32(4), pp.471-477.

- Setyaningrum, P., Nurjanah, S., Widyasanti, A. and Zain, S., (2017). Uji Aktivitas Antijamur pada Minyak Nilam Hasil Destilasi dan Fraksinasi Terhadap Jamur *Candida albicans* dan *Trichophyton mentagrophytes*. *Jurnal Teknotan*, 11(1).
- Shabbir, M. K., Nadeem, R., Mukhtar, H., & Anwar, F. (2011). Physico-chemical Analysis And Determination Of Various Constituents Of Essential Oil In *Rosa Centrifolia*. *Pakistan Journal Of Botany*, 41(2), 615–620.
- Shah, Shazia., Saied, Sumayya., Mahmood, Azhar., Malik, Abdul. (2014). Phytochemical screening of volatile constituents from aerial parts of *Murraya paniculata*. *Pakistan Journal of Botany*. 46(1), pp. 2051-2056.
- Shahidi, F., & Ambigaipalan, P. (2015). Phenolics and polyphenolics in foods, beverages and spices: Antioxidant activity and health effects – A Review. *Journal of Functional Foods*, 18, 820–897. <https://doi.org/10.1016/j.jff.2015.06.018>
- Shamspur, T., Sheikhshoiae, I., Afzali, D., Mostafavi, A., & Mirtadzadini, S. M. (2011). Chemical compositions of *Salix aegyptiaca* L. obtained by simultaneous hydrodistillation and extraction. *Journal of Essential Oil Bearing Plants*, 14(5), 543–548. <https://doi.org/10.1080/0972060x.2011.10643971>
- Sharker, S., Shahid, I. and Hasanuzzaman, M., (2009). Antinociceptive and bioactivity of leaves of *Murraya paniculata* (L.) Jack, Rutaceae. *Revista Brasileira de Farmacognosia*, 19(3), pp.746-748.
- Shi, H., Noguchi, N. and Niki, E., (1999). Comparative study on dynamics of antioxidative action of α -tocopheryl hydroquinone, ubiquinol, and α -tocopherol against lipid peroxidation. *Free Radical Biology and Medicine*, 27(3-4), pp.334-346.
- Shihabi, A., Li, W., Miller, F. and Weintraub, N., (2002). Antioxidant therapy for atherosclerotic vascular disease: the promise and the pitfalls. *American Journal of Physiology-Heart and Circulatory Physiology*, 282(3), pp.797-802.
- Silva, S. M., Abe, S. Y., Murakami, F. S., Frensch, G., Marques, F. A., & Nakashima, T. (2011). Essential oils from different plant parts of *Eucalyptus cinerea* F. Muell. Ex Benth. (Myrtaceae) as a source of 1,8-cineole and their bioactivities. *Pharmaceuticals*, 4(12), 1535–1550. <https://doi.org/10.3390/ph4121535>

- Singh, P., Jayaramaiah, R. H., Agawane, S. B., Vannuruswamy, G., Korwar, A. M., Anand, A., Dhaygude, V. S., Shaikh, M. L., Joshi, R. S., Boppana, R., Kulkarni, M. J., Thulasiram, H. V., & Giri, A. P. (2016). Potential dual role of eugenol in inhibiting advanced glycation end products in diabetes: Proteomic and mechanistic insights. *Scientific Reports*, 6(1). <https://doi.org/10.1038/srep18798>
- Sinha, S., Biswas, D., & Mukherjee, A. (2011). Antigenotoxic and antioxidant activities of Palmarosa and citronella essential oils. *Journal of Ethnopharmacology*, 137(3), 1521–1527. <https://doi.org/10.1016/j.jep.2011.08.046>
- Smelcerovic, A., Lamshoeft, M., Radulovic, N., Ilic, D., & Palic, R. (2009). LC-ms analysis of the essential oils of *Achillea millefolium* and *Achillea crithmifolia*. *Chromatographia*, 71(1-2), 113–116. <https://doi.org/10.1365/s10337-009-1393-4>
- Sonter, S., Mishra, S., Dwivedi, M. K., & Singh, P. K. (2021). Chemical profiling, in vitro antioxidant, membrane stabilizing and antimicrobial properties of wild growing *Murraya paniculata* from Amarkantak (M.P.). *Scientific Reports*, 11(1). <https://doi.org/10.1038/s41598-021-87404-7>
- Sovová, H., & Aleksovski, S. A. (2006). Mathematical model for Hydrodistillation of Essential Oils. *Flavour and Fragrance Journal*, 21(6), 881–889. <https://doi.org/10.1002/ffj.1729>
- Sparkman, O.D., Penton, Z.E. dan Kitson, F.G., (2011), Gas Chromatography and Mass Spectrometry: A Practical Guide, Second Edition, Academic Press, Oxford
- Stadman, E. R., & Levine, R. L. (2006). Protein oxidation. *Annals of the New York Academy of Sciences*, 899(1), 191–208. <https://doi.org/10.1111/j.1749-6632.2000.tb06187.x>
- Stanojević, L. P., Radulović, N. S., Djokić, T. M., Stanković, B. M., Ilić, D. P., Cakić, M. D., & Nikolić, V. D. (2015). The yield, composition and hydrodistillation kinetics of the essential oil of Dill Seeds (*Anethi fructus*) obtained by different hydrodistillation techniques. *Industrial Crops and Products*, 65, 429–436. <https://doi.org/10.1016/j.indcrop.2014.10.067>
- Stone, H., Bleibaum, R. N., & Thomas, H. A. (2021). *Sensory evaluation practices*. Elsevier/Academic Press.

- Suci, D., Nuha, N. and Suryahadi, S., 2019. Pemberian Ekstrak Daun Kemuning (*Murraya paniculata* (L.) Jack) dalam Air Minum terhadap Performa dan Kualitas Fisik Telur Puyuh Malon. *Jurnal Ilmu Nutrisi dan Teknologi Pakan*, 17(3), pp.73-77.
- Suhadi, S., (2019). Kajian Indeks Bias Terhadap Air Keruh Menggunakan Metode Plan Paralel. *Jurnal Penelitian Fisika dan Terapannya (JUPITER)*, 1(1), p.7.
- Sukandar, D., Muawanah, A., Rudiana, T., & Aryani, K. F. (2017). Pemanfaatan Minyak Atsiri Kulit Buah honje sebagai Antioksidan produk Sosis Ayam. *Jurnal Teknologi Dan Industri Pangan*, 28(1), 20–26. <https://doi.org/10.6066/jtip.2017.28.1.20>
- Sulastri D., Rahmatini, Lipoeto, N.I., dan Edwar, Z. (2010). Pengaruh Asupan Antioksidan terhadap Ekspresi Gen eNOS3 pada Penderita Hipertensi Etnik Minangkabau. *Majalah Kedokteran Indonesia* 60(12): 564-570.
- Surmacz, L., & Swiezewska, E. (2011). Polyisoprenoids – secondary metabolites or physiologically important superlipids? *Biochemical and Biophysical Research Communications*, 407(4), 627–632. <https://doi.org/10.1016/j.bbrc.2011.03.059>
- Sundaram, M., Sivakumar, Karthikeyan, Bhuvaneshwari, Aishwarya, Thirumalai dan Pennarasi, (2011). Studies on in vitro Antibacterial, Antifungal Property and Antioxidant Potency of *Murraya paniculata*. *Pakistan Journal of Nutrition*, 10(10), pp.925-929.
- Surendran, S., Qassadi, F., Surendran, G., Lilley, D., & Heinrich, M. (2021). Myrcene—what are the potential health benefits of this flavouring and aroma agent? *Frontiers in Nutrition*, 8. <https://doi.org/10.3389/fnut.2021.699666>
- Sutijan, S., Budiman, A. and Yohanes, A., (2018). Pengaruh perlakuan daun dan suhu terhadap waktu distilasi pada isolasi minyak cengkeh menggunakan super-steam distillation. *Jurnal Teknik Kimia Indonesia*, 8(2), p.69.
- Tanruean, K., Poolprasert, P., Suwannarach, N., Kumla, J., & Lumyong, S. (2021). Phytochemical analysis and evaluation of antioxidant and biological activities of extracts from three Clauseneae plants in northern Thailand. *Plants*, 10(1), 117. <https://doi.org/10.3390/plants10010117>
- Tapas, A.R., Sakarkar, D.M., dan Kakde, R.B. (2008). Flavonoids as Nutraceuticals: A Review. *Tropical Journal of Pharmaceutical Research* 7: 1089-1099.

- Taufika, R., Aziz, S. A., & Melati, M. (2016). Produksi flavonoid Daun Kemuning (*Murraya paniculata* L. Jack) pada dosis pupuk organik dan interval Panen Yang berbeda. *Buletin Penelitian Tanaman Rempah Dan Obat*, 27(1), 27. <https://doi.org/10.21082/bullitro.v27n1.2016.27-35>
- Telagari, M., & Hullati, K. (2015). In-vitro α -amylase and α -glucosidase inhibitory activity of *Adiantum caudatum* Linn. and *Celosia argentea* Linn. extracts and fractions. *Indian Journal of Pharmacology*, 47(4), 425. <https://doi.org/10.4103/0253-7613.161270>
- Thi Nguyen, T.-T., The Diep, T., Hoang, V., Mai Vo, T.-H., Duus, F., & Ngoc Le, T. (2012). Investigation of curry leaf essential oils Of *Murraya koenigii* spreng. growing in the south of Vietnam. *Journal of Essential Oil Bearing Plants*, 15(6), 1021–1029. <https://doi.org/10.1080/0972060x.2012.10662607>
- Thomas, A., Mazigo, H., Manjurano, A., Morona, D. and Kweka, E., (2017). Evaluation of active ingredients and larvicidal activity of clove and cinnamon essential oils against *Anopheles gambiae* (sensu lato). *Parasites & Vectors*, 10(1), p.411.
- Tian, S., K. Nakamura, dan H. Kayahara. (2004). Analysis of Phenolics Compound in White Rice, Brown Rice, and Germinated Brown Rice. *Journal of Agricultural and Food Chemistry* 52: 4808-4813.
- Tirta, I. and Agus, I., (2017). Eksplorasi Tumbuhan Yang Berpotensi Sebagai Penghasil Minyak Atsiri Di Lombok Timur-Ntb. *Jurnal Biologi Udayana*, 21(1), p.12.
- Tisserand, R., & Young, R. (2014). Essential Oil Composition. *Essential Oil Safety*, 5–22. <https://doi.org/10.1016/b978-0-443-06241-4.00002-3>
- Trumbeckaite, S, Benetis, R, Bumblauskiene, L, Burdulis, D, Janulis, V, Toleikis, A, Viškelis, P & Jakštė, V., (2011), *Achillea millefolium* L. s.l. herb extract: Antioxidant activity and effect on the rat heart mitochondrial functions, *Food Chemistry*. 127(4), pp. 1540–1548.
- Ünal, K., Babaoglu, A. S., & Karakaya, M. (2014). Effect of oregano, sage and rosemary essential oils on lipid oxidation and color properties of minced beef during refrigerated storage. *Journal of Essential Oil Bearing Plants*, 17(5), 797–805. <https://doi.org/10.1080/0972060x.2014.956803>

- Valentão, P., Fernandes, E., Carvalho, F., Andrade, P. B., Seabra, R. M., & Bastos, M. de. (2002). Antioxidant activity of Hypericum androsaemum infusion: Scavenging activity against superoxide radical, hydroxyl radical and hypochlorous acid. *Biological and Pharmaceutical Bulletin*, 25(10), 1320–1323. <https://doi.org/10.1248/bpb.25.1320>
- Valko, M., Leibfritz, D., Moncol, J., Cronin, M. T. D., Mazur, M., & Telser, J. (2007). Free radicals and antioxidants in normal physiological functions and human disease. *The International Journal of Biochemistry & Cell Biology*, 39(1), 44–84. <https://doi.org/10.1016/j.biocel.2006.07.001>
- Vardhana, R., (2010). *Taxonomy Of Angiosperms*. 1st ed. New Delhi: Campus Books, p.543.
- Varga-Visi, É., Kozma, V., & Szabó, A. (2021). Correlation between CIELAB colour coordinates and malondialdehyde equivalents in sausage with paprika stored under refrigerated conditions. *Acta Alimentaria*. <https://doi.org/10.1556/066.2021.00118>
- Vasile, C., Sivertsvik, M., Miteluț, A., Brebu, M., Stoleru, E., Rosnes, J., Tănase, E., Khan, W., Pamfil, D., Cornea, C., Irimia, A., & Popa, M. (2017). Comparative analysis of the composition and active property evaluation of certain essential oils to assess their potential applications in active food packaging. *Materials*, 10(1), 45. <https://doi.org/10.3390/ma10010045>
- Venkateshwarlu G, J. K. (2014). Effect of essential oil and aqueous extract of Ginger (*zingiber officinale*) on oxidative stability of fish oil-in-water emulsion. *Journal of Food Processing & Technology*, 06(01). <https://doi.org/10.4172/2157-7110.1000412>
- Verma, R. S., Padalia, R. C., Chauhan, A., & Thul, S. T. (2013). Exploring compositional diversity in the essential oils of 34 Ocimum taxa from Indian flora. *Industrial Crops and Products*, 45, 7–19. <https://doi.org/10.1016/j.indcrop.2012.12.005>
- Vishwanath, V., Sulyok, M., Weingart, G., Kluger, B., Täubel, M., Mayer, S., Schuhmacher, R., & Krska, R. (2011). Evaluation of settled floor dust for the presence of microbial metabolites and volatile anthropogenic chemicals in indoor environments by LC-ms/MS and GC-Ms Methods. *Talanta*, 85(4), 2027–2038. <https://doi.org/10.1016/j.talanta.2011.07.043>
- Wan Salleh, W. M., Kammil, M. F., Ahmad, F., & Sirat, H. M. (2015). Antioxidant and anti-inflammatory activities of essential oil and extracts of *Piper Miniatum*. *Natural Product Communications*, 10(11). <https://doi.org/10.1177/1934578x1501001151>

- Wang, J., Li, R., Tan, J., & Jiang, Z.-T. (2013). Effect of drying on essential oil yields and chemical composition of pineapple mint (*mentha rotundifolia* ‘variegata’) from China. *Journal of Essential Oil Bearing Plants*, 16(5), 630–635. <https://doi.org/10.1080/0972060x.2013.854507>
- Wang, K., Jiang, S., Pu, T., Fan, L., Su, F., & Ye, M. (2018). Antifungal activity of phenolic monoterpenes and structure-related compounds against plant pathogenic fungi. *Natural Product Research*, 33(10), 1423–1430. <https://doi.org/10.1080/14786419.2017.1419232>
- Wang, Z., Li, S., Ge, S., & Lin, S. (2020). Review of distribution, extraction methods, and health benefits of bound phenolics in food plants. *Journal of Agricultural and Food Chemistry*, 68(11), 3330–3343. <https://doi.org/10.1021/acs.jafc.9b06574>
- Winarsi, H. (2005), Isoflavon; Berbagai Sumber, Sifat dan Manfaatnya pada Penyakit Degeneratif, Cetakan pertama, 38, UGM Press, Yogyakarta.
- Wojtunik, K. A., Ciesla, L. M., & Waksmundzka-Hajnos, M. (2014). Model studies on the antioxidant activity of common terpenoid constituents of essential oils by means of the 2,2-diphenyl-1-picrylhydrazyl method. *Journal of Agricultural and Food Chemistry*, 62(37), 9088–9094. <https://doi.org/10.1021/jf502857s>
- Wu, N., Medina, J. and Lee, M., (2000). Fast gas chromatography: packed column solvating gas chromatography versus open tubular column gas chromatography. *Journal of Chromatography A*, 892(1-2), pp.3-13.
- Wulansari, A.N. (2018). Alternatif Cantigi Ungu Sebagai Antioksidan Alami: Review. *Farmaka Suplemen* 16(2): 419-428.
- Wyszecki, Günter. (2001). 3/The CIE Colorimetric System. In *Color science: Concepts and methods, quantitative data and formulae* (pp. 174–175). essay, Wiley.
- Xiong, Y., Ng, K., Zhang, P., Warner, R. D., Shen, S., Tang, H.-Y., Liang, Z., & Fang, Z. (2020). In vitro α -glucosidase and α -amylase inhibitory activities of free and bound phenolic extracts from the bran and kernel fractions of five sorghum grain genotypes. *Foods*, 9(9), 1301. <https://doi.org/10.3390/foods9091301>
- Yanuarti, R., Nurjanah, N., Anwar, E., & Pratama, G. (2017). Kandungan Senyawa Penangkal Sinar ultra violet Dari Ekstrak Rumput Laut *Eucheuma cottonii* Dan *Turbinaria conoides*. *Biosfera*, 34(2), 51. <https://doi.org/10.20884/1.mib.2017.34.2.467>

Yla-Hertuala. (1999). Oxidized LDL and Atherogenesisa. *Annals of the New York Academy of Sciences*, 874, 134–137. <https://doi.org/10.1111/j.1749-6632.1999.tb09231.x>

Yuan, Y., Huang, M., Pang, Y.-X., Yu, F.-L., Chen, C., Liu, L.-W., Chen, Z.-X., Zhang, Y.-B., Chen, X.-L., & Hu, X. (2016). Variations in essential oil yield, composition, and antioxidant activity of different plant organs from blumea balsamifera (L.) DC. at Different Growth Times. *Molecules*, 21(8), 1024. <https://doi.org/10.3390/molecules21081024>

Zeb, A. (2020). Concept, mechanism, and applications of phenolic antioxidants in foods. *Journal of Food Biochemistry*, 44(9). <https://doi.org/10.1111/jfbc.13394>

ZHANG, J., LU, J., GAO, X., ZHANG, Q., LI, N., TU, P. and QIAO, Y., 2014. Characterization of thirty-nine polymethoxylated flavonoids (PMFs) in the branches of *Murraya paniculata* by HPLC-DAD-ESI-MS/MS. *Chinese Journal of Natural Medicines*, 11(1), pp.63-70.

Zheljazkov, V. D., Astatkie, T., & Schlegel, V. (2014). Hydrodistillation extraction time effect on essential oil yield, composition, and bioactivity of coriander oil. *Journal of Oleo Science*, 63(9), 857–865. <https://doi.org/10.5650/jos.ess14014>

Zheng, W., dan Wang, S.Y. (2001). Antioxidant Activity and Phenolic Compounds in Selected Herbs. *J. Agric. Food Chem.* 49(11): 5165–5170.

Zzaman, W., & Yang, T. (2014). Physicochemical and Quality Characteristics of Cold and ot Press of *Nigella sativa* L Seed Oil Using Screw Press. *Journal of Applied Sciences Research*, 10(12), 36–45.