

DAFTAR PUSTAKA

- Arboleya, S., Watkins, C., Stanton, C., & Ross, R. P. (2016). Gut Bifidobacteria Populations in Human Health and Aging. *Frontiers in microbiology*, 7, 1204. doi:10.3389/fmicb.2016.01204.
- Anindita, N. D., Novalina, D., & Sholihah, A. N. (2021). Isolasi Dan Identifikasi Fenotipik Bakteri Asam Laktat (BAL) Indigenous Asal Air Susu Ibu (ASI). *Jurnal Teknologi Pangan* 5(1)18-23. <https://doi.org/10.14710/jtp.v5i1.22289>
- Ballard, O. & Morrow, A.L. Human milk composition: nutrients and bioactive factors. (2012). *Pediatr Clin North Am.*, 60(1), 49-74. doi: 10.1016/j.pcl.2012.10.002.
- Biavati, B. & Mattarelli, P. (2015). Bifidobacterium. In W. B. Whitman. *Bergey's manual of systematics of archaea and bacteria 9th edition*. New Jersey: Wiley.
- Boudry, G., Charton, E., Le, H. I., Ferret-Bernard, S., Le Gall, S., Even, S. & Blat, S. (2021). The Relationship Between Breast Milk Components and the Infant Gut Microbiota. *Front. Nutr.*, 8, 629740. doi: 10.3389/fnut.2021.629740
- Boquein, C. Y. (2018). Human Milk: An Ideal Food for Nutrition of Preterm Born. *Front. Pediatr.* 6:295. doi:10.3389/fped.2018.00295
- Cortes-Macías, E., Selma-Royo, M., García-Mantrana, I., Calatayud, M., González, S., Martínez-Costa, C., Collado, M. C., (2021). Maternal Diet Shapes the Breast Milk Microbiota Composition and Diversity: Impact of Mode of Delivery and Antibiotic Exposure, *The Journal of Nutrition*, Volume 151, Issue 2, Pages 330–340, doi./10.1093/jn/nxaa310
- Consales, A., Cerasani, J., Sorrentino, G., Morniroli, D., Colombo, L., Mosca, F. & Gianni, M. L. (2022). The hidden universe of human milk microbiome: origin, composition, determinants, role, and future perspective. *European Journal of Pediatrics*. 181, 1811 - 1820. doi: 10.1007/s00431-022-04383
- Davani-Davari, D., Negahdaripour, M., Karimzadeh, I., Seifan, M., Mohkam, M., Masoumi, S. J., Berenjian, A., & Ghasemi, Y. (2019). Prebiotics: Definition, Types, Sources, Mechanisms, and Clinical Applications. *Foods (Basel, Switzerland)*, 8(3), 92.

- Dhanashree, Rajashekharan, S., Krishnaswamy, B., & Kammara, R. (2017). Bifid Shape Is Intrinsic to *Bifidobacterium adolescentis*. *Front. Microbiol.* 8:478. doi: 10.3389/fmicb.2017.00478
- Eglash, A., Simon, L., Brodribb, W., Reece-Stremtan, S., Noble, L., & Brent, N (2017). ABM Clinical protocol #8: human milk storage information for home use for full-term infants, revised 2017. *Breastfeeding Medicine*, 12(7), 390-395.
- Elwakiel, M., Hageman, J. A., Wang, W., Szeto, M., van Goudoever, J. B., Hetingga, K. A., & Schols, H. A. (2018). Human Milk Oligosaccharides in Colostrum and Mature Milk of Chinese Mothers: Lewis Positive Secretor Subgroups. *J. Agric. Food Chem.* 2018, 66, 27, 7036–7043 doi: 10.1021/acs.jafc.8b02021
- Garwolińska, D., Namieśnik, J., Kot-Wasik, A., & Hewelt-Belka, W. (2018). Chemistry of human breast milk – a comprehensive review of the composition and role of milk metabolites in child development. *Journal of Agricultural and Food Chemistry*. doi:10.1021/acs.jafc.8b04031.
- György, P., Norris, R. F., & Rose, C. S. (1954). Bifidus factor. I. A variant of *Lactobacillus bifidus* requiring a special growth factor. *Archives of Biochemistry and Biophysics*, 48(1), 193–201. doi:10.1016/0003-9861(54)90323-9
- Hadadji, M., Benama, R., Saidi, N., Henni, D. E., & Kihal, M. (2005). Identification of cultivable bifidobacterium species isolated from breast-fed infants feces in west-algeria. *African Journal of Biotechnology*, 4(5), 422-430
- Haschke, F., Haiden, N., & Thakkar, S. K. (2016). Nutritive and Bioactive Proteins in Breast Milk. *Ann Nutr Metab:69(suppl 2):17–26*. DOI: 10.1159/000452820.
- Haukioja, A., Söderling, E., & Tenovuo, J. (2008). Acid Production from Sugars and Sugar Alcohols by Probiotic Lactobacilli and Bifidobacteria in vitro. *Caries Research*, 42(6), 449–453. doi:10.1159/000163020
- Hedberg, M., Hasslöf, P., Sjöström, I., Twetman, S., & Stecksén-Blicks, C. (2008). *Sugar fermentation in probiotic bacteria - an in vitro study*. *Oral Microbiology and Immunology*, 23(6), 482–485. doi:10.1111/j.1399-302x.2008.00457.x
- Hegar, B., Wibowo, Y., Basrowi, R. W., Ranuh, R. G., Sudarmo, S. M., Munasir, Z., Atthiyah, A. F., Widodo, A. D., Supriatmo, Kadim, M., Suryawan, A., Diana, N. R., Manoppo, C., & Vandenplas, Y. (2019). The Role of Two Human Milk Oligosaccharides, 2'-Fucosyllactose and Lacto-N-Neotetraose,

in Infant Nutrition. *Pediatric gastroenterology, hepatology & nutrition*, 22(4), 330–340. doi: 10.5223/pghn.2019.22.4.330

Heller, A. A. & Spence, D. M. (2019). A Rapid Method for post-antibiotic bacterial susceptibility testing. *PLoS ONE* 14(1):e0210534

Hoover, D.G., 2014. Bifidobacterium. In: Batt, C.A., Tortorello, M.L. (Eds.), *Encyclopedia of Food Microbiology*. Academic Press, Cambridge, MA, United States.

J. Killer, Rockova, S., Vlkova, E., Rada, V., Havlik, J., Kopečný, J., Bunesova, V., Benada, O., Kofronova, O., Pechar, R. & Profousova, I. (2013). *Alloscardovia macacae* sp. nov., isolated from the milk of a macaque (*Macaca mulatta*) emended description of the genus *Alloscardovia* and proposal of *Alloscardovia criceti* comb. nov. *International journal of Systematic and Evolutionary Microbiology*, 63(12). doi: 10.1099/ijs.0.051326-0

Kechagia, M., Basoulis, D., Konstantopoulou, S., Dimitriadi, D., Gyftopoulou, K., Skarmoutsou, N., & Fakiri, E. M. (2013). Health benefits of probiotics: a review. *ISRN nutrition*, 2013, 481651. DOI: 10.5402/2013/481651

Kordy, K., Gaufin, T., Mwangi, M., Li, F., Cerini, C., Lee, D. J., Adisetyo, H., Woodward, C., Pannaraj, P. S., Tobin, N. H., & Aldrovandi, G. M. (2020). Contributions to human breast milk microbiome and enteromammary transfer of *Bifidobacterium breve*. *PLOS ONE* 15(1): e0219633. doi:10.1371/journal.pone.0219633.

Ku S, Park MS, Ji GE, You HJ. Review on Bifidobacterium bifidum BGN4: Functionality and Nutraceutical Applications as a Probiotic Microorganism. *Int J Mol Sci*. 2016 Sep 14;17(9):1544. doi: 10.3390/ijms17091544. PMID: 27649150; PMCID: PMC5037818

Lawson, M. A. E., O'Neill, I. J., Kujawska, M., Javvadi, S. G., Wijeyesekera, A., Flegg, Z., Chalklen, K., & Hall, L. J. (2020). Breast milk-derived human milk oligosaccharides promote Bifidobacterium interactions within a single ecosystem. *The ISME Journal*, 14:635–648. doi:10.1038/s41396-019-0553-2.

Le Doare, K., Holder, B., Bassett, A. & Pannaraj, P. S. Mother's Milk: A Purposeful Contribution to the Development of the Infant Microbiota and Immunity. *Front Immunol*, 9, 361. doi: 10.3389/fimmu.2018.00361.

Li, S. W., Watanabe, K., Hsu, C. C., Chao, S. H., Yang, Z. H., Lin, Y. J., Chen, C. C., Cao, Y. M., Huang, H. C., Chang, C. H., & Tsai, Y. C. (2017). Bacterial Composition and Diversity in Breast Milk Samples from Mothers Living in

Taiwan and Mainland China. *Frontiers in microbiology*, 8, 965. doi:10.3389/fmicb.2017.00965.

Lucena-Aguilar G, Sánchez-López AM, Barberán-Aceituno C, Carrillo-Ávila JA, López-Guerrero JA, Aguilar-Quesada R. DNA Source Selection for Downstream Applications Based on DNA Quality Indicators Analysis. *Biopreserv Biobank*. 2016 Aug;14(4):264-70. doi: 10.1089/bio.2015.0064. Epub 2016 May 9. PMID: 27158753; PMCID: PMC4991598.

Lyons, K. E., Ryan, C. A., Dempsey, E. M., Ross, R. P., & Stanton, C. (2020). Breast Milk, a Source of Beneficial Microbes and Associated Benefits for Infant Health.

Mantziari A, Rautava S. Factors influencing the microbial composition of human milk. *Semin Perinatol*. 2021 Dec;45(8):151507. doi: 10.1016/j.semperi.2021.151507. Epub 2021 Oct 23. PMID: 34736762.

Mattarelli, P., Biavati, B., Hammes, W. & Holzapfel, W. H. (2014). Appendix: Guidelines for characterizing LAB, bifidobacterium, and related genera for taxonomic purposes. *Lactic Acid Bacteria: Biodiversity and Taxonomy, First Edition*. doi: 10.1002/9781118655252

Mattarelli, P., & Biavati, B. (2018). *Species in the Genus Bifidobacterium. The Bifidobacteria and Related Organisms*, 9–48. doi:10.1016/b978-0-12-805060-6.00002-8.

Martin, C. R., Ling, P.R. & Blackburn, G.L. Review of Infant Feeding: Key Features of Breast Milk and Infant Formula. *Nutrients*, 8(5), 279. doi: 10.3390/nu8050279.

Mc Brearty, S., Ross, R. P., Fitzgerald, G. F., Collins, J. K., Wallace, J. M., Stanton, C. (2001). Influence of two commercially available bifidobacteria cultures on Cheddar cheese quality. *International Dairy Journal*, 11(8), 559 - 610. doi: 10.1016/S0958-6946(01)00089-9

Modesto, M. (2018). *Isolation, Cultivation, and Storage of Bifidobacteria. The Bifidobacteria and Related Organisms*, 67–98. doi:10.1016/b978-0-12-805060-6.00004-1

Moossavi, S., Miliku, K., Sepehri, S., Khafipour, E., & Azad, M. B. (2018). The Prebiotic and Probiotic Properties of Human Milk: Implications for Infant Immune Development and Pediatric Asthma. *Journal of Front Pediatrics*, 6:197. doi: 10.3389/fped.2018.00197.

Morita, H., Toh, H., Oshima, K., Nakano, A., Omori, E., Hattori, Y., Arakawa, K., Suda, W., Honda, K., & Hattori, M., (2015). Complete genome sequence of

Bifidobacterium breve JCM 1192T isolated from infant feces. *J. Biotechnol.* 210, 81–82.

- Moya-Pérez, A., Luczynski, P., Renes, I. B., Wang, S., Borre, Y., Anthony Ryan, C., Knol, J., Stanton, C., Dinan, T. G., & Cryan, J. F. (2017). Intervention strategies for cesarean section-induced alterations in the microbiota-gut-brain axis. *Nutrition reviews*, 75(4), 225–240. <https://doi.org/10.1093/nutrit/nuw069>
- Newell, P. D., Fricker, A. D., Roco, C. A., Chandransu, P. & Merkel, S. M. A Small-Group Activity Introducing the Use and Interpretation of BLAST. *J Microbiol Biol Education*, 14(2), 238-43. doi: 10.1128/jmbe.v14i2.637
- O'Callaghan, A., & Van Sinderen, D. (2016) Bifidobacteria and Their Role as Members of the Human Gut Microbiota. *Front. Microbiol.* 7:925. doi: 10.3389/fmicb.2016.00925
- Pannaraj, P. S., Li, F., Cerini, C., et al. Association Between Breast Milk Bacterial Communities and Establishment and Development of the Infant Gut Microbiome. *JAMA Pediatr.* 2017;171(7):647–654. doi:10.1001/jamapediatrics.2017.0378
- Pillay, J. & Davis, T. J. (2022). *Physiology, Lactation*. FL: Statpearls Publishing
- Pokusaeva, K., Fitzgerald, G. F., & van Sinderen, D. (2011). Carbohydrate metabolism in Bifidobacteria. *Genes & nutrition*, 6(3), 285–306. <https://doi.org/10.1007/s12263-010-0206-6>
- Poupard, J.A., I. Husain and R.F. Norris. (1973). Biology of the bifidobacteria. *Bacteriol. Rev.* 37: 136–165.
- Rachmah, A. F. (2020). *Isolasi dan identifikasi bakteri Bifidobacterium sp. dari air susu ibu (ASI) = Isolation and identification of Bifidobacterium sp. from human breast milk*. Bachelor thesis, Universitas Pelita Harapan.
- Ray, C., Kerketta, J. A., Rao, S., Patel, S., Dutt, S., Arora, K., Pournami, F., & Bhushan, P. (2019). Human Milk Oligosaccharides: The Journey Ahead. *International Journal of Pediatrics*, 2390240. <https://doi.org/10.1155/2019/2390240>.
- Ruiz L, García-Carral C and Rodriguez JM (2019) Unfolding the Human Milk Microbiome Landscape in the Omics Era. *Front. Microbiol.* 10:1378. doi: 10.3389/fmicb.2019.01378

- Santacroce, L., Charitos, I. A., & Bottalico, L. (2019). *A successful history: probiotics and their potential as antimicrobials. Expert Review of Anti-Infective Therapy.* doi:10.1080/14787210.2019.1645597
- Sekerel, B. E., Bingol, G., Cullu, C. F., Cokugras, H., Kansu, A., Ozen, H., & Tamay, Z. (2021). An Expert Panel Statement on the Beneficial Effects of Human Milk Oligosaccharides (HMOs) in Early Life and Potential Utility of HMO-Supplemented Infant Formula in Cow's Milk Protein Allergy. *J Asthma Allergy.* 2021;14:1147-1164. doi:/10.2147/JAA.S323734
- Shah, N. P. (2011). BACTERIA, BENEFICIAL. *Bifidobacterium* spp.: Morphology and Physiology. *Encyclopedia of Dairy Sciences,* 381–387. doi:10.1016/b978-0-12-374407-4.00043-1.
- Shah, R., Sabir, S. & Alhawaj, A. F. (2021). *Physiology, Breast Milk.* FL: Statpearls Publishing.
- Shi, L. H., Balakrishnan, K., Thiagarajah, K., Mohd Ismail, N. I., & Yin, O. S. (2016). Beneficial Properties of Probiotics. *Tropical life sciences research,* 27(2), 73–90. DOI: 10.21315/tlsr2016.27.2.6
- Stackebrandt, E., Goebel, B.M., 1994. Taxonomic Note: A Place for DNA-DNA Reassociation and 16S rRNA Sequence Analysis in the Present Species Definition in Bacteriology. *International Journal of Systematic and Evolutionary Microbiology* 44, 846–849. <https://doi.org/10.1099/00207713-44-4-846>
- Sukmawati., Nugraha, A., Dwi, A., Amiaturun., Apriliani, A. N., Ramdani, A., Nugraha, A., & Yarsita, T. P. (2020). INTERVENSI MENINGKATKAN PRODUKSI ASI: LITERATUR REVIEW. *JMCRH: Vol. 3 Issue 4:*196-215.
- Syahniar, R. & Suri, A. A. (2020). Profil Mikrobiota ASI dan Perannya terhadap Saluran Cerna Bayi. *Muhammadiyah Journal of Nutrition and Food Science,* 1:1 DOI: <https://doi.org/10.24853/mjnf.1.1.8-17>.
- Syngai, G. G., Gopi, R., Bharali, R., Dey, S., Lakshmanan, G. M., & Ahmed, G. (2016). Probiotics - the versatile functional food ingredients. *Journal of food science and technology,* 53(2), 921–933. DOI: 10.1007/s13197-015-2011-0
- Tamime, A. Y., Marshall, V. M. E., & Robinson, R. K. (1995). *Microbiological and technological aspects of milks fermented by bifidobacteria. Journal of Dairy Research,* 62(01), 151. doi:10.1017/s002202990003377x
- Turroni F, Duranti S, Milani C, Lugli GA, van Sinderen D, Ventura M. *Bifidobacterium bifidum: A Key Member of the Early Human Gut*

- Microbiota. *Microorganisms*. 2019 Nov 9;7(11):544. doi: 10.3390/microorganisms7110544. PMID: 31717486; PMCID: PMC6920858.
- Urbaniak, C., Burton, J. P., & Reid, G. (2012). Breast, Milk and Microbes: A Complex Relationship that Does Not End with Lactation. *Women's Health*:385-398. doi:10.2217/WHE.12.23
- Urbaniak, C., Cummins, J., Brackstone, M., Macklaim, J.M., Gloor, G.B., Baban, C.K., Scott, L., O'Hanlon, D.M., Burton, J.P., Francis, K.P., Tangney, M. & Reid, G. (2014). Microbiota of human breast tissue. *Appl Environ Microbiol*, 80(10), 3007-14. doi: 10.1128/AEM.00242-14
- Vlasova, A. N., Kandasamy, S., Chattha, K. S., Rajashekara, G., & Saif, L. J. (2016). Comparison of probiotic lactobacilli and bifidobacteria effects, immune responses and rotavirus vaccines and infection in different host species. *Veterinary immunology and immunopathology*, 172, 72–84. DOI: 10.1016/j.vetimm.2016.01.003
- Walsh, C., Lane, J. A., van Sinderen, D., & Hickey, R. M. (2020). *Human milk oligosaccharides: Shaping the infant gut microbiota and supporting health. Journal of Functional Foods*, 72, 104074. doi:10.1016/j.jff.2020.104074
- Watson, D., Motherway, O., Shotermann, M. H. C., Joost van Neerven, R. J., Nauta, A. & van Sinderen, D. (2012). Selective carbohydrate utilization by lactobacilli and bifidobacteria. *Journal of Applied Microbiology*, 114(4), 1132-1146. doi: 10.1111/jam.12105
- Wiciński, M., Sawicka, E., Gębalski, J., Kubiak, K., & Malinowski, B. (2020). Human Milk Oligosaccharides: Health Benefits, Potential Applications in Infant Formulas, and Pharmacology. *Nutrients*, 12(1), 266. <https://doi.org/10.3390/nu12010266>
- Yi, D. Y., & Kim, S. Y. (2021). Human Breast Milk Composition and Function in Human Health: From Nutritional Components to Microbiome and MicroRNAs. *Nutrients*, 13(9), 3094; <https://doi.org/10.3390/nu13093094>