

DAFTAR PUSTAKA

- Ashraf, R., & Shah, N. P. (2011). Selective and differential enumerations of *Lactobacillus delbrueckii* subsp. *bulgaricus*, *Streptococcus thermophilus*, *Lactobacillus acidophilus*, *Lactobacillus casei* and *Bifidobacterium* spp. in yoghurt — A review. *International Journal of Food Microbiology*. 149(3): 194-208. doi: <https://doi.org/10.1016/j.ijfoodmicro.2011.07.008>.
- Backhed, F., Ley, R. E., Sonneburg, J. L., Peterson, D. A., & Gordon, J. I. (2005). Host-Bacterial Mutualism in the Human Intestine. *Science*. 307: 1915-1920. doi: 10.1126/science.1104816
- Ballard, O., & Morrow, A. L. (2013). Human Milk Composition: Nutrients and Bioactive Factors. *Pediatrics Clinics of North America*. 60(1): 49–74. doi:10.1016/j.pcl.2012.10.002.
- Biavati, B., & Mattarelli, P. (2015). *Bifidobacterium*. In W. B. Whitman. *Bergey's manual of systematics of archaea and bacteria 9th edition*. New Jersey: Wiley.
- Bode, L. (2012). Human milk oligosaccharides: every baby needs a sugar mama. *Glycobiology*. 22(9):1147-62. doi: 10.1093/glycob/cws074.
- Bode, L. (2015). The functional biology of human milk oligosaccharides. *Early Human Development*. 91(11): 619-622. doi: 10.1016/j.earlhumdev.2015.09.001
- de Vrese, M., & Schrezenmeir, J. (2008). Probiotics, prebiotics, and synbiotics. *Advances in Biochemical Engineering/Biotechnology*. 111: 1-66. doi: 10.1007/10_2008_097
- Ferraris, L., Aires, J., Waligora-Dupriet, A., & Butel, M. J. (2010). New selective medium for selection of bifidobacteria from human feces. *Clinical Microbiology*. 16:469-471. doi: 10.1016/j.anaerobe.2010.03.008.
- Garrido, D., Ruiz-Moyano, S., Jimenez-Espinoza, R., Eom, H. J., Block, D. E., & Mills, D. A. (2013). Utilization of galactooligosaccharides by *Bifidobacterium longum* subsp. *infantis* isolates. *Food Microbiology*. 33(2): 262-270. doi: 10.1016/j.fm.2012.10.003
- Gao, S., Hothersall, J., Wu, J., Murphy, A. C., Song, Z., Stephens, E. R., Thomas, C. M., Crump, M. P., Cox, R. J., Simpson, T. J., & Willis, C. L. (2014). Biosynthesis of mupirocin by *Pseudomonas fluorescens* NCIMB 10586 involves parallel pathways. *Journal of American Chemical Society*. 136(14): 5501-5507. doi: 10.1021/ja501731p
- Gill, H., & Prasad, J. (2008). Probiotics, immunomodulation, and health benefits. *Advances in Experimental Medicine and Biology*. 606: 423-454. doi: 10.1007/978-0-387-74087-4_17.
- Goodfellow, M., Kampfer, P., Busse, H., Trujillo, M. E., Suzuki, K., Ludwig, W., & Whitman, W. B. (2012). *Bergey's Manual of Systematic Bacteriology*, 2nd ed. Springer: New York

- Grolund, M. M., Lehtonen, O. P., Erkki, E., & Pentti, K. (1999). Fecal Microflora in Healthy Infants Born by Different Methods of Delivery: Permanent Changes in Intestinal Flora After Cesarean Delivery. *Journal of Pediatric Gastroenterology & Nutrition*. 28(1): 19-25.
- Hadadji, M., Benama, R., Saidi, N., Henni, E., & Mebrouk, K. (2005). Identification of cultivable bifidobacterium species isolated from breast-fed infants feces in West-Algeria. *African Journal of Biotechnology*. 4(5): 422-430.
- Hedberg, M., Hasslöf, P., Sjöström, I., Twetman, S., & Stecksén-Blicks, C. (2008). Sugar fermentation in probiotic bacteria--an in vitro study. *Oral Microbiology and Immunology*. 23(6):482-5. doi: 10.1111/j.1399-302X.2008.00457.x.
- Hegar, B., Wibowo, Y., Basrowi, R. W., Ranuh, R. G., Sudarmo, S. M., Munasir, Z., Atthiyah, A. F., Widodo, A. D., Supriatmo, Kadim, M., Suryawan, A., Diana, N. R., Manoppo, C., & Vandenplas, Y. (2019). The Role of Two Human Milk Oligosaccharides, 2'-Fucosyllactose and Lacto-N-Neotetraose, in Infant Nutrition. *Pediatric Gastroenterology, Hepatology & Nutrition*. 22(4): 330-340. doi: <https://doi.org/10.5223/pghn.2019.22.4.330>
- Husain, I., Poupard, J. A., & Norris, R. F. (1972). Influence of Nutrition on the Morphology of a Strain of *Bifidobacterium bifidum*. *Journal of Bacteriology*. 111(3): 1841-1844. doi: 10.1128/jb.111.3.841-844.1972
- Imoto, N., Kano, C., Aoyagi, Y., Morita, H., Amanuma, F., Maruyama, H., Nojiri, S., Hashiguchi, N., & Watanabe, S. (2021). Administration of β -lactam antibiotics and delivery method correlate with intestinal abundances of *Bifidobacteria* and *Bacteroides* in early infancy, in Japan. *Scientific Reports*. 11: 6231. doi: <https://doi.org/10.1038/s41598-021-85670-z>
- Jarocki, P., Podlesny, M., Glibowski, P., & Targonski, Z. (2014). A New Insight into the Physiological Role of Bile Salt Hydrolase among Intestinal Bacteria from the Genus *Bifidobacterium*. *PlosONE*: 0114379. doi: <https://doi.org/10.1371/journal.pone.0114379>
- Jungersen, M., Wind, A., Johansen, E., Christensen, J.E., Stuer-Lauridsen, B., & Eskesen, D. (2014). The Science behind the Probiotic Strain *Bifidobacterium animalis* subsp. *lactis* BB-12^(R). *Microorganisms*. 2(2):92-110. doi: [10.3390/microorganisms2020092](https://doi.org/10.3390/microorganisms2020092).
- Junick, J., & Blaut, M. (2012). Quantification of Human Fecal Bifidobacterium Species by Use of Quantitative Real-Time PCR Analysis Targeting the groEL Gene. *Applied and Environmental Microbiology*. 78(8): 2613–2622. doi: [10.1128/AEM.07749-11](https://doi.org/10.1128/AEM.07749-11)
- Koetsier, G., & Cantor, G. (2019). *A Practical Guide to Analyzing Nucleic Acid Concentration and Purity with Microvolume Spectrophotometers*. Massachusetts: New England Biolabs.
- Kusharyati, D. F., Hendrati, P. M., Ryandini, D., Manshur, T. A., Dewi, M. A., Khatimah, K., & Rovik, A. (2020). Isolation of *Bifidobacterium* from Infant's

- Feces and Its Antimicrobial Activity. Digital Press Life Sciences 2 00002: 1-7. doi: <https://doi.org/10.29037/digitalpress.22326>
- Lamendella, R., Domingo, J. W. S., Kelthy, C., & Oerther, D. B. (2008). Bifidobacteria in Feces and Environmental Waters. *Applied and Environmental Microbiology*. 74(3): 575-584. doi: 10.1128/AEM.01221-07.
- Lee, J. H., & O'Sullivan, D. J. (2010). Genomic Insights into Bifidobacteria. *Microbiology and Molecular Biology Reviews*. 74(3): 378-416. doi: 10.1128/MMBR.00004-10
- Levantovsky, R., Allen-Blevins, C. R., & Sela, D. A. (2018). Nutritional Requirements of Bifidobacteria. In P. Mattarelli, B. Biavati, W. H. Holzapfel, & B. J. B. Wood. *The Bifidobacteria and Related Organisms*. Amsterdam: Elsevier.
- MacFaddin, J. F. (2000). *Biochemical tests for identification of medical bacteria, 3rd ed.*. Philadelphia: Lippincott Williams & Wilkins.
- Matsuki, T., Watanabe, K., Tanaka, R., Fukuda, M., & Oyaizu, H. (1999). Distribution of bifidobacterial species in human intestinal microflora examined with 16S rRNA-gene-targeted species-specific primers. *Applied and Environmental Microbiology*. 65(10): 4506-4512. doi: 10.1128/AEM.65.10.4506-4512.1999
- Milani, C., Duranti, S., Bottacini, F., Casey, E., Turroni, F., Mahony, J., Belzer, C., Palacio, S. D., Montes, S. A., Mancabelli, L., Lugli, G. A., Rodriguez, J. M., Bode, L., Vos, W. D., Guiemonde, M., Margolles, A., Sinderen, D. V., & Ventura, M. (2017). The First Microbial Colonizers of the Human Gut: Composition, Activities, and Health Implications of the Infant Gut Microbiota. *Microbiology and Molecular Biology Reviews*. 81(4): e00036-17. doi: 10.1128/MMBR.00036-17.
- Modesto, M. (2018). Isolation, Cultivation, and Storage of Bifidobacteria. In P. Mattarelli, B. Biavati, W. H. Holzapfel, & B. J. B. Wood. *The Bifidobacteria and Related Organisms*. Amsterdam: Elsevier
- Nebra, Y., Jofre, J., & Blanch, A. R. (2002). The effect of reducing agents on the recovery of injured *Bifidobacterium* cells. *Journal of Microbiological Methods*. 49(3): 247-254. doi:10.1016/s0167-7012(01)00373-6.
- Noriega, L., Gueimonde, M., Sanchez, B., Margolles, B., & Reyes-Gavilan, C. G. (2004). Effect of the adaptation to high bile salts concentrations on glycosidic activity, survival at low PH and cross-resistance to bile salts in *Bifidobacterium*. *International Journal of Food Microbiology*. 94(1): 79-86. doi: 10.1016/j.ijfoodmicro.2004.01.003.
- O'Callaghan, A., Bottacini, F., O'Connell, M. M., & van Sinderen, D. (2015). Pangenome analysis of *Bifidobacterium longum* and site-directed mutagenesis through by-pass of restriction-modification systems. *BMC Genomics*. 21(16): 832. doi: 10.1186/s12864-015-1968-4.

- Pace, R. M., Williams, J. E., Robertson, B., Lackey, K. A., Meehan C. L., Price, W. J., Foster, J. A., Sellen, D. W., Kamau-Mbuthia, E. W., Kamundia, E. W., Mbugua, S., Moore, S. E., Prentice, A. M., Kita, D. G., Kvist, L. J., Otoo, G. E., Ruiz, L., Rodriguez, J. M., Pareja, R. G., & McGuire, M. A. (2021). Variation in Human Milk Composition Is Related to Differences in Milk and Infant Fecal Microbial Communities. *Microorganisms*. 9(6): 1153. doi: <https://doi.org/10.3390/microorganisms9061153>
- Penders, J., Thijs, C., Vink, C., Stelma, F. F., Snijders, B., Kummeling, I., Brandt, P. A. V., & Stobberingh, E. E. (2006). Factors Influencing the Composition of the Intestinal Microbiota in Early Infancy. *Pediatrics*. 118(2):511-521. doi: 10.1542/peds.2005-2824.
- Picard, C., Fioramonti, J., Francois, A., Robinson, T., Neant, F., & Matuchansky, C. (2005). Review article: bifidobacteria as probiotic agents – physiological effects and clinical benefits. *Alimentary Pharmacology and Therapeutics*. 22(6): 495-512. doi: 10.1111/j.1365-2036.2005.02615.x.
- Plaza, N. C., Garcia-Galbis, M. G., & Martinez-Espinola, R. M. (2018). Effects of the Usage of l-Cysteine (l-Cys) on Human Health. *Molecules*. 23(3): 575. doi: 10.3390/molecules23030575
- Pokusaeva, K., Fitzgerald, G.F., & Van-Sinderen, D. (2011). Carbohydrate metabolism in Bifidobacteria. *Genes Nutrition*. 6:285-306. doi: 10.1007/s12263-010-0206-6
- Reiner, K. (2010). *Catalase Test Protocol*. Washington: American Society of Microbiology.
- Renz-Polster, H., David, M. R., Buist, A. S., Vollmer, W. M., O'Connor, E. A., Frazier, E. A., & Wall, M. A. (2005). Caesarean section delivery and the risk of allergic disorders in childhood. *Clinical Experimental Allergy*, 35(11), 1466–1472. doi:10.1111/j.1365-2222.2005.02356.x
- Roberfroid, M., Gibson, G. R., Hoyle, L., McCartney, A. L., Rastall, R., Rowland, I., Wolvers, D., Watzl, B., Szajewska, H., Stahl, B., Guarner, F., Respondek, F., Whelan, K., Coxam, V., Davicco, M. J., Leotoing, L., Wittrant, Y., Delzenne, N. M., Cani, P. D., Neyrinck, A. M., & Meheust, A. (2010). Prebiotic effects: metabolic and health benefits. *The British Journal of Nutrition*. 104(2): s1-63. doi: 10.1017/S0007114510003363
- Santiago, A., Panda, S., Mengels, G., Martinez, X., Azpiros, F., Dore, J., Guarner, F., & Manichanh, C. (2014). Processing faecal samples: a step forward for standards in microbial community analysis. *BMC Microbiology*. 14: 112. doi: <https://doi.org/10.1186/1471-2180-14-112>
- Scardovi, V. (1986). Genus *Bifidobacterium*. In P. H. A. Sneath, N. S. Mair, & M. E. Sharpe. *Bergey's Manual of Systematic Bacteriology, Volume 2*. Berlin: Springer

- Shah, N. P. (2011). BACTERIA, BENEFICIAL: *Bifidobacterium* spp.: Morphology and Physiology. In J. W. Fuquay. *Encyclopedia of Dairy Sciences*. Amsterdam: Elsevier. 381–387.
- Stackebrandt, E., & Goebel, B.M. (1994). Taxonomic Note: A Place for DNA-DNA Reassociation and 16S rRNA Sequence Analysis in the Present Species Definition in Bacteriology. *International Journal of Systematic and Evolutionary Microbiology*. 44: 846–849. doi: <https://doi.org/10.1099/00207713-44-4-846>
- Thomas, D. W., Greer, F. R., American Academy of Pediatrics Committee on Nutrition, & American Academy of Pediatrics Section on Gastroenterology, Hepatology, and Nutrition. (2010). Probiotics and prebiotics in pediatrics. *Pediatrics*. 126(6): 1217-1231. doi: 10.1542/peds.2010-2548
- Thomas, V., Clark, J., & Doré, J. (2015). Fecal microbiota analysis: an overview of sample collection methods and sequencing strategies. *Future Microbiology*, 10(9), 1485–1504. doi:10.2217/fmb.15.87
- Tripathi, N., & Sapra, A. 2021. *Gram Staining*. Retrieved from National Center of Biotechnology Information: <https://www.ncbi.nlm.nih.gov/books/NBK562156/> (5 Mei 2022).
- Uusitupa, H.M., Rasinkangas, P., Lehtinen, M.J., Mäkelä, S.M., Airaksinen, K., Anglenius, H., Ouwehand, A.C., & Maukonen, J. (2020). *Bifidobacterium animalis* subsp. *lactis* 420 for Metabolic Health: Review of the Research. *Nutrients*. 12(4):892. doi: 10.3390/nu12040892.
- Van Laere, K. M. J., Hartemink, R., Bosveld, M., Schols, H. A., & Voragen, A. G. J. (2000). Fermentation of Plant Cell Wall Derived Polysaccharides and Their Corresponding Oligosaccharides by Intestinal Bacteria. *Journal of Agricultural and Food Chemistry*. 48(5): 1644–1652. doi:10.1021/jf990519i
- Vlkova, E., Rada, V., Bujnakova, D., & Kmet, V. (2004). Enumeration, Isolation, and Identification of *Bifidobacteria* from Infant Feces. *Folia Microbiology*. 49(2): 209-212. doi: <https://doi.org/10.1007/BF02931404>
- Vitellio, P., Celano, G., Bonfrate, L., Gobbetti, M., Portincasa, P., & Angelis, M. D. (2019). Effects of *Bifidobacterium longum* and *Lactobacillus rhamnosus* on Gut Microbiota in Patients with Lactose Intolerance and Persisting Functional Gastrointestinal Symptoms: A Randomised, Double-Blind, Cross-Over Study. *Nutrients*. 11(4): 886. doi: 10.3390/nu11040886.
- Vuyst, L. D., Moens, F., Selak, M., Riviere, A., & Leroy, F. (2014). Summer Meeting 2013: growth and physiology of bifidobacteria. *Journal of Applied Microbiology*. 116(3): 477-491. doi: 10.1111/jam.12415.
- Watson, D., Motherway, M. O., Schoterman, M. H. C., van Neerven, R. J. J., Nauta, A., & van Sinderen, D. (2012). Selective carbohydrate utilization by lactobacilli and bifidobacteria. *Journal of Applied Microbiology*. 114(4): 1132-1146. doi: <https://doi.org/10.1111/jam.12105>

Wasilewska, E., & Bielecka, M. (2003). Isolation and Identification of Bifidobacteria from Infant Gut. *Polish Journal of Food and Nutritional Science*. 12(53): 90- 94.

World Health Organization Expert Consultation. (2001). *Evaluation of health and nutritional properties of powder milk and live lactic acid bacteria*. Córdoba, Argentina: Food and Agriculture Organization of the United Nations and World Health Organization

Yan, S., Zhao, G., Liu, X., Zhao, J., Zhang, H., & Chen, W. (2017). Production of exopolysaccharide by *Bifidobacterium longum* isolated from elderly and infant feces and analysis of priming glycosyltransferase genes. *Royal Sciences of Chemistry Advances*. 7: 31736-31744. doi: <https://doi.org/10.1039/C7RA03925E>

Zuo, F., Yu, R., Feng, X., Chen, L., Zeng, Z., Khasheli, G. B., Ma, H., & Chen, S. (2016). Characterization and in vitro properties of potential probiotic *Bifidobacterium* strains isolated from breast-fed infant feces. *Annals of Microbiology*. 66: 1027-1037. doi: <https://doi.org/10.1007/s13213-015-1187-x>

