

Daftar Pustaka

1. Kementerian Kesehatan Republik Indonesia. Laporan Nasional Riset Kesehatan Dasar. Kementerian Kesehat RI. 2018;1–582.
2. Caspersen C, Powell K, Gregory C. Physical Activity, Exercise, and Physical Fitness: Definitions and Distinctions for Health-Related Research Synopsis. Public Health Rep. 1985;100(April):126–31.
3. González K, Fuentes J, Márquez JL. Physical inactivity, sedentary behavior and chronic diseases. Korean J Fam Med. 2017;38(3):111–5.
4. World Health Organization (WHO). Global Physical Activity questionnaire. 2010;
5. Bull FC, Maslin TS, Armstrong T. Global physical activity questionnaire (GPAQ): Nine country reliability and validity study. J Phys Act Heal. 2009;6(6):790–804.
6. Rao CR, Bb D, Das N, Rajan V, Bhogun M, Gupta A. Practice of physical activity among future doctors: A cross sectional analysis. Int J Prev Med. 2012;3(5):365–9.
7. Djärv T, Wikman A, Nordenstedt H, Johar A, Lagergren J, Lagergren P. Physical activity, obesity and gastroesophageal reflux disease in the general population. World J Gastroenterol. 2012;18(28):3710.
8. Vakil N, Van Zanten S V., Kahrilas P, Dent J, Jones R, Bianchi LK, et al. The Montreal definition and classification of gastroesophageal reflux disease: A global evidence-based consensus. Am J Gastroenterol. 2006;101(8):1900–20.
9. Kellerman R, Kintanar T. Gastroesophageal Reflux Disease. Prim Care - Clin Off Pract. 2017;44(4):561–73.
10. Tandarto K, Tenggara R, Chriestya F, Steffanus M. Correlation between Quality of Life and Gastroesophageal Reflux Disease Korelasi antara Kualitas Hidup dan Penyakit Refluks Gastroesofagus. Maj Kedokt Bandung. 2020;52(2):2–7.
11. Nirwan JS, Hasan SS, Babar ZUD, Conway BR, Ghori MU. Global Prevalence and Risk Factors of Gastro-oesophageal Reflux Disease (GORD): Systematic Review with Meta-analysis. Sci Rep. 2020;10(1):1–14.
12. Jung HK. Epidemiology of gastroesophageal reflux disease in asia: A systematic

- review. *J Neurogastroenterol Motil.* 2011;17(1):14–27.
13. Syam AF, Aulia C, Renaldi K, Simadibrata M, Abdullah M, Tedjasaputra TR. Revisi Konsensus Nasional Penatalaksanaan Penyakit Refluks Gastroesofageal (Gastroesophageal Re flux Disease/ GERD) di Indonesia. 2013. 2–4 p.
 14. Jones R, Junghard O, Dent J, Vakil N, Halling K, Wernersson B, et al. Development of the GerdQ, a tool for the diagnosis and management of gastro-oesophageal reflux disease in primary care. *Aliment Pharmacol Ther.* 2009;30(10):1030–8.
 15. Sakurai K, Suda H, Fujie S, Takeichi T, Okuda A, Murao T, et al. Short-Term Symptomatic Relief in Gastroesophageal Reflux Disease: A Comparative Study of Esomeprazole and Vonoprazan. *Dig Dis Sci.* 2019;64(3):815–22.
 16. Alkhathami AM, Alzahrani AA, Alzhrani MA, Alsuwat OB, Mahfouz MEM. Risk Factors for Gastroesophageal Reflux Disease in Saudi Arabia. *Gastroenterol Res.* 2017;10(5):294–300.
 17. Syam AF, Hapsari PF, Makmun D. The Prevalence and Risk Factors of GERD among Indonesian Medical Doctors. *Makara J Heal Res.* 2016;20(2).
 18. Sharma A, Sharma PK, Puri P. Prevalence and the risk factors of gastro-esophageal reflux disease in medical students. *Med J Armed Forces India.* 2018;74(3):250–4.
 19. Arivan R, Deepanjali S. Prevalence and risk factors of gastro-esophageal reflux disease among undergraduate medical students from a southern Indian medical school: A cross-sectional study. *BMC Res Notes.* 2018;11(1):1–5.
 20. Giorgi F De, Palmiero M, Esposito I, Mosca F, Cuomo R. Pathophysiology of gastro-oesophageal reflux disease. *Acta Otorhinolaryngol Ital.* 2006;26(5):241.
 21. Tack J, Pandolfino JE. Pathophysiology of Gastroesophageal Reflux Disease. *Gastroenterology.* 2018;154(2):277–88.
 22. Katz PO, Gerson LB, Vela MF. Guidelines for the diagnosis and management of gastroesophageal reflux disease. *Am J Gastroenterol.* 2013;108(3):308–28.
 23. Gong Y, Zeng Q, Yan Y, Han C, Zheng Y. Association between Lifestyle and Gastroesophageal Reflux Disease Questionnaire Scores: A Cross-Sectional Study of 37 442 Chinese Adults. *Gastroenterol Res Pract.* 2019;2019.

24. Mendes-Filho AM oreir., Moraes-Filho JP rad. P, Nasi A, Eisig JN ata., Rodrigues TN avarr., Barbutti RC orre., et al. Influence of exercise testing in gastroesophageal reflux in patients with gastroesophageal reflux disease. *Arq Bras Cir Dig.* 2014;27(1):3–8.
25. WHO. WHO Guidelines on Physical activity and sedentary behaviour. World Health Organization. 2020. 1–104 p.
26. Kementerian Kesehatan Republik Indonesia. Ayo bergerak lawan obesitas. Direktorat Pencegahan dan Pengendalian Penyakit Tidak Menular. 2017. p. 37.
27. U.S. Department of Health and Human Services. Physical Activity Guidelines for Americans, 2nd edition. 2018.
28. Frost HM. Wolff's Law and bone's structural adaptations to mechanical usage: an overview for clinicians. Vol. 64, *Angle Orthodontist*. 1994. p. 175–88.
29. Jetté M, Sidney K, Blümchen G. Metabolic equivalents (METS) in exercise testing, exercise prescription, and evaluation of functional capacity. *Clin Cardiol.* 1990;13(8):555–65.
30. Haskell WL, Lee IM, Pate RR, Powell KE, Blair SN, Franklin BA, et al. Physical activity and public health: Updated recommendation for adults from the American College of Sports Medicine and the American Heart Association. *Med Sci Sports Exerc.* 2007;39(8):1423–34.
31. Seefeldt V, Malina RM, Clark MA. Factors influencing levels of physical activity in adults. *Sport Med.* 2002;32(3):143–68.
32. Notthoff N, Reisch P, Gerstorf D. Individual Characteristics and Physical Activity in Older Adults: A Systematic Review. *Gerontology.* 2017;63(5):443–59.
33. Suryadinata R, Wirjatmadi B, Merryanda A, Amelia L. Effect of age and weight on physical activity Rivan. *J Public health Res.* 2020;9(1840):187–90.
34. Guthold R, Stevens GA, Riley LM, Bull FC. Worldwide trends in insufficient physical activity from 2001 to 2016: a pooled analysis of 358 population-based surveys with 1·9 million participants. *Lancet Glob Heal [Internet].* 2018;6(10):e1077–86. Available from: [http://dx.doi.org/10.1016/S2214-109X\(18\)30357-7](http://dx.doi.org/10.1016/S2214-109X(18)30357-7)
35. Saffer H, Dave D, Grossman M, Leung LA. Racial, ethnic, and gender differences in

physical activity. *J Hum Cap.* 2013;7(4):378–410.

36. Armstrong S, Wong CA, Perrin E, Page S, Sibley L, Skinner A. Association of physical activity with income, race/ethnicity, and sex among adolescents and young adults in the United States findings from the national health and nutrition examination survey, 2007-2016. *JAMA Pediatr.* 2018;172(8):732–40.
37. The Lancet Public Health. Time to tackle the physical activity gender gap. *Lancet Public Heal* [Internet]. 2019;4(8):e360. Available from: [http://dx.doi.org/10.1016/S2468-2667\(19\)30135-5](http://dx.doi.org/10.1016/S2468-2667(19)30135-5)
38. Tolea MI, Terracciano A, Simonsick EM, Metter JE, Costra P, Ferruci L. Associations between personality traits, physical activity level, and muscle strength. *J Res Pers.* 2013;46(3):264–270.
39. Center for Disease control and Prevention. The CDC Guide to Strategies to Increase Physical Activity in the Community - PA_2011_WEB.pdf. Strateg to Prev Obes Other Chronic Dis CDC Guid to Strateg to Increase Phys Act Community [Internet]. 2011; Available from: http://www.cdc.gov/obesity%0Ahttp://www.cdc.gov/obesity/downloads/PA_2011_WEB.pdf
40. Puspita FC, Putri LA, Rahardja C, Utari AP, Syam AF. Prevalence of Gastroesophageal Reflux Disease and Its Risk Factors In Rural Area. Vol. 18, *The Indonesian Journal of Gastroenterology, Hepatology, and Digestive Endoscopy.* 2017. p. 9.
41. Febria Lim S. Hubungan Insomnia dengan Gastroesophageal Reflux Disease (Gerd) pada Mahasiswa Fakultas Kedokteran Universitas Pelita Harapan. 2021.
42. Yaseri HF. Gender is a risk factor in patients with gastroesophageal reflux disease. *Med J Islam Repub Iran.* 2017;31(1):336–8.
43. Çela L, Kraja B, Hoti K, Toçi E, Muja H, Roshi E, et al. Lifestyle characteristics and gastroesophageal reflux disease: A population-based study in Albania. *Gastroenterol Res Pract.* 2013;2013.
44. Argyrou A, Legaki E, Koutserimpas C, Gazouli M, Papaconstantinou I, Gkiokas G, et al. Risk factors for gastroesophageal reflux disease and analysis of genetic contributors. *World J Clin Cases.* 2018;6(8):176–82.

45. Yamasaki T, Fass R. Reflux hypersensitivity: A new functional esophageal disorder. *J Neurogastroenterol Motil.* 2017;23(4):495–503.
46. Simadibrata M, Rani A, Adi P, Djumhana A, Abdullah M. The gastro-esophageal reflux disease questionnaire using indonesian language: A language validation survey. *Med J Indones.* 2011;20(2):125–30.
47. Zheng Z, Nordenstedt H, Pedersen N, Jesper L, Ye W. Lifestyle Factors and Risk for Symptomatic Gastroesophageal Reflux in Monozygotic Twins. *Gastroenterology.* 2007;132(1):87–95.
48. Wilson LJ, Ma W, Hirschowitz BI. Association of obesity with hiatal hernia and esophagitis. *Am J Gastroenterol.* 1999;94(10):2840–4.
49. Smink FRE, Van Hoeken D, Hoek HW. Epidemiology of eating disorders: Incidence, prevalence and mortality rates. *Curr Psychiatry Rep.* 2012;14(4):406–14.
50. Zheng X, Chen G, Song X, Liu J, Yan L, Du W, et al. Twenty-year trends in the prevalence of disability in China. *Bull World Health Organ.* 2011;89(11):788–97.
51. He H, Pan L, Cui Z, Sun J, Yu C, Cao Y, et al. Smoking Prevalence, Patterns, and Cessation Among Adults in Hebei Province, Central China: Implications From China National Health Survey (CNHS). *Front Public Heal.* 2020;8(June):1–13.
52. Hung LJ, Hsu PI, Yang CY, Wang EM, Lai KH. Prevalence of gastroesophageal reflux disease in a general population in Taiwan. *J Gastroenterol Hepatol.* 2011;26(7):1164–8.
53. Wei TY, Hsueh PH, Wen SH, Chen CL, Wang CC. The role of tea and coffee in the development of gastroesophageal reflux disease. *Tzu Chi Med J.* 2019;31(3):169–76.
54. Pandeya N, Green AC, Whiteman DC, Webb PM, Hayward NK, Parsons PG, et al. Prevalence and determinants of frequent gastroesophageal reflux symptoms in the Australian community. *Dis Esophagus.* 2012;25(7):573–83.
55. Iskandar FF. Hubungan konsumsi kopi dengan tekanan darah pada Mahasiswa Fakultas Kedokteran Universitas Pelita Harapan. 2020;
56. Kim J, Oh SW, Myung SK, Kwon H, Lee C, Yun JM, et al. Association between coffee intake and gastroesophageal reflux disease: A meta-analysis. *Dis Esophagus.* 2014;27(4):311–7.