

## DAFTAR PUSTAKA

1. Ju H, Jones M, Mishra G. The prevalence and risk factors of dysmenorrhea. *Epidemiol Rev.* 2014;36:104–13.
2. Unsal A, Ayrancı U, Tozun M, Arslan G, Calik E. Prevalence of dysmenorrhea and its effect on quality of life among a group of female university students. *Ups J Med Sci.* 2010;115(2):138–45.
3. El-Gilany A-H, Badawi K, El-Fedawy S. Epidemiology of dysmenorrhoea among adolescent students in Mansoura, Egypt. *East Mediterr Heal J.* 2005;11(1–2):155–63.
4. Fernández-Martínez E, Onieva-Zafra MD, Parra-Fernández ML. Lifestyle and prevalence of dysmenorrhea among Spanish female university students. *PLoS ONE.* 2018;13(8):1–11.
5. Lestari NMSD. PENGARUH DISMENOREA PADA REMAJA. Seminar Nasional FMIPA UNDIKSHA III. 2013.
6. Pakpour AH, Kazemi F, Alimoradi Z, Griffiths MD. Depression, anxiety, stress, and dysmenorrhea: a protocol for a systematic review. *Syst Rev.* 2020;9(65):10–2.
7. Zhao S, Wu W, Kang R, Wang X. Significant Increase in Depression in Women With Primary Dysmenorrhea: A Systematic Review and Cumulative Analysis. *Front Psychiatry.* 2021;12(August):1–11.
8. Yeshaw Y, Mossie A. Depression, anxiety, stress, and their associated factors among Jimma university staff, Jimma, Southwest Ethiopia, 2016: A cross-sectional study. *Neuropsychiatr Dis Treat.* 2017;13:2803–12.
9. Fahmi M, Panjaitan NA, Habibie I, Siregar AYM, Amarullah G, Rahma, et al. Does your neighborhood protect you from being depressed? A study on social trust and depression in Indonesia. *BMC Public Health.* 2019;19(1):1–8.
10. Peltzer K, Pengpid S. High prevalence of depressive symptoms in a national sample of adults in Indonesia: Childhood adversity, sociodemographic factors and health risk behaviour. *Asian J Psychiatr.* 2018;33(March):52–9.

11. Purborini N, Lee MB, Devi HM, Chang HJ. Associated factors of depression among young adults in Indonesia: A population-based longitudinal study. *J Formos Med Assoc.* 2021;120(7):1434–43.
12. Unsal A, Tozun M, Ayrancı U, Orsal O. Connection between dysmenorrhea and depression among a group of Turkish high school female students. *Pakistan J Med Sci.* 2012;28(3):424–7.
13. Abdulghani HM, AlKanhal AA, Mahmoud ES, Ponnamperuma GG, Alfaris EA. Stress and its effects on medical students: A cross-sectional study at a college of medicine in Saudi Arabia. *J Heal Popul Nutr.* 2011;29(5):516–22.
14. Kanter JW, Busch AM, Weeks CE, Landes SJ. The nature of clinical depression: Symptoms, syndromes, and behavior analysis. *Behavior Analyst.* 2008;31(1):1–21.
15. Marcus M, Yasamy MT, van Ommeren M, Chisholm D, Saxena S. Depression, a global public health concern. WHO Department of Mental Health and Substance Abuse. 2012;6–8.
16. Depression [Internet]. World Health Organization. 2021 [cited 2021 Dec 2]. Available from: <https://www.who.int/news-room/factsheets/detail/depression>
17. Brody DJ, Pratt LA, Hughes JP. Prevalence of Depression Among Adults Aged 20 and Over: United States, 2013-2016. National Center for Health Statistics. 2018;(303):1–8.
18. Jane England M, J. Sim L. Depression in Parents, Parenting, and Children: Opportunities to Improve Identification, Treatment, and Prevention. Vol. 16, Child and Adolescent Mental Health. 2011. 172–172 p.
19. Caspi A, Sugden K, Moffitt TE, Taylor A, Craig IW, Harrington HL, et al. Influence of life stress on depression: Moderation by a polymorphism in the 5-HTT gene. *Science* (80- ). 2003;301(5631):386–9.
20. Shih JH, Eberhart NK, Hammen CL, Brennan PA. Differential exposure and reactivity to interpersonal stress predict sex differences in adolescent depression. *J Clin Child Adolesc Psychol.* 2006;35(1):103–15.

21. Maciejewski PK, Prigerson HG, Mazure CM. Sex differences in event-related risk for major depression. *Psychol Med*. 2001;31(4):593–604.
22. Chand SP, Arif H. Depression. StatPearls [Internet]. 2021 Jul 26 [cited 2021 Dec 2]; Available from: <https://www.ncbi.nlm.nih.gov/books/NBK430847/>
23. Fekadu N, Shibeshi W, Engidawork E. Major Depressive Disorder: Pathophysiology and Clinical Management. *J Depress Anxiety*. 2017;06(01):1–7.
24. McCarter T. Depression Overview. American Health & Drug Benefits. 2008;44–51.
25. Maslin R. Diagnosis Gangguan Jiwa - Rujukan Ringkas dari PPDGJ - III dan DSM-5. 2013. 64–65 p.
26. Yulianto E, Solikhah U, Endiyono. Hubungan antara strategi coping dan konsep diri dengan tingkat depresi pada penderita diabetes militus tipe II di wilayah kerja puskesmas I Kutasari Kabupaten Purbalingga. *J Keperawatan*. 2014;16–7.
27. García-Batista ZE, Guerra-Peña K, Cano-Vindel A, Herrera-Martínez SX, Medrano LA. Validity and reliability of the beck depression inventory (BDI-II) in general and hospital population of Dominican Republic. *PLoS One*. 2018;13(6):1–12.
28. Ginting H, Näring G, Van Der Veld WM, Srisayekti W, Becker ES. Validating the Beck Depression Inventory-II in Indonesia's general population and coronary heart disease patients. *International Journal of Clinical and Health Psychology*. 2013;13(3):235–42.
29. Uslu RI, Kapci EG, Oncu B, Ugurlu M, Turkcapar H. Psychometric properties and cut-off scores of the beck depression inventory-II in Turkish adolescents. *J Clin Psychol Med Settings*. 2008;15(3):225–33.
30. Al-Musawi NM. Psychometric properties of the Beck Depression Inventory-II with University students in Bahrain. *J Pers Assess*. 2001;77(3):568–79.
31. Richter P, Werner J, Heerlein A, Kraus A, Sauer H. On the Validity of the Beck Depression. *Psychopathology*. 1998;31:160–8.

32. Visser P, Codd RT. The Beck Depression Inventory. *Pharma Innov.* 2013;2(1):56–62.
33. Syirli Dastoria W. Korelasi Skor Beck Depression Inventory II (BDI II) Dengan Kadar Vascular Endothelial Growth Factor (VEGF) Pada Pasien Diabetes Mellitus Tipe 2. 2019;65–70.
34. Gebeyehu MB, Mekuria AB, Tefera YG, Andarge DA, Debay YB, Bejiga GS, et al. Prevalence, Impact, and Management Practice of Dysmenorrhea among University of Gondar Students, Northwestern Ethiopia: A Cross-Sectional Study. *Int J Reprod Med.* 2017;1–8.
35. Zannoni L, Giorgi M, Spagnolo E, Montanari G, Villa G, Seracchioli R. Dysmenorrhea, absenteeism from school, and symptoms suspicious for endometriosis in adolescents. *Journal of Pediatric and Adolescent Gynecology.* 2014;27(5):1–8.
36. Abu Helwa HA, Mitaeb AA, Al-Hamshri S, Sweileh WM. Prevalence of dysmenorrhea and predictors of its pain intensity among Palestinian female university students. *BMC Womens Health.* 2018;18(18):1–11.
37. Abreu-Sánchez A, Parra-Fernández ML, Onieva-Zafra MD, Ramos-Pichardo JD, Fernández-Martínez E. Type of dysmenorrhea, menstrual characteristics and symptoms in nursing students in southern Spain. *Healthcare.* 2020;8:1–12.
38. Al-Matouq S, Al-Mutairi H, Al-Mutairi O, Abdulaziz F, Al-Basri D, Al-Enzi M, et al. Dysmenorrhea among high-school students and its associated factors in Kuwait. *BMC Pediatr.* 2019;19(80):1–12.
39. Nagy H, Khan MA. Dysmenorrhea. StatPearls [Internet]. 2021 Sep 1 [cited 2021 Dec 2]; Available from: <https://www.ncbi.nlm.nih.gov/books/NBK560834/>
40. Reddish S. Dysmenorrhoea. Australian Family Physician. 2006;35(11):842–9.
41. Dharmapuri S. Dysmenorrhea in adolescents. Pediatric Medicine. 2019;2:1–9.

42. Ferries-Rowe E, Corey E, Archer JS. Primary Dysmenorrhea: Diagnosis and Therapy. *Obstetrics and Gynecology*. 2020;136(5):1047–58.
43. Ekström P, Åkerlund M, Forsling M, Kindahl H, Laudanski T, MruGacz G. Stimulation of vasopressin release in women with primary dysmenorrhoea and after oral contraceptive treatment—effect on uterine contractility. *BJOG An Int J Obstet Gynaecol*. 1992;99(8):680–4.
44. Salim Alsiyabi AI, Mullaicharam AR, Halligudi N. A Review On Evaluation, Management and Pathophysiology of Dysmenorrhea. *World J Pharm Res*. 2016;5(5):241–59.
45. Andersch B, Milsom I. An epidemiologic study of young women with dysmenorrhea. *Am J Obstet Gynecol*. 1982;144(6):655–60.
46. Chauhan M, Kala J. Relation between dysmenorrhea and body mass index in adolescents with rural versus urban variation. *J Obstet Gynecol India*. 2012;62(4):442–5.
47. Teherán AA, Piñeros LG, Pulido F, Mejía Camila M, Guatibonza. WaLIDD score, a new tool to diagnose dysmenorrhea and predict medical leave in University students. *Int J Womens Health*. 2018;10:35–45.
48. Bezuidenhout S, Mahlaba KJ, Nxumalo G, C Meyer J, O Chukwu B. Dysmenorrhoea : an overview. *SA Pharm J*. 2018;85(4):19–25.
49. Guimarães I, Póvoa AM. Primary Dysmenorrhea: Assessment and Treatment. *Rev Bras Ginecol e Obstet*. 2020;42(8):501–7.
50. Balık G, Üstüner I, Kağıtci M, Şahin FK. Is There a Relationship between Mood Disorders and Dysmenorrhea? *J Pediatr Adolesc Gynecol*. 2014;27(6):371–4.
51. Bajalan Z, Moafi F, Moradibaglooei M, Alimoradi Z. Mental health and primary dysmenorrhea: a systematic review. *J Psychosom Obstet Gynecol*. 2018;
52. Barcikowska Z, Rajkowska-Labon E, Grzybowska ME, Hansdorfer-Korzon R, Zorena K. Inflammatory markers in dysmenorrhea and therapeutic options. *Int J Environ Res Public Health*. 2020;17:1–14.

53. Ma H, Hong M, Duan J, Liu P, Fan X, Shang E, et al. Altered Cytokine Gene Expression in Peripheral Blood Monocytes across the Menstrual Cycle in Primary Dysmenorrhea: A Case-Control Study. *PLoS One*. 2013;8(2):1–13.
54. Weir CB, Jan A. BMI Classification Percentile And Cut Off Points. StatPearls [Internet]. 2021 Jun 29 [cited 2021 Dec 2]; Available from: <https://www.ncbi.nlm.nih.gov/books/NBK541070/>
55. Inoue S, Zimmet P, Caterson I, Chunming C, Y I, AK Khalid D, et al. The Asia – Pacific perspective: redefining obesity and its treatment. 2000. p. 20.
56. Epel ES, Crosswell AD, Mayer SE, Prather AA, Slavich GM, Puterman E, et al. More than a feeling: A unified view of stress measurement for population science. *Front Neuroendocrinol*. 2018;49:146–69.
57. State of New Hampshire Employee Assistance Program. Perceived Stress Scale Score Cut Off. State New Hampshire Employee Assistance Program. 1983;2.
58. Dharma AS. Gambaran Depresi pada Mahasiswa Universitas X di Jakarta. *Provitae J Psikol Pendidik*. 2019;12(2):81–93.
59. Sari D, Nurdin AE, Defrin. Hubungan Stres dengan Kejadian Dismenore Primer pada Mahasiswa Pendidikan Dokter Fakultas Kedokteran Universitas Andalas. *J Kesehat Andalas*. 2015;4(2):567–70.
60. Bahrami A, Sadeghnia H, Avan A, Mirmousavi SJ, Moslem A, Eslami S, et al. Neuropsychological function in relation to dysmenorrhea in adolescents. *Eur J Obstet Gynecol Reprod Biol*. 2017;215:224–9.
61. Gagua T, Tkeshelashvili B, Gagua D, Mchedlishvili N. Assessment of Anxiety and Depression in Adolescents with Primary Dysmenorrhea: A Case-Control Study. *J Pediatr Adolesc Gynecol*. 2013;26(6):350–4.
62. N. R, Kulkarni P, Shabadi N, B. C. S, M. R. NM. Menstrual problems and mental health issues: exploring the propinquity among adolescent girls in private high schools of Mysuru. *Int J Community Med Public Heal*. 2022;9(2):858–62.

63. Rapkin AJ, Tsao JCI, Turk N, Anderson M, Zeltzer LK. Relationships among Self-Rated Tanner Staging, Hormones, and Psychosocial Factors in Healthy Female Adolescents. *J Pediatr Adolesc Gynecol.* 2006;19(3):181–7
64. Dawood MY. Nonsteroidal anti-inflammatory drugs and changing attitudes toward dysmenorrhea. *Am J Med.* 1988;84:23–9.
65. Bashir MBA, Albadawy IMAH, Cumber SN. Predictors and correlates of examination anxiety and depression among high school students taking the Sudanese national board examination in Khartoum state, Sudan: a cross-sectional study. *Pan Afr Med J.* 2019;33(69):1–9.