

DAFTAR PUSTAKA

1. Abraham EP. The Antibiotics. *Compr Biochem*. 2015;11(4):181–224.
2. Bérdy J. Thoughts and facts about antibiotics: Where we are now and where we are heading. *J Antibiot (Tokyo)*. 2012;65(8):385–95.
3. Lee AS, de Lencastre H, Garau J, Kluytmans J, Malhotra-Kumar S, Peschel A, et al. Methicillin-resistant *Staphylococcus aureus*. *Nat Rev Dis Prim* 2018 41 [Internet]. 2018 May 31 [cited 2021 Oct 13];4(1):1–23. Available from: <https://www.nature.com/articles/nrdp201833>
4. About Antibiotic Resistance | Antibiotic/Antimicrobial Resistance | CDC [Internet]. [cited 2021 Sep 9]. Available from: <https://www.cdc.gov/drugresistance/about.html>
5. MRSA | CDC [Internet]. [cited 2021 Sep 17]. Available from: <https://www.cdc.gov/mrsa/index.html>
6. Siddiqui AH, Koirala J. Methicillin Resistant *Staphylococcus Aureus*. *StatPearls* [Internet]. 2021 Jul 19 [cited 2021 Aug 20]; Available from: <https://www.ncbi.nlm.nih.gov/books/NBK482221/>
7. Cadena J, Thinwa J, Walter EA, Frei CR. Risk factors for the development of active methicillin-resistant *Staphylococcus aureus* (MRSA) infection in patients colonized with MRSA at hospital admission. *Am J Infect Control* [Internet]. 2016;44(12):1617–21. Available from: <http://dx.doi.org/10.1016/j.ajic.2016.05.009>
8. Stefani S, Chung DR, Lindsay JA, Friedrich AW, Kearns AM, Westh H, et al. Methicillin-resistant *Staphylococcus aureus* (MRSA): Global epidemiology and harmonisation of typing methods. *Int J Antimicrob Agents* [Internet]. 2012;39(4):273–82. Available from: <http://dx.doi.org/10.1016/j.ijantimicag.2011.09.030>
9. Kuntaman K, Hadi U, Setiawan F, Koendori EB, Rusli M, Santosaningsih D, et al. Prevalence of methicillin resistant *staphylococcus aureus* from nose and throat of patients on admission to medical wards of Dr Soetomo hospital, Surabaya, Indonesia. *Southeast Asian J Trop Med Public Health*.

2016;47(1):66–70.

10. Kaur DC, Chate SS. Study of antibiotic resistance pattern in methicillin resistant staphylococcus aureus with special reference to newer antibiotic. *J Glob Infect Dis*. 2015;7(2):78–84.
11. Priestnall SL, Okumbe N, Orengo L, Okoth R, Gupta S, Gupta NN, et al. Classification, identification and typing of micro-organisms. *Endocrine* [Internet]. 2020;9(May):6. Available from: https://www.slideshare.net/maryamkazemi3/stability-of-colloids%0Ahttps://barnard.edu/sites/default/files/inline/student_user_guide_for_spss.pdf%0Ahttp://www.ibm.com/support%0Ahttp://www.spss.com/sites/dm-book/legacy/ProgDataMgmt_SPSS17.pdf%0Ahttps://www.n
12. Sizar O, Unakal CG. Gram Positive Bacteria. *Manag Antimicrob Infect Dis* [Internet]. 2021 Feb 1 [cited 2021 Aug 29];29–41. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK470553/>
13. Taylor TA, Unakal CG. Staphylococcus Aureus. *Food Microbiol Fundam Front* [Internet]. 2021 Jul 21 [cited 2021 Aug 30];555–84. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK441868/>
14. ITIS Standard Report Page: Staphylococcus aureus [Internet]. [cited 2021 Aug 30]. Available from: https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=369#null
15. Rasheed NA, Hussein NR. Staphylococcus aureus: An overview of discovery, characteristics, epidemiology, virulence factors and antimicrobial sensitivity. *Eur J Mol Clin Med* [Internet]. 2021;8(3):1160–83. Available from: <https://www.embase.com/search/results?subaction=viewrecord&id=L2011457423&from=export>
16. Peraro MD, Van Der Goot FG. Pore-forming toxins: Ancient, but never really out of fashion. *Nat Rev Microbiol* [Internet]. 2016;14(2):77–92. Available from: <http://dx.doi.org/10.1038/nrmicro.2015.3>
17. Placentae A. Gynecological and Obstetric Emergencies Abruptio Placentae.

18. Siddiqui AH, Koirala J. Methicillin Resistant Staphylococcus Aureus. StatPearls [Internet]. 2021 Jul 19 [cited 2021 Aug 30]; Available from: <https://www.ncbi.nlm.nih.gov/books/NBK482221/>
19. Hassoun A, Linden PK, Friedman B. Incidence, prevalence, and management of MRSA bacteremia across patient populations—a review of recent developments in MRSA management and treatment. Crit Care [Internet]. 2017 Aug 14 [cited 2021 Oct 13];21(1):211. Available from: </pmc/articles/PMC5557425/>
20. Wong JWH, Ip M, Tang A, Wei VWI, Wong SYS, Riley S, et al. Prevalence and risk factors of community-associated methicillin-resistant staphylococcus aureus carriage in asia-pacific region from 2000 to 2016: A systematic review and meta-analysis. Clin Epidemiol. 2018;10:1489–501.
21. Soe PE, Han WW, Sagili KD, Satyanarayana S, Shrestha P, Htoon TT, et al. High prevalence of methicillin-resistant staphylococcus aureus among healthcare facilities and its related factors in myanmar (2018–2019). Trop Med Infect Dis. 2021;6(2).
22. Sit PS, Teh CSJ, Idris N, Sam IC, Syed Omar SF, Sulaiman H, et al. Prevalence of methicillin-resistant Staphylococcus aureus (MRSA) infection and the molecular characteristics of MRSA bacteraemia over a two-year period in a tertiary teaching hospital in Malaysia. BMC Infect Dis. 2017;17(1):1–14.
23. Park SH, Stockbridge EL, Miller TL, O’Neill L. Private patient rooms and hospital-acquired methicillin-resistant Staphylococcus aureus: A hospital-level analysis of administrative data from the United States. PLoS One [Internet]. 2020;15(7 July):1–17. Available from: <http://dx.doi.org/10.1371/journal.pone.0235754>
24. Turner NA, Sharma-Kuinkel BK, Maskarinec SA, Eichenberger EM, Shah PP, Carugati M, et al. Methicillin-resistant Staphylococcus aureus: an overview of basic and clinical research. Nat Rev Microbiol [Internet]. 2019;17(4):203–18. Available from: <http://dx.doi.org/10.1038/s41579-018-0147-4>

25. Watkins RR, Bonomo RA. β -Lactam Antibiotics. *Infect Dis (Auckl)* [Internet]. 2017 [cited 2021 Nov 14];1203-1216.e2. Available from: <https://linkinghub.elsevier.com/retrieve/pii/B9780702062858001404>
26. Pourmand MR, Hassanzadeh S, Mashhadi R, Askari E. Comparison of four diagnostic methods for detection of methicillin resistant *Staphylococcus aureus*. *Iran J Microbiol*. 2014;6(5):341–4.
27. Kupfer M, Jatzwauk L, Monecke S, Möbius J, Weusten A. MRSA in a large German University Hospital: Male gender is a significant risk factor for MRSA acquisition. *GMS Krankenhhyg Interdiszip* [Internet]. 2010;5(2):1–9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/20941335> <http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=PMC2951106>
28. Asghar AH, Momenah AM. Methicillin resistance among *Staphylococcus aureus* isolates from Saudi Hospitals. *Med Princ Pract*. 2006;15(1):52–5.
29. Uddin R. from patients admitted in a tertiary care hospital of Pakistan. 2010;2(3):143–6.
30. Jamil S, Saad U, Hafiz S. Can amoxicillin clavulanate be used for treating MRSA ? 2017;1(1):21–3.
31. Methicillin-Resistant *Staphylococcus Aureus* (MRSA) [Internet]. [cited 2022 Jun 25]. Available from: <https://www.bcm.edu/departments/molecular-virology-and-microbiology/emerging-infections-and-biodefense/specific-agents/mrsa>